

ま え が き

このパーツカタログは、スズキ船外機 DF200AP 型の補給取扱い部品を収録してあります。

エンジン諸元	4 サイクル	4 気筒	総排気量	(内径×行程 97 mm× 97 mm)
			2867 	

DF200AP				
機 種 記 号	年 式	型 式	ト ラ ン サ ム	実 施 号 機
DF200AP		20003P	X	20003P-510001 ~

パーツカタログのご使用について

1. 記号および略語

1 - 1. サイズ等

A	: 用品	L	: 長さ、リンク数、容積	US	: アンダサイズ
AR	: 必要量	NT	: 歯 数	W	: 巾
D	: 線 径	OD	: 外 径	W/	: 同時使用
E.NO.	: エンジン番号	OPT	: オプション	#	: 直送品
F.NO.	: フレーム番号	OS	: オーバサイズ	*	: 直売品
H	: 高 さ	STD	: スタンダード	~	: より、から
ID	: 内 径	T	: 厚 さ		
12×34×5 : 内径×外径×厚さ(巾、長さ)					

1 - 2. メーカー名

BS	: プリヂストンタイヤ	NGK	: 日本特殊陶業
CHKK	: 中央発条	NHK	: 日本発条
DID	: 大同工業	RK	: 高砂チェン
DK	: 大金製作所	TEN	: 富士通テン
FB	: 古河電池	TR	: 東海理化電機製作所
IRC	: 井上護謄工業	YB	: 湯浅電池
KYB	: 萱場工業		
NABCO	: 日本エアブレーキ		

1 - 3. 構成部品の表示

品 番	品 名
× × × × × - × × × × ×	○ ○ ○ アッシ
× × × × × - × × × × ×	・ ○ ○ ○ ○
× × × × × - × × × × ×	・ ○ ○ ○ ○
	↑ 構成部品(インナパーツ)を示します。

1 - 4. 部品変更

備考欄の品番の前の→印は変更部品相互の互換性を表示します。

→○○○○○-○○○○○.....「～より統一」を示し、旧 $\frac{1}{2}$ 新です。

→○○○○○-○○○○○.....「～に統一」を示し、旧 $\frac{1}{2}$ 新です。

1 - 5. 修正使用

ホース、チューブ等で寸法表示の→印は修正使用を表示します。

(例) L:200→180.....200を180に修正して使用します。

2. 部品変更のお知らせ

部品が新設または変更となった場合、サービス・部品ニュース、統一部品一覧表などでご案内いたします。

販売店様にあつては、弊社代理店にお問い合わせください。

3. 部品の注文

部品ご注文の場合は、このパーツカタログをご参照の上、次の点にご留意され、正確にご注文ください。

- 3 - 1. 品番、品名および数量
- 3 - 2. フレーム番号及びエンジン番号と型式番号(年式)
- 3 - 3. 部品メーカー(電装部品、保安部品など)


注 分解図は、補給部品索引のためのものです。分解、組立には使用しないで下さい。
補給部品の中で車種間の共通化により、一部生産車の部品と異なる場合があります。
あらかじめご了承ください。

記載事項は予告なく変更することがあります。あらかじめご了承ください。

I.Dプレートの説明

I.Dプレートには下記の項目が刻印されています。

より正確な部品発注のため 機種名、型式、製造番号(号機)を確認下さい。



機種名を示します。(例) DF200AP


型式を示します。(例) 20003P

製造番号(号機)を示します。(例) 510001

I.Dプレート


取付位置：ブラケット、クランプ

FIG.111A




OPTIONAL AWD, P14E, 111A
CYLINDER HEAD

FIG.113A




OPTIONAL AWD, P14E, 113A
CYLINDER BLOCK

FIG.116A




OPTIONAL AWD, P14E, 116A
CRANKSHAFT

FIG.118A




OPTIONAL AWD, P14E, 118A
OIL PUMP

FIG.119A




OPTIONAL AWD, P14E, 119A
TIMING BELT

FIG.121A




OPTIONAL AWD, P14E, 121A
CAMSHAFT

FIG.123A




OPTIONAL AWD, P14E, 123A
PISTON AND CONNECTING ROD

FIG.135A



OPTIONAL AWD, P14E, 135A
SELECTING VALVE MECHANISM

FIG.140A



OPTIONAL: ARL, P/SE, 140A
FUEL INJECTOR

FIG.143A






FIG.180A




OPTIMUMP_A002_P14E_180A
CDE PART

FIG.204A




OPTIMUMP_A002_P14E_204A
CCLVCTCHPART

FIG.206A




OPTIMUMP_A002_P14E_206A
CCLVCTCHPART

FIG.220A




OPTIMUMP_A002_P14E_220A
17K465603071

FIG.301A




OPTIMUMP_A002_P14E_301A
STARTING MOTOR

FIG.303A




OPTIMUMP_A002_P14E_303A
BANDWHEEL

FIG.310A




OPTIMUMP_A002_P14E_310A
PRECIPITATION CODE

FIG.315A




OPTIMUMP_A002_P14E_315A
SECTOR

FIG.322A




OPTIONAL ADR, P/N: 3034
CHARTER 20

FIG.326A




OPTIONAL ADR, P/N: 3034
PTT ON/OFF/REVERSE CONTROL UNIT

FIG.331A




OPTIONAL ADR, P/N: 3034
KEYLESS ENTRY

FIG.335A




OPTIONAL ADR, P/N: 3034
GLASSPACKEY

FIG.336A




OPTIONAL ADR, P/N: 3034
DRIVING SPRACKEY

FIG.337A




OPTIONAL ADR, P/N: 3034
TRAIL CYCLINDER

FIG.340A




OPTIONAL ADR, P/N: 3034
PTT MOTOR

FIG.401A




OPTIONAL ADR, P/N: 4014
ENGINE KICKER

FIG. 405A




DR200NP_000_013_4034
DRIVE SHAFT HOUSING

FIG. 407A




DP200NP_000_013_407N
GEAR CASE

FIG. 410A




DF203AP_000_013_4124
SIZE COMBI

FIG. 420A




DFPMAP_000_013_4204
ENGINE COVER

FIG. 420B




DF200AP_000_015_4209
ENGINE COVER

FIG. 430A




DF200AP_000_013_4304
FUEL HOSE

FIG. 460A




DF202AP_000_015_4824
METER

FIG. 502A




DF200AP_000_015_3024
OPTMETER(V)

FIG.503A




OPTIONAL: ADR, P1-E, BSM
OPTIONAL: P1-E2

FIG.520A




OPTIONAL: ADR, P1-E, BSM
OPTIONAL: P1-E2, P1-E3

FIG.522A




OPTIONAL: ADR, P1-E, BSM
OPTIONAL: P1-E2, P1-E3

FIG.523A




OPTIONAL: ADR, P1-E, BSM
OPTIONAL: P1-E2, P1-E3

FIG.530A




OPTIONAL: ADR, P1-E, BSM
OPTIONAL: P1-E2

FIG.535A




OPTIONAL: ADR, P1-E, BSM
OPTIONAL: P1-E2, P1-E3

FIG.540A




OPTIONAL: ADR, P1-E, BSM
OPTIONAL: P1-E2, P1-E3

FIG.543A




OPTIONAL: ADR, P1-E, BSM
OPTIONAL: P1-E2, P1-E3

FIG.575A




OPTIONAL: 002, 01 & 0254
OPTICAPROGLASS

FIG.585A



OPTIONAL: 002, 01 & 0254
OPTICAPROGLASS

FIG.111A



DF200AP_000_015_111A
CYLINDER HEAD

FIG. 111A (1-B-2) シリンダヘッド

見出番号	品番	品名	使用個数	備考	標準作業時間
1	11100-96L00	ヘッドアッシ, シリンダ	1		
2	09103-06266	ボルト (6X40)	20		
3	09206-08001	ピン (8X11)	18		
4	01547-06207	ボルト	2		
5	11112-96L00	プラグ, オイルベンチユリ	1		
6	11116-93J01	プラグ	2		
7	09168-16009	ガスケット (16X22X0.8)	2		
8	11119-96J00	ボルト, シリンダヘッド	10		
9	11141-96L00	ガスケット, シリンダヘッド	1		
10	09206-15001	ピン (12.4X15X17)	2		
11	01550-08257	ボルト	4		
12	01550-08257	ボルト	1		
13	01550-0835A	ボルト	2		
14	01550-08457	ボルト	1		
15	01550-08607	ボルト	6		
16	11261-93J00	カバー, プロテクションアノード	3		
17	09280-22019	リング (D: 1.9, ID: 21.8)	3		
18	55321-87J00	アノード, プロテクション	3		
19	09103-06281	ボルト (6X14)	3		
20	01550-08207	ボルト	3		
21	11170-96J11	カバー, シリンダヘッド	1		
22	11189-96J00	ガスケット, シリンダヘッドカバー	1		
23	11173-96J00	プレート, プリザ	1		
24	02112-0612A	スクリュー	8		
25	01547-06257	ボルト	10		
26	01547-06507	ボルト	4		
27	11174-96J00	ホース, プリザ	1		
28	09401-18410	クリップ	1		
29	09482-00649	スパークプラグ (LKR6E)	4	NGK	
30	11115-93J10-001	ガイド, バルブ (OS)	16	ワシヨン	

DF200AP_000_015

FIG.113A




FIG.113A (1-B-3) シリンダーブロック

見出番号	品番	品名	使用個数	備考	標準作業時間
1	11300-96L00	シリンダーブロック	1		
2	11117-96J01	ボルト, クランクケース	10		
3	09206-14004	ピン (14X11.4X23)	5		
4	09103-10284	ボルト (10X45)	10		
5	09248-26001	ワッシャー (M26)	4		
6	09280-05007	Oリング (D:1.2, ID:4.7)	4		
7	11390-96J00	ジェット, ピストンリング	4		
8	09106-06075	ボルト (6X12)	4		
9	11318-96J00	Oリング, パランサイルキヤリ	1		
10	09329-14002	ガスケット (14X20X9)	2		
11	11261-93J00	カバー, ピストンリングアノード	1		
12	09280-22019	Oリング (D:1.9, ID:21.8)	1		
13	55321-87J00	アノード, ピストンリング	1		
14	09103-06281	ボルト (6X14)	1		
15	01550-08207	ボルト	1		
16	11294-96J00	ブラケット, エンジンマウントボルト	1		
17	11291-96J00	ブラケット, エンジンマウントボルト	1		
18	01550-08167	ボルト	1		
19	01550-08557	ボルト	2		

FIG.116A




FIG. 116A (1-B-4) クランクシャフト

見出番号	品 番	品 名	使用個数	備 考	標準 作業時間
1	12111-96L00-0B0	ピ ス ト ン	4		
2	12140-96J00	リング セット, ピ ス ト ン	4		
3	12151-96J00	ピ ン, ピ ス ト ン	4		
4	12160-96L00	コンロツト アツシ	4		
5	04221-04089	・ピ ン	8		
6-1	12100-96811-0A0	ベ アリング セット, コネクチング ロッド (ケ リン)	4	ケ リン	
6-2	12100-96811-025	ベ アリング セット, コネクチング ロッド (USO. 25)	4	OPT, RED	
7	12221-96J10	クランクシャフト	1		
8-1	12340-96J01-0B0	ベ アリング セット, クランクシャフト (ブ ラツク)	5		
8-2	12340-96J01-0C0	ベ アリング セット, クランクシャフト (ノンカラー)	5		
8-3	12340-96J01-0D0	ベ アリング セット, クランクシャフト (イエロー)	5		
8-4	12340-96J01-0E0	ベ アリング セット, クランクシャフト (ブ ルー)	5		
8-5	12340-96J01-0F0	ベ アリング セット, クランクシャフト (ピ ンク)	5		
8-6	12300-96811-0BA	ベ アリング セット (レッド /ブ ラツク)	5	RED/BLACK	
8-7	12300-96811-0CA	ベ アリング セット, クランクシャフト (レッド)	5	レッド	
8-8	12300-96811-0DA	ベ アリング セット, クランクシャフト (レッド) /イエロー)	5	RED/YELLOW	
8-9	12300-96811-0EA	ベ アリング セット, クランクシャフト (レッド) /ブ ルー)	5	レッド /ブ ルー	
8-10	12300-96811-0FA	ベ アリング セット, クランクシャフト (レッド) /ピ ンク)	5	RED/PINK	
9-1	12300-85830	ベ アリング セット, クランクスラスト	1		
9-2	12300-85830-012	ベ アリング セット, クランクスラストオーバーハ ize	1	オ フ ション	
10	12242-96J00	ギ ャ ー ライブ	1		
11	09103-10229	ボ ル ト (10X32)	1		
12	09160-10120	ワツシャ (10X42X3)	1		
13	09283-91001	オイルシール	1		
14	12100-96L00-050	ピ ス ト ンセット, OS (0. 5)	4	オ フ ション	
15	12140-96J00-050	・リング セット, ピ ス ト ン (OS:0. 50)	4	オ フ ション	

FIG.118A




FIG. 118A (1-B-5) ハランサ

見出番号	品番	品名	使用個数	備考	標準作業時間
1	11330-96J10	カバー、ハランサシャフト	1		
2	11332-96J00	ガスケット、ハランサカバー	1		
3	01550-06257	ボルト	15		
4	11340-96J00	カバー、ハランサウオータジヤケツト	1		
5	11342-96J00	ガスケット、ハランサウオータジヤケツトカバー	1		
6	01550-06257	ボルト	8		
7	11382-93J00	キヤツプ、オイルフィラ	1		
8	09280-26006	リング (D:3.1, ID:26.4)	1		
9	12600-96J01	ハウジングアツシ、ハランサ	1		
10	12643-96J00	ボルト、ハランサ	6		
11	12644-96J00	ワツシヤ、ハランサ	6		
12	04211-11129	ピン	4		
13	09246-05006	ワラグ (1/8PT, H:8)	2		
14	12660-96J20	ハランサ、ボート	1		
15	12645-96J00	ベアリング、ハランサ	8		
16	12650-96J20	ハランサ、スターボート	1		
17	12665-96J00	スワロケツト、ハランサドライフ	1		
18	01550-1020A	ボルト	1		
19	04221-04089	ピン	1		
20	09103-08414	ボルト (8X53)	2		
21	09103-08423	ボルト (8X80)	4		
22	04211-11129	ピン	2		
23	12662-96J00	スワロケツト、ハランサドライフ	1		
24	09202-05032	ピン (5X12)	1		
25	12670-96J00	チェーン、ハランサ	1		
26	12671-96J01	テンシヨナ、ハランサチェーン	1		
27	12672-96J01	ボルト、ハランサチェーンテンシヨナ	1		
28	09160-08079	ワツシヤ (8X17X2)	1		
29	12673-96J00	スワリング、ハランサチェーンテンシヨナ	1		
30	12695-96J00	ガイド、ハランサチェーン	1		
31	01550-0825A	ボルト	2		
32	09103-08158	ボルト (8X75)	1		
33	09160-10039	ワツシヤ (10.5X22X2.3)	1		



FIG.119A





FIG. 119A (1-B-6) タイミングチェーン

見出番号	品番	品名	使用個数	備考	標準作業時間
1	12730-96J01	ギヤ, トリフン	1		
2	09241-25005	・フ ラグ (OD:25)	1		
3	12734-96J00	ホルダ, トリフンギヤ	1		
4	08110-62080	ベアリング	1		
5	09262-40018	ベアリング (40X80X18)	1		
6	09283-32044	オイルシール	1		
7	09103-08339	ホルト (8X55)	4		
8	09280-70012	Oリング (D:5.7)	1		
9	12761-96J00	チェーン, タイミング	1		
10	12772-96J00	ガイド, タイミングチェーン	1		
11	01550-0825A	ホルト	2		
12	12810-96J00	テンションアッジ, タイミングチェーン	1		
13	12813-73G00	・ハット, タイミングチェーンテンション	1		
14	12812-90J00	スベーサ, タイミングチェーンテンション	1		
15	01550-0835A	ホルト	1		
16	12831-93J01	アジャスタアッジ, テンションNO. 1	1		
17	01550-0620A	ホルト	2		

FIG.121A




DF200AP_000_015_121A
CAMSHAFT

FIG. 121A (1-B-7) カムシャフト

見出番号	品番	品名	使用個数	備考	標準作業時間
1	12701-96L00	カムシャフト, インテーク	1		
2	12705-96J50	カムシャフト, エキゾースト	1		
3	12748-96J00	スプローケツト, カムシャフト	1		
4	12740-96J00	スプローケツトアツシ, カムタイミング	1		
5	09202-05033	ピン (5X14.8)	1		
6	12749-93J00	ボルト, カムシャフト	1		
7	12753-93J00	ボルト, インテークカムシャフト	1		
8	09202-05032	ピン (5X12)	1		
9	16550-93J00	バルブ, オイルコントロール	1		
10	16555-93J00	ガスケット, オイルコントロールバルブ	1		
11	01550-06257	ボルト	4		
12	12891-93J00	タペット	16		
13-1	12892-93J00-218	シム, タペット (T:2.175)	16		
13-2	12892-93J00-220	シム, タペット (T:2.200)	16		
13-3	12892-93J00-223	シム, タペット (T:2.225)	16		
13-4	12892-93J00-225	シム, タペット (T:2.250)	16		
13-5	12892-93J00-228	シム, タペット (T:2.275)	16		
13-6	12892-93J00-230	シム, タペット (T:2.300)	16		
13-7	12892-93J00-233	シム, タペット (T:2.325)	16		
13-8	12892-93J00-235	シム, タペット (T:2.350)	16		
13-9	12892-93J00-238	シム, タペット (T:2.375)	16		
13-10	12892-93J00-240	シム, タペット (T:2.400)	16		
13-11	12892-93J00-243	シム, タペット (T:2.425)	16		
13-12	12892-93J00-245	シム, タペット (T:2.450)	16		
13-13	12892-93J00-248	シム, タペット (T:2.475)	16		
13-14	12892-93J00-250	シム, タペット (T:2.500)	16		
13-15	12892-93J00-253	シム, タペット (T:2.525)	16		
13-16	12892-93J00-255	シム, タペット (T:2.550)	16		
13-17	12892-93J00-258	シム, タペット (T:2.575)	16		
13-18	12892-93J00-260	シム, タペット (T:2.600)	16		
13-19	12892-93J00-263	シム, タペット (T:2.625)	16		
13-20	12892-93J00-265	シム, タペット (T:2.650)	16		
13-21	12892-93J00-268	シム, タペット (T:2.675)	16		
13-22	12892-93J00-270	シム, タペット (T:2.700)	16		
13-23	12892-93J00-273	シム, タペット (T:2.725)	16		

DF200AP_000_015

FIG.121A



DF200AP_000_015_121A
CAMSHAFT

FIG. 121A (1-B-8) カムシャフト

見出番号	品番	品名	使用個数	備考	標準作業時間
13-24	12892-93J00-275	シム, タペット (T: 2. 750)	16		
13-25	12892-93J00-278	シム, タペット (T: 2. 775)	16		
13-26	12892-93J00-280	シム, タペット (T: 2. 800)	16		
13-27	12892-93J00-283	シム, タペット (T: 2. 825)	16		
13-28	12892-93J00-285	シム, タペット (T: 2. 850)	16		
13-29	12892-93J00-288	シム, タペット (T: 2. 875)	16		
13-30	12892-93J00-290	シム, タペット (T: 2. 900)	16		
13-31	12892-93J00-293	シム, タペット (T: 2. 925)	16		
13-32	12892-93J00-295	シム, タペット (T: 2. 950)	16		
13-33	12892-93J00-298	シム, タペット (T: 2. 975)	16		
13-34	12892-93J00-300	シム, タペット (T: 3. 000)	16		
14	12911-98J00	バール, インテーク	8		
15	12915-93J50	バール, エキゾースト	8		
16	12921-93J10	スプリング, バール	16		
17	12931-78G00	リテーナ, バール スプリング	16		
18	12932-24400	コック, バール	32		
19	12933-69G10	シート, バール スプリング	16		
20	09289-05012	オイルシール (5. 5X11. 5X9. 3)	16		

DF200AP_000_015

DF200AP_000_015_123A
INTAKE MANIFOLD/THROTTLE BODY


DF200AP_000_015

FIG.135A




FIG. 135A (1-B-10) サイレンサ/リングギヤカバー

見出番号	品番	品名	使用個数	備考	標準作業時間
1	13710-96J00	アレスタ, フレーム	1		
2	13813-96J00	ホルダ, アレスタ	1		
3	11510-96L00	カバー, リングギヤアツバ	1		
4	01550-06207	ホルト	3		
5	01550-06307	ホルト	1		
6	11510-96J04	カバー, リングギヤアツタ	1		
7	01550-06207	ホルト	2		
8	13761-96L00	レゾネータ	1		
9	13766-96L00	クローメット, レゾネータ	1		
10	13822-96L00	ブラケット, サイレンサ	1		
11	13823-96L00	ブラケット, レゾネータ	1		
12	13852-96L00	クッション, サイレンサ	1		
13	13853-96L00	クローメット, フリーザーホース	1		
14	09103-08543	ホルト (8X50)	2		
15	09116-06202	ホルト (6X25)	3		
16	09169-06062	ワッシャ	3		
17	09169-08042	ワッシャ	4		
18	09320-09016	クッション (9X18X9.5)	3		
19	09320-12072	クッション	2		
20	09403-11320	クランプ	1		
21	01550-06127	ホルト	4		
22	13811-96L00	サイレンサ	1		
23	61472-93E20	ラベル, スタータ	1		
24	61494-96J10	ラベル, オイル/クリアランス	1		
25	69711-93E10	ラベル, S. I. G. P.	1		

FIG.140A




FIG. 140A (1-B-11) エキゾーストカバー

見出番号	品番	品名	使用個数	備考	標準作業時間
1	14141-96J00	カバー, エキゾースト	1		
2	14151-96J00	ガスケット, エキゾーストカバー	1		
3	01550-06307	ボルト	9		
4	11261-93J00	カバー, プロテクションアノード	1		
5	09280-22019	リング (D:1.9, ID:21.8)	1		
6	55321-87J00	アノード, プロテクション	1		
7	09103-06281	ボルト (6X14)	1		
8	01550-08207	ボルト	1		
9	11292-96J00	フック, エンジンホート	1		
10	01550-08457	ボルト	2		



This exploded view diagram illustrates the components of a washing machine door lock assembly. The parts are numbered as follows:

- 1**: Main door lock housing
- 2**: Small pin/bush
- 3**: Small pin/bush
- 4**: Cylindrical lock body
- 5**: Lock pin/bush
- 6**: Lock housing cover
- 7**: Small pin/bush
- 8**: Small pin/bush
- 9**: Lock cylinder
- 10**: Lock pin/bush
- 11**: Lock housing cover
- 12**: Small pin/bush
- 13**: Small pin/bush
- 14**: Lock cylinder
- 15**: Lock pin/bush
- 16**: Lock pin/bush
- 17**: Lock pin/bush
- 18**: Lock pin/bush
- 19**: Lock pin/bush
- 20**: Lock pin/bush
- 21**: Lock pin/bush
- 22**: Lock cable
- 23**: Lock pin/bush
- 24**: Lock cable
- 25**: Lock pin/bush
- 26**: Lock pin/bush
- 27**: Lock pin/bush
- 28**: Lock pin/bush
- 29**: Lock pin/bush
- 30**: Lock pin/bush

A directional arrow labeled **FWD** (Forward) is shown at the bottom left, indicating the assembly direction.

見出番号	品番	品名	使用個数	備考	標準 作業時間
1	15600-96J02	セバ ^レ ータアツシ、フューエルホ ^ー バ ^ー	1		
2	13370-96J00	・ハ ^ー ルブ ^ー アツシ、ニード ^ル	1		
3	02142-0408B	・スクリュ	1		
4	15200-96J00	・ホ ^ー ン ^ブ アツシ、フューエル(H)	1		
5	15647-93J00	・ブ ^ー ツシユ、フューエルホ ^ー ン ^ブ	1		
6	15626-96J00	・シール	1		
7	15628-99E00	・スクリュ(L:15)	5		
8	15629-99E10	・スクリュ、ト ^ー レーン	1		
9	15641-96J00	・スベ ^ー サ、フューエルホ ^ー ン ^ブ	1		
10	15642-90J00	・ファイル	1		
11	15650-96J00	・フロート	1		
12	13254-01010	・ピ ^ン 、フロート	1		
13	02112-0408A	・スクリュ	1		
14	15760-93J00	・レギ ^ュ レータ、フューエル ^ブ レツシヤ	1		
15	02112-05107	・スクリュ	1		
16	15683-87J00	・ホース	1		
17	09169-08042	ワツシヤ	6		
18	09320-12072	クツシヨ	3		
19	01550-08357	ホ ^ー ルト	1		
20	01550-08407	ホ ^ー ルト	2		
21	15660-96J20	ホース、エバ ^ー ホ ^ー レシヨ	1		
22	18498-99E00	・ブ ^ー ロテクタ(9.5X11.5X760)	1		
23	09401-08412	・クリツ ^ブ	2		
24	09352-50823-00B	・ホース(5X8.2X2000)	1	L:2000>1000	
25	09401-08412	クリツ ^ブ	1		
26	09352-50823-600	ホース(5X8.2X600)	1	L:600>45	
27	09364-06010	ユニオン	1		
28	09403-13408	クランプ ^ブ	1		
29	09408-00008	クリツ ^ブ (ID:20)	1		
30	09408-00078	クランプ ^ブ	1		

FIG.144A





FIG. 144A (1-B-13) フューエルインジェクタ

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
1	15440-96J01	フィルタ, フューエル	1		
2	15681-87L00	ホース, フューエル (クーラツ-3ウェイ)	1		
3	15681-96J11	ホース, フューエル (クーラツ-セパレータ)	1		
4	15710-96J00	インジェクタアツシ, フューエル	4		
5	15717-16G00	・Oリング	4		
6	15751-96J00	ハブ, テンリハ	1		
7	15762-93J00	ガスケット, テンリハハブ	3		
8	15770-96J00	クーラ, フューエル	1		
9	15773-90J00	ユニオン, フューエルホース	1		
10	15790-96J00	ブラケット, フューエルクーラ	1		
11	15830-77EA0	ジョイント, フューエルメイン	1		
12	15830-99E00	ユニオン, 3ウェイ	1		
13	15851-96J11	ガード, フューエルホース	1		
14	18498-99E20	ブラケット, フューエルホース (15. 4X18. 4X450)	1	L: 450>70	
15	18498-93J00	ブラケット, フューエルホース (15. 4X18. 4X340)	1	L: 340>220	
16	18498-99E20	ブラケット, フューエルホース (15. 4X18. 4X450)	1	L: 450>120	
17	09116-06202	ホルト (6X25)	2		
18	09168-12013	ガスケット (11. 8X22X1. 2)	3		
19	09169-06062	ワッシャ	2		
20	09247-14041	ブラケット (14X14)	1		
21	09320-08501	クッション (8X18X10)	2		
22	09320-08062	クッション	4		
23	09343-75001-600	ホース (7. 5X13. 5X600)	1	L: 600>50	
24	09343-75001-600	ホース (7. 5X13. 5X600)	1	L: 600>120	
25	09343-75001-600	ホース (7. 5X13. 5X600)	1	L: 600>430	
26	09360-12008	ホルト, 12X27	1		
27	09360-14009	ユニオンホルト	1		
28	09363-08004	ユニオン	1		
29	09401-11425	クリップ	10		
30	01550-06127	ホルト	3		
31	01550-06127	ホルト	1		
32	01550-06167	ホルト	2		
33	01550-08167	ホルト	2		
34	01550-08257	ホルト	2		
35	15852-96J00	ガード, フューエルホースガード	1		

見出番号	品番	品名	使用個数	備考	標準作業時間
36	29404-93J20	クランプ*	1	FUEL HOSE GUARD	
37	09408-00320	クランプ*	1	FUEL HOSE	

FIG.146A




DF200AP_000_015_146A
FUELPUMP

FIG. 146A (1-B-15) フューエルポンプ

見出番号	品番	品名	使用個数	備考	標準作業時間
1	15100-96JOV	ポンプアツシ、フューエル	1		
2	15190-96LO1	ホース、フューエル(コネクタツ-フィルタ)	1		
3	15192-96LO0	ホース、フューエル(フィルタツ-ポンプ)	1		
4	15193-96J11	ホース、フューエル(ポンプツ-2WAY)	1		
5	15194-96J11	ホース、フューエル(2WAYツ-セパレータ)	1		
6	15410-92J00	フィルタ、フューエル	1		
7	15411-92J00	キャップ、フューエルフィルタ	1		
8	15412-92J00	フィルタ、フューエル	1		
9	15413-92J00	ケース、フューエルフィルタ	1		
10	15415-92J00	シール、フューエルフィルタ	1		
11	15421-96LO0	ブラケット、フューエルフィルタ	1		
12	15831-96J00	ユニオン、2ウェイフューエルホース	1		
13	18498-96LO0	ロケタ、ホース(13.5X16.5X240)	1		
14	18498-96J20	ロケタ、フューエルホース(13.5X16.5X370)	1		
15	18498-99E10	ロケタ、フューエルホース(13.5X16.5X610)	1	L:610>280	
16	09280-33004	Oリング(D:3.1, ID:32.7)	1		
17	09401-11423	クリップ	5		
18	09401-13424	クリップ	2		
19	09408-00105	クランプ	2		
20	01550-06167	ホルト	2		
21	09103-06211	ホルト(6X25)	2		
22	09408-00198	クランプ	2		
23	08316-10087	ナツト	1		

DF200AP_000_015



DF200AP_000_015

見出番号	品番	品名	使用個数	備考	標準作業時間
1	17411-96J01	ケース, ウォータホﾞ ンﾌ	1		
2	17413-96J01	スリーﾌﾞ, ウォータホﾞ ンﾌﾞ ケース	1		
3	17416-96J00	シーリング, ウォータホﾞ ンﾌﾞ ケース	1		
4	17461-90J01	インﾊﾞﾗ, ウォータホﾞ ンﾌ	1		
5	17471-93J02	ﾊﾞﾈﾙ, ｾﾞ ンﾌﾞ ケースｱﾝﾀﾞ	1		
6	17472-93J00	ｶﾞｽｹｯﾄ, ｾﾞ ンﾌﾞ ケースﾊﾞﾈﾙ	1		
7	17561-96J11	ﾁｭｰﾌﾞ, ウォータ(X)	1		
8-1	17562-93J00	ﾌﾞﾂｼｭ, ウォータﾁｭｰﾌﾞ ｱｯﾊﾞ	1	FROM 20003P-51000 1 UPTO 20003P-51034 5	
8-2	17562-93J01	ﾌﾞﾂｼｭ, ウォータﾁｭｰﾌﾞ ｱｯﾊﾞ	1	FROM 20003P-51034 6	
9	09168-20002	ｶﾞｽｹｯﾄ(20. 5X30X1. 5)	1	FROM 201503 FROM 20003P-51034 6	
10	17563-93J00	ﾌﾞﾂｼｭ, ウォータﾁｭｰﾌﾞ ｾﾞ	1		
11	17564-93J00	ﾌﾞﾂｼｭ, ウォータホﾞ ンﾌﾞ ケース	1		
12-1	17631-93J20	ﾌｨﾙﾀ, ウォータホﾞ ｰﾄｻｲﾄﾞ	1		
12-2	17631-93J30	ﾌｨﾙﾀ, ウォータホﾞ ｰﾄｻｲﾄﾞ	1	ｵﾌﾞｼｮﾝ	
13-1	17632-93J20	ﾌｨﾙﾀ, ウォータｽﾀｰﾎﾞｰﾄﾞ ｻｲﾄﾞ	1		
13-2	17632-93J30	ﾌｨﾙﾀ, ウォータｽﾀｰﾎﾞｰﾄﾞ ｻｲﾄﾞ	1	ｵﾌﾞｼｮﾝ	
14	09132-04034	ﾀｯﾁ ｿﾞ ｽｸﾘｭｳ	2		
15	09116-08131	ﾎﾞﾙﾄ(8X45)	4		
16	09202-06031	ﾋﾟﾝ(6X12)	2		
17	09420-05009	ｷｰ	1		
18	17400-96J02	ｷｯﾄ, ウォータホﾞ ンﾌﾞﾘﾊﾞ ｱ	1	ｵﾌﾞｼｮﾝ	

FIG.162A




FIG. 162A (1-C-2) サーマスタット

見出番号	品 番	品 名	使用個数	備 考	標準 作業時間
1	11196-96L00	ホース, ウォータリターン	1		
2-1	17611-90J00-OEP	カバー, ウォータリターン レジヤパ ルフ (ブラック)	1	BODY COLOR:OEP	
2-2	17611-90J00-Y5S	カバー, ウォータリターン レジヤパ ルフ (ホワイト)	1	BODY COLOR:Y5S	
3	09280-26006	Oリング (D:3.1, ID:26.4)	1		
4	09116-06121	ボルト (6X25)	2		
5	17660-90J00	パ ルフ, ウォータリターン レジヤ	1		
6-1	17670-90J20	サーモスタット, ウォータ 50°C	1		
6-2	17670-90J10	サーモスタット, ウォータ 71°C	1	オプション	
7	17680-96J00	カバー, サーマスタット	1		
8	01550-06257	ボルト	3		
9	09352-50903-600	ホース (5X9X600)	1	L: 600>40	
10	09352-50903-600	ホース (5X9X600)	1	L: 600>60	
11	09352-50903-600	ホース (5X9X600)	1	L: 600>220	
12	09352-50903-600	ホース (5X9X600)	1	L: 600>240	
13	09352-50903-600	ホース (5X9X600)	1	L: 600>380	
14	09352-50903-600	ホース (5X9X600)	1	L: 600>540	
15	09352-50903-600	ホース (5X9X600)	1		
16	09352-50903-600	ホース (5X9X600)	1	L: 600>490	
17	09352-90133-600	ホース (9X13X600)	1	L: 600>340	
18	09367-06002	ジョイント	2		
19	09401-08413	クリップ	16		
20	09401-13425	クリップ	2		
21	09401-31407	クリップ	1		
22	09320-09039	クワシヨン	1		
23	18498-96L40	プロテクタ, ホース (10.2X11.8X430)	1		
24	09407-25402	クランプ (L: 250)	1		
25	11198-96L00	ブラケット, ウォータリターン	1		
26	18498-96L30	プロテクタ, ホース (10.2X11.8X300)	1		
27	01550-06127	ボルト	2		

FIG.175A




FIG. 175A (1-C-3) オイルポンプ

見出番号	品番	品名	使用個数	備考	標準作業時間
1	12632-96J00	ギヤ, オイルポンプドライブ	1		
2	16113-96J00	ギヤ, オイルポンプドライブ	1		
3	16400-96J00	ポンプ アダプタ, オイル	1		
4	16520-96J01	ストレーナ, オイルポンプ	1		
5	09181-12167	シム (12X20X1)	1		
6	09280-22020	Oリング (D: 2. 4, ID: 21. 8)	2		
7	01550-0616A	ボルト	3		
8	01550-0870A	ボルト	4		
9	08110-60020	ベアリング	1		

FIG.178A




FIG. 178A (1-C-4) オイルフィルタ

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
1	16510-96J00	フィルタアツシ, オイル	1		
2	16540-96J00	スタント*, オイルフィルタ	1		
3	16543-96J00	Oリング*, オイルフィルタスタント*	1		
4	01550-08357	ボ ル ト	3		

FIG.180A




FIG.180A (1-C-5) オイルパン

見出番号	品番	品名	使用個数	備考	標準作業時間
1	11430-96J10	バンプ,エキゾーストレリース	1		
2	29116-93J00	ボルト	3		
3	11540-96J01	バンプ,エキゾースト	1		
4	09280-16005	Oリング (D:2.4, ID:15.8)	1		
5	29116-93J00	ボルト	1		
6	11543-96J00	ホース,エキゾースト	1		
7	09401-22408	クリップ	2		
8	11489-96J01	ガスケット,オイルパン	1	ASB	
9-1	11501-96J03-OEP	パン,オイル(ブラック)	1	BODY COLOR:OEP	
9-2	11501-96J03-Y5S	パン,オイル(ホワイト)	1	BODY COLOR:Y5S	
10	11544-96J00	シール,オイルパンアツパ	1		
11	09116-08128	ボルト (8X40)	2		
12	09202-08006	ピン (8X12)	2		
13	09168-12012	ガスケット (12.5X20X2.5)	1		
14	09248-12009	ブラグ (12X18.65)	1		
15-1	11550-96J00-OEP	カバー,ウオータジヤケツトオイルパン(ブラック)	1	BODY COLOR:OEP	
15-2	11550-96J00-Y5S	カバー,ウオータジヤケツトオイルパン(ホワイト)	1	BODY COLOR:Y5S	
16	11552-96J00	ガスケット,オイルパンウオータジヤケツトカバー	1		
17	09103-06093	ボルト (6X20)	6		
18	17913-93J00	ブラグ,ウオータ	1		
19	17914-93J00	ガスケット,ウオータブラグ	1		
20	09116-10146	ボルト (10X195)	8		
21	09116-10181	ボルト (10X44)	1		
22	16910-96J01	ゲージ,オイルレベル	1		
23	16930-96J00	ガイド,オイルレベルゲージ	1		
24	09280-09008	Oリング (D:2.1, ID:8.8)	1		
25	01550-06127	ボルト	1		

FIG.204A




FIG. 204A (1-C-6) クラッチシャフト

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
1	21110-96J10	レバー, クラッチ	1		
2	21131-93J00	ブッシュ, クラッチレバー	1		
3	21151-93J00	ホルダ, クラッチレバー	1		
4	09160-10148	ワッシャ (10X20X3)	1		
5	21210-98J01	シャフト, クラッチ	1		
6	21230-98J01	アーム, クラッチシャフト	1		
7	23111-93J00	ロッド, クラッチ	1		
8	23115-96J10	リンク, クラッチレバー	1		
9	25223-94400	シール, シフトロッドタスト	1		
10	09160-06094	ワッシャ (6.5X15X1.0)	2		
11	09160-06055	ワッシャ (7X12X1)	1		
12	09204-01006	コッタピン	2		
13	09205-10006	ピン	1		
14	09248-12011	ブラグ (12X9)	1		
15	09260-10005	ボール	1		
16	09262-17019	ベアリング (17X35X8)	1		
17	09289-18001	オイルシール	1		
18	09306-06005	ブッシュ	2		
19	09306-10001	ブッシュ	3		
20	09383-08004	Eリング	1		
21	09440-07051	スプリング	1		
22	01550-06207	ホルト	1		
23	08331-41359	サークルリッパ	1		
24	21241-98J00	リンク, クラッチレバー-NO. 2	1		
25	67467-89J01	コネクタ	2		
26	67471-99E00	ナット, リモコンケーブル	2		
27	09160-06055	ワッシャ (7X12X1)	2		
28	09385-06012	スナックピン	2		
29	19115-96J10	ホルダ, クラッチレバー	1		
30	01550-08507	ホルト	2		

FIG.206A




FIG. 206A (1-C-7) クラッチロッド

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
1	25111-96J20	ロッド, シフト(X)	1		
2	25131-96J00	ヨーク, シフト	1		
3	25232-96302	マグネト, ギヤケース	1		
4	09205-02006	ピン	2		
5	25141-93J00	ハウジング, シフトロッドガイド	1		
6	25223-94400	シール, シフトロッドタスト	1		
7	09282-08005	オイルシール	1		
8	25321-93L00	スライダ, シフトホリゾンタル	1		
9	29116-93J00	ボルト	2		
10	09160-08151	ワッシャ (8.5X26X1.6)	1		
11	09280-60007	リング (D:3.5, ID:59.6)	1		


Exploded view diagram of a mechanical assembly, showing various components labeled with numbers 1 through 38. The diagram illustrates the assembly structure, including a central shaft assembly, gears, bearings, and housing components. A 'FWD' arrow indicates the forward direction of motion.

見出番号	品番	品名	使用個数	備考	標準作業時間
1	57110-96J30	シャフト、ド`ライフ` (X)	1		
2	57133-93J00	カラー、ド`ライフ` シャフト	1		
3	57134-93J00	スベ`ーサ、ド`ライフ` シャフトベ` アリク`	1		
4	09159-28003	ナット	1		
5	09269-32001	ベ` アリク` (32X66X49)	1		
6	57300-96870	ヒ` ニオン/キ` ヤセト	1		
7	09160-41004	・ワツヤ (41X52X3)	1		
8	09265-25046	・ベ` アリク` (25X52X19. 25)	1		
9	09381-52008	・スナツブ` リンク`	1		
10-1	09181-60004	シム (60X66X0. 45)	1		
10-2	09181-60005	シム (60X66X0. 5)	1		
10-3	09181-60006	シム (60X66X0. 55)	1		
10-4	09181-60007	シム (60X66X0. 6)	1		
10-5	09181-60008	シム (60X66X0. 65)	1		
10-6	09181-60009	シム (60X66X0. 7)	1		
10-7	09181-60010	シム (60X66X0. 75)	1		
10-8	09181-60011	シム (60X66X0. 8)	1		
10-9	09181-60012	シム (60X66X0. 85)	1		
10-10	09181-60013	シム (60X66X0. 9)	1		
11	09140-16021	ナット	1		
12	08221-16256	シム	1		
13	09160-75002	ワツヤ (75X100X2)	1	FWD GEAR	
14-1	09181-75018	シム (75X100X0. 5)	1	REV GEAR	
14-2	09181-75019	シム (75X100X0. 55)	1	REV GEAR	
14-3	09181-75012	シム (75X100X0. 6)	1	REV GEAR	
14-4	09181-75013	シム (75X100X0. 65)	1	REV GEAR	
14-5	09181-75008	シム (75X100X0. 7)	1	REV GEAR	
14-6	09181-75014	シム (75X100X0. 75)	1	REV GEAR	
14-7	09181-75009	シム (75X100X0. 8)	1	REV GEAR	
14-8	09181-75015	シム (75X100X0. 85)	1	REV GEAR	
14-9	09181-75010	シム (75X100X0. 9)	1	REV GEAR	
14-10	09181-75016	シム (75X100X0. 95)	1	REV GEAR	
14-11	09181-75011	シム (75X100X1)	1	REV GEAR	
15-1	09181-65001	シム (65X80X0. 5)	1	FWD GEAR	
15-2	09181-65002	シム (65X80X0. 55)	1	FWD GEAR	

Exploded view diagram of a mechanical assembly, likely a bicycle hub or similar component. The diagram shows the assembly sequence from the handle (1) to the internal gears (12, 13, 14, 16, 18, 19, 22, 23, 24, 27, 30, 31, 34, 35, 36) and the output shaft (17). A 'FWD' arrow indicates the forward gear position.

見出番号	品番	品名	使用個数	備考	標準作業時間
38-5	09181-32134	ｼﾒ(32X40X0.8)	1		
38-6	09181-32135	ｼﾒ(32X40X0.85)	1		
38-7	09181-32136	ｼﾒ(32X40X0.9)	1		
38-8	09181-32137	ｼﾒ(32X40X0.95)	1		
38-9	09181-32138	ｼﾒ(32X40X1)	1		
38-10	09181-32141	ｼﾒ(32X40X1.05)	1		
38-11	09181-32144	ｼﾒ(32X40X1.1)	1		
38-12	09181-32146	ｼﾒ(32X40X1.15)	1		
38-13	09181-32148	ｼﾒ(32X40X1.2)	1		
38-14	09181-32151	ｼﾒ(32X40X1.25)	1		
38-15	09181-32153	ｼﾒ(32X40X1.3)	1		

FIG.301A



DF200AP_000_015_301A
STARTING MOTOR

FIG. 301A (1-C-11) スターティングモータ

見出番号	品 番	品 名	使用個数	備 考	標準 作業時間
1	31100-96J02	モータアツシ, スターティング	1		
2	31131-90J01	・ﾌﾞﾗｼｾｯﾄ(+)	1		
3	31135-90J00	・ｽﾌﾟﾘﾝｸﾞ	4		
4	31151-94J01	・ｹｰｽ, スターティングモータｷﾞｻ	1		
5	31152-90J00	・ﾌﾞﾚｰﾄ, セﾝﾀ	1		
6	31153-90J00	・ﾌﾞﾗｹｯﾄ, ｷﾞｻ	1		
7	31170-90J00	・ｶﾊﾞｰｱｳｼ, スタータﾓｰﾀﾘｻ	1		
8	31171-96J00	・ｶﾊﾞｰｷｯﾄ, ﾀﾞｽﾄ	1		
9	31173-90J02	・ﾎﾙﾀﾞｱｳｼ, ﾌﾗｼ	1	INCLUDE NO. 2, 3	
10	31191-96J00	・ﾚﾊﾞｰ, シﾌﾄ	1		
11	31220-94J00	・ｽｲｯﾁ, ﾏｸﾞﾈｯﾄ	1		
12	31310-90J00	・ｱﾏﾁｭｱ	1		
13	31320-93J00	・ﾋﾞﾆｵﾝ	1		
14	31341-93J00	・ｼｻﾌﾄ, ﾋﾞﾆｵﾝ	1		
15	31343-90J00	・ｲﾝﾀｰﾅﾙｷﾞｻ	1		
16	31344-90J00	・ｷﾞｻ, ﾌﾗﾅﾀﾘ	3		
17	31360-93J01	・ｳｯｼｻｾｯﾄ, ﺳﾄｯﾊ	1		
18	31913-93J00	・ﾀｰﾐﾅﾙ	1		
19	31914-93J00	・ｷｻﾌﾞ, ﾀｰﾐﾅﾙ	1		
20	31912-96J00	ﾊﾞﾝﾄﾞ, ﺳﾀｰﾀﾓｰﾀ	1		
21	31918-90J10	ﾀﾞﾝﾊﾞ, ﺭｵﾌ	1		
22	01550-08207	ﾎﾙﾄ	2		
23	01550-08357	ﾎﾙﾄ	2		

DF200AP_000_015

FIG.303A




FIG. 303A (1-C-12) マグネト

見出番号	品番	品名	使用個数	備考	標準作業時間
1	32102-96J10	フライホイール, マグネト	1		
2	09103-12125	ボルト (12X26)	8		
3	09202-06031	ピン (6X12)	1		
4	32120-96J00	コイル, ハブリチャージング	1		
5	32160-88L00	コイル, イグニッションタイミング	1		
6	09106-05030	ボルト (5X10)	2		
7	33220-64L10	センサアタッチ, ホシシヨシ	2		
8	01550-06167	ボルト	2		
9	09103-06231	ボルト (6X35)	4		
10	09403-13408	クランプ	1		
11	01550-06127	ボルト	1		
12	11185-96L00	カバー, センサ	1		

FIG.310A

FIG. 310A (1-C-13) レクチファイ/イクニション コイル

見出番号	品番	品名	使用個数	備考	標準作業時間
1	32800-96J00	レクチファイ/レキニエータツジ	1		
2	32805-96J00	カスケツト、レクチファイ/レキニエータ	1		
3	32890-96J20	ホルダ、エレクトリツクハーツ	1		
4	09169-06062	ワツシヤ	2		
5	09320-09016	クツシヨソ (9X18X9. 5)	4		
6	01550-06257	ホルト	1		
7	01550-06257	ホルト	6		
8	33410-96L00	コイルアツシ、イクニツシヨソ	4		
9	01550-06207	ホルト	4		
10	09116-06202	ホルト (6X25)	1		
11	09160-06084	ワツシヤ (6. 5X18X1. 6)	1		




FIG.315A




FIG. 315A (1-C-14) センサ

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
1	13650-52G00	センサ, インレットエアテンバ ^レ レチャ	1		
2	13655-87J00	グ ^ロ メット, エアテンバ ^レ レチャセンサ	1		
3	18213-98J10	センサ, オキシジ ^ン エン	1		
4	18640-78G00	センサアツジ, ノツク	1		
5	29103-93J00	ホ ^ル ルト (6X12)	1		
6	29103-93J00	ホ ^ル ルト (6X12)	1		
7	34830-87J20	センサ, テンバ ^レ レチャ	1	EXHAUST TEMP	
8	34830-87J20	センサ, テンバ ^レ レチャ	1	CYLINDER TEMP	
9	34840-98J11	センサアツジ, トリム	1		
10	34841-96J00	レバ ^ー , トリムセンサ	1		
11	34845-96J00	ブ ^ラ ケツト, トリムセンサ	1		
12	36611-96J00	ワイヤ, トリムセンサ	1		
13	36617-93J10	ブ ^ラ ケツト, ハーネス	1		
14	37820-99E01	スイツチアツジ, オイルフ ^レ レツジヤ (P1. 0)	1		
15	09103-06093	ホ ^ル ルト (6X20)	2		
16	09103-06307	ホ ^ル ルト (6X10)	1		
17	09125-05048	スクリュ (5X16)	1		
18	09160-05029	ワツジヤ (5. 5X12X0. 8)	1		
19	09403-13408	クランフ	2		
20	09403-19409	クランフ	1		
21	09403-20307	クランフ	1		
22	09407-14407	クランフ (L: 145)	2		
23	01550-06127	ホ ^ル ルト	1		
24	43117-96J00	カム, トリムセンタ ^ー	1		
25	09116-05010	ホ ^ル ルト (5X12)	2		
26	43118-96J00	ブ ^レ ート, トリムセンタ ^ー カム	1		

FIG.322A




FIG. 322A (1-C-15) ハーネス

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
1	33810-96L00	ケーブルアツシ, スタータモータ	1		
2	08316-10087	ナット	1		
3	36616-96J00	ホルダ, ケーブル	1		
4	09169-06053	ワッシャ	2		
5	09320-04009	ブッシュ	2		
6	02142-06167	スクリュ	2		
7	36610-96L10	ハーネスアツシ, ワイヤリング	1		
8	36612-98J10	コネクタ, セレクトターミナル	1		
9	36618-43410	キャツプ, オイルブ レツシスイツチ	1		
10	09320-08021	クツシヨシ (8. 5X20X8)	2		
11	36737-96J00	ブラ, フューズ	1		
12	36721-96J00	オリシク, アツハ カハ	1		
13	36738-96J10	カハ, フューズ ケースアツハ	1		
14	38860-76F01	リレーアツシ	1	FOR MAIN	
15	38860-76F01	リレーアツシ	1	FOR STARTER	
16	09481-10501	フューズ (10A)	2		
17	09481-15501	フューズ (15A)	3		
18	09481-30501	フューズ (30A)	3		
19	09481-30401	フューズ (30A)	1		
20	09481-60401	フューズ (60A)	2		
21	36612-96J00	キャツプ, ターミナル	1		
22	08310-00067	ナット	1		
23	08321-01067	ロツクワツシヤ	1		
24	36617-93J00	ブラケツト, ハーネス	2		
25	36617-96J00	ブラケツト, ハーネス	1		
26	01550-06127	ホルト	4		
27	09403-18409	クランフ	1		
28	09407-18402	クランフ (L: 165)	2		
29	09407-14403	クランフ (L: 125)	1		
30	09407-14407	クランフ (L: 145)	4		
31	09408-00008	クリツフ (ID: 20)	2		
32	09408-00012	クリツフ (ID: 11. 5)	1		
33	36611-92J00	ハーネスアツシ, ワイヤリング サブ	1		

FIG.326A




FIG. 326A (1-C-16) PTT スイッチ/エンジン コントロール ユニツ

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
1	13580-98J02	センサアツシ, シフトホﾞジ' ション	1		
2	13575-40F00	・Oリング	1		
3	37729-96L00	レバ' -, シフトセンサ	1		
4	09160-05029	ワツシヤ (5. 5X12X0. 8)	1		
5	37721-93J00	スイツチアツシ, ニュートラル	1		
6	09137-04004	スクリュ (4X16)	2		
7	37725-93J11	カバ' -, スイツチアツシ	1		
8	37850-92J00	スイツチアツシ, PTT	1		
9	37856-92J00	・テ' プ', PTTスイツチ	1		
10	37857-92J00	ブ' ツシュ, PTTスイツチ	1		
11	37722-93J11	スイツチアツシ, チルトリミツ	1		
12	09407-14407	クラン' (L: 145)	1		
13	09407-10404	クラン' (L: 100)	1		
14	07130-05167	ホ' ルト	1		
15	08321-0105A	ロツクワツシヤ	1		
16	38410-93J20	リレーアツシ, PTT	1		
17	38415-93J20	ホルタ', PTTリレー	1		
18	33920-96L10	ユニツツ, エンジ' ンコントロール	1		
19	33925-98J00	クツシヨ' ン, エンジ' ンコントロールユニツツ	1		
20	38890-98J10	アクチユ' -タアツシ, シフト	1		
21	38892-98J00	タ' ンバ', シフトアクチユ' -タ	1		
22	38895-98J00	ブ' ラケツツ, シフトアクチユ' -タ	1		
23	01550-06167	ホ' ルト	2		
24	01550-06307	ホ' ルト	3		
25	38860-76F01	リレーアツシ	2		
26	38915-90J00	ホルタ', リレー	2		

FIG.331A




FIG. 331A (1-D-2) キーレススタート

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
1-1	32851-93J00	クツシヨソ、リド`ワイヤ	2	FROM 20003P-51000 1 UPTO 20003P-51105 2	
1-2	32851-93J00	クツシヨソ、リド`ワイヤ	1	FROM 20003P-51105 3	
2	32980-38F00	クツシヨソ、CDIユニット	1		
3	36623-96L00	ハーネスアツシ、キーレススタートコントローラ	1		
4	36615-96300	ターミナル	1		
5	36662-96L00	ハーネスアツシ、キーレススタートCAN	1		
6	37117-96L00	デ`カル、キーレススタート	2		
7-1	37171-96L10	コントローラアツシ、キーレススタート315MHZ	1	FROM 20003P-51000 1 UPTO 20003P-51105 2	
7-2	37171-96L11	コントローラアツシ、キーレススタート315	1	FROM 20003P-51105 3	
8	37172-96L10	リモコンアツシ、キーレススタート315MHZ	2		
9-1	37173-96L00	ホルダ`、キーレススタートパ`ーツ	1	FROM 20003P-51000 1 UPTO 20003P-51105 2	
9-2	37173-96L10	ホルダ`、キーレススタートパ`ーツ	1	FROM 20003P-51105 3	
10	38500-93J90	ブ`ザ`、ウオ`ニング`	1		
11	38860-96L00	リレーアツシ、キーレススタート	1		
12	09407-14407	クランプ` (L: 145)	1		

FIG.335A





FIG. 335A (1-D-3) クランプ プラケット

見出番号	品番	品名	使用個数	備考	標準 作業時間
1-1	41111-96J21-0EP	ﾌﾞﾗｹｯﾄ,ｸﾗﾝﾌﾟｽﾀｰﾎｰﾄﾞ(ﾌﾞﾗｯｸ)	1	BODY COLOR:0EP	
1-2	41111-96J21-Y5S	ﾌﾞﾗｹｯﾄ,ｸﾗﾝﾌﾟｽﾀｰﾎｰﾄﾞ(ﾎﾜｲﾄ)	1	BODY COLOR:Y5S	
2-1	41121-96J12-0EP	ﾌﾞﾗｹｯﾄ,ｸﾗﾝﾌﾟﾎｰﾄﾞ(ﾌﾞﾗｯｸ)	1	BODY COLOR:0EP	
2-2	41121-96J12-Y5S	ﾌﾞﾗｹｯﾄ,ｸﾗﾝﾌﾟﾎｰﾄﾞ(ﾎﾜｲﾄ)	1	BODY COLOR:Y5S	
3	41130-92J03	ｼｬﾌﾄ,ｸﾗﾝﾌﾟﾌﾞﾗｹｯﾄ	1		
4	41135-92J00	ワｯｼｬ,ｸﾗﾝﾌﾟﾌﾞﾗｹｯﾄｼｬﾌﾄ	1		
5	09159-22006	ﾅｯﾄ	1		
6-1	09100-12085	ﾎｰﾙﾄ(12.7X115)	6		
6-2	09100-12086	ﾎｰﾙﾄ(12.7X150)	1	ｵﾌﾞｼｮﾝ	
6-3	09100-12092	ﾎｰﾙﾄ(12.7X75)	1	ｵﾌﾞｼｮﾝ	
7	09159-12062	ﾅｯﾄ	6		
8	09160-13021	ワｯｼｬ(13.2X26X3)	6		
9	09160-13022	ワｯｼｬ(13.2X45X3)	4		
10	41155-93J02	ﾌﾞﾚｰﾄ,ﾄﾗﾝｻﾑ	2		
11	55320-94900	ｱﾉｰﾄﾞｾｯﾄ,ｸﾗﾝﾌﾟﾌﾞﾗｹｯﾄ	1		
12	09116-06121	ﾎｰﾙﾄ(6X25)	2		
13	48140-93J01	ｶﾑｱｯｼ,ﾁﾙﾄﾘﾐｯﾄｽｲｯﾁ	1		
14	48144-93J00	ﾎﾙﾀﾞ,ﾁﾙﾄﾘﾐｯﾄｽｲｯﾁ	1		
15	09103-06278	ﾎｰﾙﾄ(6X25)	2		
16	48145-93J00	ｶﾊﾞｰ,ﾁﾙﾄﾘﾐｯﾄｽｲｯﾁ	1		
17	55321-94910	ｱﾉｰﾄﾞ(ﾏｸﾞﾆｼｬﾑ)	1	OPT, MAGNESIUM	

FIG.336A



DF200AP_000_015_336A
SWIMEL BRACKET

FIG. 336A (1-D-4) スイベルブacket

見出番号	品番	品名	使用個数	備考	標準作業時間
1	22511-99011	ニツブル, ケーリス	4		
2	36894-87D00	リート (L:165)	1		
3-1	43111-96J10-0EP	ブacket, スイベル (X) (フacket)	1	BODY COLOR:0EP	
3-2	43111-96J10-Y5S	ブacket, スイベル (X) (ホワイト)	1	BODY COLOR:Y5S	
4	43211-93J00	ブッシュ, クランツシャフトスイベル	2		
5	43711-97E01	ブッシュ, ステアリング	2		
6-1	43750-96J60-0EP	ブacket, ステアリング (X) (フacket)	1	BODY COLOR:0EP	
6-2	43750-96J60-Y5S	ブacket, ステアリング (X) (ホワイト)	1	BODY COLOR:Y5S	
7	09125-06063	スクリュー (6X10)	2		
8	09160-39001	ワッシャ (39. 5X64X1)	2		
9	09181-39001	シム (39. 5X64X0. 3)	4		
10	09380-38003	スナック リング	1		
11	09169-28003	ワッシャ	2		
12	09282-39001	オイルシール	1		
13-1	55321-87J00	アノード, フ ロテクション	1		
13-2	55321-87J10	アノード, マグネシウム	1	OPT, MAGNESIUM	
14	09103-06281	ホルト (6X14)	1		
15	41220-96J10	レバー, チルトロツク	1		
16	41234-96J10	レバー, チルトロツクホルト	1		
17	41224-95E01	ブッシュ, チルトストツハ ロツト	2		
18	41230-96J00	リング, チルトロツクレバー	1		
19	41233-95E10	ブacket, チルトロツクスフ リング	1		
20	09125-06063	スクリュー (6X10)	1		
21	09140-10032	ナツト	1		
22	09160-06082	ワッシャ (6. 5X13X1. 0)	1		
23	09204-01006	コツタヒ ン	1		
24	09440-19028	スフ リング	1		
25	09443-10043	スフ リング	1		
26	36894-87D00	リート (L:165)	1		
27	09125-06063	スクリュー (6X10)	2		

DF200AP_000_015

FIG.337A




FIG. 337A (1-D-5) トリムシリンダ*

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
1	48000-96J10	トリムアツシ, ハ ^ニ ワーウイズ ^ニ チルト	1		
2	29404-93J10	・クランプ ^ニ	1		
3	31281-92J10	・ホ ^ニ ルト, スルー	4		
4	38100-96J10	・モータアツシ, PTT	1		
5	48502-96J05	・ホ ^ニ ンフ ^ニ アツシ, PTT	1		
6	48503-96J03	・マニホールド ^ニ サフ ^ニ アツシ	1		
7	48401-96J01	・・ヒ ^ニ ストンアツシ	1		
8	48601-94900	・・ヒ ^ニ ストン/ラムアツシ	2		
9	48627-95E00	・・Oリング ^ニ セツト	3		
10	48630-96J02	・・ヘツト ^ニ , トリムシリンダ ^ニ	2		
11	48633-94900	・・Oリング ^ニ セツト, ヘツト ^ニ	2		
12	48641-96J02	・・マニホールド ^ニ , PTT	1		
13	48650-94900	・・ヒ ^ニ ストン, フリー	1		
14	48405-87D00	・・・Oリング ^ニ セツト	1		
15	48615-97E00	・・・リング ^ニ セツト, ヒ ^ニ ストン	1		
16	48570-95E01	・リザ ^ニ ーハ ^ニ アツシ	1		
17	48572-95E00	・・キャツプ ^ニ	1		
18	48583-95E00	・ジ ^ニ ヨイント, ト ^ニ ライフ ^ニ	1		
19	48585-95E00	・Oリング ^ニ	1		
20	48588-94900	・Oリング ^ニ セツト	1		
21	48861-92J01	・ホ ^ニ ルト, リザ ^ニ ーハ ^ニ	3		
22	48862-92J20	・ホ ^ニ ルト, ホ ^ニ ンフ ^ニ NO. 1	1		
23	48862-92J30	・ホ ^ニ ルト, ホ ^ニ ンフ ^ニ NO. 2	2		
24	48121-92J00	シヤフト, チルトシリンダ ^ニ ロア ^ニ	1		
25	48311-96J20	ハ ^ニ ヴツド ^ニ , トリムシリンダ ^ニ ラム	2		
26	48321-87D03	シヤフト, チルトシリンダ ^ニ アツパ ^ニ	1		
27	48326-95E00	ブ ^ニ ツシュ, チルトシリンダ ^ニ ロア ^ニ	2		
28	09116-10183	ホ ^ニ ルト (10X35)	2		
29	29141-93J20	ナツト	2		
30	09162-10005	ロツクワツシヤ	2		
31	09306-17001	ブ ^ニ ツシュ	2		
32	09380-17009	スナツブ ^ニ リンク ^ニ	2		
33	36894-87D00	リート ^ニ (L:165)	1	SWIVEL TO MOUNT B RKT	
34	09125-06063	スクリュ (6X10)	1		

This exploded view diagram illustrates the assembly of a vehicle suspension system. The main components are shown in their relative positions, with dashed lines indicating the assembly path. The parts are numbered as follows:

- 1**: Main suspension housing or frame.
- 2**: A small metal bracket or clip.
- 3**: A bolt or screw used for securing the top of the housing.
- 4**: A cylindrical component, possibly a shock absorber or coil spring.
- 5**: A square base plate or mounting bracket.
- 6**: A small metal pin or clip.
- 7**: A large, thick metal washer or spacer.
- 8**: A long, thin metal rod or pin.
- 9**: A small metal bush or sleeve.
- 10**: A small metal bush or sleeve.
- 11**: A small metal bush or sleeve.
- 12**: A large, complex metal bracket or arm.
- 13**: A small metal bush or sleeve.
- 14**: A small metal bush or sleeve.
- 15**: A small metal bush or sleeve.
- 16**: A large, complex metal bracket or arm.
- 17**: A small metal pin or clip.
- 18**: A small metal pin or clip.
- 19**: A circular metal ring or gasket.
- 20**: A small metal pin or clip.
- 21**: A small metal pin or clip.
- 22**: A long, thin metal rod or pin.
- 23**: A small metal pin or clip.
- 24**: A long, thin metal rod or pin.
- 25**: A small metal pin or clip.
- 26**: A small metal pin or clip.
- 27**: A small metal pin or clip.
- 28**: A small metal pin or clip.
- 29**: A small metal pin or clip.
- 30**: A small metal pin or clip.
- 31**: A small metal pin or clip.
- 32**: A small metal pin or clip.
- 33-35**: A small metal pin or clip.
- 34**: A small metal pin or clip.
- 36**: A small metal pin or clip.

The diagram shows the assembly of the suspension system, including the main housing, the shock absorber/coil spring, the control arm, and the various mounting brackets and pins. The components are shown in their relative positions, with dashed lines indicating the assembly path.

見出番号	品番	品名	使用個数	備考	標準作業時間
35	36895-87D10	リフト (L:310)	1	SWIVEL TO HSG	
36	09125-05050	スクリュー (5X8)	1		

FIG.340A




FIG. 340A (1-D-7) PTTモータ

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
1	38100-96J10	モータアツシ, PTT	1		
2	31111-94900	・スクリュ	3		
3	31173-94910	・ホルダ アツシ, フ ラシ	1		
4	31123-94910	・・0リング	1		
5	31133-90J00	・・フ ラシアツシ	1		
6	31133-94900	・・フ ラシ(+)	1		
7	31135-94900	・・スフ リング	1		
8	31136-90J10	・・フ レーカアツシ	2		
9	33799-97E00	・・シール, オイル	1		
10	31311-94900	・アマチュア	1		
11	48502-96J05	ホ ンフ アツシ, PTT	1		
12	48582-95E01	・フィルタ	1		
13	48864-96J10	・ハ ルフ セット, マニュアル	1		

FIG.401A




FIG. 401A (1-D-8) エンジンホルダー

見出番号	品番	品名	使用個数	備考	標準作業時間
1-1	51111-96J20-OEP	ホルダー, エンジン(フ'ラック)	1	BODY COLOR: OEP	
1-2	51111-96J20-Y5S	ホルダー, エンジン(ホワイト)	1	BODY COLOR: Y5S	
2	16519-93J00	シール, エンジンホルダー オイル	1		
3	51211-96J00	ガスケット, エンジンホルダー	1		
4	51115-90J10	ユニオン, ウォータータン	1		
5	09180-06289	・スベ-サ(6.5X10X11.5)	1		
6	09280-26006	Oリング(D:3.1, ID:26.4)	1		
7	01550-06257	ホルト	1		
8	09206-08001	ピン(8X11)	2		
9	51120-96J02	カバー, マウントオイルシール	1		
10	22511-99011	・ニツブル, グレ-ス	1		
11	51124-93J01	・シール, オイル	2		
12	51125-93J00	・スクレーパー	1		
13	51123-96J01	ガスケット, マウントオイルカバー	1		
14	09103-08109	ホルト(8X120)	1		
15	01550-0830A	ホルト	7		
16	09206-08001	ピン(8X11)	2		
17	51140-96J00	カバー, エンジンホルダー	1		
18	51142-96J00	ガスケット, エンジンホルダーカバー	1		
19	01550-06207	ホルト	2		
20	51161-96J01	カバー, エンジンホルダー ウォータージヤケット	1		
21	51162-96J00	ガスケット, エンジンホルダー ウォータージヤケットカバー	1		
22	09103-06093	ホルト(6X20)	6		
23	51170-96J01	ブラケット, ウォータージヤケット	1		
24	09116-06121	ホルト(6X25)	1		
25	09116-10180	ホルト(10X50)	6		
26	09116-10137	ホルト(10X70)	2		
27	01550-08307	ホルト	1		
28	54121-96J01	マウント, アツパ スラスト	1		
29	54130-96J01	マウント, アツパ	2		
30	54112-96J01	ホルト, アツパ マウント	2		
31	09159-14026	ナット	2		
32	09160-15051	ワッシャ(15X24X3)	2		
33	54137-93J02	カバー, アツパ マウント	1		
34	09116-10135	ホルト(10X95)	1		

FIG.401A




FIG. 401A (1-D-9) エンジンホルダー

見出番号	品 番	品 名	使用個数	備 考	標準 作業時間
35	09116-10175	ボルト (10X50)	2		
36	54127-96J00	マウント, アツパ サイト	2		
37	54122-96J00	スベ ーサ, アツパ マウントスラスト	2		

FIG.405A




FIG. 405A (1-D-10) ドライブシャフトハウジング

見出番号	品番	品名	使用個数	備考	標準作業時間
1-1	52111-96J10-0EP	ハウジング, ドライブシャフト(X) (ブラック)	1	BODY COLOR:0EP	
1-2	52111-96J10-Y5S	ハウジング, ドライブシャフト(X) (ホワイト)	1	BODY COLOR:Y5S	
2	09116-10181	ボルト(10X44)	8		
3	09202-08006	ピン(8X12)	2		
4	57130-87D10	ブッシュ, ドライブシャフト	1		
5	09387-38002	リンク	1		
6	36895-87D10	リート(L:310)	1	SWIVEL TO HSG	
7	09125-06063	スクリュー(6X10)	1		
8	54151-96J01	マウント, ロアスラスト	1		
9	54160-96J01	マウント, ロア	2		
10-1	54211-96J01-0EP	ブラケット, ロアマウント(ブラック)	1	BODY COLOR:0EP	
10-2	54211-96J01-Y5S	ブラケット, ロアマウント(ホワイト)	1	BODY COLOR:Y5S	
11	54221-96J00	カバー, ロアマウント	2		
12	09100-14004	ボルト(14X220)	2		
13	09116-10182	ボルト(10X35)	2		
14	09116-10180	ボルト(10X50)	4		
15	09160-16050	ワッシャー(16X32X3)	2		
16	09160-16050	ワッシャー(16X32X3)	2		
17	54167-96J00	マウント, ロアサイト	2		

FIG.407A




FIG. 407A (1-D-11) ギヤケース

見出番号	品 番	品 名	使用個数	備 考	標準 作業時間
1-1	55110-96L00-0EP	ケース, ギヤ (ブ ラツク)	1	BODY COLOR: 0EP	
1-2	55110-96L00-Y5S	ケース, ギヤ (ホワイト)	1	BODY COLOR: Y5S	
2	09263-32017	・ベ アリング (32X48X30)	1		
3	56145-93J00	・ハウジング, シフトカム	1		
4	04221-08129	・ピン	1		
5	09265-65001	・ベ アリング (65X100X27)	1	FWD THRUST	
6	09100-12052	ホル ト (12X70)	1		
7	09116-10150	ホル ト (10X55)	6		
8	09160-12066	ワッシャ (12. 5X22X2. 5)	1		
9	17566-87D11	グ ロメット	1		
10	09202-08006	ピン (8X12)	2		
11-1	55125-98J00-0EP	タブ, トリム (ブ ラツク)	1	BODY COLOR: 0EP	
11-2	55125-98J00-Y5S	タブ, トリム (ホワイト)	1	BODY COLOR: Y5S	
12	09116-08137	ホル ト (8X22)	1		
13	55128-93J10	ブ ラグ, ド レーン	2		
14	09168-10034	ガ スケット (9. 5X16. 5X2)	3		
15	55321-93J00	アノード, プ ロテクション	2		
16	09116-06236	ホル ト (6X16)	2		
17	55332-87D11	ラバ ー, エキゾ ーストシール	1		
18	55333-87D10	ブ レート, エキゾ ーストシール	1		
19	55127-87D00	ブ ラグ, ユニオン	1		
20	09355-40805-600	ホ ース (4X8X600)	1	L: 600>50	
21	09362-09008	ユニオン	1		
22	09407-10404	クランプ (L: 100)	2		
23-1	58200-93LA0	ブ ーム ラ (3X16X18-1/2), C/R	1	W/COUNTER ROTATIO N	
23-2	58200-93LB0	ブ ーム ラ (3X16X20), C/R	1	W/COUNTER ROTATIO N	
23-3	58200-93LC0	ブ ーム ラ (3X16X21-1/2), C/R	1	W/COUNTER ROTATIO N	
23-4	58200-93LD0	ブ ーム ラ (3X16X23), C/R	1	W/COUNTER ROTATIO N	
23-5	58200-93LF0	ブ ーム ラ (3X16X24-1/2), C/R	1	W/COUNTER ROTATIO N	
23-6	58200-93L00	ブ ーム ラ (3X16X17)	1	W/REGULAR ROTATIO	

FIG.407A




FIG. 407A (1-D-12) ギヤケース

見出番号	品 番	品 名	使用個数	備 考	標準 作業時間
23-7	58200-93L10	ﾌﾞﾛｯｸ (3X16X18-1/2)	1	N W/REGULAR ROTATIO N	
23-8	58200-93L20	ﾌﾞﾛｯｸ (3X16X20)	1	N W/REGULAR ROTATIO N	
23-9	58200-93L30	ﾌﾞﾛｯｸ (3X16X21-1/2)	1	N W/REGULAR ROTATIO N	
23-10	58200-93L40	ﾌﾞﾛｯｸ (3X16X23)	1	N W/REGULAR ROTATIO N	
23-11	58200-93L50	ﾌﾞﾛｯｸ (3X16X24-1/2)	1	N W/REGULAR ROTATIO N	
23-12	58200-93L60	ﾌﾞﾛｯｸ (3X16X26)	1	N W/REGULAR ROTATIO N	
23-13	58200-93L70	ﾌﾞﾛｯｸ (3X16X27-1/2)	1	N W/REGULAR ROTATIO N	
23-14	58200-93LE0	ﾌﾞﾛｯｸ (3X16X17), C/R	1	OPT, W/COUNTER ROT ATION	
23-15	58200-93LG0	ﾌﾞﾛｯｸ (3X16X26), C/R	1	OPT, W/COUNTER ROT ATION	
23-16	58200-96JA0	ﾌﾞﾛｯｸ (3X15-1/2X17), C/R	1	OPT, W/COUNTER ROT ATION	
23-17	58200-96JB0	ﾌﾞﾛｯｸ (3X15-1/4X19), C/R	1	OPT, W/COUNTER ROT ATION	
23-18	58200-96JC0	ﾌﾞﾛｯｸ (3X15X21), C/R	1	OPT, W/COUNTER ROT ATION	
23-19	58200-96JD0	ﾌﾞﾛｯｸ (3X14-3/4X23), C/R	1	OPT, W/COUNTER ROT ATION	
23-20	58200-96JE0	ﾌﾞﾛｯｸ (3X14-1/2X25), C/R	1	OPT, W/COUNTER ROT ATION	
23-21	58200-96JF0	ﾌﾞﾛｯｸ (3X14-1/2X27), C/R	1	OPT, W/COUNTER ROT ATION	
23-22	58300-93JA0	ﾌﾞﾛｯｸ (4X15-1/4X20), C/R	1	OPT, W/COUNTER ROT ATION	
23-23	58300-93JB0	ﾌﾞﾛｯｸ (4X15-1/4X22), C/R	1	OPT, W/COUNTER ROT ATION	

FIG.407A





FIG. 407A (1-D-13) ギヤケース

見出番号	品 番	品 名	使用個数	備 考	標準 作業時間
23-24	58300-93JC0	ﾌﾞﾛｯｸ (4X15-1/4X24) , C/R	1	OPT, W/COUNTER ROT ATION	
23-25	58300-93JD0	ﾌﾞﾛｯｸ (4X15-1/4X26) , C/R	1	OPT, W/COUNTER ROT ATION	
23-26	58200-96J00	ﾌﾞﾛｯｸ (3X15-1/2X17)	1	OPT, W/REGULAR ROT ATION	
23-27	58200-96J10	ﾌﾞﾛｯｸ (3X15-1/4X19)	1	OPT, W/REGULAR ROT ATION	
23-28	58200-96J20	ﾌﾞﾛｯｸ (3X15X21)	1	OPT, W/REGULAR ROT ATION	
23-29	58200-96J30	ﾌﾞﾛｯｸ (3X14-3/4X23)	1	OPT, W/REGULAR ROT ATION	
23-30	58200-96J40	ﾌﾞﾛｯｸ (3X14-1/2X25)	1	OPT, W/REGULAR ROT ATION	
23-31	58200-96J50	ﾌﾞﾛｯｸ (3X14-1/2X27)	1	OPT, W/REGULAR ROT ATION	
23-32	58200-93L80	ﾌﾞﾛｯｸ (3X16X15)	1	OPT, W/REGULAR ROT ATION	
23-33	58300-93J00	ﾌﾞﾛｯｸ (4X15-1/4X18)	1	OPT, W/REGULAR ROT ATION	
23-34	58300-93J10	ﾌﾞﾛｯｸ (4X15-1/4X20)	1	OPT, W/REGULAR ROT ATION	
23-35	58300-93J20	ﾌﾞﾛｯｸ (4X15-1/4X22)	1	OPT, W/REGULAR ROT ATION	
23-36	58300-93J30	ﾌﾞﾛｯｸ (4X15-1/4X24)	1	OPT, W/REGULAR ROT ATION	
23-37	58300-93J40	ﾌﾞﾛｯｸ (4X15-1/4X26)	1	OPT, W/REGULAR ROT ATION	
24	58105-93J10	ﾌﾞﾛｯｸｼｬﾌﾄ, ﾌﾞﾛｯｸ	1		
25	57632-93L01	ｽﾄｯﾊﾟ, ﾌﾞﾛｯｸｼｬﾌﾄ	1		
26	57633-87D30	ｽﾍﾟｰｻ, ﾅｯﾄ (T: 6. 0)	1		
27	09141-18005	ﾅｯﾄ	1		
28	09160-18028	ワｯｼﾞ (18. 5X31X1)	1		
29	09204-03003	ｺﾂﾋﾞﾝ	1		
30	55128-93L00	ﾌﾞﾗｸﾞ, ﾉｰﾚﾝ	1		

FIG.407A



DF200AP_000_015_407A
GEAR CASE

FIG. 407A (1-D-14) ギヤケース

見出番号	品番	品名	使用個数	備考	標準作業時間
31	57630-92E00	キット, フロントラサット	1	オプション	
32	25700-93J00	シーリングキット, ギヤケース	1	オプション, イラストはオプション	

FIG.410A




FIG. 410A (1-D-15) サイドカバー

見出番号	品番	品名	使用個数	備考	標準作業時間
1-1	61131-96J12-0EP	カバー, オイルパンスターボード (X) (フ ラック)	1	BODY COLOR:0EP	
1-2	61131-96J12-Y5S	カバー, オイルパンスターボード (X) (ホワイト)	1	BODY COLOR:Y5S	
2-1	61141-96J12-0EP	カバー, オイルパンボード (X) (フ ラック)	1	BODY COLOR:0EP	
2-2	61141-96J12-Y5S	カバー, オイルパンボード (X) (ホワイト)	1	BODY COLOR:Y5S	
3	09139-06135	スクリュー (6X17)	5		
4-1	61811-96L01-0EP	カバー, サイドスターボード (フ ラック)	1	BODY COLOR:0EP	
4-2	61811-96L01-Y5S	カバー, サイドスターボード (ホワイト)	1	BODY COLOR:Y5S	
5-1	61820-96L01-0EP	カバー, サイドボード (フ ラック)	1	BODY COLOR:0EP	
5-2	61820-96L01-Y5S	カバー, サイドボード (ホワイト)	1	BODY COLOR:Y5S	
6	61134-96J02	シール, サイドカバー	1		
7	09409-05302-5PK	クリップ (フ ラック)	2		
8	09136-06148	スクリュー (6X35)	8		
9	17913-93J00	ブラケット, ウォータ	1		
10	17914-93J00	ガスクット, ウォータブラケット	1		
11-1	61831-96J10-0EP	パネル, フロント (フ ラック)	1	BODY COLOR:0EP	
11-2	61831-96J10-Y5S	パネル, フロント (ホワイト)	1	BODY COLOR:Y5S	
12	09116-08163	ホルト (8X38)	2		
13	09169-08039	ワッシャ	2		
14	09320-11013	クッション	2		
15	61632-93J00	シャフト, エンジンカバーフック	3		
16	61633-96J02	レバー, フックリヤスターボード	1		
17	61634-96J02	レバー, フックリヤボード	1		
18	61641-93J10	フック, エンジンカバー	3		
19	61645-96J02	レバー, フックフロント	1		
20	61673-96J02	ラッチ, フックレバー	3		
21	09116-06127	ホルト (6X12)	3		
22	09160-13014	ワッシャ (13. 2X25X1)	3		
23	09164-14008	ワッシャ	3		
24	09202-04022	ピン	3		
25	09306-13007	ブラッシュ	3		
26	01550-05107	ホルト	6		
27	61124-96J21	クローメット, リモコンキーホルダー	1		
28	09407-25402	クランプ (L:250)	1		
29	17917-87L00	コネクタ, フラッシュウォータ	1		
30	09250-18002	キャップ (OD:21)	1		

FIG.410A




FIG. 410A (1-D-16) サイドカバー

見出番号	品番	品名	使用個数	備考	標準作業時間
31	67300-93J00	キット、ホースアダプタ	1	オプション	
32	67361-93J00	アダプタ、ホース	1	オプション	
33	09250-21003	プラグ (OD:28)	1	オプション	

FIG.420A




FIG. 420A (1-E-2) エンジンカバー (SEE NOTE 1)

見出番号	品番	品名	使用個数	備考	標準作業時間
1	61420-96850-OEP	カバーセット, エンジン (DF200A/200AP)	1	BODY COLOR: OEP	
2	61433-96L00	・カバー, エアインテークインナ	1	BODY COLOR: OEP	
3	61476-96J10	・シール, エアベント	1	BODY COLOR: OEP	
4	61565-96L00	・ダクト, エアインテーク	1	BODY COLOR: OEP	
5	61610-93J00	・フアスタ	3	BODY COLOR: OEP	
6	61621-93J00	・ブラケット, フアスタ	3	BODY COLOR: OEP	
7	09329-10022	・クツジョン	3	BODY COLOR: OEP	
8	01547-06167	・ボルト	6	BODY COLOR: OEP	
9	01550-06127	・ボルト	3	BODY COLOR: OEP	
10	03542-05169	・スクリュ	5	BODY COLOR: OEP	
11	03542-05169	・スクリュ	11	BODY COLOR: OEP	
12	61112-96L00	・シール, エンジンカバー	1	BODY COLOR: OEP	
13	61422-93J52	・マーク, エンブレムフロント (200)	1	BODY COLOR: OEP	
14	61435-96L00	・マーク, エンブレムリヤ (200)	1	BODY COLOR: OEP	
15	61443-96J22	・ストライプ, エンジンカバースターボート	1	BODY COLOR: OEP	
16	61453-96J22	・ストライプ, エンジンカバーボート	1	BODY COLOR: OEP	
17	77811-54GC0-OPG	・エンブレム, マークS (クロム)	1	BODY COLOR: OEP	
18	61471-98J00	・デカール, LEANBURN	1	BODY COLOR: OEP	
19	61458-99E50	・ラベル, エンジンカバー	1	BODY COLOR: OEP	
20	61446-96J20	・デカール (S. P. C.)	1	BODY COLOR: OEP	
21	61473-98J00	・デカール (S. S. R.)	1	BODY COLOR: OEP	
22	09800-81840	・ツールセット	1	BODY COLOR: OEP	
23	68110-98J00	・カバー, ウェザ	1	オプション BODY COLOR: OEP	

NOTE 1:
FOR OEP
NOTE 1:
FOR Y5S

FIG.420B




FIG. 420B (1-E-3) エンジンカバー (SEE NOTE 1)

見出番号	品 番	品 名	使用個数	備 考	標準 作業時間
1	61420-96860-Y5S	カバーセット, エンジン (DF200A/200AP)	1	BODY COLOR: Y5S	
2	61433-96L00	・カバー, エアインテークイン	1	BODY COLOR: Y5S	
3	61476-96J10	・シール, エアベント	1	BODY COLOR: Y5S	
4	61565-96L00	・ダクト, エアインテーク	1	BODY COLOR: Y5S	
5	61610-93J00	・フアスタ	3	BODY COLOR: Y5S	
6	61621-93J00	・ブラケット, フアスタ	3	BODY COLOR: Y5S	
7	09329-10022	・クッション	3	BODY COLOR: Y5S	
8	01547-06167	・ボルト	6	BODY COLOR: Y5S	
9	01550-06127	・ボルト	3	BODY COLOR: Y5S	
10	03542-05169	・スクリュー	5	BODY COLOR: Y5S	
11	03542-05169	・スクリュー	11	BODY COLOR: Y5S	
12	61112-96L00	・シール, エンジンカバー	1	BODY COLOR: Y5S	
13	61422-93J90	・マーク, エンブレムフロント (200)	1	BODY COLOR: Y5S	
14	61435-96L10	・マーク, エンブレムリヤ (200)	1	BODY COLOR: Y5S	
15	61443-96J30	・ストライプ, エンジンカバースターボート	1	BODY COLOR: Y5S	
16	61453-96J30	・ストライプ, エンジンカバーボート	1	BODY COLOR: Y5S	
17	77811-54GC0-OPG	・エンブレム, マークS (クロム)	1	BODY COLOR: Y5S	
18	61471-98J00	・デカール, LEANBURN	1	BODY COLOR: Y5S	
19	61458-99E50	・ラベル, エンジンカバー	1	BODY COLOR: Y5S	
20	61446-96J30	・デカール (S. P. C.) (ホワイト)	1	BODY COLOR: Y5S	
21	61473-98J10	・デカール (S. S. R.) (ホワイト)	1	BODY COLOR: Y5S	
22	09800-81840	・ツールセット	1	BODY COLOR: Y5S	
23	68110-98J00	・カバー, ウェザ	1	オプション BODY COLOR: Y5S	

NOTE 1:
FOR Y5S

FIG.430A

FIG. 430A (1-E-4) フューエルホース

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
1	09251-09002	キャップ (OD:13.6)	1		
2	09367-10001	ジョイント	1		
3	09401-13423	クリップ	2		
4	65700-93J02	ホース, フューエル (タンクツ-コネクタ)	1		
5	65770-93J11	・ホース, スライズ	1		




FIG.460A





FIG. 460A (1-E-5) メータ

見出番号	品番	品名	使用個数	備考	標準 作業時間
1	34011-96L00	ゲージセット, マルチ (W/インストラクション)	1	<-34200-96L00	
2	34112-96L00	・ナット, ゲージ	1		
3	34193-96L00	・ベゼル, ゲージ	1		
4	34211-96L00	・カバー, ゲージ	1		
5	34825-96L00	・ハブシンク, ゲージ	1		
6	36661-96L00	アダプタ, ゲージ	1		
7	36615-96300	・ターミナル	5		

FIG.502A




DF200AP_000_015_502A
OPT:METER (1)

FIG. 502A (1-E-6) オプション:メーター(1)

見出番号	品 番	品 名	使用個数	備 考	標準 作業時間
1	17917-87L00	コネクタ, フラッシュアウト	1		
2	34000-96L20	キット, シングルゲージ電気リツク	1		
3	34011-96L00	・ゲージセット, マルチ(W/インストラクション)	1	<-34200-96L00	
4	34112-96L00	・ナット, ゲージ	1		
5	34193-96L00	・ベッセル, ゲージ	1		
6	34211-96L00	・カバー, ゲージ	1		
7	34825-96L00	・ハッキング, ゲージ	1		
8	36661-96L00	・アダプタ, ゲージ	1		
9	36615-96300	・ターミナル	5		
10	36663-98J10	・ハーネスアツシ, アクティブ ハブ ハ ワー (6M)	1		
11	09481-05501	・フューズ (5A)	1		
12	34000-96L30	キット, デュアルゲージ電気リツク	1		
13	34211-96L00	・カバー, ゲージ	1	<-34200-96L00	
14	34112-96L00	・ナット, ゲージ	1		
15	34193-96L00	・ベッセル, ゲージ	1		
16	34211-96L00	・カバー, ゲージ	1		
17	34825-96L00	・ハッキング, ゲージ	1		
18	36661-96L00	・アダプタ, ゲージ	1		
19	36615-96300	・ターミナル	5		
20	36662-88L10	・ワイヤ, 2エキステンション	2		
21	36663-88L00	・ハーネスアツシ, ネットワークハブ ワー	1		
22	36663-98J10	・ハーネスアツシ, アクティブ ハブ ハ ワー (6M)	1		
23	09481-05501	・フューズ (5A)	1		
24	36664-88L00	・コネクタ, プランチ	2		
25	36665-88L00	・ユニット, レジスタメール	1		
26	36665-88L10	・ユニット, レジスタメール	1		
27	36667-96L00	・ワイヤ, ゲージアダプタ	1		
28	36667-96L10	ワイヤ, デュアルゲージアダプタ	1		

DF200AP_000_015


DF200AP_000_015_503A
OPT:METER (2)



DF200AP_000_015

DF200AP_000_015

FIG.520A




DF200AP_000_015_520A
OPT:FLUSH MOUNT REMCON

FIG. 520A (1-E-8) オプション:フラッシュマウントリモコン

見出番号	品 番	品 名	使用個数	備 考	標準 作業時間
1	67200-98J22	リモートコントロールアッソ	1		
2	67271-98J20	・カバー, ボトムベース	1		
3	67264-98J00	・カバー, トップベース	1		
4	67263-98J20	・カバー, レバー	1		
5	67261-98J20	・グリップ, A	1		
6	67261-98J30	・グリップ, B	1		
7	67265-98J00	・ボタン, ニュートラルロック	1		
8	67255-98J00	・リンク, ニュートラルロックNO. 1	1		
9	67258-98J00	・プレート, ジョイント	1		
10	67256-98J00	・ブロック, ニュートラルロック	1		
11	67259-98J00	・スプリング	3		
12	67251-98J20	・レバー, ハンドル	1		
13	67294-98J00	・スベーク	1		
14	67254-98J00	・リンク, ニュートラルロックNO. 2	1		
15	67233-98J00	・スライダ, ニュートラルボタン	1		
16	67296-98JA0	・スクリュ (4X10)	3		
17	67234-98J00	・プレート, レバー	1		
18	67211-98J20	・ハウジング	1		
19	67269-98J20	・クランプ, リート	1		
20	67296-98JB0	・スクリュ (4X30)	1		
21	67227-98J20	・スクリュ (4X35)	1		
22	67227-98J30	・スクリュ (4X20)	1		
23	67288-98J50	・ワッシャ	8		
24	67296-98JC0	・スクリュ (6X40)	4		
25	67287-98J00	・ナット	4		
26	67226-98J10	・ボルト (6X50)	4		
27	67288-98J60	・ワッシャ	3		
28	67296-98JD0	・スクリュ (5X40)	1		
29	67238-98J00	・ピン	2		
30	67288-98J70	・ワッシャ	5		
31	67246-98J00	・シャフト, ドライブ	1		
32	67222-98J00	・ハネルアッソ, ハック	1		
33	67236-98J00	・ローラー, テント	1		
34	67235-98J00	・ガイド, テントROLLER	1		
35	67237-98J00	・スプリング, テント	1		

DF200AP_000_015

FIG.520A



DF200AP_000_015_520A
OPT:FLUSH MOUNT REMCON

FIG. 520A (1-E-9) オプション:フラッシュマウントリモコン

見出番号	品 番	品 名	使用個数	備 考	標準 作業時間
36	67223-98J00	・バッド、フーキー	1		
37	67296-98JE0	・スクリュ (5X35)	1		
38	67252-98J00	・ブッシュ、ドライブシャフト	1		
39	67288-98J20	・ワッシャ	1		
40	67292-98J00	・リング	1		
41	15980-98J00	・ボテンシヨメータ	1		
42	67227-98J10	・レバー、ボテンシヨメータNO. 2	1		
43	67296-94300	・スクリュ (4X10)	2		
44	67288-98J00	・ワッシャ	5		
45	67296-98J10	・スクリュ (5X35)	1		
46	67288-98J10	・ワッシャ	8		
47	67228-98J50	・ワッシャ、ウェーブ	2		
48	67296-98J60	・スクリュ (8X30)	1		
49	09160-06104	・ワッシャ (6.5X24X2)	4		
50	67296-98J50	・スクリュ (5X18)	2		
51	67272-98J00	・ケロメット、カバー	2		
52	37850-98J02	・スイッチアッソシ、PTT	1		
53	67269-98J10	・バンド	1		
54	68165-98J00	・マーク、レバー (スリキ)	1		
55	36890-98J00	・ハーネス、コンデンサアダプタ	1		

DF200AP_000_015

FIG.522A




FIG. 522A (1-E-10) オプション:ハーネス(1)

見出番号	品 番	品 名	使用個数	備 考	標準 作業時間
1	36620-98J50	ワイヤアツシ, リモコンエクステンション	1		
2	33830-98J11	セツト, ハﾟツテリアイソレータリード	1		
3	09407-10404	・クランプ (L:100)	2		
4	09481-40401	・フュース (40A)	1		
5	33911-88BL0	キヤツプ, ラハﾟー	1		
6	33925-93J00	クツシヨシ, エンｼﾞﾝコントロールユニット	1		
7	33926-98J00	レｼﾞスタ, タｰミナル	2		
8	36623-98J20	ハーネスアツシ, BCM NO. 1 フォｰｼﾝｸﾞル	1		
9	36615-96300	・ターミナル	4		
10-1	36770-98J10	コントローラアツシ, ホﾟートエレクトリツク	1		
10-2	36770-98J20	コントローラアツシ, ホﾟートエレクトリツククアドﾟルﾌﾟル	2		
11	36775-98J00	ホルﾀﾟ, BCM, レフト	AR		
12	36776-98J00	ホルﾀﾟ, BCM, ライト	AR		
13	36622-98J00	ハーネスアツシ, デﾟュアルステイシヨシメイン	AR		
14	09481-10501	・フュース (10A)	1		
15	36624-98J02	ハーネスアツシ, BCMNO. 2ﾌォｰｼﾝｸﾞル	1		
16	36615-96300	・ターミナル	2		
17	36621-98J00	ハーネスアツシ, デﾟュアルエンｼﾞﾝ	1		
18	36623-98J30	ハーネスアツシ, BCM NO. 1 フォｰマルチ	1		
19	36615-96300	・ターミナル	5		
20	36624-98J11	ハーネスアツシ, BCMNO. 2ﾌォｰマルチﾌﾟル	1		
21	36615-96300	・ターミナル	2		
22	36621-98J10	ハーネスアツシ, トリﾌﾟﾙエンｼﾞﾝ	1		
23	09403-13402	クランプ (ID:13)	AR		
24	36612-98J01	コネクタ, カウンタセレクト (ｸﾟｰﾘｰシ)	1		
25	36990-87D00	ターミナル, スリーﾌﾟセツト	1		
26	36682-92E00	ワイヤ, トリムメータエクステンシヨシ (L:6500)	1		

FIG.523A





FIG. 523A (1-E-11) オプション:ハーネス(2)

見出番号	品番	品名	使用個数	備考	標準作業時間
1	36621-98J00	ハーネスアツシ、デユアルエンジン	2		
2	36625-98J10	ワイヤアツシ、バツテリ	2		
3	09481-30501	・フューズ (30A)	2		
4	38500-93J90	ブザー、ウオーニング	1		
5	36623-98J40	ハーネスアツシ、BCMフォークアクトル	1		
6	36615-96300	・ターミナル	8		
7	17917-87L00	コネクタ、フラッシュウオータ	1		
8	34660-96J00	キット、ウオータプレツシヤケージサブ	1		
9	09352-50903-600	・ホース (5X9X600)	1	L: 600>70	
10	09367-06006	・3ウェイ	1		
11	09401-08413	・クリツフ	3		

FIG.530A



DF200AP_000_015_530A
OPT:SWITCH

FIG. 530A (1-E-12) オプション:スイッチ

見出番号	品番	品名	使用個数	備考	標準作業時間
1	37100-98J04	ハネルアツシ, メインスイッチ	1		
2	37110-98J01	・スイッチアツシ, メイン	1		
3-1	37141-99EA0	・キー (941)	1		
3-2	37141-99EB0	・キー (942)	1		
3-3	37141-99EE00	・キー (931)	1		
3-4	37141-99E10	・キー (932)	1		
3-5	37141-99E20	・キー (933)	1		
3-6	37141-99E30	・キー (934)	1		
3-7	37141-99E40	・キー (935)	1		
3-8	37141-99E50	・キー (936)	1		
3-9	37141-99E60	・キー (937)	1		
3-10	37141-99E70	・キー (938)	1		
3-11	37141-99E80	・キー (939)	1		
3-12	37141-99E90	・キー (940)	1		
4	37143-99E00	・キヤツフ, キー	1		
5	37139-98J00	・ハネル, メインスイッチ	1		
6	37820-93J04	・スイッチアツシ, エマシエンシ	1		
7	37823-92E01	・フレートアツシ, エマシエンシスイッチロック	1		
8	37826-92J00	・ナツト	1		
9	03122-05165	・スクリュ	4		
10	37114-98J00	・シート, メインスイッチハネル	1		
11	37100-98J11	ハネルアツシ, シングル	1		
12	37112-98J00	・ナツト	1		
13	09407-08401	クランプ (L: 80)	AR		
14	37803-93J04	ハネルアツシ, エマシエンシスイッチ	1		
15	37820-93J04	・スイッチアツシ, エマシエンシ	1		
16	37823-92E01	・フレートアツシ, エマシエンシスイッチロック	1		
17	37826-92J00	・ナツト	1		
18	37825-99E00	・ハネル, エマシエンシストツフスイッチ	1		
19	37100-98J21	ハネルアツシ, デュアル	1		
20	37112-98J10	・ナツト	1		
21	37100-98J31	ハネルアツシ, トリプル	1		
22	37112-98J10	・ナツト	1		
23	37860-87L00	ハネルアツシ, トローリングコントロールスイッチ	1		
24	37862-87L00	・ハネル	1		

DF200AP_000_015

FIG.530A





FIG. 530A (1-E-13) オプション:スイッチ

見出番号	品番	品名	使用個数	備考	標準作業時間
25	09131-05004	・タビング・スクリュー	4		

FIG.535A



DF200AP_000_015_535A
OPT:KEY LESSSTART

FIG. 535A (1-E-14) オプション:キーレススタート

見出番号	品番	品名	使用個数	備考	標準作業時間
1	37100-96L00	ハネルアツシ, メインスイッチ	1		
2	37110-96L00	・スイッチアツシ, メイン	1		
3-1	37141-99E00	・キー (931)	1		
3-2	37141-99E10	・キー (932)	1		
3-3	37141-99E20	・キー (933)	1		
3-4	37141-99E30	・キー (934)	1		
3-5	37141-99E40	・キー (935)	1		
3-6	37141-99E50	・キー (936)	1		
4	37143-96L00	・ノブ, メインスイッチ	1		
5	37114-98J00	・シート, メインスイッチハネル	1		
6	37139-96L00	・ハネル, メインスイッチ	1		
7	37820-93J04	・スイッチアツシ, エマシエンジン	1		
8	37823-92E01	・フレートアツシ, エマシエンジンスイッチロック	1		
9	37826-92J00	・ナット	1		
10	03122-05165	・スクリュー	4		
11-1	37105-96L00	ハネルセット, キーレススタートコントローラ	1	FROM 20003P-51000 1 UPTO 20003P-51105 2	
11-2	37105-96L01	ハネルセット, キーレススタートコントローラ	1	FROM 20003P-51105 3	
12	32980-38F00	・クッション, CDIユニット	1		
13-1	36623-96L00	・ハネルアツシ, キーレススタートコントローラ	1	FROM 20003P-51000 1 UPTO 20003P-51105 2	
13-2	36623-96L01	・ハネルアツシ, キーレススタートコントローラ	1	FROM 20003P-51105 3	
14	36615-96300	・ターミナル	1		
15	36662-96L00	・ハネルアツシ, キーレススタートCAN	1		
16-1	37173-96L00	・ホルダ, キーレススタートハネル	1	FROM 20003P-51000 1 UPTO 20003P-51105 2	
16-2	37173-96L10	・ホルダ, キーレススタートハネル	1	FROM 20003P-51105	

FIG.535A





FIG. 535A (1-E-15) オプション:キーレススタート

見出番号	品番	品名	使用個数	備考	標準作業時間
			3		
17	38500-93J90	・ブザー、ウオーニング	1		
18	38860-96L00	・リレーアツシ、キーレススタート	1		
19-1	32851-93J00	・クツシヨソ、リットワイヤ	2	FROM 20003P-51000	
			1	UPTO 20003P-51105	
			2		
19-2	32851-93J00	・クツシヨソ、リットワイヤ	1	FROM 20003P-51105	
			3		
20	09407-14407	・クランプ (L:145)	1		
21-1	37170-96L10	コントローラセツト、キーレススタート315MHZ	1	FROM 20003P-51000	
			1	UPTO 20003P-51105	
			2		
21-2	37170-96L11	コントローラセツト、キーレススタート315	1	FROM 20003P-51105	
			3		
22	37117-96L00	・デカール、キーレススタート	2		
23-1	37171-96L10	・コントローラアツシ、キーレススタート315MHZ	1	FROM 20003P-51000	
			1	UPTO 20003P-51105	
			2		
23-2	37171-96L11	・コントローラアツシ、キーレススタート315	1	FROM 20003P-51105	
			3		
24	37172-96L10	・リモコンアツシ、キーレススタート315MHZ	2		

FIG.540A




DF200AP_000_015_540A
OPT:REMOTE CONTROL ASSYDUAL

FIG. 540A (1-E-16) オプション:リモートコントロールアッセンブリアル

見出番号	品 番	品 名	使用個数	備 考	標準 作業時間
1	67200-98J13	リモートコントロールアッセン	1		
2	67211-98J20	・ハウジング	1		
3	67251-98J00	・レバー, ハンドル	2		
4	67246-98J10	・シャフト, ドライブ リモコン	1		
5	67261-98J00	・グリップ, NO. 1	1		
6	67261-98J10	・グリップ, NO. 2	1		
7	67263-98J00	・カバー, レバー	2		
8	67212-98J30	・カバー, リモコンアッセン	1		
9	67271-98J40	・カバー, リモコンボトム	1		
10	67222-98J10	・ハネルアッセン, ハック	1		
11	67236-98J10	・ローラ, テント	2		
12	67235-98J10	・ガイド, テントローラ	2		
13	67237-98J40	・スプリング, テント	2		
14	67233-98J10	・ホルダー, テントスプリング	2		
15	67287-92E00	・ナット	2		
16	67239-98J00	・スクリュ, テントアジャストメント	2		
17	67223-98J00	・パッド, フレーキ	2		
18	67296-98J50	・スクリュ (5X18)	8		
19	67296-98JA0	・スクリュ (4X10)	2		
20	67272-98J10	・グロメット, リモコンカバー	2		
21	67252-98J10	・ブッシュ, ドライブ シャフト	2		
22	67288-98J20	・ワッシャ	2		
23	67292-98J00	・Oリング	2		
24	15980-98J00	・ボテンシヨメータ	2		
25	67227-98J10	・レバー, ボテンシヨメータNO. 2	1		
26	37850-98J02	・スイッチアッセン, PTT	1		
27	67269-98J00	・クランプ, リード	1		
28	67273-98J20	・バックギンク	1		
29	67296-98J60	・スクリュ (8X30)	2		
30	67296-98J30	・スクリュ (5X70)	4		
31	67296-98J80	・スクリュ (5X14)	2		
32	67296-98J00	・スクリュ (5X12)	1		
33	67296-94300	・スクリュ (4X10)	4		
34	67288-98J40	・ワッシャ	14		
35	67288-98J00	・ワッシャ	4		

DF200AP_000_015

FIG.540A




DF200AP_000_015_540A
OPT:REMOTE CONTROL ASSYDUAL

FIG. 540A (1-F-2) オプション:リモートコントロールアッシーアル

見出番号	品 番	品 名	使用個数	備 考	標準 作業時間
36	67288-92E20	・ワッシャ	2		
37	67226-98J00	・ボルト (5X50)	4		
38	09160-05024	・ワッシャ (5. 5X16X1. 5)	4		
39	67287-92E00	・ナット	4		
40	67296-98J90	・スクリュ (8X30)	2		
41	67227-98J00	・レバー, ボーテンシヨメータNO. 1	1		
42	67284-98J00	・マーク (F-N-R)	1		
43	68165-98J00	・マーク, レバー (スズキ)	2		
44	68165-98J10	・エンブレム, スズキ	1		
45	67269-98J30	・ハンドル	1		
46	67288-98J10	・ワッシャ	16		
47	67288-98J30	・ワッシャ	2		
48	67228-98J50	・ワッシャ, ウェーブ	2		
49	67211-98J30	・ハウジング, リモコン	1		
50	67222-98J20	・ハネルアッシー, ハック	1		
51	67246-98J20	・シャフト, トライブ リモコン	1		
52	67273-98J10	・ハッキング, フロント	1		
53	67273-98J30	・ハッキング, リヤ	1		
54	67277-98J00	・クローメット, リモコンボトムカバー	1		
55	67296-98JF0	・ボルト (5X14)	1		
56	67297-98J00	・ナット, アッシーカバーボルト	1		
57	67237-98J50	・スプリング, デンセント	2		
58	36890-98J00	・ハーネス, コンデンスアタフタ	1		
59-1	36620-98J30	ワイヤアッシー, リモートコントロール	1		
59-2	36620-98J40	ワイヤアッシー, リモートコントロール	1		

DF200AP_000_015

FIG.543A




DF200AP_000_015_543A
OPT:REMOTE CONTROL ASSY SINGLE

FIG. 543A (1-F-3) オプション:リモート コントロール アツシ シングル

見出番号	品 番	品 名	使用個数	備 考	標準 作業時間
1	67200-98J03	リモートコントロールアツシ	1		
2	67211-98J20	・ハウジング	1		
3	67251-98J00	・レバー、ハンドル	1		
4	67246-98J10	・シャフト、ドライブ リモコン	1		
5	67261-98J00	・グリップ、NO. 1	1		
6	67263-98J00	・カバー、レバー	1		
7	67212-98J20	・カバー、リモコンアツパ	1		
8	67271-98J30	・カバー、リモコンボトム	1		
9	67222-98J10	・ハネルアツシ、ハック	1		
10	67236-98J00	・ローラー、テント	1		
11	67235-98J10	・ガイド、テントローラ	1		
12	67237-98J30	・スプリング、テント	1		
13	67233-98J10	・ネジ、テントスプリング	1		
14	67287-92E00	・ナット	1		
15	67239-98J00	・スクリュ、テントアシスタメント	1		
16	67223-98J00	・バッド、ブレーキ	1		
17	67296-98J50	・スクリュ(5X18)	6		
18	67296-98JA0	・スクリュ(4X10)	1		
19	67272-98J10	・グロメット、リモコンカバー	1		
20	67252-98J10	・ブッシュ、ドライブシャフト	1		
21	67288-98J20	・ワッシャ	1		
22	67292-98J00	・Oリング	1		
23	15980-98J00	・ボテンシヨメータ	1		
24	67227-98J10	・レバー、ボテンシヨメータNO. 2	1		
25	37850-98J02	・スイッチアツシ、PTT	1		
26	67269-98J00	・クランプ、リート	1		
27	67273-98J00	・ハッキング	1		
28	67296-98J60	・スクリュ(8X30)	1		
29	67274-98J00	・フランジ、ベース	1		
30	67288-92E20	・ワッシャ	1		
31	67296-98J90	・スクリュ(8X30)	1		
32	67296-98J80	・スクリュ(5X14)	1		
33	67296-94300	・スクリュ(4X10)	2		
34	67288-98J00	・ワッシャ	2		
35	67296-98J20	・スクリュ(5X50)	2		

DF200AP_000_015

FIG.543A



DF200AP_000_015_543A
OPT:REMOTE CONTROL ASSY SINGLE

FIG. 543A (1-F-4) オプション:リモート コントロール アッ シン グ ル

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
36	67226-98J00	・ボルト (5X50)	4		
37	09160-05024	・ワッシャ (5. 5X16X1. 5)	4		
38	67287-92E00	・ナット	4		
39	67296-98J00	・スクリュ (5X12)	1		
40	67288-98J40	・ワッシャ	12		
41	67296-98J10	・スクリュ (5X35)	1		
42	67284-98J00	・マーク (F-N-R)	1		
43	68165-98J00	・マーク, レバ - (ス ス キ)	1		
44	68165-98J10	・エン ブ レム, ス ス キ	1		
45	67269-98J30	・ハ ン ト	1		
46	67288-98J10	・ワッシャ	8		
47	67288-98J30	・ワッシャ	1		
48	67228-98J50	・ワッシャ, ウェ - フ	1		
49	67273-98J10	・ハ ッ キング, フロント	1		
50	67273-98J30	・ハ ッ キング, リヤ	1		
51	67277-98J00	・ク ロメツ ト, リモコンホ トムカハ -	1		
52	67296-98JF0	・ボ ルト (5X14)	1		
53	67297-98J00	・ナツ ト, アッ ハ カハ - ボ ルト	1		
54	36890-98J00	・ハーネ ス, コンデ ンサ タ ー フ ィ ャ	1		
55-1	36620-98J30	ワイヤアッ シ, リモートコントロール	1		
55-2	36620-98J40	ワイヤアッ シ, リモートコントロール	1		

DF200AP_000_015

FIG.575A




FIG. 575A (1-F-5) オプション:トﾞラックﾞ リンク

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
1	67700-96J00	リンクセット, トﾞラックﾞ	1		
2	41161-94400	・シール, ステアリング ケーブル	1		
3	67701-96J00	・リンクアッシ, トﾞラックﾞ	1		
4	67721-96J00	・・スベ ーサ	1		
5	67725-96J00	・・ボルト, トﾞラックﾞ リンク	1		
6	67726-99E00	・・ナット, ロック	2		
7	67728-99E00	・・ワッシャ	4		

FIG.585A




FIG. 585A (1-F-6) オプション:ガasket セット

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
1	11410-96810	ガasketセット	1		
2	11141-96L00	・ガasket, シリンダヘッド	1		
3	11189-96J00	・ガasket, シリンダヘッドカバー	1		
4	11318-96J00	・Oリング, パランサオイルギヤリ	1		
5	11332-96J00	・ガasket, パランサカバー	1		
6	11342-96J00	・ガasket, パランサウォーターポンプカバー	1		
7	14151-96J00	・ガasket, エキゾーストカバー	1		
8	17472-93J00	・ガasket, ホップケースパネル	1		
9	11489-96J01	・ガasket, オイルパ	1	ASB	
10	11552-96J00	・ガasket, オイルパウォーターポンプカバー	1		
11	51123-96J01	・ガasket, マウントオイルカバー	1		
12	51142-96J00	・ガasket, エンジンホルダーカバー	1		
13	51211-96J00	・ガasket, エンジンホルダー	1		