

ま え が き

このパーツカタログは、スズキ船外機 DF200A 型の補給取扱い部品を収録してあります。

エンジン諸元	4 サイクル	4 気筒	総排気量	((内径×行程 97 mm× 97 mm))
			2867 cm ³	

DF200A				
機 種 記 号	年 式	型 式	ト ラ ン サ ム	実 施 号 機
DF200AT	—	20003F	L, X	20003F-510001 ~
DF200AZ		20003Z	X	20003Z-510001 ~

パーツカタログのご使用について

1. 記号および略語

1 - 1. サイズ等

A	: 用品	L	: 長さ、リンク数、容積	US	: アンダサイズ
AR	: 必要量	NT	: 歯 数	W	: 巾
D	: 線 径	OD	: 外 径	W/	: 同時使用
E.NO.	: エンジン番号	OPT	: オプション	#	: 直送品
F.NO.	: フレーム番号	OS	: オーバサイズ	*	: 直売品
H	: 高 さ	STD	: スタンダード	~	: より、から
ID	: 内 径	T	: 厚 さ		
12×34×5 : 内径×外径×厚さ(巾、長さ)					

1 - 2. メーカー名

BS	: プリヂストンタイヤ	NGK	: 日本特殊陶業
CHKK	: 中央発条	NHK	: 日本発条
DID	: 大同工業	RK	: 高砂チェン
DK	: 大金製作所	TEN	: 富士通テン
FB	: 古河電池	TR	: 東海理化電機製作所
IRC	: 井上護謄工業	YB	: 湯浅電池
KYB	: 萱場工業		
NABCO	: 日本エアブレーキ		

1 - 3. 構成部品の表示

品 番	品 名
× × × × × - × × × × ×	○ ○ ○ アッシ
× × × × × - × × × × ×	・ ○ ○ ○ ○
× × × × × - × × × × ×	・ ○ ○ ○ ○
	↑ 構成部品(インナパーツ)を示します。

1 - 4. 部品変更

備考欄の品番の前の→印は変更部品相互の互換性を表示します。

→○○○○○-○○○○○.....「～より統一」を示し、旧→新です。

→○○○○○-○○○○○.....「～に統一」を示し、旧→新です。

1 - 5. 修正使用

ホース、チューブ等で寸法表示の→印は修正使用を表示します。

(例) L:200→180.....200を180に修正して使用します。

2. 部品変更のお知らせ

部品が新設または変更となった場合、サービス・部品ニュース、統一部品一覧表などでご案内いたします。

販売店様にあつては、弊社代理店にお問い合わせください。

3. 部品の注文

部品ご注文の場合は、このパーツカタログをご参照の上、次の点にご留意され、正確にご注文ください。


- 3 - 1. 品番、品名および数量
- 3 - 2. フレーム番号及びエンジン番号と型式番号(年式)
- 3 - 3. 部品メーカー(電装部品、保安部品など)

注 分解図は、補給部品索引のためのものです。分解、組立には使用しないで下さい。
補給部品の中で車種間の共通化により、一部生産車の部品と異なる場合があります。
あらかじめご了承ください。
記載事項は予告なく変更することがあります。あらかじめご了承ください。

I.Dプレートの説明

I.Dプレートには下記の項目が刻印されています。

より正確な部品発注のため 機種名、型式、製造番号(号機)を確認下さい。



機種名を示します。(例) DF200A


型式を示します。(例) 20003F

製造番号(号機)を示します。(例) 510001

I.Dプレート


取付位置：ブラケット、クランプ

FIG.111A




OPTIONAL: 040, 012, 1114
CYLINDER HEAD

FIG.113A




OPTIONAL: 040, 012, 1134
CYLINDER BLOCK

FIG.116A




OPTIONAL: 040, 012, 1164
CRANKSHAFT

FIG.118A




OPTIONAL: 040, 012, 1184
INLET VALVE

FIG.119A




OPTIONAL: 040, 012, 1194
CRANKSHAFT

FIG.121A




OPTIONAL: 040, 012, 1214
CRANKSHAFT

FIG.123A




OPTIONAL: 040, 012, 1234
PISTON MAIN/CLIP PISTON/BODY

FIG.135A




OPTIONAL: 040, 012, 1354
SELECTED PISTON/CLIP PISTON/BODY

FIG.140A




OPTIONAL, O-RING, 140A
OPTIONAL, O-RING, 140A

FIG.143A




OPTIONAL, O-RING, 143A
OPTIONAL, O-RING, 143A

FIG.144A




OPTIONAL, O-RING, 144A
OPTIONAL, O-RING, 144A

FIG.146A




OPTIONAL, O-RING, 146A
OPTIONAL, O-RING, 146A

FIG.160A




OPTIONAL, O-RING, 160A
OPTIONAL, O-RING, 160A

FIG.160B




OPTIONAL, O-RING, 160B
OPTIONAL, O-RING, 160B

FIG.162A




OPTIONAL, O-RING, 162A
OPTIONAL, O-RING, 162A

FIG.164A




OPTIONAL, O-RING, 164A
OPTIONAL, O-RING, 164A

FIG.175A




OPTIONAL PART 175A
OR 175B

FIG.178A




OPTIONAL PART 178A
OR 178B

FIG.180A




OPTIONAL PART 180A
OR 180B

FIG.204A




OPTIONAL PART 204A
CLUTCH PART

FIG.204B




OPTIONAL PART 204B
CLUTCH PART

FIG.206A




OPTIONAL PART 206A
CLUTCH PART

FIG.206B




OPTIONAL PART 206B
CLUTCH PART

FIG.220A




OPTIONAL PART 220A
FRAMASSON

FIG.220B




OPTIONAL_000_01E_30109
137449503071

FIG.301A




OPTIONAL_000_01E_30114
030107141071

FIG.303A




OPTIONAL_000_01E_30304
HARDPIED

FIG.310A




OPTIONAL_000_01E_31004
REC POSITIONING COE

FIG.315A




OPTIONAL_000_01E_31504
SE18001

FIG.322A




OPTIONAL_000_01E_32204
HARNESS

FIG.326A




OPTIONAL_000_01E_32604
PITS SWITCHING CONTROL UNIT

FIG.335A




OPTIONAL_000_01E_33504
CLAMPBRACKET

FIG.336A




OPTIONAL, 040, 012, 0364
DINAG, DINAGHP

FIG.336B




OPTIONAL, 040, 012, 0365
DINAG, DINAGHP

FIG.337A




OPTIONAL, 040, 012, 0374
TINACTILABER

FIG.340A




OPTIONAL, 040, 012, 0404
PTT MOTOR

FIG.401A




OPTIONAL, 040, 012, 4014
DINAG, DINAGHP

FIG.405A




OPTIONAL, 040, 012, 4054
DINAG, DINAGHP

FIG.405B




OPTIONAL, 040, 012, 4055
DINAG, DINAGHP

FIG.407A




OPTIONAL, 040, 012, 4074
DINAG, DINAGHP

FIG.407B




OPTIONAL PART, FIG. 407B
ENGINE COVER

FIG.410A




OPTIONAL PART, FIG. 410A
OIL COOLER

FIG.410B




OPTIONAL PART, FIG. 410B
OIL COOLER

FIG.420A




OPTIONAL PART, FIG. 420A
ENGINE COVER

FIG.420B




OPTIONAL PART, FIG. 420B
ENGINE COVER

FIG.420C




OPTIONAL PART, FIG. 420C
ENGINE COVER

FIG.420D




OPTIONAL PART, FIG. 420D
ENGINE COVER

FIG.430A




OPTIONAL PART, FIG. 430A
FUEL FILTER

FIG. 460A




DP2004_002_015_A80A
METER

FIG. 502A




OFFMETER(1)

FIG. 503A




DP2004_002_015_5034
OPTIMETER ©

FIG. 508A




OFF-REMOTE CONTROL

FIG. 517A




DP2004_000_015_517A
OFFICINALE REMOCON (1)

FIG. 518A



DF2004_000_015_3184
OPTICALLY-INDUCED REMOVAL (2)

FIG. 522A




DP2004_000_015_522A
OPT:WARRNESS(1)

FIG. 523A




DP2004_002_015_3234
OPTHARRISS(2)

FIG.530A




OPTIONAL, 01E, 8404
OPT CONTROL

FIG.541A




OPTIONAL, 01E, 8414
OPT REMOTE CONTROL, ADD-ON (1)

FIG.542A




OPTIONAL, 01E, 8404
OPT REMOTE CONTROL, ADD-ON (2)

FIG.544A




OPTIONAL, 01E, 8404
OPT REMOTE CONTROL, ADD-ON (3)

FIG.545A




OPTIONAL, 01E, 8404
OPT REMOTE CONTROL, ADD-ON (4)

FIG.573A




OPTIONAL, 01E, 8704
OPT REMO

FIG.575A




OPTIONAL, 01E, 8704
OPT CABLE LINK

FIG.585A



OPTIONAL, 01E, 8804
OPT CABLE SET

FIG. 588A



OPTIONAL 600, 012, 8004
OPTIONAL 012, 8004

FIG.111A




FIG. 111A (1-B-2) シリンダヘッド

見出番号	品番	品名	使用個数	備考	標準作業時間
1	11100-96L00	ヘッドアッシ, シリンダ	1		
2	09103-06266	・ボルト (6X40)	20		
3	09206-08001	・ピン (8X11)	18		
4	01547-06207	・ボルト	2		
5	11112-96L00	ブラグ, オイルベンチュリ	1		
6	11116-93J01	ブラグ	2		
7	09168-16009	ガスケット (16X22X0.8)	2		
8	11119-96J00	ボルト, シリンダヘッド	10		
9	11141-96L00	ガスケット, シリンダヘッド	1		
10	09206-15001	ピン (12.4X15X17)	2		
11	01550-08257	ボルト	4		
12	01550-08257	ボルト	1		
13	01550-0835A	ボルト	2		
14	01550-08457	ボルト	1		
15	01550-08607	ボルト	6		
16	11261-93J00	カバー, プロテクションアノード	3		
17	09280-22019	Oリング (D: 1.9, ID: 21.8)	3		
18	55321-87J00	アノード, プロテクション	3		
19	09103-06281	ボルト (6X14)	3		
20	01550-08207	ボルト	3		
21	11170-96J11	カバー, シリンダヘッド	1		
22	11189-96J00	ガスケット, シリンダヘッドカバー	1		
23	11173-96J00	プレート, プリザ	1		
24	02112-0612A	スクリュ	8		
25	01547-06257	ボルト	10		
26	01547-06507	ボルト	4		
27	11174-96J00	ホース, プリザ	1		
28	09401-18410	クリップ	1		
29	09482-00649	スパークプラグ (LKR6E)	4	NGK	
30	11115-93J10-001	ガイド, バルブ (OS)	16	ワシヨン	

FIG.113A




FIG. 113A (1-B-3) シリンダーブロック

見出番号	品 番	品 名	使用個数	備 考	標準 作業時間
1	11300-96L00	ブロックアッシー, シリンダー	1		
2	11117-96J01	ボルト, クランクケース	10		
3	09206-14004	ピン (14X11.4X23)	5		
4	09103-10284	ボルト (10X45)	10		
5	09248-26001	ワッシャー (M26)	4		
6	09280-05007	リング (D:1.2, ID:4.7)	4		
7	11390-96J00	シフト, ピストンリング	4		
8	09106-06075	ボルト (6X12)	4		
9	11318-96J00	リング, パランサイルキヤリ	1		
10	09329-14002	クワシヨ (14X20X9)	2		
11	11261-93J00	カバー, プロテクションノット	1		
12	09280-22019	リング (D:1.9, ID:21.8)	1		
13	55321-87J00	アノット, プロテクション	1		
14	09103-06281	ボルト (6X14)	1		
15	01550-08207	ボルト	1		
16	11294-96J00	ブラケット, エンジンスターボートフック	1		
17	11291-96J00	フック, エンジンスターボート	1		
18	01550-08167	ボルト	1		
19	01550-08557	ボルト	2		

FIG.116A




FIG. 116A (1-B-4) クランクシャフト

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
1	12111-96L00-0B0	ピ ス ト ン	4		
2	12140-96J00	リング セット, ピ ス ト ン	4		
3	12151-96J00	ピ ン, ピ ス ト ン	4		
4	12160-96L00	コンロツト アツシ	4		
5	04221-04089	・ピ ン	8		
6-1	12100-96811-0A0	ベ アリング セット, コネクチング ロッド (ケ リーン)	4	ケ リーン	
6-2	12100-96811-025	ベ アリング セット, コネクチング ロッド (USO. 25)	4	オプ ション	
7	12221-96J10	クランクシャフト	1		
8-1	12340-96J01-0B0	ベ アリング セット, クランクシャフト (ブ ラック)	5	ブ ラック	
8-2	12340-96J01-0C0	ベ アリング セット, クランクシャフト (ノンカラー)	5	NON	
8-3	12340-96J01-0D0	ベ アリング セット, クランクシャフト (イエロー)	5	イエロー	
8-4	12340-96J01-0E0	ベ アリング セット, クランクシャフト (ブ ルー)	5	ブ ルー	
8-5	12340-96J01-0F0	ベ アリング セット, クランクシャフト (ピ ンク)	5	PINK	
8-6	12300-96811-0BA	ベ アリング セット (レッド /ブ ラック)	5	OPT, RED/BLACK	
8-7	12300-96811-0CA	ベ アリング セット, クランクシャフト (レッド)	5	OPT, RED	
8-8	12300-96811-0DA	ベ アリング セット, クランクシャフト (レッド /イエロー)	5	OPT, RED/YELLOW	
8-9	12300-96811-0EA	ベ アリング セット, クランクシャフト (レッド /ブ ルー)	5	OPT, RED/BLUE	
8-10	12300-96811-0FA	ベ アリング セット, クランクシャフト (レッド /ピ ンク)	5	OPT, RED/PINK	
9-1	12300-85830	ベ アリング セット, クランクスラスト	1		
9-2	12300-85830-012	ベ アリング セット, クランクスラストオーバーハ ize	1		
10	12242-96J00	ギ ャ ー ライブ	1		
11	09103-10229	ボ ル ト (10X32)	1		
12	09160-10120	ワッシャ (10X42X3)	1		
13	09283-91001	オイルシール	1		
14	12100-96L00-050	ピ ス ト ンセット, OS (0. 5)	4	オプ ション	
15	12140-96J00-050	・リング セット, ピ ス ト ン (OS:0. 50)	4	オプ ション	

FIG.118A




FIG. 118A (1-B-5) ハランサ

見出番号	品番	品名	使用個数	備考	標準作業時間
1	11330-96J10	カバー、ハランサシャフト	1		
2	11332-96J00	ガスケット、ハランサカバー	1		
3	01550-06257	ボルト	15		
4	11340-96J00	カバー、ハランサウオータジヤケツト	1		
5	11342-96J00	ガスケット、ハランサウオータジヤケツトカバー	1		
6	01550-06257	ボルト	8		
7	11382-93J00	キャップ、オイルフィラ	1		
8	09280-26006	Oリング (D:3.1, ID:26.4)	1		
9	12600-96J01	ハウジング、アツシ、ハランサ	1		
10	12643-96J00	ボルト、ハランサ	6		
11	12644-96J00	ワッシャ、ハランサ	6		
12	04211-11129	ピン	4		
13	09246-05006	ブラグ (1/8PT, H:8)	2		
14	12660-96J20	ハランサ、ボート	1		
15	12645-96J00	ベアリング、ハランサ	8		
16	12650-96J20	ハランサ、スターボート	1		
17	12665-96J00	スプロケツト、ハランサドライブ	1		
18	01550-1020A	ボルト	1		
19	04221-04089	ピン	1		
20	09103-08414	ボルト (8X53)	2		
21	09103-08423	ボルト (8X80)	4		
22	04211-11129	ピン	2		
23	12662-96J00	スプロケツト、ハランサドライブ	1		
24	09202-05032	ピン (5X12)	1		
25	12670-96J00	チェーン、ハランサ	1		
26	12671-96J01	テンション、ハランサチェーン	1		
27	12672-96J01	ボルト、ハランサチェーンテンション	1		
28	09160-08079	ワッシャ (8X17X2)	1		
29	12673-96J00	スプリング、ハランサチェーンテンション	1		
30	12695-96J00	ガイド、ハランサチェーン	1		
31	01550-0825A	ボルト	2		
32	09103-08158	ボルト (8X75)	1		
33	09160-10039	ワッシャ (10.5X22X2.3)	1		



FIG.119A





FIG. 119A (1-B-6) タイミングチェーン

見出番号	品番	品名	使用個数	備考	標準作業時間
1	12730-96J01	ギヤ、ドリアン	1		
2	09241-25005	・フ ラグ (OD:25)	1		
3	12734-96J00	ホルダ、ドリアンギヤ	1		
4	08110-62080	ベアリング	1		
5	09262-40018	ベアリング (40X80X18)	1		
6	09283-32044	オイルシール	1		
7	09103-08339	ホルト (8X55)	4		
8	09280-70012	Oリング (D:5.7)	1		
9	12761-96J00	チェーン、タイミング	1		
10	12772-96J00	ガイド、タイミングチェーン	1		
11	01550-0825A	ホルト	2		
12	12810-96J00	テンションアッジ、タイミングチェーン	1		
13	12813-73G00	・ハット、タイミングチェーンテンション	1		
14	12812-90J00	スベーサ、タイミングチェーンテンション	1		
15	01550-0835A	ホルト	1		
16	12831-93J01	アシヤスタアッジ、テンションNO. 1	1		
17	01550-0620A	ホルト	2		

FIG.121A




DF200A_000_015_121A
CAMSHAFT

FIG.121A (1-B-7) カムシャフト

見出番号	品番	品名	使用個数	備考	標準作業時間
1	12701-96L00	カムシャフト, インテーク	1		
2	12705-96J50	カムシャフト, エキスポート	1		
3	12748-96J00	スプロケット, カムシャフト	1		
4	12740-96J00	スプロケットアッシー, カムタイミング	1		
5	09202-05033	ピン (5X14.8)	1		
6	12749-93J00	ボルト, カムシャフト	1		
7	12753-93J00	ボルト, インテークカムシャフト	1		
8	09202-05032	ピン (5X12)	1		
9	16550-93J00	バルブ, オイルコントロール	1		
10	16555-93J00	ガスケット, オイルコントロールバルブ	1		
11	01550-06257	ボルト	4		
12	12891-93J00	タペット	16		
13-1	12892-93J00-218	シム, タペット (T:2.175)	16		
13-2	12892-93J00-220	シム, タペット (T:2.200)	16		
13-3	12892-93J00-223	シム, タペット (T:2.225)	16		
13-4	12892-93J00-225	シム, タペット (T:2.250)	16		
13-5	12892-93J00-228	シム, タペット (T:2.275)	16		
13-6	12892-93J00-230	シム, タペット (T:2.300)	16		
13-7	12892-93J00-233	シム, タペット (T:2.325)	16		
13-8	12892-93J00-235	シム, タペット (T:2.350)	16		
13-9	12892-93J00-238	シム, タペット (T:2.375)	16		
13-10	12892-93J00-240	シム, タペット (T:2.400)	16		
13-11	12892-93J00-243	シム, タペット (T:2.425)	16		
13-12	12892-93J00-245	シム, タペット (T:2.450)	16		
13-13	12892-93J00-248	シム, タペット (T:2.475)	16		
13-14	12892-93J00-250	シム, タペット (T:2.500)	16		
13-15	12892-93J00-253	シム, タペット (T:2.525)	16		
13-16	12892-93J00-255	シム, タペット (T:2.550)	16		
13-17	12892-93J00-258	シム, タペット (T:2.575)	16		
13-18	12892-93J00-260	シム, タペット (T:2.600)	16		
13-19	12892-93J00-263	シム, タペット (T:2.625)	16		
13-20	12892-93J00-265	シム, タペット (T:2.650)	16		
13-21	12892-93J00-268	シム, タペット (T:2.675)	16		
13-22	12892-93J00-270	シム, タペット (T:2.700)	16		
13-23	12892-93J00-273	シム, タペット (T:2.725)	16		

DF200A_000_015

FIG.121A



DF200A_000_015_121A
CAMSHAFT

FIG. 121A (1-B-8) カムシャフト

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
13-24	12892-93J00-275	シム, タペット (T: 2. 750)	16		
13-25	12892-93J00-278	シム, タペット (T: 2. 775)	16		
13-26	12892-93J00-280	シム, タペット (T: 2. 800)	16		
13-27	12892-93J00-283	シム, タペット (T: 2. 825)	16		
13-28	12892-93J00-285	シム, タペット (T: 2. 850)	16		
13-29	12892-93J00-288	シム, タペット (T: 2. 875)	16		
13-30	12892-93J00-290	シム, タペット (T: 2. 900)	16		
13-31	12892-93J00-293	シム, タペット (T: 2. 925)	16		
13-32	12892-93J00-295	シム, タペット (T: 2. 950)	16		
13-33	12892-93J00-298	シム, タペット (T: 2. 975)	16		
13-34	12892-93J00-300	シム, タペット (T: 3. 000)	16		
14	12911-98J00	バール, インテーク	8		
15	12915-93J50	バール, エキゾースト	8		
16	12921-93J10	スプリング, バール	16		
17	12931-78G00	リテーナ, バールスプリング	16		
18	12932-24400	コック, バール	32		
19	12933-69G10	シート, バールスプリング	16		
20	09289-05012	オイルシール (5. 5X11. 5X9. 3)	16		

DF200A_000_015

FIG.123A




FIG. 123A (1-B-9) インテーク マニホールド / スロットル ボデー

見出番号	品 番	品 名	使用個数	備 考	標準 作業時間
1	09408-00008	クリップ (ID:20)	1		
2	13162-93J00	パ ルブ , チェツク	1		
3	18117-93J00	パ ルブ , パ キュームスイツチング	1		
4	18119-96L00	ブ ラケツト, パ キュームスイツチパ ルブ	1		
5	18137-93J00	パ ルブ , IAC	1		
6	18590-68H00	センサ, フ レツジヤ	1		
7	09180-05047	スベ ーサ (5. 5X8X7. 5)	1		
8	09280-29006	Oリング (D:2, ID:29. 5)	1		
9	09320-07015	クツシヨソ	1		
10	09355-35754-601	ホ ー ス (3. 5X7. 5X601)	1	L: 601>250	
11	09355-35754-601	ホ ー ス (3. 5X7. 5X601)	1	L: 601>250	
12	09355-35754-601	ホ ー ス (3. 5X7. 5X601)	1	L: 601>470	
13	09355-35754-601	ホ ー ス (3. 5X7. 5X601)	1	L: 601>600	
14	01550-08557	ホ ル ト	3		
15	01550-08607	ホ ル ト	1		
16	01550-06167	ホ ル ト	2		
17	02112-34167	スクリュ	3		
18	02112-05127	スクリュ	1		
19	02162-05207	スクリュ	2		
20	13110-96J00	マニホールド , インテーク	1		
21	13119-96J00	・ガ スケツト, インテークマニホールド	4		
22	13125-96J00	・ガ スケツト, スロットルボデー	1		
23	13300-96J00	ボデーアツシ, スロットル	1		
24	13730-96J01	チヤンパ , パ キューム	1		
25	01421-08257	スタツドホ ル ト	2		
26	01550-06257	ホ ル ト	2		
27	01550-08307	ホ ル ト	8		
28	08316-10087	ナツト	2		
29	09160-05045	ワツシヤ (5. 5X18X1)	1		
30	63615-96J00	ブ ラケツト, スロットルケーブ ルクランブ	1		
31	09403-05312	クランブ	1		
32	01550-06127	ホ ル ト	1		
33	13315-96J00	ブ ラケツト, スロットルボデー	1		
34	01550-08207	ホ ル ト	3		
35	09408-00035	クリップ	1		

FIG.135A




FIG. 135A (1-B-10) サイレンサ/リンクギヤカバー

見出番号	品番	品名	使用個数	備考	標準作業時間
1	13710-96J00	アレスタ, フレーム	1		
2	13813-96L00	ホルダ, アレスタ	1		
3	11510-96L00	カバー, リンクギヤアツバ	1		
4	01550-06207	ホルト	3		
5	01550-06307	ホルト	1		
6	11510-96J04	カバー, リンクギヤアツタ	1		
7	01550-06207	ホルト	2		
8	13761-96L00	レゾネータ	1		
9	13766-96L00	クローメット, レゾネータ	1		
10	13822-96L00	ブラケット, サイレンサ	1		
11	13823-96L00	ブラケット, レゾネータ	1		
12	13852-96L00	クッション, サイレンサ	1		
13	13853-96L00	クローメット, フリーザーホース	1		
14	09103-08543	ホルト (8X50)	2		
15	09116-06202	ホルト (6X25)	3		
16	09169-06062	ワッシャ	3		
17	09169-08042	ワッシャ	4		
18	09320-09016	クッション (9X18X9.5)	3		
19	09320-12072	クッション	2		
20	09403-11320	クランプ	1		
21	01550-06127	ホルト	4		
22	13811-96L00	サイレンサ	1		
23	61472-93E20	ラベル, スタータ	1		
24	61494-96J10	ラベル, オイル/クリアランス	1		
25	69711-93E10	ラベル, S. I. G. P.	1		

FIG.140A




FIG. 140A (1-B-11) エキゾーストカバー

見出番号	品 番	品 名	使用個数	備 考	標準 作業時間
1	14141-96J00	カバー, エキゾースト	1		
2	14151-96J00	ガスケット, エキゾーストカバー	1		
3	01550-06307	ボルト	9		
4	11261-93J00	カバー, プロテクションアノード	1		
5	09280-22019	リング (D:1.9, ID:21.8)	1		
6	55321-87J00	アノード, プロテクション	1		
7	09103-06281	ボルト (6X14)	1		
8	01550-08207	ボルト	1		
9	11292-96J00	フック, エンジンホート	1		
10	01550-08457	ボルト	2		



This exploded view diagram illustrates the components of a washing machine door lock assembly. The parts are numbered as follows:

- 1**: Main door lock housing assembly.
- 2**: Small pin or clip.
- 3**: Small screw or pin.
- 4**: Cylindrical lock body.
- 5**: Lock pin or bolt.
- 6**: Lock housing cover.
- 7**: Small screw or pin.
- 8**: Small pin or clip.
- 9**: Lock cylinder component.
- 10**: Small pin or clip.
- 11**: Lock housing component.
- 12**: Small pin or clip.
- 13**: Small screw or pin.
- 14**: Lock cylinder component.
- 15**: Small screw or pin.
- 16**: Lock pin or bolt.
- 17**: Lock pin or bolt.
- 18**: Lock pin or bolt.
- 19**: Lock pin or bolt.
- 20**: Lock pin or bolt.
- 21**: Lock pin or bolt.
- 22**: Lock pin or bolt.
- 23**: Lock pin or bolt.
- 24**: Lock pin or bolt.
- 25**: Lock pin or bolt.
- 26**: Lock pin or bolt.
- 27**: Lock pin or bolt.
- 28**: Lock pin or bolt.
- 29**: Lock pin or bolt.
- 30**: Lock pin or bolt.

A directional arrow labeled **FWD** (Forward) is shown at the bottom left, indicating the assembly direction.

見出番号	品番	品名	使用個数	備考	標準作業時間
1	15600-96J02	セハ ^レ レータツシ, フューエルホ ^ー ハ ^ー	1		
2	13370-96J00	・ハ ^ル フ ^ア ツシ, ニート ^ル	1		
3	02142-0408B	・スクリュ	1		
4	15200-96J00	・ホ ^ン フ ^ア ツシ, フューエル(H)	1		
5	15647-93J00	・ブ ^ツ シユ, フューエルホ ^ン フ ^フ	1		
6	15626-96J00	・シール	1		
7	15628-99E00	・スクリュ(L:15)	5		
8	15629-99E10	・スクリュ, ト ^{レー} ン	1		
9	15641-96J00	・スベ ^ー サ, フューエルホ ^ン フ ^フ	1		
10	15642-90J00	・フィルタ	1		
11	15650-96J00	・フロート	1		
12	13254-01010	・ヒ ^ン , フロート	1		
13	02112-0408A	・スクリュ	1		
14	15760-93J00	・レギ ^ユ レータ, フューエルフ ^レ ツシヤ	1		
15	02112-05107	・スクリュ	1		
16	15683-87J00	・ホース	1		
17	09169-08042	ワツシヤ	6		
18	09320-12072	クツシヨシ	3		
19	01550-08357	ホ ^ル ト	1		
20	01550-08407	ホ ^ル ト	2		
21	15660-96J20	ホース, エハ ^ホ レーシヨシ	1		
22	18498-99E00	・ブ ^ロ テクタ(9.5X11.5X760)	1		
23	09401-08412	・クリツフ	2		
24	09352-50823-00B	・ホース(5X8.2X2000)	1	L:2000>1000	
25	09401-08412	クリツフ	1		
26	09352-50823-600	ホース(5X8.2X600)	1	L:600>45	
27	09364-06010	ユニオン	1		
28	09403-13408	クランプ	1		
29	09408-00008	クリツフ(ID:20)	1		
30	09408-00078	クランプ	1		

FIG.144A




FIG. 144A (1-B-13) フューエルインジェクタ

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
1	15440-96J01	フィルタ, フューエル	1		
2	15681-87L00	ホース, フューエル (クーラツ-3ウェイ)	1		
3	15681-96J11	ホース, フューエル (クーラツ-セパレータ)	1		
4	15710-96J00	インジェクタアツシ, フューエル	4		
5	15717-16G00	・Oリング	4		
6	15751-96J00	バンプ, テリハ	1		
7	15762-93J00	ガスケット, テリハ	3		
8	15770-96J00	クーラ, フューエル	1		
9	15773-90J00	ユニオン, フューエルホース	1		
10	15790-96J00	ブラケット, フューエルクーラ	1		
11	15830-77EA0	ジョイント, フューエルメイン	1	DELIVERY PIPE	
12	15830-99E00	ユニオン, 3ウェイ	1	3 WAY FUEL HOSE	
13	15851-96J01	ガード, フューエルホース	1		
14	18498-99E20	ブラケット, フューエルホース (15. 4X18. 4X450)	1	L: 450>70	
15	18498-93J00	ブラケット, フューエルホース (15. 4X18. 4X340)	1	L: 340>220	
16	18498-99E20	ブラケット, フューエルホース (15. 4X18. 4X450)	1	L: 450>120	
17	09116-06202	ホルト (6X25)	2		
18	09168-12013	ガスケット (11. 8X22X1. 2)	3		
19	09169-06062	ワッシャ	2		
20	09247-14041	ブラケット (14X14)	1		
21	09320-08501	クッション (8X18X10)	2		
22	09320-08062	クッション	4		
23	09343-75001-600	ホース (7. 5X13. 5X600)	1	L: 600>50	
24	09343-75001-600	ホース (7. 5X13. 5X600)	1	L: 600>120	
25	09343-75001-600	ホース (7. 5X13. 5X600)	1	L: 600>430	
26	09360-12008	ホルト, 12X27	1		
27	09360-14009	ユニオンホルト	1		
28	09363-08004	ユニオン	1		
29	09401-11425	クリップ	10		
30	01550-06127	ホルト	3		
31	01550-06127	ホルト	1		
32	01550-06167	ホルト	2		
33	01550-08167	ホルト	2		
34	01550-08257	ホルト	2		
35	15852-96J00	ガード, フューエルホースガード	1		

FIG.144A





FIG. 144A (1-B-14) フューエルインジェクタ

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
36	09321-08005	クッション	3		
37	29404-93J20	クランプ	1	FUEL HOSE GUARD	
38	09408-00320	クランプ	1	FUEL HOSE	

FIG.146A



DF200A_000_015_146A
FUELPUMP

FIG. 146A (1-B-15) フューエルポンプ

見出番号	品番	品名	使用個数	備考	標準作業時間
1	15100-96JOV	ポンプアツシ、フューエル	1		
2	15190-96L00	ホース、フューエル(コネクタツ-フィルタ)	1		
3	15192-96L00	ホース、フューエル(フィルタツ-ポンプ)	1		
4	15193-96J11	ホース、フューエル(ポンプツ-2WAY)	1		
5	15194-96J11	ホース、フューエル(2WAYツ-セパレータ)	1		
6	15410-92J00	フィルタ、フューエル	1		
7	15411-92J00	キャップ、フューエルフィルタ	1		
8	15412-92J00	フィルタ、フューエル	1		
9	15413-92J00	ケース、フューエルフィルタ	1		
10	15415-92J00	シール、フューエルフィルタ	1		
11	15421-96L00	ブラケット、フューエルフィルタ	1		
12	15831-96J00	ユニオン、2ウェイフューエルホース	1		
13	18498-96L00	ロケタ、ホース(13.5X16.5X240)	1		
14	18498-96J20	ロケタ、フューエルホース(13.5X16.5X370)	1		
15	18498-99E10	ロケタ、フューエルホース(13.5X16.5X610)	1	L:610>280	
16	09280-33004	Oリング(D:3.1, ID:32.7)	1		
17	09401-11423	クリップ	5		
18	09401-13424	クリップ	2		
19	09408-00105	クランプ	2		
20	01550-06167	ホルト	2		
21	09103-06211	ホルト(6X25)	2		
22	09408-00198	クランプ	2		
23	08316-10087	ナツト	1		

DF200A_000_015

FIG.160A




FIG.160A (1-B-16) ウォータポンプ (DF200AT)

見出番号	品番	品名	使用個数	備考	標準作業時間
1	17411-96J01	ケース, ウォータポンプ	1		
2	17413-96J01	スリーブ, ウォータポンプ ケース	1		
3	17416-96J00	シーリング, ウォータポンプ ケース	1		
4	17461-90J01	インペラ, ウォータポンプ	1		
5	17471-93J02	パネル, ホンダ ケースアンダー	1		
6	17472-93J00	ガasket, ホンダ ケースパネル	1		
7-1	17560-96J01	チューブ, ウォータ (L)	1	L-TRANSOM	
7-2	17561-96J11	チューブ, ウォータ (X)	1	X-TRANSOM	
8-1	17562-93J00	ブッシュ, ウォータチューブ アッパ	1	FROM 20003F-51000	
			1	UPTO 20003F-51085	
			0		
8-2	17562-93J01	ブッシュ, ウォータチューブ アッパ	1	FROM 20003F-51085	
			1		
9	09168-20002	ガasket (20. 5X30X1. 5)	1	X-TRANSOM	
				FROM 201503	
				FROM 20003F-51085	
			1		
10	17563-93J00	ブッシュ, ウォータチューブ ロア	1		
11	17564-93J00	ブッシュ, ウォータポンプ ケース	1		
12-1	17631-93J20	フィルタ, ウォータホースサイト	1		
12-2	17631-93J30	フィルタ, ウォータホースサイト	1	オフショーン	
13-1	17632-93J20	フィルタ, ウォータスターボード サイト	1		
13-2	17632-93J30	フィルタ, ウォータスターボード サイト	1	オフショーン	
14-1	09132-04034	タツビング スクリュー	1	L-TRANSOM	
14-2	09132-04034	タツビング スクリュー	2	X-TRANSOM	
15	09116-08131	ホルト (8X45)	4		
16	09202-06031	ピン (6X12)	2		
17	09420-05009	キー	1		
18	17400-96J02	キット, ウォータポンプ リペア	1	オフショーン	

FIG.160B




FIG. 160B (1-C-2) ウォータポン (DF200AZ)

見出番号	品番	品名	使用個数	備考	標準作業時間
1	17411-96J01	ケース, ウォータポン	1		
2	17413-96J01	スリーブ, ウォータポン ケース	1		
3	17416-96J00	シーリング, ウォータポン ケース	1		
4	17461-90J01	インペラ, ウォータポン	1		
5	17471-93J02	パネル, ホン ケースアンタ	1		
6	17472-93J00	ガスクワット, ホン ケースパネル	1		
7	17561-96J11	チューブ, ウォータ (X)	1		
8-1	17562-93J00	ブッシュ, ウォータチューブ アツハ	1	FROM 20003Z-51000 1 UPTO 20003Z-51018 9	
8-2	17562-93J01	ブッシュ, ウォータチューブ アツハ	1	FROM 20003Z-51019 0	
9	09168-20002	ガスクワット (20. 5X30X1. 5)	1	X-TRANSOM FROM 201503 FROM 20003Z-51019 0	
10	17563-93J00	ブッシュ, ウォータチューブ ロ7	1		
11	17564-93J00	ブッシュ, ウォータポン ケース	1		
12-1	17631-93J20	フィルタ, ウォータポン トサイド	1		
12-2	17631-93J30	フィルタ, ウォータポン トサイド	1	オプション	
13-1	17632-93J20	フィルタ, ウォータポン トサイド	1		
13-2	17632-93J30	フィルタ, ウォータポン トサイド	1	オプション	
14	09132-04034	タツピング スクリュー	2		
15	09116-08131	ホルト (8X45)	4		
16	09202-06031	ピン (6X12)	2		
17	09420-05009	キー	1		
18	17400-96J02	キット, ウォータポン リペア	1	オプション	

FIG.162A




FIG. 162A (1-C-3) サーマスタット

見出番号	品 番	品 名	使用個数	備 考	標準 作業時間
1	11196-96L00	ホース, ウォータリターン	1		
2-1	17611-90J00-OEP	カバー, ウォータフ レッジャハ ルフ (ﾌﾞﾗｯｸ)	1	BODY COLOR: OEP	
2-2	17611-90J00-Y5S	カバー, ウォータフ レッジャハ ルフ (ﾎﾜｲﾄ)	1	BODY COLOR: Y5S	
3	09280-26006	Oリング (D: 3. 1, ID: 26. 4)	1		
4	09116-06121	ﾎｰﾙﾄ (6X25)	2		
5	17660-90J00	ﾊﾞﾙﾌﾞ, ウォｰﾀﾌﾞ レｯｼｬ	1		
6-1	17670-90J20	サーモスタット, ウォータ 50℃	1		
6-2	17670-90J10	サーモスタット, ウォータ 71℃	1	オプション	
7	17680-96J00	カバー, サーマスタット	1		
8	01550-06257	ﾎｰﾙﾄ	3		
9	09352-50903-600	ﾎｰｽ (5X9X600)	1	L: 600>40	
10	09352-50903-600	ﾎｰｽ (5X9X600)	1	L: 600>60	
11	09352-50903-600	ﾎｰｽ (5X9X600)	1	L: 600>220	
12	09352-50903-600	ﾎｰｽ (5X9X600)	1	L: 600>240	
13	09352-50903-600	ﾎｰｽ (5X9X600)	1	L: 600>380	
14	09352-50903-600	ﾎｰｽ (5X9X600)	1	L: 600>540	
15	09352-50903-600	ﾎｰｽ (5X9X600)	1		
16	09352-50903-600	ﾎｰｽ (5X9X600)	1	L: 600>490	
17	09352-90133-600	ﾎｰｽ (9X13X600)	1	L: 600>340	
18	09367-06002	ｼﾞｮｲﾝﾄ	2		
19	09401-08413	ｸﾘｯﾌﾟ	16		
20	09401-13425	ｸﾘｯﾌﾟ	2		
21	09401-31407	ｸﾘｯﾌﾟ	1		
22	09320-09039	ｸﾞｯｼｮﾝ	1		
23	18498-87J00	ﾌﾞﾛｯｹｯﾄ, ﾎｰｽ (9. 5X11. 5X430)	1		
24	09407-25402	ｸﾗﾝﾌﾟ (L: 250)	1		
25	11198-96L00	ﾌﾞﾗｹｯﾄ, ウォータリターン	1		
26-1	18498-87J00	ﾌﾞﾛｯｹｯﾄ, ﾎｰｽ (9. 5X11. 5X450)	1	L: 450>300 FROM 20003F-51000 1 UPTO 20003F-51068 3 FROM 20003Z-51000 1 UPTO 20003Z-51017	

FIG.162A




FIG. 162A (1-C-4) サーマスタット

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
26-2	18498-87JC0	ﾌﾟﾛﾃｸﾀ,ﾎｰｽ(9.5X11.5X450)	1	6 L:450×300 FROM 20003F-51068 4 FROM 20003Z-51017 7	
27	01550-06127	ﾎﾞﾙﾄ	2		

FIG.164A




FIG. 164A (1-C-5) スロットルロッド*

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
1	13510-96J00	ロッド*, スロットルNO. 1	1		
2	19115-96J00	ホルダ*, スロットルレバ -	1		
3	19121-93J02	レバ -, スロットルNO. 1	1		
4	19148-96J00	ド ラム, スロットル	1		
5	19184-96J00	ブ ラケット, スロットルケー ブル	1		
6	19185-96J01	スフ リング*, スロットルレバ -	1		
7	63610-96J00	ケー ブル, スロットル	2		
8	67463-95200	コネクタ, スロットルコントロール	1		
9	09119-06047	ピ ン* ット	1		
10	09140-05005	ナツト	1		
11	09160-06066	ワッシャ (6. 5X20X1. 6)	1		
12	09180-06230	スベ ーサ (6. 2X12. 6X12. 5)	1		
13	09306-10001	ブ ッシュ	2		
14	09383-08005	Eリング*	1		
15	01550-06167	ホ ルト	2		
16	01550-06257	ホ ルト	1		
17	01550-08657	ホ ルト	2		
18	08322-01107	ワッシャ	1		
19-1	15198-96J00	ブ ラケット, フューエルホースクランプ*	1	->15198-96J01+094 03-16307 FROM 20003F-51000 1 UPTO 20003F-51068 3 FROM 20003Z-51000 1 UPTO 20003Z-51017 6	
19-2	15198-96J01	ブ ラケット, フューエルホースクランプ*	1	FROM 20003F-51068 4 FROM 20003Z-51017 7	
20-1	09403-11314	クランプ*	1	FROM 20003F-51000 1 UPTO 20003F-51068	

FIG.164A




FIG. 164A (1-C-6) スロットルロッド

見出番号	品 番	品 名	使用個数	備 考	標準 作業時間
			3	FROM 20003Z-51000	
			1	UPTO 20003Z-51017	
			6	FROM 20003F-51068	
20-2	09403-16307	クランプ	1	4	
				FROM 20003Z-51017	
21	01550-06127	ボルト	1	7	

FIG.175A




FIG. 175A (1-C-7) オイルポンプ

見出番号	品番	品名	使用個数	備考	標準作業時間
1	12632-96J00	ギヤ, オイルポンプドライブ	1		
2	16113-96J00	ギヤ, オイルポンプドライブ	1		
3	16400-96J00	ポンプ アダプタ, オイル	1		
4	16520-96J01	ストレーナ, オイルポンプ	1		
5	09181-12167	シム (12X20X1)	1		
6	09280-22020	Oリング (D: 2. 4, ID: 21. 8)	2		
7	01550-0616A	ボルト	3		
8	01550-0870A	ボルト	4		
9	08110-60020	ベアリング	1		

FIG.178A




FIG. 178A (1-C-8) オイルフィルタ

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
1	16510-96J00	フィルタアツシ, オイル	1		
2	16540-96J00	スタント*, オイルフィルタ	1		
3	16543-96J00	Oリング*, オイルフィルタスタント*	1		
4	01550-08357	ボ ル ト	3		

FIG.180A





FIG.180A (1-C-9) オイルパン

見出番号	品 番	品 名	使用個数	備 考	標準 作業時間
1	11430-96J10	バ イブ , エキゾーストレリース	1		
2	29116-93J00	ボ ルト	3		
3	11540-96J01	バ イブ , エキゾースト	1		
4	09280-16005	Oリング (D:2.4, ID:15.8)	1		
5	29116-93J00	ボ ルト	1		
6	11543-96J00	ホース, エキゾースト	1		
7	09401-22408	クリップ	2		
8	11489-96J01	ガ スケット, オイルパン	1		
9-1	11501-96J03-OEP	パン, オイル (ブラック)	1	BODY COLOR:OEP	
9-2	11501-96J03-Y5S	パン, オイル (ホワイト)	1	BODY COLOR:Y5S	
10	11544-96J00	シール, オイルパンアツパ	1		
11	09116-08128	ボ ルト (8X40)	2		
12	09202-08006	ピン (8X12)	2		
13	09168-12012	ガ スケット (12.5X20X2.5)	1		
14	09248-12009	ブラグ (12X18.65)	1		
15-1	11550-96J00-OEP	カバー, ウォータジヤケツトオイルパン (ブラック)	1	BODY COLOR:OEP	
15-2	11550-96J00-Y5S	カバー, ウォータジヤケツトオイルパン (ホワイト)	1	BODY COLOR:Y5S	
16	11552-96J00	ガ スケット, オイルパンウォータジヤケツトカバー	1		
17	09103-06093	ボ ルト (6X20)	6		
18	17913-93J00	ブラグ, ウォータ	1		
19	17914-93J00	ガ スケット, ウォータブラグ	1		
20	09116-10146	ボ ルト (10X195)	8		
21	09116-10181	ボ ルト (10X44)	1		
22	16910-96J01	ゲージ, オイルレベル	1		
23	16930-96J00	ガイド, オイルレベルゲージ	1		
24	09280-09008	Oリング (D:2.1, ID:8.8)	1		
25	01550-06127	ボ ルト	1		

FIG.204A



DF200A_000_015_204A
CLUTCHSHAFT

FIG. 204A (1-C-10) クラッチシャフト (DF200AT)

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
1	21100-96J01	レバーアッシ, クラッチ	1		
2	21131-93J00	ブッシュ, クラッチレバー	1		
3	09306-10001	ブッシュ	4		
4	09383-08004	Eリング	1		
5	23115-96J00	リンク, クラッチレバー	1		
6	09160-06094	ワッシャ (6. 5X15X1. 0)	2		
7	09204-01006	コッタピン	2		
8	09306-06004	ブッシュ	2		
9	21151-96J00	ホルダー, クラッチレバー	1		
10	01550-06207	ホルト	1		
11	21155-93J00	プレート, シフトレバー	1		
12	02142-05107	スクリュ	2		
13	21210-93J01	シャフト, クラッチ	1		
14	21230-93J01	アーム, クラッチシャフト	1		
15	22511-99011	ニツフル, クラッチ	1		
16-1	23111-96J00	ロッド, クラッチ (L)	1	L-TRANSOM	
16-2	23111-93J00	ロッド, クラッチ	1	X-TRANSOM	
17	25223-94400	シール, シフトロッド スタ	1		
18	09248-12011	ブラケット (12X9)	1		
19	09289-18001	オイルシール	1		
20	09262-17019	ベアリング (17X35X8)	1		
21	08331-41359	サークリップ	1		
22	09205-10006	ピン	1		
23	09260-10005	ボール	1		
24	09440-07051	スプリング	1		
25	67467-89J01	コネクタ	2		
26	09160-06055	ワッシャ (7X12X1)	2		
27	09385-06012	スナッチピン	2		

FIG.204B




FIG. 204B (1-C-11) クラッチシャフト (DF200AZ)

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
1	21100-96J01	レバーアッシ, クラッチ	1		
2	21131-93J00	ブッシュ, クラッチレバー	1		
3	09306-10001	ブッシュ	4		
4	09383-08004	Eリング	1		
5	23115-96J00	リンク, クラッチレバー	1		
6	09160-06094	ワッシャ (6. 5X15X1. 0)	2		
7	09204-01006	コッタピン	2		
8	09306-06004	ブッシュ	2		
9	21151-96J00	ホルダー, クラッチレバー	1		
10	01550-06207	ホルト	1		
11	21155-93J00	プレート, シフトレバー	1		
12	02142-05107	スクリュ	2		
13	21210-93J01	シャフト, クラッチ	1		
14	21230-93J01	アーム, クラッチシャフト	1		
15	22511-99011	ニツフル, クラッチ	1		
16	23111-93J00	ロッド, クラッチ	1		
17	25223-94400	シール, シフトロッドノット	1		
18	09248-12011	ブラケット (12X9)	1		
19	09289-18001	オイルシール	1		
20	09262-17019	ベアリング (17X35X8)	1		
21	08331-41359	サークリップ	1		
22	09205-10006	ピン	1		
23	09260-10005	ボール	1		
24	09440-07051	スプリング	1		
25	67467-89J01	コネクタ	2		
26	09160-06055	ワッシャ (7X12X1)	2		
27	09385-06012	スナッチピン	2		

FIG.206A




FIG. 206A (1-C-12) クラッチロッド (DF200AT)

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
1-1	25111-96J00	ロッド, シフト(L)	1	L-TRANSOM	
1-2	25111-93J00	ロッド, シフト(X)	1	X-TRANSOM	
2	25131-93J00	ヨーク, シフト	1		
3	25232-96302	マウント, キヤク	1		
4	09205-02006	ピン	2		
5	25141-93J00	ハウジング, シフトロッドガイド	1		
6	25223-94400	シール, シフトロッドタスト	1		
7	09282-08005	オイルシール	1		
8	25321-93J00	スライダ, シフトホリゾンタル	1		
9	29116-93J00	ボルト	2		
10	09160-08151	ワッシャ(8. 5X26X1. 6)	1		
11	09280-60007	リング(D:3. 5, ID:59. 6)	1		

FIG.206B




FIG. 206B (1-C-13) クラッチロッド (DF200AZ)

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
1	25111-93J00	ロッド, シフト(X)	1		
2	25131-93J00	ヨーク, シフト	1		
3	25232-96302	マグネト, ギヤケース	1		
4	09205-02006	ピン	2		
5	25141-93J00	ハウジング, シフトロッドガイド	1		
6	25223-94400	シール, シフトロッドタスト	1		
7	09282-08005	オイルシール	1		
8	25321-93J00	スライダ, シフトホリゾンタル	1		
9	29116-93J00	ホルト	2		
10	09160-08151	ワッシャ (8.5X26X1.6)	1		
11	09280-60007	リング (D:3.5, ID:59.6)	1		

FIG.220A




FIG. 220A (1-C-14) トランスミッション (DF200AT)

見出番号	品 番	品 名	使用個数	備 考	標準 作業時間
1-1	57110-96J40	シャフト, ドライブ (L)	1	L-TRANSOM	
1-2	57110-96J30	シャフト, ドライブ (X)	1	X-TRANSOM	
2	57133-93J00	カラー, ドライブ シャフト	1		
3	57134-93J00	スベ-サ, ドライブ シャフトベ-アリング	1		
4	09159-28003	ナット	1		
5	09269-32001	ベ-アリング (32X66X49)	1		
6	57300-96850	ピ-ニオン/ギ-ヤセット	1		
7	09263-25067	ベ-アリング (25X32X26)	1		
8-1	09181-60004	シム (60X66X0.45)	1		
8-2	09181-60005	シム (60X66X0.5)	1		
8-3	09181-60006	シム (60X66X0.55)	1		
8-4	09181-60007	シム (60X66X0.6)	1		
8-5	09181-60008	シム (60X66X0.65)	1		
8-6	09181-60009	シム (60X66X0.7)	1		
8-7	09181-60010	シム (60X66X0.75)	1		
8-8	09181-60011	シム (60X66X0.8)	1		
8-9	09181-60012	シム (60X66X0.85)	1		
8-10	09181-60013	シム (60X66X0.9)	1		
9	09140-16021	ナット	1		
10	08221-16256	シム	1		
11	57500-87861	シムセット, リハ-ースフ ロツク シャフト	1		
12-1	08211-30382	ワッシャ	1		
12-2	09160-30036	ワッシャ (30X38X1.7)	1		
12-3	09160-30037	ワッシャ (30X38X1.9)	1		
12-4	09160-30038	ワッシャ (30X38X2.1)	1		
12-5	08211-30384	ワッシャ	1		
12-6	09160-30039	ワッシャ (30X38X2.3)	1		
12-7	09160-30041	ワッシャ (30X38X2.4)	1		
12-8	08211-30385	ワッシャ	1		
12-9	09160-30042	ワッシャ (30X38X2.6)	1		
12-10	09160-30043	ワッシャ (30X38X2.7)	1		
12-11	09160-30044	ワッシャ (30X38X2.8)	1		
13	09160-75002	ワッシャ (75X100X2)	1	FWD GEAR	
14	57500-87852	シムセット, リハ-ースキ-ヤ	1	REV GEAR	
15-1	09181-50013	シム (50X62X1)	1	REV GEAR	

FIG.220A




FIG. 220A (1-C-15) トランスミッション (DF200AT)

見出番号	品番	品名	使用個数	備考	標準作業時間
15-2	09181-50012	・シム (50X62X1.1)	1	REV GEAR	
15-3	09181-50005	・シム (50X62X1.2)	1	REV GEAR	
15-4	09181-50006	・シム (50X62X1.3)	1	REV GEAR	
15-5	09181-50007	・シム (50X62X1.4)	1	REV GEAR	
15-6	09181-50008	・シム (50X62X1.5)	1	REV GEAR	
15-7	09181-50009	・シム (50X62X1.6)	1	REV GEAR	
15-8	09181-50010	・シム (50X62X1.7)	1	REV GEAR	
16-1	09181-75018	シム (75X100X0.5)	1	FWD GEAR	
16-2	09181-75019	シム (75X100X0.55)	1	FWD GEAR	
16-3	09181-75012	シム (75X100X0.6)	1	FWD GEAR	
16-4	09181-75013	シム (75X100X0.65)	1	FWD GEAR	
16-5	09181-75008	シム (75X100X0.7)	1	FWD GEAR	
16-6	09181-75014	シム (75X100X0.75)	1	FWD GEAR	
16-7	09181-75009	シム (75X100X0.8)	1	FWD GEAR	
16-8	09181-75015	シム (75X100X0.85)	1	FWD GEAR	
16-9	09181-75010	シム (75X100X0.9)	1	FWD GEAR	
16-10	09181-75016	シム (75X100X0.95)	1	FWD GEAR	
16-11	09181-75011	シム (75X100X1)	1	FWD GEAR	
17	09269-75002	ベアリング (75X100X4)	1		
18	57610-93J00	シャフト, プローラ	1		
19	57621-93J10	シフト, クラッチツグ	1		
20	09202-08007	ピン (8X49)	1		
21	57631-93J00	ピン, コネクター	1		
22	09440-52003	スプリング	1		
23	09440-09040	スプリング	1		
24	06111-07004	ボール	2		
25	06111-11004	ボール	2		
26	09180-25082	スベア (25X36.5X9.5)	1		
27-1	56120-93J50-OEP	ハウジング, プローラシャフトベアリング	1	BODY COLOR:OEP	
27-2	56120-93J50-Y5S	ハウジング, プローラシャフトベアリング (WH)	1	BODY COLOR:Y5S	
28	09263-30063	ベアリング (30X40X25)	2		
29	09280-00040	・オリング (D:3.1, ID:104.4)	1		
30	09282-30006	・オイルシール	2		
31	09381-40003	・サーキット	1		
32	08113-60100	・ベアリング	1		

FIG.220A




FIG. 220A (1-C-16) トランスミッション (DF200AT)

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
33	09116-08158	ホ ルト (8X35)	2		
34-1	56130-93J01	ハウシ ング , ト ライフ シヤフトヘ アリ ング	1	FROM 20003F-51000 1 UPTO 20003F-51044 2	
34-2	56130-93J02	ハウシ ング , ト ライフ シヤフトヘ アリ ング	1	FROM 20003F-51044 3	
35	09280-66004	・オリ ング (D:3. 1, ID:65. 4)	1		
36	09282-24004	・オイ ルシ ール	2		
37	09381-40003	・サー クリ ップ	1	FROM 201412 FROM 20003F-51044 3	
38	56140-93J01	ハウシ ング , フォワ ード キ ャヘ アリ ング	1		
39	04221-08129	・ピ ン	1		
40	09263-50009	・ヘ アリ ング (50X65X25)	1		

This exploded view diagram illustrates the assembly of a mechanical component, likely a pump or motor. The parts are numbered 1 through 39. The assembly sequence is as follows:

- Shaft (1):** The central component, shown with a long section and a detailed view of the lower end.
- Input Shaft Assembly (2):** Consists of a shaft (2) and a gear (17) mounted on it.
- Intermediate Gear Assembly (16):** Includes a gear (19) and a shaft (16) with a pin (18) and a nut (20).
- Output Shaft Assembly (27):** Features a shaft (27) with a gear (32) and a pin (31) secured by a nut (30).
- Seals and Bearings (10-15):** Various seals (10, 11, 13, 14, 24, 25, 26) and bearings (12, 13, 14, 24, 25, 26) are shown being installed onto the shafts.
- Other Components (3-9, 21-26, 32-39):** Includes various nuts, washers, and small components that complete the assembly.

A "FWD" arrow is located at the bottom left, indicating the forward direction of the shaft.

見出番号	品番	品名	使用個数	備考	標準作業時間
1	57110-96J30	シャフト、ドライブ (X)	1		
2	57133-93J00	カラー、ドライブ シャフト	1		
3	57134-93J00	スベ-サ、ドライブ シャフトへ アリナク	1		
4	09159-28003	ナット	1		
5	09269-32001	ベ アリナク (32X66X49)	1		
6	57300-96860	ビニオン/ギヤセット	1		
7-1	09181-60004	シム (60X66X0. 45)	1		
7-2	09181-60005	シム (60X66X0. 5)	1		
7-3	09181-60006	シム (60X66X0. 55)	1		
7-4	09181-60007	シム (60X66X0. 6)	1		
7-5	09181-60008	シム (60X66X0. 65)	1		
7-6	09181-60009	シム (60X66X0. 7)	1		
7-7	09181-60010	シム (60X66X0. 75)	1		
7-8	09181-60011	シム (60X66X0. 8)	1		
7-9	09181-60012	シム (60X66X0. 85)	1		
7-10	09181-60013	シム (60X66X0. 9)	1		
8	09140-16021	ナット	1		
9	08221-16256	シム	1		
10-1	09160-35015	ワッシャ (35X46X0. 6)	1	PROP SHAFT REV	
10-2	09160-35013	ワッシャ (35X46X0. 8)	1	PROP SHAFT REV	
10-3	09160-35010	ワッシャ (35X46X1. 15)	1	PROP SHAFT REV	
10-4	09160-35004	ワッシャ (35X46X1. 2)	1	PROP SHAFT REV	
10-5	09160-35006	ワッシャ (35X46X0. 9)	1	PROP SHAFT REV	
10-6	09160-35002	ワッシャ (35X46X1)	1	PROP SHAFT REV	
10-7	09160-35008	ワッシャ (35X46X0. 95)	1	PROP SHAFT REV	
10-8	09160-35003	ワッシャ (35X46X1. 1)	1	PROP SHAFT REV	
10-9	09160-35009	ワッシャ (35X46X1. 05)	1	PROP SHAFT REV	
11	09160-75002	ワッシャ (75X100X2)	1	FWD GEAR	
12-1	09181-60004	シム (60X66X0. 45)	1	REV GEAR	
12-2	09181-60005	シム (60X66X0. 5)	1	REV GEAR	
12-3	09181-60006	シム (60X66X0. 55)	1	REV GEAR	
12-4	09181-60007	シム (60X66X0. 6)	1	REV GEAR	
12-5	09181-60008	シム (60X66X0. 65)	1	REV GEAR	
12-6	09181-60009	シム (60X66X0. 7)	1	REV GEAR	
12-7	09181-60010	シム (60X66X0. 75)	1	REV GEAR	

FIG.220B




FIG. 220B (1-D-3) トランスミツション (DF200AZ)

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
12-8	09181-60011	シム (60X66X0. 8)	1	REV GEAR	
12-9	09181-60012	シム (60X66X0. 85)	1	REV GEAR	
12-10	09181-60013	シム (60X66X0. 9)	1	REV GEAR	
13-1	09181-75018	シム (75X100X0. 5)	1	FWD GEAR	
13-2	09181-75019	シム (75X100X0. 55)	1	FWD GEAR	
13-3	09181-75012	シム (75X100X0. 6)	1	FWD GEAR	
13-4	09181-75013	シム (75X100X0. 65)	1	FWD GEAR	
13-5	09181-75008	シム (75X100X0. 7)	1	FWD GEAR	
13-6	09181-75014	シム (75X100X0. 75)	1	FWD GEAR	
13-7	09181-75009	シム (75X100X0. 8)	1	FWD GEAR	
13-8	09181-75015	シム (75X100X0. 85)	1	FWD GEAR	
13-9	09181-75010	シム (75X100X0. 9)	1	FWD GEAR	
13-10	09181-75016	シム (75X100X0. 95)	1	FWD GEAR	
13-11	09181-75011	シム (75X100X1)	1	FWD GEAR	
14	09269-75002	ベ`アリング` (75X100X4)	1		
15	57610-93J20	シャフト, フ`ロベ`ラ	1		
16	57621-93J20	シフト, クラツチド`ツグ`	1		
17	09202-08007	ビ`ン (8X49)	1		
18	57631-93J00	ビ`ン, コネクタ	1		
19	09440-52003	スプ`リング`	1		
20	09440-09040	スプ`リング`	1		
21	06111-07004	ホ`ール	2		
22	06111-11004	ホ`ール	2		
23	57622-93J00	スベ`ーサ, フォワード`スラスト	1		
24	09160-30055	ワツシヤ (30X47X6)	1		
25	09160-30056	ワツシヤ (32X47X3)	1		
26	09269-30014	ベ`アリング` (30X47X2)	1		
27-1	56120-93J60-0EP	ハウシ`ング`, フ`ロベ`ラシャフトベ`アリング` (BL)	1	BODY COLOR:0EP	
27-2	56120-93J60-Y5S	ハウシ`ング`, フ`ロベ`ラシャフトベ`アリング` (WH)	1	BODY COLOR:Y5S	
28	09263-30063	・ベ`アリング` (30X40X25)	2		
29	09280-00040	・Oリング` (D:3. 1, ID:104. 4)	1		
30	09282-30006	・オイルシール	2		
31	09381-40003	・サークルツブ`	1		
32	09263-50009	・ベ`アリング` (50X65X25)	1		
33	09116-08158	ホ`ルト (8X35)	2		

Exploded view diagram of a mechanical assembly, likely a pump or motor component, showing various parts numbered 1 through 39. The diagram illustrates the assembly structure, including a central shaft (15) and a housing (27). Key components include:

- Top Assembly (34):** A detailed view of the upper section showing components 35, 36, 36, 37, 4, 3, 5, and 7.
- Central Shaft (15):** The main rotating component, shown with a 'FWD' (Forward) arrow indicating rotation.
- Bottom Assembly (27):** A detailed view of the lower section showing components 29, 32, 28, 28, 30, 31, 30, and 26.
- Intermediate Components:** Various gears, bearings, and housing parts labeled 1 through 26, 28, 29, 30, 31, 32, 33, 35, 36, 37, and 38.

見出番号	品番	品名	使用個数	備考	標準作業時間
34-1	56130-93J01	ハウジング*, ト* ライフ* シヤフトへ* アリンク*	1	FROM 20003Z-51000 1 UPTO 20003Z-51015 3	
34-2	56130-93J02	ハウジング*, ト* ライフ* シヤフトへ* アリンク*	1	FROM 20003Z-51015 4	
35	09280-66004	・Oリング* (D:3. 1, ID:65. 4)	1		
36	09282-24004	・オイルシール	2		
37	09381-40003	・サーキュラツフ*	1	FROM 201412 FROM 20003Z-51015 4	
38	56140-93J10	ハウジング*, リハ*ースキ*ヤへ* アリンク*	1		
39	09262-60002	・へ* アリンク* (60X85X13)	1		

FIG.301A




FIG. 301A (1-D-5) スターティングモータ

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
1	31100-96J02	モータアツシ, スターティング	1		
2	31131-90J01	・ﾌﾟﾗﾝｼｪｯﾄ(+)	1		
3	31135-90J00	・ｽﾌﾟﾘﾝｸﾞ	4		
4	31151-94J01	・ｹｰｽ, スターティングモータｷﾞﾔ	1		
5	31152-90J00	・ﾌﾟﾚｰﾄ, セﾝﾀ	1		
6	31153-90J00	・ﾌﾟﾗﾝｼﾞ, ｷﾞﾔ	1		
7	31170-90J00	・ｶﾊﾞｰｱｯｼ, スタータﾓｰﾀﾘﾔ	1		
8	31171-96J00	・ｶﾊﾞｰｷｯﾄ, ﾀﾞｽﾄ	1		
9	31173-90J02	・ﾎﾙﾀﾞｰｱｯｼ, ﾌﾗﾝｼ	1	INCLUDE NO2, 3	
10	31191-96J00	・ﾚﾊﾞｰ, シﾌﾄ	1		
11	31220-94J00	・ｽｲｯﾁ, ﾏﾞﾈｯﾄ	1		
12	31310-90J00	・ｱﾏﾁﾔ	1		
13	31320-93J00	・ﾋﾞﾆｵﾝ	1		
14	31341-93J00	・ｼｬﾌﾄ, ﾋﾞﾆｵﾝ	1		
15	31343-90J00	・ｲﾝﾀｰﾅﾙｷﾞﾔ	1		
16	31344-90J00	・ｷﾞﾔ, ﾌﾗﾅﾀﾘ	3		
17	31360-93J01	・ﾜｯｼｬｾｯﾄ, ﺴﾄｯﾊ	1		
18	31913-93J00	・ﾀｰﾐﾅﾙ	1		
19	31914-93J00	・ｷｬﾌﾞ, ﾀｰﾐﾅﾙ	1		
20	31912-96J00	ﾊﾞﾝﾄﾞ, ﺴﾀｰﾀﾓｰﾀ	1		
21	31918-90J10	ﾀﾞﾝﾊﾞ, ﾛﾌ	1		
22	01550-08207	ﾎﾙﾄ	2		
23	01550-08357	ﾎﾙﾄ	2		

FIG.303A




FIG. 303A (1-D-6) マグネト

見出番号	品番	品名	使用個数	備考	標準作業時間
1	32102-96J10	フライホイール, マグネト	1		
2	09103-12125	ボルト (12X26)	8		
3	09202-06031	ピン (6X12)	1		
4	32120-96J00	コイル, ハンタリチャージング	1		
5	32160-88L00	コイル, イグニッションタイミング	1		
6	09106-05030	ボルト (5X10)	2		
7	33220-64L10	センサアタッチ, ホンシヨ	2		
8	01550-06167	ボルト	2		
9	09103-06231	ボルト (6X35)	4		
10	09403-13408	クランプ	1		
11	01550-06127	ボルト	1		
12	11185-96L00	カバー, センサ	1		

FIG.310A




FIG. 310A (1-D-7) レクチファイア/イグニッション コイル

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
1	32800-96J00	レクチファイア/レキ ュレータアツシ	1		
2	32805-96J00	ガ スケット, レクチファイア/レキ ュレータ	1		
3	32890-96L00	ホルダ , エレクトリツクハ ーツ	1		
4	09169-06062	ワツシヤ	2		
5	09320-09016	クツシヨシ (9X18X9. 5)	4		
6	01550-06257	ボ ルト	1		
7	01550-06257	ボ ルト	6		
8	33410-96L00	コイルアツシ, イグ ニツシヨシ	4		
9	01550-06207	ボ ルト	4		
10	09116-06202	ボ ルト (6X25)	1		
11	09160-06084	ワツシヤ (6. 5X18X1. 6)	1		



FIG.315A




FIG. 315A (1-D-8) センサ

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
1	13650-52G00	センサ, インレットエアテンバ` レチャ	1		
2	13655-87J00	グ` ロメット, エアテンバ` レチャセンサ	1		
3	18213-98J10	センサ, オキシシ` エン	1		
4	18640-78G00	センサアツシ, ノツク	1		
5	29103-93J00	ホ` ルト (6X12)	1	PTT CABLE CLIP BR ACKET	
6	29103-93J00	ホ` ルト (6X12)	1	PTT CABLE CLAMP	
7	34830-87J20	センサ, テンバ` レチャ	1	EXHAUST TEMP	
8	34830-87J20	センサ, テンバ` レチャ	1	CYLINDER TEMP	
9	34840-98J11	センサアツシ, トリム	1		
10	34841-96J00	レバ` -, トリムセンサ	1		
11	34845-96J00	ブ` ラケツト, トリムセンサ	1		
12	36611-96J00	ワイヤ, トリムセンサ	1		
13	36617-93J10	ブ` ラケツト, ハーネス	1		
14	37820-99E01	スイツチアツシ, オイルフ` レツシヤ (P1. 0)	1		
15	09103-06093	ホ` ルト (6X20)	2		
16	09103-06307	ホ` ルト (6X10)	1		
17	09125-05048	スクリュ (5X16)	1		
18	09160-05029	ワツシヤ (5. 5X12X0. 8)	1		
19	09403-13408	クランフ`	2		
20	09403-19409	クランフ`	1		
21	09403-20307	クランフ`	1		
22	09407-14407	クランフ` (L: 145)	2		
23	01550-06127	ホ` ルト	1		
24	43117-96J00	カム, トリムセンダ`	1		
25	09116-05010	ホ` ルト (5X12)	2		
26	43118-96J00	ブ` レート, トリムセンダ` カム	1		

FIG.322A




FIG. 322A (1-D-9) ハーネス

見出番号	品 番	品 名	使用個数	備 考	標準 作業時間
1	33810-96L00	ケーブルアツシ, スタータモータ	1		
2	08316-10087	ナット	1		
3	36616-96J00	ホルダ, ケーブル	1		
4	09169-06053	ワッシャ	2		
5	09320-04009	ブッシュ	2		
6	02142-06167	スクリュー	2		
7	36610-96L00	ハーネスアツシ, ワイヤリング	1		
8	33634-96J00	・キヤツプ, サービスコネクタ	1		
9	36618-43410	・キヤツプ, オイルレシヤスイツチ	1		
10	09320-08021	・クツジョン (8.5X20X8)	2		
11	36737-96J00	・ブラ, フューズ	1		
12	36721-96J00	・オリシヤ, アツハカバー	1		
13	36738-96J00	・カバー, フューズケースアツハ	1		
14	38860-76F01	・リレーアツシ	1	FOR MAIN	
15	38860-76F01	・リレーアツシ	1	FOR STARTER	
16	09481-10501	・フューズ (10A)	3		
17	09481-30501	・フューズ (30A)	3		
18	09481-30401	・フューズ (30A)	1		
19	09481-60401	・フューズ (60A)	2		
20	36612-96J00	キヤツプ, ターミナル	1		
21	08310-00067	ナット	1		
22	08321-01067	ロツクワツシヤ	1		
23	36617-93J00	ブラケット, ハーネス	2		
24	36617-96J00	ブラケット, ハーネス	1		
25	01550-06127	ホルト	4		
26	09403-18409	クランプ	1		
27	09407-18402	クランプ (L:165)	2		
28	09407-14403	クランプ (L:125)	1		
29	09407-14407	クランプ (L:145)	3		
30	09408-00008	クリツプ (ID:20)	3		
31	09408-00012	クリツプ (ID:11.5)	1		
32-1	36625-93J00	リード, ハツテリ	1		
32-2	36625-93J10	リード, ハツテリ	1	オプション	
33	09481-15501	・フューズ (15A)	1		
34	09407-10404	クランプ (L:100)	2		

FIG.326A




FIG. 326A (1-D-10) PTT スイッチ/エンジン コントロール ユニツ

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
1	13580-93J02	センサアツシ, シフトボ`ジ`ション	1		
2	37729-93J00	レバ`-, シフトセンサ	1		
3	09160-05029	ワツシヤ (5. 5X12X0. 8)	1		
4	02112-35167	スクリュ	1		
5	37721-93J00	スイツチアツシ, ニュートラル	1		
6	09137-04004	スクリュ (4X16)	2		
7	09403-12412	クランプ`	2		
8	37725-96J00	ブラケツト, スイツチアツシ	1		
9	37850-92J00	スイツチアツシ, PTT	1		
10	37856-92J00	・チーフ`, PTTスイツチ	1		
11	37857-92J00	ブ`ツシュ, PTTスイツチ	1		
12	37722-93J11	スイツチアツシ, チルトリミツト	1		
13	09407-14407	クランプ` (L: 145)	1		
14	38410-93J20	リレーアツシ, PTT	1		
15	38415-93J20	ホルダ`, PTTリレー	1		
16	33920-96L00	ユニツト, エンジ`ンコントロール	1		
17	33925-88L10	クツション, エンジ`ンコントロールユニツト	1		

FIG.335A




FIG. 335A (1-D-11) クランプ°ブラケット

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
1-1	41111-96J21-0EP	ブ°ラケット, クランプ°スターボ°ード° (フ°ラツク)	1	BODY COLOR:0EP	
1-2	41111-96J21-Y5S	ブ°ラケット, クランプ°スターボ°ード° (ホ°ワイト)	1	BODY COLOR:Y5S	
2-1	41121-96J12-0EP	ブ°ラケット, クランプ°ボ°ード° (フ°ラツク)	1	BODY COLOR:0EP	
2-2	41121-96J12-Y5S	ブ°ラケット, クランプ°ボ°ード° (ホ°ワイト)	1	BODY COLOR:Y5S	
3	41130-92J03	シャフト, クランプ°ブ°ラケット	1		
4	41135-92J00	ワツシヤ, クランプ°ブ°ラケットシャフト	1		
5	09159-22006	ナツト	1		
6-1	09100-12085	ボ°ルト (12. 7X115)	6		
6-2	09100-12086	ボ°ルト (12. 7X150)	1	オフ°ション	
6-3	09100-12092	ボ°ルト (12. 7X75)	1	オフ°ション	
7	09159-12062	ナツト	6		
8	09160-13021	ワツシヤ (13. 2X26X3)	6		
9	09160-13022	ワツシヤ (13. 2X45X3)	4		
10	41155-93J02	ブ°レート, トランサム	2		
11	55320-94900	アノード°セツト, クランプ°ブ°ラケット	1		
12	09116-06121	・ボ°ルト (6X25)	2		
13	48140-93J01	カムアツシ, チルトリミツトスイツチ	1		
14	48144-93J00	ホルダ°, チルトリミツトスイツチ	1		
15	09103-06278	ボ°ルト (6X25)	2		
16	48145-93J00	カバ°ー, チルトリミツトスイツチ	1		
17	55321-94910	アノード° (マク°ネシウム)	1	オフ°ション	

FIG.336A




FIG. 336A (1-D-12) スイベルブラケット (DF200AT)

見出番号	品番	品名	使用個数	備考	標準作業時間
1	22511-99011	ニツブル, ケーリス	4		
2	36894-87D00	リート (L:165)	1		
3-1	43111-96J00-0EP	ブ ラケツト, スイベル (L) (ﾌﾞﾗｯｸ)	1	L-TRANSOM BODY COLOR:0EP	
3-2	43111-96J00-Y5S	ブ ラケツト, スイベル (L) (ﾎﾜｲﾄ)	1	L-TRANSOM BODY COLOR:Y5S	
3-3	43111-96J10-0EP	ブ ラケツト, スイベル (X) (ﾌﾞﾗｯｸ)	1	X-TRANSOM BODY COLOR:0EP	
3-4	43111-96J10-Y5S	ブ ラケツト, スイベル (X) (ﾎﾜｲﾄ)	1	X-TRANSOM BODY COLOR:Y5S	
4	43211-93J00	ﾌﾞｯｼｭ, クﾗﾝﾌﾟｼｬﾌﾄｽｲﾍﾞﾙ	2		
5	43711-97E01	ﾌﾞｯｼｭ,ｽﾃｱﾘﾝｸﾞ	2		
6-1	43750-96J50-0EP	ﾌﾞﾗｹｯﾄ,ｽﾃｱﾘﾝｸﾞ (L) (ﾌﾞﾗｯｸ)	1	L-TRANSOM BODY COLOR:0EP	
6-2	43750-96J50-Y5S	ﾌﾞﾗｹｯﾄ,ｽﾃｱﾘﾝｸﾞ (L) (ﾎﾜｲﾄ)	1	L-TRANSOM BODY COLOR:Y5S	
6-3	43750-96J60-0EP	ﾌﾞﾗｹｯﾄ,ｽﾃｱﾘﾝｸﾞ (X) (ﾌﾞﾗｯｸ)	1	X-TRANSOM BODY COLOR:0EP	
6-4	43750-96J60-Y5S	ﾌﾞﾗｹｯﾄ,ｽﾃｱﾘﾝｸﾞ (X) (ﾎﾜｲﾄ)	1	X-TRANSOM BODY COLOR:Y5S	
7	09125-06063	ｽｸﾘｭ (6X10)	2		
8	09160-39001	ワｯｼｬ (39. 5X64X1)	2		
9	09181-39001	ｼﾑ (39. 5X64X0. 3)	4		
10	09380-38003	ｽﾅｯﾌﾟﾘﾝｸﾞ	1		
11	09169-28003	ワｯｼｬ	2		
12	09282-39001	ｵｲﾙｼｰﾙ	1		
13-1	55321-87J00	ｱﾉｰﾄﾞ, ﾌﾞﾛｯｷﾝｸﾞ	1		
13-2	55321-87J10	ｱﾉｰﾄﾞ, ﾏｸﾞﾈｼｳﾑ	1	ｵﾌﾞｼｵﾝ	
14	09103-06281	ﾎｰﾙﾄﾞ (6X14)	1		
15	41220-96J10	ﾚﾊﾞｰ, ﾅﾙﾄﾛｯｸ	1		
16	41234-96J10	ﾚﾊﾞｰ, ﾅﾙﾄﾛｯｸﾎｰﾄ	1		
17	41224-95E01	ﾌﾞｯｼｭ, ﾅﾙﾄｽﾄｯﾌﾟﾛｯﾄ	2		
18	41230-96J00	ﾘﾝｸ, ﾅﾙﾄﾛｯｸﾚﾊﾞｰ	1		
19	41233-95E10	ﾌﾞﾗｹｯﾄ, ﾅﾙﾄﾛｯｸｽﾌﾟﾘﾝｸﾞ	1		
20	09125-06063	ｽｸﾘｭ (6X10)	1		

FIG.336A




FIG. 336A (1-D-13) スイベルラケット (DF200AT)

見出番号	品 番	品 名	使用個数	備 考	標準 作業時間
21	09140-10032	ナット	1		
22	09160-06082	ワッシャ (6. 5X13X1. 0)	1		
23	09204-01006	コツタピン	1		
24	09440-19028	スプ リング	1		
25	09443-10043	スプ リング	1		
26	36894-87D00	リード (L: 165)	1		
27	09125-06063	スクリ ュ (6X10)	2		

FIG.336B




FIG. 336B (1-D-14) スイベルブレース (DF200AZ)

見出番号	品番	品名	使用個数	備考	標準作業時間
1	22511-99011	ニツブル, ケーリス	4		
2	36894-87D00	リート (L:165)	1		
3-1	43111-96J10-0EP	ブレース, スイベル (X) (ブラック)	1	BODY COLOR:0EP	
3-2	43111-96J10-Y5S	ブレース, スイベル (X) (ホワイト)	1	BODY COLOR:Y5S	
4	43211-93J00	ブッシュ, クランプシャフトスイベル	2		
5	43711-97E01	ブッシュ, ステアリング	2		
6-1	43750-96J60-0EP	ブレース, ステアリング (X) (ブラック)	1	BODY COLOR:0EP	
6-2	43750-96J60-Y5S	ブレース, ステアリング (X) (ホワイト)	1	BODY COLOR:Y5S	
7	09125-06063	スクリュー (6X10)	2		
8	09160-39001	ワッシャ (39.5X64X1)	2		
9	09181-39001	シム (39.5X64X0.3)	4		
10	09380-38003	スナック リング	1		
11	09169-28003	ワッシャ	2		
12	09282-39001	オイルシール	1		
13-1	55321-87J00	アノード, プロテクション	1		
13-2	55321-87J10	アノード, マグネシウム	1	オプション	
14	09103-06281	ホルト (6X14)	1		
15	41220-96J10	レバー, チルトロツク	1		
16	41234-96J10	レバー, チルトロツクホルト	1		
17	41224-95E01	ブッシュ, チルトストッパ ロット	2		
18	41230-96J00	リンク, チルトロツクレバー	1		
19	41233-95E10	ブレース, チルトロツクスプリング	1		
20	09125-06063	スクリュー (6X10)	1		
21	09140-10032	ナット	1		
22	09160-06082	ワッシャ (6.5X13X1.0)	1		
23	09204-01006	コックピット	1		
24	09440-19028	スプリング	1		
25	09443-10043	スプリング	1		
26	36894-87D00	リート (L:165)	1		
27	09125-06063	スクリュー (6X10)	2		

FIG.337A




FIG. 337A (1-D-15) トリムシリンダ*

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
1-1	48000-96J05	トリムアツシ, ハ ^ニ ワーウイズ ^ニ チルト	1	FROM 20003F-51000	
				1	
				UPTO 20003F-51068	
				3	
				FROM 20003Z-51000	
				1	
				UPTO 20003Z-51017	
				6	
1-2	48000-96J10	トリムアツシ, ハ ^ニ ワーウイズ ^ニ チルト	1	FROM 20003F-51068	
				4	
				FROM 20003Z-51017	
				7	
2	29404-93J10	・クランプ ^ニ	1		
3	31281-92J10	・ボ ^ニ ルト, スルー	4		
4	38100-96J01	・モータアツシ, PTT	1		
5	48502-96J05	・ボ ^ニ ンフ ^ニ アツシ, PTT	1		
6	48503-96J03	・マニホールド ^ニ サフ ^ニ アツシ	1		
7	48401-96J01	・・ヒ ^ニ ストンアツシ	1		
8	48601-94900	・・ヒ ^ニ ストン/ラムアツシ	2		
9	48627-95E00	・・Oリング ^ニ セツト	3		
10	48630-96J02	・・ヘツト ^ニ , トリムシリンダ ^ニ	2		
11	48633-94900	・・Oリング ^ニ セツト, ヘツト ^ニ	2		
12	48641-96J02	・・マニホールド ^ニ , PTT	1		
13	48650-94900	・・ヒ ^ニ ストン, フリー	1		
14	48405-87D00	・・Oリング ^ニ セツト	1		
15	48615-97E00	・・Oリング ^ニ セツト, ヒ ^ニ ストン	1		
16	48570-95E01	・リザ ^ニ ーハ ^ニ アツシ	1		
17	48572-95E00	・・キャツプ ^ニ	1		
18	48583-95E00	・シ ^ニ ヨイント, ド ^ニ ライブ ^ニ	1		
19	48585-95E00	・Oリング ^ニ	1		
20	48588-94900	・Oリング ^ニ セツト	1		
21	48861-92J01	・ボ ^ニ ルト, リザ ^ニ ーハ ^ニ	3		
22	48862-92J20	・ボ ^ニ ルト, ボ ^ニ ンフ ^ニ NO. 1	1		
23	48862-92J30	・ボ ^ニ ルト, ボ ^ニ ンフ ^ニ NO. 2	2		
24	48121-92J00	シヤフト, チルトシリンダ ^ニ ロア	1		

Exploded view diagram of a front wheel hub assembly. The main assembly is labeled 1. Key components and their assembly points are indicated by numbered callouts:

- 1**: Main hub assembly
- 2**: Cotter pin
- 3**: Bolt
- 4**: Hub cap
- 5**: Hub housing
- 6**: Hub housing flange
- 7**: Axle nut
- 8**: Axle pin
- 9**: Axle pin bush
- 10**: Axle pin bush
- 11**: Axle pin bush
- 12**: Axle pin bush
- 13**: Axle pin bush
- 14**: Axle pin bush
- 15**: Axle pin bush
- 16**: Brake disc
- 17**: Brake disc pin
- 18**: Hub housing pin
- 19**: Hub housing flange
- 20**: Hub housing pin
- 21**: Hub housing pin
- 22**: Hub housing pin
- 23**: Hub housing pin
- 24**: Axle
- 25**: Hub housing pin
- 26**: Axle pin
- 27**: Axle pin
- 28**: Axle pin
- 29**: Hub housing pin
- 30**: Hub housing pin
- 31**: Axle pin
- 32**: Axle pin
- 33-35**: Axle pin
- 34**: Axle pin
- 36**: Axle pin

A 'FWD' arrow is located at the bottom left of the diagram.

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
25	48311-96J20	ﾊﾞｯﾄﾞ*,ﾄﾘﾑｼﾘﾝﾀﾞ*ﾗﾑ	2		
26	48321-87D03	ｼﾔﾌﾄ,ﾁﾙﾄｼﾘﾝﾀﾞ*ｱｯﾊﾞ	1		
27	48326-95E00	ﾌﾞｯｼｭ,ﾁﾙﾄｼﾘﾝﾀﾞ*ﾛﾌ	2		
28-1	09116-10179	ﾎﾞﾙﾄ(10X35)	2	FROM 20003F-51000 1 UPTO 20003F-51068 3 FROM 20003Z-51000 1 UPTO 20003Z-51017 6	
28-2	09116-10183	ﾎﾞﾙﾄ(10X35)	2	FROM 20003F-51068 4 FROM 20003Z-51017 7	
29	29141-93J20	ﾅｯﾄ	2		
30	09162-10005	ﾛｯｸワｯｼﾞ	2		
31	09306-17001	ﾌﾞｯｼｭ	2		
32	09380-17009	ｽﾅｯﾌﾟﾘﾝｸﾞ	2		
33	36894-87D00	ﾘｰﾄﾞ(L:165)	1	SWIVEL TO MOUNT B RKT	
34	09125-06063	ｽｸﾘｭ(6X10)	1		
35	36895-87D10	ﾘｰﾄﾞ(L:310)	1	SWIVEL TO HSG	
36	09125-05050	ｽｸﾘｭ(5X8)	1		

FIG.340A




FIG. 340A (1-E-2) PTTモータ

見出番号	品 番	品 名	使用個数	備 考	標準 作業時間
1-1	38100-96J01	モータアツシ, PTT	1	FROM 20003F-51000	
				1	
				UPTO 20003F-51068	
				3	
				FROM 20003Z-51000	
				1	
				UPTO 20003Z-51017	
				6	
1-2	38100-96J10	モータアツシ, PTT	1	FROM 20003F-51068	
				4	
				FROM 20003Z-51017	
				7	
2	31111-94900	・スクリュ	3		
3	31173-94910	・ホルダ アツシ, プ ラシ	1		
4	31123-94910	・・0リンク	1		
5	31133-90J00	・・ プ ラシアツシ	1		
6	31133-94900	・・ プ ラシ (+)	1		
7	31135-94900	・・ ス プ リンク	2		
8	31136-90J10	・・ プ レーカアツシ	1		
9	33799-97E00	・・ シール, オイル	1		
10	31311-94900	・アマチュア	1		
11	48502-96J05	ホ ン プ アツシ, PTT	1		
12	48582-95E01	・フィルタ	1		
13	48864-96J10	・ハ ル プ セツト, マニュアル	1		

FIG.401A




FIG. 401A (1-E-3) エンジンホルダー

見出番号	品番	品名	使用個数	備考	標準作業時間
1-1	51111-96J00-OEP	ホルダー, エンジン(フック)	1	BODY COLOR: OEP	
1-2	51111-96J00-Y5S	ホルダー, エンジン(ホワイト)	1	BODY COLOR: Y5S	
2	16519-93J00	シール, エンジンホルダー オイル	1		
3	51211-96J00	ガスケット, エンジンホルダー	1		
4	51115-90J10	ユニオン, ウォータータン	1		
5	09180-06289	・スベ-サ (6. 5X10X11. 5)	1		
6	09280-26006	Oリング (D: 3. 1, ID: 26. 4)	1		
7	01550-06257	ホルト	1		
8	09206-08001	ピン (8X11)	2		
9-1	51120-96J01	カバー, マウントオイルシール	1	FROM 20003F-51000	
				1	
				UPTO 20003F-51093	
				3	
				FROM 20003Z-51000	
				1	
				UPTO 20003Z-51021	
				8	
9-2	51120-96J02	カバー, マウントオイルシール	1	FROM 20003F-51093	
				4	
				FROM 20003Z-51021	
				9	
10	22511-99011	・ニツプル, グ-リス	1	FROM 201504	
				FROM 20003F-51093	
				4	
				FROM 20003Z-51021	
				9	
11	51124-93J01	・シール, オイル	2		
12	51125-93J00	・スクレーパー	1		
13	51123-96J01	ガスケット, マウントオイルカバー	1		
14	09103-08109	ホルト (8X120)	1		
15	01550-0830A	ホルト	7		
16	09206-08001	ピン (8X11)	2		
17	51140-96J00	カバー, エンジンホルダー	1		
18	51142-96J00	ガスケット, エンジンホルダー カバー	1		
19	01550-06207	ホルト	2		

FIG.401A




FIG. 401A (1-E-4) エンジンホルダー

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
20	51161-96J01	カバー、エンジンホルダーウオータシヤケツト	1		
21	51162-96J00	ガスケット、エンジンホルダーウオータシヤケツトカバー	1		
22	09103-06093	ボルト(6X20)	6		
23	51170-96J01	ブラケット、ウオータインジケーター	1		
24	09116-06121	ボルト(6X25)	1		
25	09116-10180	ボルト(10X50)	6		
26	09116-10137	ボルト(10X70)	2		
27	01550-08307	ボルト	1		
28	54121-96J01	マウント、アツバスラスト	1		
29	54130-96J01	マウント、アツバ	2		
30	54112-96J01	ボルト、アツバマウント	2		
31	09159-14026	ナット	2		
32	09160-15051	ワッシャ(15X24X3)	2		
33	54137-93J02	カバー、アツバマウント	1		
34	09116-10135	ボルト(10X95)	1		
35	09116-10175	ボルト(10X50)	2		
36	54127-96J00	マウント、アツバサイド	2		
37	54122-96J00	スベーサ、アツバマウントスラスト	2		

FIG.405A




FIG. 405A (1-E-5) ドライブシャフトハウジング* (DF200AT)

見出番号	品 番	品 名	使用個数	備 考	標準 作業時間
1-1	52111-96J00-0EP	ハウジング*, ドライブシャフト(L) (ブラック)	1	L-TRANSOM	
1-2	52111-96J00-Y5S	ハウジング*, ドライブシャフト(L) (ホワイト)	1	L-TRANSOM BODY COLOR:0EP BODY COLOR:Y5S	
1-3	52111-96J10-0EP	ハウジング*, ドライブシャフト(X) (ブラック)	1	X-TRANSOM	
1-4	52111-96J10-Y5S	ハウジング*, ドライブシャフト(X) (ホワイト)	1	X-TRANSOM BODY COLOR:0EP BODY COLOR:Y5S	
2-1	09116-10181	ボルト(10X44)	6	L-TRANSOM	
2-2	09116-10181	ボルト(10X44)	8	X-TRANSOM	
3	09108-10150	スタッドボルト	2	L-TRANSOM	
4	29141-93J20	ナット	2	L-TRANSOM	
5	09160-10141	ワッシャ(10.5X19X2)	2	L-TRANSOM	
6	09202-08006	ピン(8X12)	2		
7	57130-87D10	ブッシュ, ドライブシャフト	1	X-TRANSOM	
8	09387-38002	リンク	1	X-TRANSOM	
9	36895-87D10	リート(L:310)	1	SWIVEL TO HSG	
10	09125-06063	スクリュー(6X10)	1		
11	54151-96J01	マウント, ロアスラスト	1		
12	54160-96J01	マウント, ロア	2		
13-1	54211-96J01-0EP	ブラケット, ロアマウント(ブラック)	1	BODY COLOR:0EP	
13-2	54211-96J01-Y5S	ブラケット, ロアマウント(ホワイト)	1	BODY COLOR:Y5S	
14	54221-96J00	カバー, ロアマウント	2		
15	09100-14004	ボルト(14X220)	2		
16	09116-10182	ボルト(10X35)	2		
17	09116-10180	ボルト(10X50)	4		
18	09160-16050	ワッシャ(16X32X3)	2		
19	09160-16050	ワッシャ(16X32X3)	2		
20	54167-96J00	マウント, ロアサイト	2		

FIG.405B




FIG. 405B (1-E-6) ドライブシャフトハウジング* (DF200AZ)

見出番号	品番	品名	使用個数	備考	標準作業時間
1-1	52111-96J10-0EP	ハウジング*, ドライブシャフト(X) (ブラック)	1	BODY COLOR:0EP	
1-2	52111-96J10-Y5S	ハウジング*, ドライブシャフト(X) (ホワイト)	1	BODY COLOR:Y5S	
2	09116-10181	ボルト(10X44)	8		
3	09202-08006	ピン(8X12)	2		
4	57130-87D10	ブラケット, ドライブシャフト	1		
5	09387-38002	リンク*	1		
6	36895-87D10	リード*(L:310)	1	SWIVEL TO HSG	
7	09125-06063	スクリュー(6X10)	1		
8	54151-96J01	マウント, ロアスラスト	1		
9	54160-96J01	マウント, ロア	2		
10-1	54211-96J01-0EP	ブラケット, ロアマウント(ブラック)	1	BODY COLOR:0EP	
10-2	54211-96J01-Y5S	ブラケット, ロアマウント(ホワイト)	1	BODY COLOR:Y5S	
11	54221-96J00	カバー, ロアマウント	2		
12	09100-14004	ボルト(14X220)	2		
13	09116-10182	ボルト(10X35)	2		
14	09116-10180	ボルト(10X50)	4		
15	09160-16050	ワッシャ(16X32X3)	2		
16	09160-16050	ワッシャ(16X32X3)	2		
17	54167-96J00	マウント, ロアサイト*	2		

FIG.407A




FIG. 407A (1-E-7) ギヤケース (DF200AT)

見出番号	品番	品名	使用個数	備考	標準作業時間
1-1	55110-93J20-OEP	ケース, ギヤ (ブ ラツク)	1	BODY COLOR: OEP	
1-2	55110-93J20-Y5S	ケース, ギヤ (ホワイト)	1	BODY COLOR: Y5S	
2	09263-32017	・ベ アリング (32X48X30)	1		
3	09100-12052	ホ ルト (12X70)	1		
4	09116-10150	ホ ルト (10X55)	6		
5	09160-12066	ワッシャ (12. 5X22X2. 5)	1		
6	17566-87D11	グ ロメツト	1		
7	09202-08006	ピン (8X12)	2		
8-1	55125-98J00-OEP	タブ, トリム (ブ ラツク)	1	BODY COLOR: OEP	
8-2	55125-98J00-Y5S	タブ, トリム (ホワイト)	1	BODY COLOR: Y5S	
9	09116-08137	ホ ルト (8X22)	1		
10	55128-93J10	ブ ラグ, ド レーン	2		
11	09168-10034	ガ スケット (9. 5X16. 5X2)	3		
12	55321-93J00	アノード, プ ロテクション	2		
13	09116-06236	ホ ルト (6X16)	2		
14	55332-87D11	ラバ ー, エキゾ ーストシール	1		
15	55333-87D10	ブ レート, エキゾ ーストシール	1		
16	55127-87D00	ブ ラグ, ユニオン	1		
17	09355-40805-600	ホ ース (4X8X600)	1	L: 600>50	
18	09362-09008	ユニオン	1		
19	09407-10404	クランプ (L: 100)	2		
20-1	58200-93L00	ブ ー ズ (3X16X17)	1		
20-2	58200-93L10	ブ ー ズ (3X16X18-1/2)	1		
20-3	58200-93L20	ブ ー ズ (3X16X20)	1		
20-4	58200-93L30	ブ ー ズ (3X16X21-1/2)	1		
20-5	58200-93L40	ブ ー ズ (3X16X23)	1		
20-6	58200-93L50	ブ ー ズ (3X16X24-1/2)	1		
20-7	58200-93L60	ブ ー ズ (3X16X26)	1		
20-8	58200-93L70	ブ ー ズ (3X16X27-1/2)	1		
20-9	58200-93L80	ブ ー ズ (3X16X15)	1	オプ ション	
20-10	58300-93J00	ブ ー ズ (4X15-1/4X18)	1	オプ ション	
20-11	58300-93J10	ブ ー ズ (4X15-1/4X20)	1	オプ ション	
20-12	58300-93J20	ブ ー ズ (4X15-1/4X22)	1	オプ ション	
20-13	58300-93J30	ブ ー ズ (4X15-1/4X24)	1	オプ ション	
20-14	58300-93J40	ブ ー ズ (4X15-1/4X26)	1	オプ ション	

FIG.407A




FIG. 407A (1-E-8) キヤケース (DF200AT)

見出番号	品番	品名	使用個数	備考	標準作業時間
20-15	58200-96J00	ブローラ (3X15-1/2X17)	1	オプション	
20-16	58200-96J10	ブローラ (3X15-1/4X19)	1	オプション	
20-17	58200-96J20	ブローラ (3X15X21)	1	オプション	
20-18	58200-96J30	ブローラ (3X14-3/4X23)	1	オプション	
20-19	58200-96J40	ブローラ (3X14-1/2X25)	1	オプション	
20-20	58200-96J50	ブローラ (3X14-1/2X27)	1	オプション	
21	58105-93J10	ブッシュセット, ブローラ	1	オプション	
22	57632-93L01	ストッパ, ブローラブッシュ	1		
23	57633-87D30	スパーサ, ナット (T: 6. 0)	1		
24	09141-18005	ナット	1		
25	09160-18028	ワッシャ (18. 5X31X1)	1		
26	09204-03003	コックピット	1		
27	55128-93L00	ブラケット, ドレーン	1		
28	57630-92E00	キット, ブローラナット	1	オプション	
29	25700-93J00	シーリングキット, キヤケース	1	オプション, イラストは例示	

FIG.407B




FIG. 407B (1-E-9) ギヤケース (DF200AZ)

見出番号	品番	品名	使用個数	備考	標準作業時間
1-1	55110-93J30-OEP	ケース, ギヤ (ブ ラツク)	1	BODY COLOR: OEP	
1-2	55110-93J30-Y5S	ケース, ギヤ (ホワイト)	1	BODY COLOR: Y5S	
2	09263-32017	・ベ アリング (32X48X30)	1		
3	56145-93J00	・ハウジング, シフトカム	1		
4	04221-08129	・ピン	1		
5	09265-50002	・ベ アリング (50X90X21. 75)	1		
6	09100-12052	ホル ト (12X70)	1		
7	09116-10150	ホル ト (10X55)	6		
8	09160-12066	ワッシャ (12. 5X22X2. 5)	1		
9	17566-87D11	グ ロメット	1		
10	09202-08006	ピン (8X12)	2		
11-1	55125-98J00-OEP	タブ, トリム (ブ ラツク)	1	BODY COLOR: OEP	
11-2	55125-98J00-Y5S	タブ, トリム (ホワイト)	1	BODY COLOR: Y5S	
12	09116-08137	ホル ト (8X22)	1		
13	55128-93J10	ブ ラグ, ド レーン	2		
14	09168-10034	ガ スケット (9. 5X16. 5X2)	3		
15	55321-93J00	アノード, プ ロテクション	2		
16	09116-06236	ホル ト (6X16)	2		
17	55332-87D11	ラバ ー, エキゾ ーストシール	1		
18	55333-87D10	ブ レート, エキゾ ーストシール	1		
19	55127-87D00	ブ ラグ, ユニオン	1		
20	09355-40805-600	ホース (4X8X600)	1	L: 600>50	
21	09362-09008	ユニオン	1		
22	09407-10404	クランプ (L: 100)	2		
23-1	58200-93LA0	ブ ーム (3X16X18-1/2), C/R	1	オプション	
23-2	58200-93LB0	ブ ーム (3X16X20), C/R	1	オプション	
23-3	58200-93LC0	ブ ーム (3X16X21-1/2), C/R	1	オプション	
23-4	58200-93LD0	ブ ーム (3X16X23), C/R	1	オプション	
23-5	58200-93LE0	ブ ーム (3X16X17), C/R	1	オプション	
23-6	58200-93LF0	ブ ーム (3X16X24-1/2), C/R	1	オプション	
23-7	58200-93LG0	ブ ーム (3X16X26), C/R	1	オプション	
23-8	58300-93JA0	ブ ーム (4X15-1/4X20), C/R	1	オプション	
23-9	58300-93JB0	ブ ーム (4X15-1/4X22), C/R	1	オプション	
23-10	58300-93JC0	ブ ーム (4X15-1/4X24), C/R	1	オプション	
23-11	58300-93JD0	ブ ーム (4X15-1/4X26), C/R	1	オプション	

FIG.407B




FIG. 407B (1-E-10) ギヤケース (DF200AZ)

見出番号	品番	品名	使用個数	備考	標準 作業時間
23-12	58200-96JB0	ブローラ (3X15-1/4X19), C/R	1	オプション	
23-13	58200-96JC0	ブローラ (3X15X21), C/R	1	オプション	
23-14	58200-96JD0	ブローラ (3X14-3/4X23), C/R	1	オプション	
23-15	58200-96JA0	ブローラ (3X15-1/2X17), C/R	1	オプション	
23-16	58200-96JE0	ブローラ (3X14-1/2X25), C/R	1	オプション	
23-17	58200-96JF0	ブローラ (3X14-1/2X27), C/R	1	オプション	
24	58105-93J10	・ブッシュセット, ブローラ	1	オプション	
25	57632-93L01	ストッパ, ブローラブッシュ	1		
26	57633-87D30	スパーサ, ナット (T: 6. 0)	1		
27	09141-18005	ナット	1		
28	09160-18028	ワッシャ (18. 5X31X1)	1		
29	09204-03003	コックピット	1		
30	55128-93L00	ブラケット, ドレーン	1		
31	57630-92E00	キット, ブローラナット	1	オプション	
32	25700-93J00	シーリングキット, ギヤケース	1	オプション, イラストは例示	

FIG.410A




FIG. 410A (1-E-11) サイドカバー (DF200AT)

見出番号	品番	品名	使用個数	備考	標準作業時間
1-1	61131-96J02-0EP	カバー, オイルパンスターボード (L) (フ ラツク)	1	L-TRANSOM BODY COLOR: 0EP	
1-2	61131-96J02-Y5S	カバー, オイルパンスターボード (L) (ホワイト)	1	L-TRANSOM BODY COLOR: Y5S	
1-3	61131-96J12-0EP	カバー, オイルパンスターボード (X) (フ ラツク)	1	X-TRANSOM BODY COLOR: 0EP	
1-4	61131-96J12-Y5S	カバー, オイルパンスターボード (X) (ホワイト)	1	X-TRANSOM BODY COLOR: Y5S	
2-1	61141-96J02-0EP	カバー, オイルパンボード (L) (フ ラツク)	1	L-TRANSOM BODY COLOR: 0EP	
2-2	61141-96J02-Y5S	カバー, オイルパンボード (L) (ホワイト)	1	L-TRANSOM BODY COLOR: Y5S	
2-3	61141-96J12-0EP	カバー, オイルパンボード (X) (フ ラツク)	1	X-TRANSOM BODY COLOR: 0EP	
2-4	61141-96J12-Y5S	カバー, オイルパンボード (X) (ホワイト)	1	X-TRANSOM BODY COLOR: Y5S	
3-1	09139-06135	スクリュ (6X17)	3	L-TRANSOM	
3-2	09139-06135	スクリュ (6X17)	5	X-TRANSOM	
4	09139-06147	ボルト (6X114)	1	L-TRANSOM	
5-1	61811-96L00-0EP	カバー, サイドスターボード (フ ラツク)	1	BODY COLOR: 0EP	
5-2	61811-96L00-Y5S	カバー, サイドスターボード (ホワイト)	1	BODY COLOR: Y5S	
6-1	61820-96L00-0EP	カバー, サイドボード (フ ラツク)	1	BODY COLOR: 0EP	
6-2	61820-96L00-Y5S	カバー, サイドボード (ホワイト)	1	BODY COLOR: Y5S	
7	61134-96J02	シール, サイドカバー	1		
8	09409-05302-5PK	クリツプ (フ ラツク)	2		
9	09136-06148	スクリュ (6X35)	8		
10	17913-93J00	ブラケット, ウォータ	1		
11	17914-93J00	ガスクット, ウォータブラケット	1		
12-1	61831-96J10-0EP	パネル, フロント (フ ラツク)	1	BODY COLOR: 0EP	
12-2	61831-96J10-Y5S	パネル, フロント (ホワイト)	1	BODY COLOR: Y5S	
13	09116-08163	ボルト (8X38)	2		
14	09169-08039	ワッシャ	2		
15	09320-11013	クワシヨン	2		
16	61632-93J00	シャフト, エンジンカバーブラケット	3		
17	61633-96J02	レバー, フックリヤスターボード	1		

FIG.410A




FIG. 410A (1-E-12) サイドカバー (DF200AT)

見出番号	品番	品名	使用個数	備考	標準作業時間
18	61634-96J02	レバー, フックリヤホート	1		
19	61641-93J10	フック, エンジンカバー	3		
20	61645-96J02	レバー, フックフロント	1		
21	61673-96J02	ラッチ, フックレバー	3		
22	09116-06127	ボルト (6X12)	3		
23	09160-13014	ワッシャ (13. 2X25X1)	3		
24	09164-14008	ワッシャ	3		
25	09202-04022	ピン	3		
26	09306-13007	ブッシュ	3		
27	01550-05107	ボルト	6		
28	61124-96J02	グロメット, リモコンケーブル	1		
29	67343-96J00	ストッパ, リモコンケーブル	1		
30	09160-06047	ワッシャ (6. 5X20X2)	1		
31	01570-06127	ボルト	1		
32	09407-25402	クランプ (L: 250)	1		
33	67341-96J00	ホルダ, リモコンケーブル	1		
34	01550-06167	ボルト	2		
35	17917-87L00	コネクタ, フラッシュアウト	1		
36	67300-93J00	キット, ホースアダプタ	1	オプション	
37	67361-93J00	アダプタ, ホース	1	オプション	
38	09250-21003	ブラケット (OD: 28)	1	オプション	

FIG.410B




FIG. 410B (1-E-13) サイドカバー (DF200AZ)

見出番号	品番	品名	使用個数	備考	標準作業時間
1-1	61131-96J12-0EP	カバー、オイルパスターボート (X) (フ ラック)	1	BODY COLOR:0EP	
1-2	61131-96J12-Y5S	カバー、オイルパスターボート (X) (ホワイト)	1	BODY COLOR:Y5S	
2-1	61141-96J12-0EP	カバー、オイルパスターボート (X) (フ ラック)	1	BODY COLOR:0EP	
2-2	61141-96J12-Y5S	カバー、オイルパスターボート (X) (ホワイト)	1	BODY COLOR:Y5S	
3	09139-06135	スクリュー (6X17)	5		
4-1	61811-96L00-0EP	カバー、サイドスターボート (フ ラック)	1	BODY COLOR:0EP	
4-2	61811-96L00-Y5S	カバー、サイドスターボート (ホワイト)	1	BODY COLOR:Y5S	
5-1	61820-96L00-0EP	カバー、サイドボート (フ ラック)	1	BODY COLOR:0EP	
5-2	61820-96L00-Y5S	カバー、サイドボート (ホワイト)	1	BODY COLOR:Y5S	
6	61134-96J02	シール、サイドカバー	1		
7	09409-05302-5PK	クリップ (フ ラック)	2		
8	09136-06148	スクリュー (6X35)	8		
9	17913-93J00	ブ ラグ、ウオーター	1		
10	17914-93J00	ガ スケット、ウオーター ラグ	1		
11-1	61831-96J10-0EP	パネル、フロント (フ ラック)	1	BODY COLOR:0EP	
11-2	61831-96J10-Y5S	パネル、フロント (ホワイト)	1	BODY COLOR:Y5S	
12	09116-08163	ボ ルト (8X38)	2		
13	09169-08039	ワッシャ	2		
14	09320-11013	クッション	2		
15	61632-93J00	シャフト、エンジンカバー フック	3		
16	61633-96J02	レバー、フックリヤスターボート	1		
17	61634-96J02	レバー、フックリヤボート	1		
18	61641-93J10	フック、エンジンカバー	3		
19	61645-96J02	レバー、フックフロント	1		
20	61673-96J02	ラッチ、フックレバー	3		
21	09116-06127	ボ ルト (6X12)	3		
22	09160-13014	ワッシャ (13. 2X25X1)	3		
23	09164-14008	ワッシャ	3		
24	09202-04022	ピン	3		
25	09306-13007	ブ ヅシュ	3		
26	01550-05107	ボ ルト	6		
27	61124-96J02	ク ロメツト、リモコンケーブル	1		
28	67343-96J00	ストツパ、リモコンケーブル	1		
29	09160-06047	ワッシャ (6. 5X20X2)	1		
30	01570-06127	ボ ルト	1		

FIG.410B





FIG. 410B (1-E-14) サイドカバー (DF200AZ)

見出番号	品番	品名	使用個数	備考	標準作業時間
31	09407-25402	クランプ (L:250)	1		
32	67341-96J00	ホルダー, リモコンケーブ ル	1		
33	01550-06167	ホル ト	2		
34	17917-87L00	コネクタ, フラッシュウオータ	1		
35	67300-93J00	キツト, ホースアタッ プ	1	オプション	
36	67361-93J00	・アタッ プ, ホース	1	オプション	
37	09250-21003	・ブラケ ッ (OD:28)	1	オプション	



NOTE 1:
FOR OEP

見出番号	品番	品名	使用個数	備考	標準作業時間
1-1	61420-96830-0EP	カバーセット, エンジン (DF200A) (ブラケット)	1	BODY COLOR: 0EP FROM 20003F-51000 1 UPTO 20003F-51068 3 FROM 20003Z-51000 1 UPTO 20003Z-51017 6	
1-2	61420-96850-0EP	カバーセット, エンジン (DF200A/200AP)	1	BODY COLOR: 0EP FROM 20003F-51068 4 FROM 20003Z-51017 7	
2	61433-96L00	・カバー, エアインテークインナ	1	BODY COLOR: 0EP	
3	61476-96J10	・シール, エアベント	1	BODY COLOR: 0EP	
4	61565-96L00	・タクト, エアインテーク	1	BODY COLOR: 0EP	
5	61610-93J00	・フラスコ	3	BODY COLOR: 0EP	
6	61621-93J00	・ブラケット, フラスコ	3	BODY COLOR: 0EP	
7	09329-10022	・クツシヨウ	3	BODY COLOR: 0EP	
8	01547-06167	・ホルルト	6	BODY COLOR: 0EP	
9	01550-06127	・ホルルト	3	BODY COLOR: 0EP	
10	03542-05169	・スクリュ	5	BODY COLOR: 0EP	
11	03542-05169	・スクリュ	11	BODY COLOR: 0EP	
12	61112-96L00	・シール, エンジンカバー	1	BODY COLOR: 0EP	
13	61422-93J52	・マーク, エンブレムフロント (200)	1	BODY COLOR: 0EP	
14	61435-96L00	・マーク, エンブレムリヤ (200)	1	BODY COLOR: 0EP	
15	61443-96J22	・ストライプ, エンジンカバースターボート	1	BODY COLOR: 0EP	
16	61453-96J22	・ストライプ, エンジンカバーボート	1	BODY COLOR: 0EP	
17	77811-54G00-0PG	・エンブレム, マークS (クロム)	1	BODY COLOR: 0EP	
18	61471-98J00	・デカール, LEANBURN	1	BODY COLOR: 0EP	
19	61458-99E50	・ラベル, エンジンカバー	1	BODY COLOR: 0EP	
20	09800-81840	・ツールセット	1	BODY COLOR: 0EP	
21	68110-98J00	・カバー, ウェザ	1	オプション BODY COLOR: 0EP	

FIG.420A




FIG. 420A (1-E-16) エンジンカバー (DF200AT) (SEE NOTE 1)

見出番号	品番	品名	使用個数	備考	標準作業時間
------	----	----	------	----	--------

NOTE 1:
FOR OEP
NOTE 1:
FOR Y5S

FIG.420B




FIG. 420B (1-F-2) エンジンカバー (DF200AT) (SEE NOTE 1)

見出番号	品番	品名	使用個数	備考	標準作業時間
1-1	61420-96840-Y5S	カバーセット, エンジン (DF200A) (ホワイト)	1	BODY COLOR: Y5S FROM 20003F-51000 1 UPTO 20003F-51068 3 FROM 20003Z-51000 1 UPTO 20003Z-51017 6	
1-2	61420-96860-Y5S	カバーセット, エンジン (DF200A/200AP)	1	BODY COLOR: Y5S FROM 20003F-51068 4 FROM 20003Z-51017 7	
2	61433-96L00	・カバー, エアインテークインナ	1	BODY COLOR: Y5S	
3	61476-96J10	・シール, エアベント	1	BODY COLOR: Y5S	
4	61565-96L00	・ダクト, エアインテーク	1	BODY COLOR: Y5S	
5	61610-93J00	・フアスタ	3	BODY COLOR: Y5S	
6	61621-93J00	・ブラケット, フアスタ	3	BODY COLOR: Y5S	
7	09329-10022	・クワシヨン	3	BODY COLOR: Y5S	
8	01547-06167	・ボルト	6	BODY COLOR: Y5S	
9	01550-06127	・ボルト	3	BODY COLOR: Y5S	
10	03542-05169	・スクリュ	5	BODY COLOR: Y5S	
11	03542-05169	・スクリュ	11	BODY COLOR: Y5S	
12	61112-96L00	・シール, エンジンカバー	1	BODY COLOR: Y5S	
13	61422-93J90	・マーク, エンブレムフロント (200)	1	BODY COLOR: Y5S	
14	61435-96L10	・マーク, エンブレムリヤ (200)	1	BODY COLOR: Y5S	
15	61443-96J30	・ストライプ, エンジンカバー-スターボード	1	BODY COLOR: Y5S	
16	61453-96J30	・ストライプ, エンジンカバー-ポート	1	BODY COLOR: Y5S	
17	77811-54GC0-OPG	・エンブレム, マークS (クローム)	1	BODY COLOR: Y5S	
18	61471-98J00	・デカール, LEANBURN	1	BODY COLOR: Y5S	
19	61458-99E50	ラベル, エンジンカバー	1	BODY COLOR: Y5S	
20	09800-81840	・ツールセット	1	BODY COLOR: Y5S	
21	68110-98J00	カバー, ウェザ	1	オプション BODY COLOR: Y5S	

NOTE 1:
FOR Y5S

FIG.420B




FIG. 420B (1-F-3) エンジンカバー (DF200AT) (SEE NOTE 1)

見出番号	品番	品名	使用個数	備考	標準作業時間
------	----	----	------	----	--------

NOTE 1:
FOR Y5S

FIG.420C




FIG. 420C (1-F-4) エンジンカバー (DF200AZ) (SEE NOTE 1)

見出番号	品番	品名	使用個数	備考	標準作業時間
1-1	61420-96830-OEP	カバーセット, エンジン (DF200A) (ブラケット)	1	BODY COLOR:OEP FROM 20003F-51000 1 UPTO 20003F-51068 3 FROM 20003Z-51000 1 UPTO 20003Z-51017 6	
1-2	61420-96850-OEP	カバーセット, エンジン (DF200A/200AP)	1	BODY COLOR:OEP FROM 20003F-51068 4 FROM 20003Z-51017 7	
2	61433-96L00	・カバー, エアインテークインナ	1	BODY COLOR:OEP	
3	61476-96J10	・シール, エアベント	1	BODY COLOR:OEP	
4	61565-96L00	・ダクト, エアインテーク	1	BODY COLOR:OEP	
5	61610-93J00	・フアスタ	3	BODY COLOR:OEP	
6	61621-93J00	・ブラケット, フアスタ	3	BODY COLOR:OEP	
7	09329-10022	・クワシヨン	3	BODY COLOR:OEP	
8	01547-06167	・ボルト	6	BODY COLOR:OEP	
9	01550-06127	・ボルト	3	BODY COLOR:OEP	
10	03542-05169	・スクリュ	5	BODY COLOR:OEP	
11	03542-05169	・スクリュ	11	BODY COLOR:OEP	
12	61112-96L00	・シール, エンジンカバー	1	BODY COLOR:OEP	
13	61422-93J52	・マーク, エンブレムフロント (200)	1	BODY COLOR:OEP	
14	61435-96L00	・マーク, エンブレムリヤ (200)	1	BODY COLOR:OEP	
15	61443-96J22	・ストライプ, エンジンカバー-スターボート	1	BODY COLOR:OEP	
16	61453-96J22	・ストライプ, エンジンカバー-ボート	1	BODY COLOR:OEP	
17	77811-54GC0-OPG	・エンブレム, マークS (クロム)	1	BODY COLOR:OEP	
18	61471-98J00	・デカール, LEANBURN	1	BODY COLOR:OEP	
19	61458-99E50	・ラベル, エンジンカバー	1	BODY COLOR:OEP	
20	09800-81840	・ツールセット	1	BODY COLOR:OEP	
21	68110-98J00	カバー, ウエザ	1	オプション BODY COLOR:OEP	

NOTE 1:
FOR OEP

FIG.420C




FIG. 420C (1-F-5) エンジンカバー (DF200AZ) (SEE NOTE 1)

見出番号	品 番	品 名	使用個数	備 考	標準 作業時間
------	-----	-----	------	-----	------------

NOTE 1:
FOR OEP
NOTE 1:
FOR Y5S

FIG.420D




FIG. 420D (1-F-6) エンジンカバー (DF200AZ) (SEE NOTE 1)

見出番号	品番	品名	使用個数	備考	標準作業時間
1-1	61420-96840-Y5S	カバーセット, エンジン (DF200A) (ホワイト)	1	BODY COLOR:Y5S FROM 20003F-51000 1 UPTO 20003F-51068 3 FROM 20003Z-51000 1 UPTO 20003Z-51017 6	
1-2	61420-96860-Y5S	カバーセット, エンジン (DF200A/200AP)	1	BODY COLOR:Y5S FROM 20003F-51068 4 FROM 20003Z-51017 7	
2	61433-96L00	・カバー, エイインターキンナ	1	BODY COLOR:Y5S	
3	61476-96J10	・シール, エアベント	1	BODY COLOR:Y5S	
4	61565-96L00	・ダクト, エイインターク	1	BODY COLOR:Y5S	
5	61610-93J00	・フアスタ	3	BODY COLOR:Y5S	
6	61621-93J00	・ブラケット, フアスタ	3	BODY COLOR:Y5S	
7	09329-10022	・クワシヨン	3	BODY COLOR:Y5S	
8	01547-06167	・ボルト	6	BODY COLOR:Y5S	
9	01550-06127	・ボルト	3	BODY COLOR:Y5S	
10	03542-05169	・スクリュ	5	BODY COLOR:Y5S	
11	03542-05169	・スクリュ	11	BODY COLOR:Y5S	
12	61112-96L00	・シール, エンジンカバー	1	BODY COLOR:Y5S	
13	61422-93J90	・マーク, エンブレムフロント (200)	1	BODY COLOR:Y5S	
14	61435-96L10	・マーク, エンブレムリヤ (200)	1	BODY COLOR:Y5S	
15	61443-96J30	・ストライプ, エンジンカバー-スターボード	1	BODY COLOR:Y5S	
16	61453-96J30	・ストライプ, エンジンカバー-ボート	1	BODY COLOR:Y5S	
17	77811-54GC0-OPG	・エンブレム, マークS (クローム)	1	BODY COLOR:Y5S	
18	61471-98J00	・デカール, LEANBURN	1	BODY COLOR:Y5S	
19	61458-99E50	ラベル, エンジンカバー	1	BODY COLOR:Y5S	
20	09800-81840	ツールセット	1	BODY COLOR:Y5S	
21	68110-98J00	カバー, ウェザ	1	オプション BODY COLOR:Y5S	

NOTE 1:
FOR Y5S

FIG.420D




FIG. 420D (1-F-7) エンジンカバー (DF200AZ) (SEE NOTE 1)

見出番号	品 番	品 名	使用個数	備 考	標準 作業時間
------	-----	-----	------	-----	------------

NOTE 1:
FOR Y5S

FIG.430A




FIG. 430A (1-F-8) フューエルホース

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
1	09251-09002	キャップ (OD:13.6)	1		
2	09367-10001	ジョイント	1		
3	09401-13423	クリップ	2		
4	65700-93J02	ホース, フューエル (タンクツ-コネクタ)	1		
5	65770-93J11	ホース, スパイ	1		

FIG.460A





FIG. 460A (1-F-9) メータ

見出番号	品番	品名	使用個数	備考	標準作業時間
1	34200-93J12	タコメータアシ、ウイス' モニタ (赤ライト)	1	WHITE	
2	09471-12077	・ハ' ルフ' (12V1. 7W)	1		

FIG.502A




DF200A_000_015_502A
OPT:METER (1)

FIG. 502A (1-F-10) オプション:メーター(1)

見出番号	品 番	品 名	使用個数	備 考	標準 作業時間
1-1	34800-93J00	メータアツシ, トリム (ﾌﾞﾗｯｸ)	1	ﾌﾞﾗｯｸ	
1-2	34800-93J11	メータアツシ, トリム (ﾎﾜｲﾄ)	1	WHITE	
2	09471-12108	・ﾊﾞﾙﾌﾞ (12V1. 7W, T: 6. 5)	1		
3-1	34100-93J00	ｽﾍﾞｰﾄﾞ ｾﾞｰｼﾞ ｾﾞｰｼﾞ, 130KM/H (ﾌﾞﾗｯｸ)	1	MAX 130KM/H BLACK	
3-2	34100-93J11	ｽﾍﾞｰﾄﾞ ｾﾞｰｼﾞ ｾﾞｰｼﾞ, 130KM/H (ﾎﾜｲﾄ)	1	MAX 130KM/H WHITE	
3-3	34100-93J20	ｽﾍﾞｰﾄﾞ ｾﾞｰｼﾞ ｾﾞｰｼﾞ, 80KM/H (ﾌﾞﾗｯｸ)	1	MAX 80KM/H BLACK	
3-4	34100-93J31	ｽﾍﾞｰﾄﾞ ｾﾞｰｼﾞ ｾﾞｰｼﾞ, 80KM/H (ﾎﾜｲﾄ)	1	MAX 80KM/H WHITE	
3-5	34100-93J40	ｽﾍﾞｰﾄﾞ ｾﾞｰｼﾞ ｾﾞｰｼﾞ, 45KNOTS (ﾌﾞﾗｯｸ)	1	MAX 45KNOTS BLACK	
3-6	34100-93J51	ｽﾍﾞｰﾄﾞ ｾﾞｰｼﾞ ｾﾞｰｼﾞ, 45KNOTS (ﾎﾜｲﾄ)	1	MAX 45KNOTS WHITE	
3-7	34100-93J60	ｽﾍﾞｰﾄﾞ ｾﾞｰｼﾞ ｾﾞｰｼﾞ, 65KNOTS (ﾎﾜｲﾄ)	1	MAX 65KNOTS WHITE	
4	09471-12028	・ﾊﾞﾙﾌﾞ (12V3. 4W)	1		
5	34191-92E00	・ﾁｭｰﾌﾞ	1		
6	09407-14407	・ｸﾗﾝﾌﾟ (L: 145)	2		
7	36615-96300	・ﾀｰﾐﾅﾙ	2		
8-1	34600-93J00	メータアツシ, ﾎﾙﾃｰｼﾞ (ﾌﾞﾗｯｸ)	1	ﾌﾞﾗｯｸ	
8-2	34600-93J11	メータアツシ, ﾎﾙﾃｰｼﾞ (ﾎﾜｲﾄ)	1	WHITE	
9	09471-12103	・ﾊﾞﾙﾌﾞ (12V3W)	1		
10-1	34300-93J00	ｾﾞｰｼﾞ ｾﾞｰｼﾞ, ﾌｹﾞｰﾙ (ﾌﾞﾗｯｸ)	1	ﾌﾞﾗｯｸ	
10-2	34300-93J11	ｾﾞｰｼﾞ ｾﾞｰｼﾞ, ﾌｹﾞｰﾙ (ﾎﾜｲﾄ)	1	WHITE	
11	34310-92E00	・ﾘｰﾄﾞ ｾﾞｰｼﾞ, ﾌｹﾞｰﾙ, ｾﾞｰｼﾞ	1		
12	34360-92E00	・ｱﾀﾞﾌﾞﾀ, ﾌｹﾞｰﾙ ｾﾞｰｼﾞ	1		
13	09471-12103	・ﾊﾞﾙﾌﾞ (12V3W)	1		
14-1	34500-93J00	メータアツシ, ﾏｰ (ﾌﾞﾗｯｸ)	1	ﾌﾞﾗｯｸ	
14-2	34500-93J11	メータアツシ, ﾏｰ (ﾎﾜｲﾄ)	1	WHITE	
15	09471-12103	・ﾊﾞﾙﾌﾞ (12V3W)	1		
16-1	34650-93J20	ｾﾞｰｼﾞ ｾﾞｰｼﾞ, ﾜｰﾀｰ ｾﾞｰｼﾞ 15PSI (ﾌﾞﾗｯｸ)	1	15PSI BLACK	
16-2	34650-93J31	ｾﾞｰｼﾞ ｾﾞｰｼﾞ, ﾜｰﾀｰ ｾﾞｰｼﾞ 15PSI (ﾎﾜｲﾄ)	1	15PSI WHITE	
17	34191-92E00	・ﾁｭｰﾌﾞ	1		
18	09407-14407	・ｸﾗﾝﾌﾟ (L: 145)	2		
19	09471-12103	・ﾊﾞﾙﾌﾞ (12V3W)	1		
20-1	34200-93J00	ﾀｺﾒｰﾀﾞ ｾﾞｰｼﾞ, ﾜｲｽﾞ ｾﾞｰｼﾞ (ﾌﾞﾗｯｸ)	1	ﾌﾞﾗｯｸ	
20-2	34200-93J12	ﾀｺﾒｰﾀﾞ ｾﾞｰｼﾞ, ﾜｲｽﾞ ｾﾞｰｼﾞ (ﾎﾜｲﾄ)	1	WHITE	
21	09471-12077	・ﾊﾞﾙﾌﾞ (12V1. 7W)	1		

FIG.502A



DF200A_000_015_502A
OPT:METER (1)

FIG. 502A (1-F-11) オプション:メーター(1)

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
22-1	34200-93J40	タコメータアツシ, ウィズ' モニタ (ブラック)	1	ブ ラック	
22-2	34200-93J51	タコメータアツシ, ウィズ' モニタ (ホワイト)	1	WHITE	
23	09471-12077	・ハ ルフ (12V1. 7W)	1		
24	34190-87D00	センタ', スピート' メータ	1		
25	34190-95500	センタ', スピート' メータ	1		
26	03112-06303	・スクリュ	2		
27	36682-92E00	ワイヤ, トリムメータエキステンション (L: 6500)	1		

FIG.503A





FIG. 503A (1-F-12) オプション:メーター(2)

見出番号	品番	品名	使用個数	備考	標準作業時間
1	34011-88L04	キット, 4インマルチゲージ	1		
2	34200-88L02	・ゲージアツシ, 4インマルチ	1		
3	34922-88L03	・ユニット, インタフェイス	1		
4	36663-88L00	・ハーネスアツシ, ネットワークパワー	1		
5	36665-88L00	・ユニット, レジスタヒューズ	1		
6	36665-88L10	・ユニット, レジスタヒューズ	1		
7	34011-88L14	キット, 2インマルチゲージ	1		
8	34800-88L01	・ゲージアツシ, 2インマルチ	1		
9	34922-88L03	・ユニット, インタフェイス	1		
10	36662-88L00	・ワイヤ, 25エクステンション	1		
11	36663-88L00	・ハーネスアツシ, ネットワークパワー	1		
12	36665-88L00	・ユニット, レジスタヒューズ	1		
13	36665-88L10	・ユニット, レジスタヒューズ	1		
14	36668-88L00	・ワイヤ, アダプター-DIAGNS	1		

FIG.508A




DF200A_000_015_508A
OPT:REMOTE CONTROL

FIG. 508A (1-F-13) オプション:リモート コントロール

見出番号	品 番	品 名	使用個数	備 考	標準 作業時間
1	67200-93J50	リモートコントロールアツシ	1		
2	36646-93J01	ワイヤアツシ, PTTスイッチアツク プ ータ	1		
3	36628-92E00	グ ロメツト, ワイヤリンク ハーネス	1		
4	37110-93J11	スイッチアツシ, イグ ニツシヨシ	1		
5-1	37141-99E00	キ (931)	2		
5-2	37141-99E10	キ (932)	2		
5-3	37141-99E20	キ (933)	2		
5-4	37141-99E30	キ (934)	2		
5-5	37141-99E40	キ (935)	2		
5-6	37141-99E50	キ (936)	2		
5-7	37141-99E60	キ (937)	2		
5-8	37141-99E70	キ (938)	2		
5-9	37141-99E80	キ (939)	2		
5-10	37141-99E90	キ (940)	2		
5-11	37141-99EA0	キ (941)	2		
5-12	37141-99EB0	キ (942)	2		
6	37143-99E00	キ ャツツ, キ	2		
7	37149-93J00	キ ャツツ, シリンダ ホ ー	1		
8	37721-93J91	スイッチアツシ, ニュートラル	1		
9	37820-93J04	スイッチアツシ, エマシ ンシ	1		
10	37823-92E01	フ レートアツシ, エマシ ンシスイッチロツク	1		
11	37826-92J00	ナツト	1		
12	37850-90J05	スイッチアツシ, PTT	1		
13	38500-93J90	フ ザー, ウォーニツク	1		
14	67212-95600	ワツシヤ	1		
15	67296-92E11	スクリュ, ニュートラルスイッチ	2		
16	67220-95630	フ レートアツシ	1		
17	67223-99E10	ノフ, プ レーキアツシ ヤスト	1		
18	67229-95600	ローラ	1		
19	67232-95600	フ ツシ	1		
20	67238-87D00	ギ ヤ, ト ライフ	1		
21	67241-99E10	レハ ー, フリースロツトル	1		
22	67243-95600	フ ツシ	1		
23	67244-95600	ウエーブ ワツシヤ	1		
24	67245-95600	ド ラム, フリースロツトル	1		

DF200A_000_015

FIG.508A




DF200A_000_015_508A
OPT:REMOTE CONTROL

FIG. 508A (1-F-14) オプション:リモート コントロール

見出番号	品 番	品 名	使用個数	備 考	標準 作業時間
25	67251-99E20	・レバー, ハンドル	1		
26	67252-95600	・フ ッシ	2		
27	67253-95600	・ワッシャ	1		
28	67255-99E10	・アーム, ロック	1		
29	67256-95600	・ホルダ, ニュートラルロック	1		
30	67257-99E10	・キャップ, レバー	1		
31	67258-99E00	・フ ラゲット	1		
32	67259-87D00	・スフ リング, ニュートラルアーム	1		
33	67261-99E10	・グ リップ	1		
34	67296-94310	・スクリュ	1		
35	67264-95600	・ワッシャ	1		
36	67267-93J00	・カバー, ワイヤ	1		
37	67273-95600	・スベ ーサ	1		
38	67275-95600	・エンド, ケーブル	2		
39	67292-94300	・Eリング	3		
40	67294-95600	・スベ ーサ	3		
41	67296-90J00	・スクリュ, リヤカバー	5		
42	67296-94300	・スクリュ (4X10)	2		
43	67296-95600	・スクリュ	3		
44	67296-95610	・スクリュ	2		
45	67297-95600	・ワッシャ	2		
46	77811-54GB0-OPG	・エンフ レム, リヤマークS (クロム)	1		
47	09100-08232	・ボ ルト (8X30)	1		
48	09126-05003	・スクリュ (5X12)	2		
49	09140-06020	・ナット	3		
50	09160-06104	・ワッシャ (6. 5X24X2)	3		
51	37859-90J00	・スベ ーサ	1		
52	67282-94L00	・デ カール, リモコンサイド	1		
53	67284-94L00	・マーク, ハンドルレバー	1		
54-1	36620-93J02	ワイヤアッシ, リモートコントロール	1		
54-2	36620-93J52	ワイヤアッシ, リモートコントロール	1		
54-3	36620-93J62	ワイヤアッシ, リモートコントロール	1		
55	09481-10501	・フューズ (10A)	1		
56	67140-95600	アタッチメントキット, ツインリモコン	1		
57	67294-95600	・スベ ーサ	3		

FIG.508A



DF200A_000_015_508A
OPT:REMOTE CONTROL

FIG. 508A (1-F-15) オプション:リモート コントロール

見出番号	品 番	品 名	使用個数	備 考	標準 作業時間
58	67296-95621	・スクリュ(L:165)	3		
59-1	67320-93J00	ケーブルアタッチ, リモコン(8F:2.4M)	1		
59-2	67320-93J10	ケーブルアタッチ, リモコン(10F:3.1M)	1		
59-3	67320-93J20	ケーブルアタッチ, リモコン(12F:3.7M)	1		
59-4	67320-93J30	ケーブルアタッチ, リモコン(14F:4.2M)	1		
59-5	67320-93J40	ケーブルアタッチ, リモコン(16F:4.8M)	1		
59-6	67320-93J50	ケーブルアタッチ, リモコン(18F:5.4M)	1		
59-7	67320-93J60	ケーブルアタッチ, リモコン(20F:6.1M)	1		
59-8	67320-93J70	ケーブルアタッチ, リモコン(22F:6.7M)	1		
59-9	67320-93J80	ケーブルアタッチ, リモコン(24F:7.3M)	1		

DF200A_000_015

FIG.517A




FIG. 517A (1-F-16) オプション:コンシールド リモコン(1)

見出番号	品 番	品 名	使用個数	備 考	標準 作業時間
1	67200-93J32	リモートコントロールアツシ, コンシールド	1		
2	67298-92E50	・スフ リンク	1		
3	67296-94310	・スクリュ	1		
4	67295-92E10	・スクリュ	2		
5	37850-92E26	・スイッチアツシ, PTT	1		
6	67288-92E60	・ワツシヤ	1		
7	09125-04021	・スクリュ (4X20)	1		
8	67255-92E50	・アーム, ニュートラルロック	1		
9	67251-92E50	・レバ ー, ハンド ル	1		
10	67261-92E50	・ケ リツツ	1		
11	67256-92E50	・ホルダ ー, ニュートラルロック	1		
12	67257-92E00	・キヤツツ, レバ ー	1		
13	67242-92E50	・シヤフト, フリーアキユムレータ	1		
14	67288-92E20	・ワツシヤ	6		
15	67296-88D10	・スクリュ (5X16)	4		
16	67288-92E70	・ワツシヤ	1		
17	67296-88D20	・スクリュ	3		
18	67295-92E50	・スクリュ	3		
19	67287-92E50	・ナツト	3		
20	09160-06104	・ワツシヤ (6. 5X24X2)	3		
21	67296-88D30	・スクリュ	4		
22	67254-92E50	・カバ ー, ロツクアーム	1		
23	36890-93J00	・ワイヤ, ニュートラル/PTTスイッチ	1		
24	67275-95600	・エンド ー, ケー ブ ル	2		
25	67273-95600	・スベ ーサ	1		
26	67283-92E50	・デ ー カール, レバ ー	1		
27	67284-92E50	・デ ー カール, クラツチ	1		
28	67274-92E50	・ベ ース	1		
29	67211-92E50	・カバ ー	1		

FIG.518A





FIG. 518A (1-G-2) オプ[®] ション:コンシールト[®] リモコン(2)

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
1	67200-93J32	リモートコントロールアツシ, コンシール	1		
2	67222-92E50	・フ [®] レート	1		
3	67292-94300	・Eリング [®]	3		
4	67288-92E10	・ワツシヤ	1		
5	67291-92E00	・リング [®] , スナツフ [®]	2		
6	67223-92E50	・フ [®] レーキアツシ [®] ヤスト	1		
7	67221-92E50	・ホルト [®] アツシ	1		
8	67224-92E50	・フ [®] レーキシュアツシ	1		
9	67225-92E50	・デ [®] イスク, フ [®] レーキ	1		
10	09140-06020	・ナツト	2		
11	67294-92E00	・スベ [®] ーサ	1		
12	37721-95500	・スイツチアツシ, ニュートラル	1		
13	67296-92E11	・スクリュ, ニュートラルスイツチ	2		
14	67226-92E10	・ホ [®] ルト, ストツハ [®] リヤ	2		
15	67296-92E20	・スクリュ (5X25)	2		
16	67240-92E50	・スロツトルア [®] ムアツシ	1		
17	67228-92E00	・ワツシヤ	1		
18	67286-92E00	・ホ [®] ルト (6X18)	3		
19	67230-92E00	・シフトア [®] ムアツシ	1		
20	09125-05042	・スクリュ (5X10)	11		
21	67234-92E00	・ケース, キ [®] ヤ	1		
22	67245-92E00	・レバ [®] ーアツシ, スロツトル	1		
23	67227-92E00	・ストツハ [®]	1		
24	67296-88D10	・スクリュ (5X16)	2		
25	67225-92E00	・スフ [®] リンク [®]	1		
26	09125-04004	・スクリュ (4X6)	1		
27	67233-92E00	・スフ [®] リンク [®]	1		
28	67235-92E00	・フ [®] レート, シフトロツク	1		
29	67239-92E10	・フ [®] レート, シフトビ [®] ン	1		
30	67236-92E00	・ローラ	1		
31	67237-92E01	・スフ [®] リンク [®]	5		
32	67238-92E50	・キ [®] ヤ, ド [®] ライフ [®]	1		
33	67239-92E00	・ビ [®] ン	1		
34	67246-92E50	・シヤフト, ド [®] ライフ [®]	1		
35	67252-92E00	・フ [®] ツシユ	1		

FIG.518A




DF200A_000_015_518A
OPT: CONCEALED REMOCON (2)

FIG. 518A (1-G-3) オプション:コンシールド リモコン(2)

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
36	67291-92E10	・リング, スナッフ	1		
37	67253-92E10	・ワッシャ	1		
38	67252-92E10	・ﾌﾞｯｼｭ	1		
39	67253-95600	・ワッシャ	1		
40	67231-92E00	・ｷﾞヤ, シフト	1		
41	67232-95600	・ﾌﾞｯｼｭ	1		
42	67241-92E50	・ﾛｯﾄﾞ,ﾌﾘｰｱｷｭﾑﾚｰﾀ	1		
43	67232-92E50	・ﾌﾞｯｼｭ	1		

FIG.522A



DF200A_000_015_522A
OPT:HARNESS (1)

FIG. 522A (1-G-4) オプション:ハーネス(1)

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
1-1	36620-93J10	ワイヤアツシ, リモコンエクステンション (L:2000)	1		
1-2	36620-93J40	ワイヤアツシ, リモコンエクステンション (L:3000)	1		
2	36620-93J30	ワイヤアツシ, リモコン (L:2000)	1		
3	17917-87L00	コネクタ, フラッシュウオータ	1		
4	38500-93J00	プ ザーアツシ, ウォーニング	1		
5	34660-96J00	キット, ウォータフ レツシヤゲ ージ サフ	1		
6	09352-50903-600	・ホース (5X9X600)	1	L:600>70	
7	09367-06006	・3ウェイ	1		
8	09401-08413	・クリツフ	3		
9	33830-98J11	セツト, ハ ツテリアイソレータリト	1		
10	09407-10404	・クランプ (L:100)	2		
11	09481-40401	・フューズ (40A)	1		
12	36990-87D00	ターミナル, スリーブ セツト	1		

DF200A_000_015

FIG.523A





FIG. 523A (1-G-5) オプション:ハーネス(2)

見出番号	品番	品名	使用個数	備考	標準作業時間
1-1	36663-98J00	ハーネスアツシ, アクティブ ハワワー (2. 5M)	1		
1-2	36663-98J10	ハーネスアツシ, アクティブ ハワワー (6M)	1		
2	09481-05501	・フューズ (5A)	1		

FIG.530A



DF200A_000_015_530A
OPT:SWITCH

FIG. 530A (1-G-6) オプション:スイッチ

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
1	37100-96J00	ハ ^ニ ネルアツシ, イグ ^ニ ニツシヨンスイツチ	1		
2	37139-99E00	・ハ ^ニ ネル, イグ ^ニ ニツシヨンスイツチ	1		
3	38500-93J90	・フ ^ニ ザ ^ニ -, ウォーニンク ^ニ	1		
4	09407-08401	・クラフ ^ニ (L:80)	1		
5	37110-93J01	・スイツチアツシ, イグ ^ニ ニツシヨ	1		
6-1	37141-99E00	・キ ^ニ (931)	2		
6-2	37141-99E10	・キ ^ニ (932)	2		
6-3	37141-99E20	・キ ^ニ (933)	2		
6-4	37141-99E30	・キ ^ニ (934)	2		
6-5	37141-99E40	・キ ^ニ (935)	2		
6-6	37141-99E50	・キ ^ニ (936)	2		
6-7	37141-99E60	・キ ^ニ (937)	2		
6-8	37141-99E70	・キ ^ニ (938)	2		
6-9	37141-99E80	・キ ^ニ (939)	2		
6-10	37141-99E90	・キ ^ニ (940)	2		
6-11	37141-99EA0	・キ ^ニ (941)	2		
6-12	37141-99EB0	・キ ^ニ (942)	2		
7	37143-99E00	・キヤツフ ^ニ , キ ^ニ	1		
8	37149-93J00	・キヤツフ ^ニ , シリンダ ^ニ ホ ^ニ テ ^ニ -	1		
9	37803-93J04	ハ ^ニ ネルアツシ, エマジ ^ニ エンシスイツチ	1		
10	37825-99E00	・ハ ^ニ ネル, エマジ ^ニ エンシストツフ ^ニ スイツチ	1		
11	37805-93J00	ハ ^ニ ネルアツシ, PTTスイツチ	1		
12	37855-99E00	・ハ ^ニ ネル, PTTスイツチ	1		
13	37210-93J00	ハ ^ニ ネルアツシ, ライテインク ^ニ スイツチ	1		
14	37212-93J00	・ハ ^ニ ネル, ライテインク ^ニ スイツチ	1		
15	37100-96J14	ハ ^ニ ネルアツシ, デ ^ニ ユアルエンジ ^ニ スイツチ	1		
16	37110-93J01	・スイツチアツシ, イグ ^ニ ニツシヨ	2		
17-1	37141-99E00	・キ ^ニ (931)	4		
17-2	37141-99E10	・キ ^ニ (932)	4		
17-3	37141-99E20	・キ ^ニ (933)	4		
17-4	37141-99E30	・キ ^ニ (934)	4		
17-5	37141-99E40	・キ ^ニ (935)	4		
17-6	37141-99E50	・キ ^ニ (936)	4		
17-7	37141-99E60	・キ ^ニ (937)	4		
17-8	37141-99E70	・キ ^ニ (938)	4		

FIG.530A





FIG. 530A (1-G-7) オプション:スイッチ

見出番号	品番	品名	使用個数	備考	標準作業時間
17-9	37141-99E80	・キー (939)	4		
17-10	37141-99E90	・キー (940)	4		
17-11	37141-99EA0	・キー (941)	4		
17-12	37141-99EB0	・キー (942)	4		
18	37143-99E00	・キャップ, キー	2		
19	37149-93J00	・キャップ, シリンダボデー	2		
20	37820-93J94	・スイッチアッシ, エマシエンジン	1		
21	37139-99E10	・ハネル, イグニッションスイッチ	1		
22	03121-0516A	・スクリュー	4		
23	38500-93J90	・フザー, ウォーニング	2		
24	09407-08401	・クランプ (L: 80)	1		
25	37100-96J24	ハネルアッシ, エンジンスイッチ	1		
26	37110-93J01	・スイッチアッシ, イグニッション	1		
27-1	37141-99E00	・キー (931)	2		
27-2	37141-99E10	・キー (932)	2		
27-3	37141-99E20	・キー (933)	2		
27-4	37141-99E30	・キー (934)	2		
27-5	37141-99E40	・キー (935)	2		
27-6	37141-99E50	・キー (936)	2		
27-7	37141-99E60	・キー (937)	2		
27-8	37141-99E70	・キー (938)	2		
27-9	37141-99E80	・キー (939)	2		
27-10	37141-99E90	・キー (940)	2		
27-11	37141-99EA0	・キー (941)	2		
27-12	37141-99EB0	・キー (942)	2		
28	37143-99E00	・キャップ, キー	1		
29	37149-93J00	・キャップ, シリンダボデー	1		
30	37820-93J04	・スイッチアッシ, エマシエンジン	1		
31	37823-92E01	・フレートアッシ, エマシエンジンスイッチロツク	1		
32	37826-92J00	・ナツト	1		
33	37139-99E20	・ハネル, イグニッションスイッチ	1		
34	03121-0516A	・スクリュー	4		
35	38500-93J90	・フザー, ウォーニング	1		
36	09407-08401	・クランプ (L: 80)	1		
37	37860-87L00	ハネルアッシ, トローリングコントロールスイッチ	1		

FIG.530A



DF200A_000_015_530A
OPT:SWITCH

FIG. 530A (1-G-8) オプション:スイッチ

見出番号	品 番	品 名	使用個数	備 考	標準 作業時間
38	37862-87L00	・バネ	1		
39	09131-05004	・タビング スクリュー	4		

DF200A_000_015

FIG.541A




FIG. 541A (1-G-9) オプション:リモート コントロール アッシ デュアル (1)

見出番号	品 番	品 名	使用個数	備 考	標準 作業時間
1	67200-93J23	リモートコントロールアッシ, ツイン	1		
2	67261-93J00	・グ リップ, NO. 1	2		
3	67263-93J00	・グ リップ, NO. 2	2		
4	37850-93J10	・スイッチアッシ, PTT	2		
5	67295-92E10	・スクリュ	4		
6	67296-88D10	・スクリュ (5X16)	2		
7	67288-92E20	・ワッシャ	6		
8	67296-92E70	・スクリュ	4		
9	67288-92E40	・ワッシャ	2		
10	67257-92E00	・キャップ, レバ ー	2		
11	67251-93J00	・レバ ー, ハンド ル	2		
12	67296-92E60	・スクリュ	4		
13	67288-92E30	・ワッシャ	4		
14	67253-92E00	・ワッシャ	2		
15	36890-93J10	・ワイヤ, ニュートラル/PTTスイッチ	1		
16	37220-92E00	・スイッチアッシ, モード チェンジ	1		
17	67282-93J00	・デ ーカール	1		
18	67296-92E30	・スクリュ	4		
19	09160-05024	・ワッシャ (5. 5X16X1. 5)	4		
20	67287-92E00	・ナット	4		
21	67275-95600	・エンド, ケーブル	4		
22	67273-95600	・スベ ーサ	2		
23	67273-92E10	・グ ロメツト	1		
24	67295-92E00	・スクリュ	4		
25	67271-92E00	・カバー	2		
26	67211-93J10	・ボ ーデーカバー, トップ マウントデュアル	1		
27	67500-93J10	キット, リモコンスベ ーサイン	1		
28	09125-05135	・スクリュ (5X65)	4		
29	09160-05029	・ワッシャ (5. 5X12X0. 8)	4		
30	09140-05005	・ナット	4		

FIG.542A





FIG. 542A (1-G-10) オプション:リモート コントロール アッシ デュアル (2)

見出番号	品 番	品 名	使用個数	備 考	標準 作業時間
1	67200-93J23	リモートコントロールアッシ, ツイン	1		
2	67222-92E00	・フ レート	2		
3	67223-92E00	・フ レーキアシ ャスト	2		
4	67288-92E00	・ワッシャ	2		
5	67292-94300	・Eリング	8		
6	67288-92E10	・ワッシャ	2		
7	67291-92E00	・リング, スナフ	4		
8	67221-92E00	・シフトアッシ	2		
9	67224-92E00	・フ レーキアームアッシ	2		
10	67294-92E00	・スベ ーサ	2		
11	37721-92E10	・スイッチアッシ, ニュートラル	1		
12	67296-92E11	・スクリュ, ニュートラルスイッチ	4		
13	67296-88D10	・スクリュ (5X16)	4		
14	67296-92E20	・スクリュ (5X25)	4		
15	67226-92E00	・ホ ルト, ストツハ フロント	2	フロント	
16	67226-92E10	・ホ ルト, ストツハ リヤ	2	リヤ	
17	67240-92E00	・スロットルアームアッシ	2		
18	67228-92E00	・ワッシャ	2		
19	67286-92E00	・ホ ルト (6X18)	6		
20	67230-92E00	・シフトアームアッシ	2		
21	09125-05042	・スクリュ (5X10)	16		
22	67234-92E00	・ケース, キ ャ	2		
23	67245-92E00	・レバ ーアッシ, スロットル	2		
24	67227-92E00	・ストツハ	2		
25	09126-06006	・スクリュ (6X20)	4		
26	67296-95610	・スクリュ	4		
27	67233-92E00	・スフ リング	2		
28	67235-92E00	・フ レート, シフトロック	2		
29	67232-95620	・フ ヅシュ	2		
30	67269-92E00	・フ ラケツト	2		
31	67296-88D10	・スクリュ (5X16)	2		
32	09140-06020	・ナツト	4		
33	67236-92E00	・ローラ	2		
34	67237-92E01	・スフ リング	12		
35	67238-92E00	・キ ャ, ド ライフ	2		

This exploded view diagram illustrates the assembly of a mechanical component, likely a pump or motor housing. The main housing (1) is shown at the top right. The internal assembly includes a shaft (36) with a pin (37) and a series of seals and washers (38, 39, 40, 42, 47, 48, 49). The shaft is supported by bearings (27, 28, 35) and a coupling (33). The housing (1) is secured with a cover (2) and a flange (22). The cover is attached to the housing with screws (13, 14, 21, 26) and a latch (41). The flange (22) is secured with a nut (23) and a washer (24). The assembly is completed with a cable (11) and a connector (12).

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
36	67239-92E00	・ヒ ^ン	2		
37	67246-92E00	・シャフト、ドライブ [°]	2		
38	67291-92E10	・リング [°] 、スナツプ [°]	2		
39	67253-92E10	・ワツシヤ	2		
40	67252-92E10	・ブ [°] ツシュ	2		
41	67274-92E00	・フランジ [°]	2		
42	67253-95600	・ワツシヤ	2		
43	67231-92E00	・キ [°] ヤ、シフト	2		
44	67232-95600	・ブ [°] ツシュ	2		
45	67241-92E10	・ロツト [°] 、フリーアキユムレータ	2		
46	67243-92E00	・キヤツフ [°] 、ホル	2		
47	67239-92E10	・ブ [°] レート、シフトヒ ^ン	2		
48	67272-92E10	・シール、フランジ [°]	2		
49	67287-92E10	・ナツト	1		
50	67296-92E80	・スクリュ	3		

FIG.544A




DF200A_000_015_544A
OPT:REMOTE CONTROL ASSY SINGLE (1)

FIG. 544A (1-G-12) オプション:リモート コントロール アッシー シングル (1)

見出番号	品 番	品 名	使用個数	備 考	標準 作業時間
1	67200-93J13	リモートコントロールアッシー, シングル	1		
2	67261-93J00	・グ リップ, NO. 1	1		
3	67263-93J00	・グ リップ, NO. 2	1		
4	37850-93J10	・スイッチアッシー, PTT	1		
5	67295-92E10	・スクリュ	2		
6	67296-88D10	・スクリュ (5X16)	1		
7	67288-92E20	・ワッシャ	3		
8	67295-92E00	・スクリュ	2		
9	67296-92E70	・スクリュ	1		
10	67288-92E40	・ワッシャ	1		
11	67257-92E00	・キャップ, レバ ー	1		
12	67251-93J00	・レバ ー, ハンド ル	1		
13	67296-92E60	・スクリュ	2		
14	67288-92E30	・ワッシャ	2		
15	67253-92E00	・ワッシャ	1		
16	36890-93J00	・ワイヤ, ニュートラル/PTTスイッチ	1		
17	67281-93J00	・デ ー カール	1		
18	67296-92E30	・スクリュ	4		
19	09160-05024	・ワッシャ (5. 5X16X1. 5)	4		
20	67287-92E00	・ナット	4		
21	67275-95600	・エンド, ケーブル	2		
22	67273-95600	・スベ ーサ	1		
23	67273-92E00	・グ ロメット	1		
24	67274-92E00	・フランジ	2		
25	67296-95610	・スクリュ	4		
26	67271-92E00	・カバー	1		
27	67211-93J00	・カバー, ホ ー デ ー	1		
28	67296-92E70	・スクリュ	2		
29	67500-93J00	キット, リモコンスベ ーシング ル	1		
30	09125-05135	・スクリュ (5X65)	4		
31	09160-05029	・ワッシャ (5. 5X12X0. 8)	4		
32	09140-05005	・ナット	4		

DF200A_000_015

FIG.545A



DF200A_000_015_545A
OPT:REMOTE CONTROL ASSY SINGLE (2)

FIG. 545A (1-G-13) オプション:リモート コントロール アッシー シングル (2)

見出番号	品 番	品 名	使用個数	備 考	標準 作業時間
1	67200-93J13	リモートコントロールアッシー, シングル	1		
2	67222-92E00	・フ レート	1		
3	67223-92E00	・フ レーキアシ ャスト	1		
4	67288-92E00	・ワッシャ	1		
5	67292-94300	・Eリング	4		
6	67288-92E10	・ワッシャ	1		
7	67291-92E00	・リング, スナツフ	2		
8	67221-92E00	・シフトアッシー	1		
9	67224-92E00	・フ レーキアームアッシー	1		
10	67294-92E00	・スベ ーサ	1		
11	37721-95500	・スイッチアッシー, ニュートラル	1		
12	67296-92E11	・スクリュ, ニュートラルスイッチ	2		
13	67296-88D10	・スクリュ (5X16)	2		
14	67296-92E20	・スクリュ (5X25)	2		
15	67226-92E00	・ホ ルト, ストツハ フロント	1	フロント	
16	67226-92E10	・ホ ルト, ストツハ リヤ	1	リヤ	
17	67240-92E00	・スロットルアームアッシー	1		
18	67228-92E00	・ワッシャ	1		
19	67286-92E00	・ホ ルト (6X18)	3		
20	67230-92E00	・シフトアームアッシー	1		
21	09125-05042	・スクリュ (5X10)	9		
22	67234-92E00	・ケース, キ ャ	1		
23	67245-92E00	・レバ ーアッシー, スロットル	1		
24	67227-92E00	・ストツハ	1		
25	09126-06006	・スクリュ (6X20)	2		
26	67233-92E00	・スフ リング	1		
27	67235-92E00	・フ レート, シフトロック	1		
28	67232-95620	・フ ヅシュ	1		
29	67269-92E00	・フ ラケツト	1		
30	67296-88D10	・スクリュ (5X16)	1		
31	09140-06020	・ナツト	2		
32	67236-92E00	・ローラ	1		
33	67237-92E01	・スフ リング	6		
34	67238-92E00	・キ ャ, ド ライフ	1		
35	67239-92E00	・ピ ン	1		

FIG.545A




FIG. 545A (1-G-14) オプション:リモート コントロール アッシ シングル (2)

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
36	67246-92E00	・シャフト, ドライブ	1		
37	67291-92E10	・リング, スナッフ	1		
38	67253-92E10	・ワッシャ	1		
39	67252-92E10	・ブッシュ	1		
40	67253-95600	・ワッシャ	1		
41	67231-92E00	・ギヤ, シフト	1		
42	67232-95600	・ブッシュ	1		
43	67241-92E10	・ロッド, フリーアキユムレータ	1		
44	67243-92E00	・キャップ, ホール	1		
45	67239-92E10	・プレート, シフトピン	1		

FIG.573A




FIG. 573A (1-G-15) オプション:タイロッド

見出番号	品番	品名	使用個数	備考	標準作業時間
1	67600-93J00	キット, タイロッド	1		
2	67725-93J00	・ボルト, タイロッド (M12)	2		
3	67726-93J00	・ナット, タイロッド (M12)	2		
4	67721-93J00	・スペーサ, タイロッド	2		
5	67630-93J00	キット, ステアリングエクステンション	1		
6	67725-93E00	・ボルト, ステアリングブラケットサブ	4		
7	67726-99E00	・ナット, ロック	4		

FIG.575A




FIG. 575A (1-G-16) オプション:ドラッグ リンク

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
1	67700-96J00	リンクセット, トﾞラッグ	1		
2	41161-94400	・シール, ステアリング ケーブル	1		
3	67701-96J00	・リンクアッシ, トﾞラッグ	1		
4	67721-96J00	・・スベ ーサ	1		
5	67725-96J00	・・ボルト, トﾞラッグ リンク	1		
6	67726-99E00	・・ナツト, ロツク	2		
7	67728-99E00	・・ワツシヤ	4		

FIG.585A





FIG. 585A (1-H-2) オプション:ガasket セット

見出番号	品番	品名	使用個数	備考	標準作業時間
1	11410-96810	ガasketセット	1		
2	11141-96L00	・ガasket, シリンダヘッド	1		
3	11189-96J00	・ガasket, シリンダヘッドカバー	1		
4	11318-96J00	・Oリング, バルブシャフト	1		
5	11332-96J00	・ガasket, バルブシャフト	1		
6	11342-96J00	・ガasket, バルブシャフト	1		
7	14151-96J00	・ガasket, エキゾースト	1		
8	17472-93J00	・ガasket, オイルパン	1		
9	11489-96J01	・ガasket, オイルパン	1		
10	11552-96J00	・ガasket, オイルパン	1		
11	51123-96J01	・ガasket, マウントオイル	1		
12	51142-96J00	・ガasket, エンジン	1		
13	51211-96J00	・ガasket, エンジン	1		

FIG.588A



DF200A_000_015_588A
OPT:LOWRANCE GAUGE

FIG. 588A (1-H-3) オプション:ローレンスゲージ

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
1	34190-88L00	センサアツシ, ハット ホール	1		
2	34193-88L00	ベッセル, 4インクロム	1		
3	34193-88L20	ベッセル, 4インホワイト	1		
4	34193-88L40	ベッセル, 2インクロム	1		
5	34193-88L60	ベッセル, 2インホワイト	1		
6	34455-88L00	センサアツシ, ウォータテンバ レチャ	1		
7	34455-88L10	センサアツシ, ウォータテンバ レチャ	1		
8	34810-88L00	センサアツシ, フルド レバ	1		
9	34960-88L00	センサアツシ, ウォータフ レツヤ	1		
10	36662-88L10	ワイヤ, 2エクステンション	1		
11	36662-88L20	ワイヤ, 6エクステンション	1		
12	36662-88L30	ワイヤ, 15エクステンション	1		
13	36663-88L10	ハーネスアツシ, ネットワークハ ワー	1		
14	36666-88L00	ワイヤ, アダプ タツ-Nネットワーク	1		
15	36666-88L10	ワイヤ, アダプ タツ-レフトネットワーク	1		
16	39950-88L00	モジュールアツシ, GPSレシーバ	1		
17	36664-88L00	コネクタ, プランチ	1		
18	34200-88L02	ゲージ アツシ, 4インマルチ	1		
19	34922-88L03	ユニット, インタフェイス	1		
20	36663-88L00	ハーネスアツシ, ネットワークハ ワー	1		
21	36665-88L00	ユニット, レジスタヒートメール	1		
22	36665-88L10	ユニット, レジスタメール	1		
23	34800-88L01	ゲージ アツシ, 2インマルチ	1		
24	34922-88L03	ユニット, インタフェイス	1		
25	36662-88L00	ワイヤ, 25エクステンション	1		
26	36663-88L00	ハーネスアツシ, ネットワークハ ワー	1		
27	36665-88L00	ユニット, レジスタヒートメール	1		
28	36665-88L10	ユニット, レジスタメール	1		
29	36668-88L00	ワイヤ, アダプ タツ-DIAGNS	1		