

ま え が き

このパーツカタログは、スズキ船外機 DF200/225/250 型の補給取扱い部品を収録してあります。

エンジン諸元	4 サイクル	6 気筒	総排気量	(内径×行程 95 mm× 85 mm)
			3614 cm ³	

DF200					
機種記号	年式	型式	トランサム	色	実施号機
DF200T	—	20002F	L, X	YAY, Y5S	20002F-810001 ~

DF225					
機種記号	年式	型式	トランサム	色	実施号機
DF225T	—	22503F	X	YAY, Y5S	22503F-810001 ~

DF250					
機種記号	年式	型式	トランサム	色	実施号機
DF250T	—	25003F	X, XX	YAY, Y5S	25003F-810001 ~

パーツカタログのご使用について

1. 記号および略語

1-1. サイズ等

A : 用品 L : 長さ、リンク数、容積 US : アンダサイズ
 AR : 必要量 NT : 歯数 W : 巾
 D : 線径 OD : 外径 W/ : 同時使用
 E.NO. : エンジン番号 OPT : オプション # : 直送品
 F.NO. : フレーム番号 OS : オーバサイズ * : 直売品
 H : 高さ STD : スタンダード ~ : より、から
 ID : 内径 T : 厚さ
 12×34×5 : 内径×外径×厚さ(巾、長さ)

1-2. メーカー名

CHKK : 中央発条 NGK : 日本特殊陶業
 DID : 大同工業 NHK : 日本発条
 DK : 大金製作所 RK : 高砂チェン
 FB : 古河電池 TEN : 富士通テン
 IRC : 井上護膜工業 TR : 東海理化電機製作所
 KYB : 萱場工業 YB : 湯浅電池
 NABCO : 日本エアブレーキ

1-3. 構成部品の表示

品番	品名
×××××-×××××	○○○アッシ
×××××-×××××	・○○○
×××××-×××××	・○○○
	└─ 構成部品(インナパーツ)を示します。

1-4. 部品変更

備考欄の品番の前の→印は変更部品相互の互換性を表示します。

←○○○○○-○○○○○……「～より統一」を示し、旧  新です。

→○○○○○-○○○○○……「～に統一」を示し、旧  新です。

1-5. 修正使用

ホース、チューブ等で寸法表示の→印は修正使用を表示します。

(例) L:200→180……200を180に修正して使用します。

2. 部品変更のお知らせ

部品が新設または変更となった場合、サービス・部品ニュース、統一部品一覧表などでご案内いたします。

販売店様にあっては、弊社代理店にお問い合わせください。

3. 部品の注文

部品ご注文の場合は、このパーツカタログをご参照の上、次の点にご留意され、正確にご注文ください。

- 3-1. 品番、品名および数量
- 3-2. フレーム番号およびエンジン番号と型式番号（年式）
- 3-3. 部品メーカー（電装部品、保安部品など）

注※ 分解図は、補給部品索引のためのものです。分解、組立には使用しないで下さい。

※ 補給部品の中で車種間の共通化により、一部生産車の部品と異なる場合があります。


あらかじめご了承ください。

※ 記載事項は予告なく変更することがあります。あらかじめご了承ください。

I.Dプレートの説明

I.Dプレートには下記の項目が刻印されています。

より正確な部品発注のため①機種名、②型式、③製造番号(号機)を確認下さい。



①機種名を示します。(例) DF250


②型式を示します。(例) 25003F

③製造番号(号機)を示します。(例) 810001

I.Dプレート


※取付位置：ブラケット、クランプ

FIG.111A




OPRS2_000_010_111A
CULBERT-HARD

FIG.111B




OPRS2_000_010_111B
CULBERT-HARD

FIG.113A




OPRS2_000_010_113A
CULBERT-HARD

FIG.116A




OPRS2_000_010_116A
CRANDWAT

FIG.119A




OPRS2_000_010_119A
CRANDWAT

FIG.121A




OPRS2_000_010_121A
CRANDWAT

FIG.121B




OPRS2_000_010_121B
CRANDWAT

FIG.121C




OPRS2_000_010_121C
CRANDWAT

FIG.122A




OPR02_000_010_1024
FUEL PUMP

FIG.134A




OPR02_000_010_1044
FUEL PUMP

FIG.136A




OPR02_000_010_1064
FUEL PUMP

FIG.140A




OPR02_000_010_1404
FUEL PUMP

FIG.144A




OPR02_000_010_1444
FUEL PUMP

FIG.147A




OPR02_000_010_1474
FUEL PUMP

FIG.160A




OPR02_000_010_1604
FUEL PUMP

FIG.160B




OPR02_000_010_160B
FUEL PUMP

FIG.160C




OPERO, 800, 510, 160C
MATERIALE

FIG.162A




OPERO, 800, 510, 162A
PERSPECTIVE

FIG.163A




OPERO, 800, 510, 163A
PERSPECTIVE

FIG.163B




OPERO, 800, 510, 163B
PERSPECTIVE

FIG.164A




OPERO, 800, 510, 164A
PERSPECTIVE

FIG.175A




OPERO, 800, 510, 175A
PERSPECTIVE

FIG.180A




OPERO, 800, 510, 180A
PERSPECTIVE

FIG.204A




OPERO, 800, 510, 204A
PERSPECTIVE

FIG.204B




OP202_002_016_0043
CLU/REV047

FIG.206A




OP202_002_016_0044
CLU/REV023

FIG.206B




OP202_002_016_0045
CLU/REV023

FIG.220A




OP202_002_016_0044
ITR46560320

FIG.220B




OP202_002_016_0049
ITR46560320

FIG.220C




OP202_002_016_0047
ITR46560320

FIG.301A




OP202_002_016_0014
STARTING MOTOR

FIG.303A




OP202_002_016_0034
MAGNETIC

FIG. 326B




DP250_000_010_30889
PITTSWITCH-ENGINE CONTROL UNIT

FIG. 335A




DP250_000_010_2054
CLAUSSACKET

FIG. 335B




DP250_000_010_30359
CLAMPBRACKET

FIG. 336A




DP250_000_010_3064
SWINE BRANCH

FIG. 336B




DP250_000_016_R089
SWINE BRACER

FIG. 337A




DP250_000_018_3374
TRIM CYLINDER

FIG. 337B




DP250_000_010_3079
TRIM CYLINDER

FIG. 340A




DP250_000_016_3404
FITMOTOR

FIG.340B




OP302, 303, 51E, 4039
PTT MOTOR

FIG.401A




OP302, 303, 51E, 4014
OPRER VOL.201

FIG.401B




OP302, 303, 51E, 4015
OPRER VOL.201

FIG.405A




OP302, 303, 51E, 4054
OPRER VOL.201

FIG.405B



OP302, 303, 51E, 4055
OPRER VOL.201

FIG.405C



OP302, 303, 51E, 4056
OPRER VOL.201

FIG.407A






FIG.410A




OPR20, 300, 510, 410A
SIZE: C2051

FIG.410B




OPR20, 300, 510, 410B
SIZE: C2051

FIG.410C




OPR20, 300, 510, 410C
SIZE: C2051

FIG.420A




OPR20, 300, 510, 420A
ENGINE: C2051

FIG.420B




OPR20, 300, 510, 420B
ENGINE: C2051

FIG.420C




OPR20, 300, 510, 420C
ENGINE: C2051

FIG.430A




OPR20, 300, 510, 430A
FUEL: H20E

FIG.442A




OPR20, 300, 510, 442A
DIPLO: LAM

FIG.460A




OPTIONAL, 5/16, 4604
9/27/01

FIG.501A




OPTIONAL, 5/16, 5014
OPTIMIZER

FIG.508A




OPTIONAL, 5/16, 5084
OPTIMIZER CONTROL

FIG.517A




OPTIONAL, 5/16, 5174
OPTIMIZER CONTROL REMOVAL (1)

FIG.518A




OPTIONAL, 5/16, 5184
OPTIMIZER REMOVAL (1)

FIG.521A




OPTIONAL, 5/16, 5214
OPTIMIZER

FIG.530A




OPTIONAL, 5/16, 5304
OPTIMIZER

FIG.541A




OPTIONAL, 5/16, 5414
OPTIMIZER CONTROL ASSY (1)

FIG.542A




OPT02_000_51E_542A
OPT REMOTE CONTROL 400V24C (2)

FIG.544A




OPT02_000_51E_544A
OPT REMOTE CONTROL 400V30PLE (1)

FIG.545A




OPT02_000_51E_545A
OPT REMOTE CONTROL 400V30PLE (2)

FIG.585A




OPT02_000_51E_585A
OPT CABINET SET

FIG.601A



OPT02_000_51E_601A
OPT MULEY FUNCTION G44.0E (1)

FIG.602A



OPT02_000_51E_602A
OPT MULEY FUNCTION G44.0E (2)

FIG.111A




FIG. 111A (1-B-2) シリンダヘッド (DF200T, DF225T)

見出番号	品番	品名	使用個数	備考	標準作業時間
1	11101-93J13	ヘッドアツシ, シリンダスターホート	1		
2	11128-90J00	ホルト, カムシャフトハウジング (6X39)	16		
3	09206-08001	ピン (8X11)	14		
4	01550-06207	ホルト	4		
5	11103-93J13	ヘッドアツシ, シリンダホート	1		
6	11128-90J00	ホルト, カムシャフトハウジング (6X39)	16		
7	09206-08001	ピン (8X11)	14		
8	01550-06207	ホルト	2		
9	11116-93J01	ブラグ	4		
10	11119-93J00	ホルト, シリンダヘッド	16		
11	11141-93J10	ガスケット, シリンダヘッドスターホート	1		
12	11142-93J10	ガスケット, シリンダヘッドホート	1		
13	09168-16009	ガスケット (16X22X0.8)	4		
14	11261-93J00	カバー, プロテクションノード	4		
15	09280-22019	Oリング (D:1.9, ID:21.8)	4		
16	55321-87J01	アノード, プロテクション	4		
17	09103-06281	ホルト (6X14)	4		
18	01550-08207	ホルト	4		
19	01550-08607	ホルト	5	STBD	
20	01550-08607	ホルト	4	PORT	
21	09206-14004	ピン (14X11, 4X23)	4		
22	11170-93J01	カバー, シリンダヘッドスターホート	1		
23	11180-93J02	カバー, シリンダヘッドホート	1		
24	11173-93J00	プレート, プリザスターホート	1		
25	11183-93J00	プレート, プリザホート	1		
26	11179-93J00	ガスケット, シリンダヘッドカバースターホート	1		
27	11189-93J00	ガスケット, シリンダヘッドカバーホート	1		
28	02112-0612A	スクリュー	14		
29	01547-06257	ホルト	16		
30	01547-06507	ホルト	6		
31	11174-93J10	ホース, プリザスターホート	1		
32	09401-18410	クリップ	1		
33	11382-93J00	キャップ, オイルフイ	1		
34	09280-26006	Oリング (D:3.1, ID:26.4)	1		
35	#09482-00427	スパークプラグ (NGK, BKR6E)	6	NGK	

FIG.111A





FIG. 111A (1-B-3) シリンダーヘッド (DF200T, DF225T)

見出番号	品番	品名	使用個数	備考	標準作業時間
36	11291-93J00	フック, エンジン	2		
37	01550-08207	ボルト	4		
38	11184-93J10	ホース, フリーザーポート	1		
39	09401-18410	クリップ	1		
40	11115-93J10-001	ガイド, バルブ (OS)	24	オプション	
41	11291-98J00	フック, エンジン	1	オプション	

FIG.111B



DF250_000_018_111B
CYLINDER HEAD

FIG. 111B (1-B-4) シリンダヘッド (DF250T)

見出番号	品番	品名	使用個数	備考	標準作業時間
1	11101-93J13	ヘッドアツシ, シリンダスターホート	1		
2	11128-90J00	ホルト, カムシャフトハウジング (6X39)	16		
3	09206-08001	ピン (8X11)	14		
4	01550-06207	ホルト	4		
5	11103-93J13	ヘッドアツシ, シリンダホート	1		
6	11128-90J00	ホルト, カムシャフトハウジング (6X39)	16		
7	09206-08001	ピン (8X11)	14		
8	01550-06207	ホルト	2		
9	11116-93J01	プラグ	4		
10	11119-93J00	ホルト, シリンダヘッド	16		
11	11141-93J10	ガスケット, シリンダヘッドスターホート	1		
12	11142-93J10	ガスケット, シリンダヘッドホート	1		
13	09168-16009	ガスケット (16X22X0.8)	4		
14	11261-93J00	カバー, プロテクションアノード	4		
15	09280-22019	Oリング (D:1.9, ID:21.8)	4		
16	55321-87J01	アノード, プロテクション	4		
17	09103-06281	ホルト (6X14)	4		
18	01550-08207	ホルト	4		
19	01550-08607	ホルト	5	STBD	
20	01550-08607	ホルト	4	PORT	
21	09206-14004	ピン (14X11, 4X23)	4		
22	11170-93J01	カバー, シリンダヘッドスターホート	1		
23	11180-93J22	カバー, シリンダヘッドホート	1		
24	11173-93J00	プレート, プリザスターホート	1		
25	11183-93J00	プレート, プリザホート	1		
26	11179-93J00	ガスケット, シリンダヘッドカバースターホート	1		
27	11189-93J00	ガスケット, シリンダヘッドカバーホート	1		
28	09206-08001	ピン (8X11)	1		
29	02112-0612A	スクリュー	14		
30	01547-06257	ホルト	16		
31	01547-06507	ホルト	6		
32	11174-93J10	ホース, プリザスターホート	1		
33	09401-18410	クリップ	1		
34	11382-93J00	キャップ, オイルフィラ	1		
35	09280-26006	Oリング (D:3.1, ID:26.4)	1		

DF250_000_018

FIG.111B




FIG. 111B (1-B-5) シリンダーヘッド (DF250T)

見出番号	品番	品名	使用個数	備考	標準作業時間
36	#09482-00427	スパークプラグ (NGK, BKR6E)	6	NGK	
37	11291-93J00	ワッシャー	2		
38	01550-08207	ボルト	4		
39	11184-93J10	ホース, フリーザーホース	1		
40	09401-18410	クリップ	1		
41	11115-93J10-001	ガイド, ハルブ (OS)	24	オプション	
42	11291-98J00	ワッシャー	1	オプション	

FIG.113A




FIG.113A (1-B-6) シリンダーブロック

見出番号	品番	品名	使用個数	備考	標準作業時間
1	11293-98J00	フック, エンジンフロント	1		
2	01550-08207	ボルト	2		
3	11301-93J11	ブロックセット, シリンダー	1		
4	11112-93J00	・フック, オイルパンチユリ	2		
5	11117-93J10	・ボルト, クランクケース	16		
6	11217-85FA0	・ガスケット, M26フック	3		
7	09248-26001	・フック (M26)	3		
8	09160-18031	・ワッシャ (18.5X28X2.6)	2		
9	09248-18006	・フック (18X8)	2		
10	09206-13019	・ピン (10.4X13X16)	5		
11	16700-93J00	・バルブ, ピンストンエツト	1		
12	09280-10009	・・リング (D:1.3, ID:9.8)	1		
13	09280-10016	・・リング (D:1.9, ID:9.8)	1		
14	07130-0616A	・ボルト	1		
15	16712-93J00	・ボルト, ピンストンエツト	6		
16	16721-93J00	・シエツト, ピンストンクーリング	6		
17	09246-05006	・フック (1/8PT, H:8)	1		
18	11330-93J01	カバー, クランクケースウオータシヤケツト	1		
19	11332-93J00	ガスケット, クランクケースウオータシヤケツトカバー	1		
20	01550-06207	ボルト	12		
21	16430-93J00	カバー, オイルギヤラリ	1		
22	16431-93J00	プレート, オイルギヤラリ	1		
23	16433-93J00	ガスケット, オイルギヤラリ	2		
24	01550-0835A	ボルト	9		
25	01550-08457	ボルト	8		
26	16510-96J10	フィルタワッシャ, オイル	1		

FIG.116A




FIG. 116A (1-B-7) クランクシャフト

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
1	12111-93J02-0B0	ピ ス トン	6		
2	12140-93J00	リング セット, ピ ス トン	6		
3	12151-93J10	ピ ス トン	6		
4	09381-22010	スナツプ リング	12		
5	12160-93J10	コンロツト アツシ	6		
6-1	12100-98810-0A0	ベ アリング セット, コネクチング ロツド	6	グ リーン	
6-2	12100-98810-025	ベ アリング セット, コネクチング ロツド US0. 25	6	オ フ ショ ン	
7	12220-93J01	クランクシャフト	1		
8-1	12340-86FA2-0B0	ベ アリング セット, クランクシャフトSTD	4	ブ ラ ック	
8-2	12340-86FA2-0C0	ベ アリング セット, クランクシャフトSTD	4	NON	
8-3	12340-86FA2-0D0	ベ アリング セット, クランクシャフトSTD	4	イエロ ー	
8-4	12340-86FA2-0E0	ベ アリング セット, クランクシャフトSTD	4	ブ ル ー	
8-5	12340-86FA2-0F0	ベ アリング セット, クランクシャフトSTD	4	PINK	
8-6	12300-86812-0BA	ベ アリング セット, クランクシャフトアンタ ー サイズ	4	OPT, RED/BLACK	
8-7	12300-86812-0CA	ベ アリング セット, クランクシャフトアンタ ー サイズ	4	OPT, RED	
8-8	12300-86812-0DA	ベ アリング セット, クランクシャフトアンタ ー サイズ	4	OPT, RED/YELLOW	
8-9	12300-86812-0EA	ベ アリング セット, クランクシャフトアンタ ー サイズ	4	OPT, RED/BLUE	
8-10	12300-86812-0FA	ベ アリング セット, クランクシャフトアンタ ー サイズ	4	オ フ ショ ン	
9-1	12300-85830	ベ アリング セット, クランクスラスト	1		
9-2	12300-85830-012	ベ アリング セット, クランクスラストオーハ ー サイズ	1	オ フ ショ ン	
10	12242-93J01	ギ ャ ト ライブ	1		
11	09160-10104	ワツシャ (10. 5X50X3. 2)	1		
12	01550-1025A	ホ ル ト	1		
13	09283-91001	オイルシー ル	1		
14	12100-93J00-050	ピ ス トンセット (OS: 0. 5)	6	オ フ ショ ン	
15	12140-93J00-050	・リング セット, ピ ス トン (OS: 0. 50)	6	オ フ ショ ン	

FIG.119A





FIG.119A (1-B-8) タイミングチェーン

見出番号	品番	品名	使用個数	備考	標準作業時間
1	12730-93J02	ギヤ、ドリップン	1		
2	09262-40018	ベアリング (40X80X18)	1	ロ7	
3	08110-62080	ベアリング	1	アッパ	
4	09283-32044	オイルシール	1		
5	12734-93J00	ホルダ、ドリップンギヤ	1		
6	09280-70012	Oリング (D:5.7)	1		
7	01550-0855A	ホルト	4		
8	12761-93J00	チェーン、タイミングファースト	1		
9	12762-93J00	チェーン、タイミングセカンド	2		
10	12770-93J00	ベース、T/Cガイド NO. 1	1		
11	12778-93J00	ガスケツト、タイミングチェーンガイドベース	1		
12	04211-13149	ピン	2		
13	01550-0830A	ホルト	2		
14	12771-93J00	シユ、タイミングチェーンアツパ	1		
15	12775-93J00	シユ、タイミングチェーンロ7	1		
16	12772-93J00	ガイド、タイミングチェーンNO. 2	1		
17	01550-0830A	ホルト	2		
18	12810-93J00	テンションアツシ、タイミングチェーン	1		
19	12813-73G00	バツト、タイミングチェーンテンシヨナ	1		
20	12812-90J00	スベーサ、タイミングチェーンテンシヨナ	1		
21	01550-0830A	ホルト	1		
22	12831-93J01	アジヤスタツシ、テンシヨナNO. 1	1		
23	12832-93J00	テンシヨナアツシ、スターホート	1		
24	12833-93J00	テンシヨナアツシ、ホート	1		
25	01550-0620A	ホルト	2		
26	01550-0620A	ホルト	4		

FIG.121A



DF250_000_018_121A
CAMSHAFT

FIG.121A (1-B-9) カムシャフト (DF200T)

見出番号	品番	品名	使用個数	備考	標準作業時間
1	12701-93J30	カムシャフト, インテークスターボート	1		
2	12705-93J30	カムシャフト, インテークボート	1		
3	12721-93J30	カムシャフト, エキゾーストスターボート	1		
4	12725-93J30	カムシャフト, エキゾーストボート	1		
5	12742-93J10	スプロケット, インテークカムシャフト	2		
6	12748-93J00	スプロケット, カムシャフト	4		
7	12749-93J00	ボルト, カムシャフト	4		
8	09202-05032	ピン (5X12)	3		
9	09261-05006	ピン (5X18)	1		
10	16551-93J00	プレート, オイルコントロール	2		
11	16559-93J00	ガスケット, オイルコントロールバルブ	2		
12	01550-06257	ボルト	8		
13	12891-93J00	タペット	24		
14-1	12892-93J00-218	シム, タペット (T:2.175)	AR		
14-2	12892-93J00-220	シム, タペット (T:2.200)	AR		
14-3	12892-93J00-223	シム, タペット (T:2.225)	AR		
14-4	12892-93J00-225	シム, タペット (T:2.250)	AR		
14-5	12892-93J00-228	シム, タペット (T:2.275)	AR		
14-6	12892-93J00-230	シム, タペット (T:2.300)	AR		
14-7	12892-93J00-233	シム, タペット (T:2.325)	AR		
14-8	12892-93J00-235	シム, タペット (T:2.350)	AR		
14-9	12892-93J00-238	シム, タペット (T:2.375)	AR		
14-10	12892-93J00-240	シム, タペット (T:2.400)	AR		
14-11	12892-93J00-243	シム, タペット (T:2.425)	AR		
14-12	12892-93J00-245	シム, タペット (T:2.450)	AR		
14-13	12892-93J00-248	シム, タペット (T:2.475)	AR		
14-14	12892-93J00-250	シム, タペット (T:2.500)	AR		
14-15	12892-93J00-253	シム, タペット (T:2.525)	AR		
14-16	12892-93J00-255	シム, タペット (T:2.550)	AR		
14-17	12892-93J00-258	シム, タペット (T:2.575)	AR		
14-18	12892-93J00-260	シム, タペット (T:2.600)	AR		
14-19	12892-93J00-263	シム, タペット (T:2.625)	AR		
14-20	12892-93J00-265	シム, タペット (T:2.650)	AR		
14-21	12892-93J00-268	シム, タペット (T:2.675)	AR		
14-22	12892-93J00-270	シム, タペット (T:2.700)	AR		

DF250_000_018

FIG.121A




FIG.121A (1-B-10) カムシャフト (DF200T)

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
14-23	12892-93J00-273	シム, タハ° ット (T: 2. 725)	AR		
14-24	12892-93J00-275	シム, タハ° ット (T: 2. 750)	AR		
14-25	12892-93J00-278	シム, タハ° ット (T: 2. 775)	AR		
14-26	12892-93J00-280	シム, タハ° ット (T: 2. 800)	AR		
14-27	12892-93J00-283	シム, タハ° ット (T: 2. 825)	AR		
14-28	12892-93J00-285	シム, タハ° ット (T: 2. 850)	AR		
14-29	12892-93J00-288	シム, タハ° ット (T: 2. 875)	AR		
14-30	12892-93J00-290	シム, タハ° ット (T: 2. 900)	AR		
14-31	12892-93J00-293	シム, タハ° ット (T: 2. 925)	AR		
14-32	12892-93J00-295	シム, タハ° ット (T: 2. 950)	AR		
14-33	12892-93J00-298	シム, タハ° ット (T: 2. 975)	AR		
14-34	12892-93J00-300	シム, タハ° ット (T: 3. 000)	AR		
15	12911-93J00	ハ° ルフ°, インテーク	12		
16	12915-93J60	ハ° ルフ°, エキゾースト	12		
17	12921-93J11	スプ° リンク°, ハ° ルフ°	24		
18	12931-78G00	リテーナ, ハ° ルフ° スプ° リンク°	24		
19	12932-24400	コツタ, ハ° ルフ°	48		
20	12933-69G10	シート, ハ° ルフ° スプ° リンク°	24		
21	09289-05012	オイルシール (5. 5X11. 5X9. 3)	24		

FIG.121B




FIG.121B (1-B-11) カムシャフト (DF225T)

見出番号	品番	品名	使用個数	備考	標準作業時間
1	12701-93J40	カムシャフト, インテークスターボート	1		
2	12705-93J40	カムシャフト, インテークボート	1		
3	12721-93J30	カムシャフト, エキゾーストスターボート	1		
4	12725-93J30	カムシャフト, エキゾーストボート	1		
5	12742-93J10	スプロケット, インテークカムシャフト	2		
6	12748-93J00	スプロケット, カムシャフト	4		
7	12749-93J00	ボルト, カムシャフト	4		
8	09202-05032	ピン (5X12)	3		
9	09261-05006	ピン (5X18)	1		
10	16551-93J00	プレート, オイルコントロール	2		
11	16559-93J00	ガスケット, オイルコントロールバルブ	2		
12	01550-06257	ボルト	8		
13	12891-93J00	タペット	24		
14-1	12892-93J00-218	シム, タペット (T:2.175)	AR		
14-2	12892-93J00-220	シム, タペット (T:2.200)	AR		
14-3	12892-93J00-223	シム, タペット (T:2.225)	AR		
14-4	12892-93J00-225	シム, タペット (T:2.250)	AR		
14-5	12892-93J00-228	シム, タペット (T:2.275)	AR		
14-6	12892-93J00-230	シム, タペット (T:2.300)	AR		
14-7	12892-93J00-233	シム, タペット (T:2.325)	AR		
14-8	12892-93J00-235	シム, タペット (T:2.350)	AR		
14-9	12892-93J00-238	シム, タペット (T:2.375)	AR		
14-10	12892-93J00-240	シム, タペット (T:2.400)	AR		
14-11	12892-93J00-243	シム, タペット (T:2.425)	AR		
14-12	12892-93J00-245	シム, タペット (T:2.450)	AR		
14-13	12892-93J00-248	シム, タペット (T:2.475)	AR		
14-14	12892-93J00-250	シム, タペット (T:2.500)	AR		
14-15	12892-93J00-253	シム, タペット (T:2.525)	AR		
14-16	12892-93J00-255	シム, タペット (T:2.550)	AR		
14-17	12892-93J00-258	シム, タペット (T:2.575)	AR		
14-18	12892-93J00-260	シム, タペット (T:2.600)	AR		
14-19	12892-93J00-263	シム, タペット (T:2.625)	AR		
14-20	12892-93J00-265	シム, タペット (T:2.650)	AR		
14-21	12892-93J00-268	シム, タペット (T:2.675)	AR		
14-22	12892-93J00-270	シム, タペット (T:2.700)	AR		

FIG.121B




FIG. 121B (1-B-12) カムシャフト (DF225T)

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
14-23	12892-93J00-273	シム, タハ° ット (T: 2. 725)	AR		
14-24	12892-93J00-275	シム, タハ° ット (T: 2. 750)	AR		
14-25	12892-93J00-278	シム, タハ° ット (T: 2. 775)	AR		
14-26	12892-93J00-280	シム, タハ° ット (T: 2. 800)	AR		
14-27	12892-93J00-283	シム, タハ° ット (T: 2. 825)	AR		
14-28	12892-93J00-285	シム, タハ° ット (T: 2. 850)	AR		
14-29	12892-93J00-288	シム, タハ° ット (T: 2. 875)	AR		
14-30	12892-93J00-290	シム, タハ° ット (T: 2. 900)	AR		
14-31	12892-93J00-293	シム, タハ° ット (T: 2. 925)	AR		
14-32	12892-93J00-295	シム, タハ° ット (T: 2. 950)	AR		
14-33	12892-93J00-298	シム, タハ° ット (T: 2. 975)	AR		
14-34	12892-93J00-300	シム, タハ° ット (T: 3. 000)	AR		
15	12911-93J00	ハ° ルフ°, インテーク	12		
16	12915-93J60	ハ° ルフ°, エキゾースト	12		
17	12921-93J11	スプ° リンク°, ハ° ルフ°	24		
18	12931-78G00	リテーナ, ハ° ルフ° スプ° リンク°	24		
19	12932-24400	コツタ, ハ° ルフ°	48		
20	12933-69G10	シート, ハ° ルフ° スプ° リンク°	24		
21	09289-05012	オイルシール (5. 5X11. 5X9. 3)	24		

FIG.121C




FIG.121C (1-B-13) カムシャフト (DF250T)

見出番号	品番	品名	使用個数	備考	標準作業時間
1	12701-93J50	カムシャフト, インテークスターボート	1		
2	12705-93J50	カムシャフト, インテークボート	1		
3	12721-93J50	カムシャフト, エキゾーストスターボート	1		
4	12729-93J50	カムシャフト, エキゾーストボート	1		
5	12740-93J00	スプリング ロケツトアツシ, カムタイミング	2		
6	12748-93J00	スプリング ロケツト, カムシャフト	2		
7	12753-93J00	ボルト, インテークカムシャフト	2		
8	12749-93J00	ボルト, カムシャフト	2		
9	09202-05032	ピン (5X12)	3		
10	09261-05006	ピン (5X18)	1		
11	16550-93J00	バルブ, オイルコントロール	2		
12	16555-93J00	ガスケット, オイルコントロールバルブ	2		
13	01550-06257	ボルト	8		
14	12891-93J00	タペット	24		
15-1	12892-93J00-218	シム, タペット (T:2. 175)	AR		
15-2	12892-93J00-220	シム, タペット (T:2. 200)	AR		
15-3	12892-93J00-223	シム, タペット (T:2. 225)	AR		
15-4	12892-93J00-225	シム, タペット (T:2. 250)	AR		
15-5	12892-93J00-228	シム, タペット (T:2. 275)	AR		
15-6	12892-93J00-230	シム, タペット (T:2. 300)	AR		
15-7	12892-93J00-233	シム, タペット (T:2. 325)	AR		
15-8	12892-93J00-235	シム, タペット (T:2. 350)	AR		
15-9	12892-93J00-238	シム, タペット (T:2. 375)	AR		
15-10	12892-93J00-240	シム, タペット (T:2. 400)	AR		
15-11	12892-93J00-243	シム, タペット (T:2. 425)	AR		
15-12	12892-93J00-245	シム, タペット (T:2. 450)	AR		
15-13	12892-93J00-248	シム, タペット (T:2. 475)	AR		
15-14	12892-93J00-250	シム, タペット (T:2. 500)	AR		
15-15	12892-93J00-253	シム, タペット (T:2. 525)	AR		
15-16	12892-93J00-255	シム, タペット (T:2. 550)	AR		
15-17	12892-93J00-258	シム, タペット (T:2. 575)	AR		
15-18	12892-93J00-260	シム, タペット (T:2. 600)	AR		
15-19	12892-93J00-263	シム, タペット (T:2. 625)	AR		
15-20	12892-93J00-265	シム, タペット (T:2. 650)	AR		
15-21	12892-93J00-268	シム, タペット (T:2. 675)	AR		

FIG.121C




FIG. 121C (1-B-14) カムシャフト (DF250T)

見出番号	品 番	品 名	使用個数	備 考	標準 作業時間
15-22	12892-93J00-270	シム, タハ° ット (T: 2. 700)	AR		
15-23	12892-93J00-273	シム, タハ° ット (T: 2. 725)	AR		
15-24	12892-93J00-275	シム, タハ° ット (T: 2. 750)	AR		
15-25	12892-93J00-278	シム, タハ° ット (T: 2. 775)	AR		
15-26	12892-93J00-280	シム, タハ° ット (T: 2. 800)	AR		
15-27	12892-93J00-283	シム, タハ° ット (T: 2. 825)	AR		
15-28	12892-93J00-285	シム, タハ° ット (T: 2. 850)	AR		
15-29	12892-93J00-288	シム, タハ° ット (T: 2. 875)	AR		
15-30	12892-93J00-290	シム, タハ° ット (T: 2. 900)	AR		
15-31	12892-93J00-293	シム, タハ° ット (T: 2. 925)	AR		
15-32	12892-93J00-295	シム, タハ° ット (T: 2. 950)	AR		
15-33	12892-93J00-298	シム, タハ° ット (T: 2. 975)	AR		
15-34	12892-93J00-300	シム, タハ° ット (T: 3. 000)	AR		
16	12911-93J00	ハ° ルフ°, インターク	12		
17	12915-93J60	ハ° ルフ°, エキゾ° スト	12		
18	12921-93J11	スフ° リング°, ハ° ルフ°	24		
19	12931-78G00	リテーナ, ハ° ルフ° スフ° リング°	24		
20	12932-24400	コツタ, ハ° ルフ°	48		
21	12933-69G10	シート, ハ° ルフ° スフ° リング°	24		
22	09289-05012	オイルシール (5. 5X11. 5X9. 3)	24		

FIG.122A




FIG. 122A (1-B-15) インテークマニホールド*

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
1	13110-93J00	マニホールド*, インテーク	1		
2	13119-93J00	ガスケット, インテークマニホールド*	2		
3	09108-08282	スタッド ボルト	4		
4	09103-08437	ボルト (8X65)	4		
5	09159-08136	ナット	4		
6	09160-08016	ワッシャー (8. 5X20X2)	8		

FIG.134A

FIG. 134A (1-B-16) サイレンサ

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
1	13710-93J00	アレスタ, フレーム	1		
2	13811-93J02	サイレンサ, アツパ` カバ`	1		
3	13813-93J00	ホルダ`, フレームアレスタ	1		
4	13851-93J01	シール, サイレンサ	1		
5	13881-93J00	チューブ`, アウトレット	2		
6	17895-93J00	クランプ`, アウトレットチューブ`	2		
7	02142-06207	スクリュ	6		
8	13853-96L00	グ` ロメツト, フ` リーサ` ホース	2		




FIG.136A




FIG. 136A (1-C-2) リンクギヤカバー

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
1	11510-93J03	カバー, リンクギヤ	1		
2	01550-06207	ボルト	2		
3	01550-06407	ボルト	1		
4	11515-93J00	ブレース, リンクギヤカバー	1		
5	01550-08357	ボルト	2		
6	11516-93J00	ブラケット, リンクギヤカバー	1		
7	69711-93E10	ラベル, S. I. G. P.	1		
8	61494-93J00	ラベル, オイル/クリアランス	1		



FIG.140A




FIG. 140A (1-C-3) エキゾーストカバー

見出番号	品番	品名	使用個数	備考	標準作業時間
1	14141-93J01	カバー, エキゾーストスターボート	1		
2	14140-98J01	カバー, エキゾーストボート	1		
3	14151-93J00	ガスケット, エキゾーストカバー (スターボート)	1		
4	14152-93J00	ガスケット, エキゾーストカバー (ボート)	1		
5	11261-93J00	カバー, プロテクションアノード	2		
6	55321-87J01	アノード, プロテクション	2		
7	09103-06281	ボルト (6X14)	2		
8	09280-22019	リング (D:1.9, ID:21.8)	2		
9	01550-08207	ボルト	2		
10	01550-06257	ボルト	23		



FIG.144A




FIG. 144A (1-C-4) フューエルインジェクタ

見出番号	品番	品名	使用個数	備考	標準作業時間
1	15681-93J01	ホース, フューエル (3ウェイツデー リハ イフ)	1		
2	15710-93J00	インジェクタアツシ, フューエル	6		
3	15717-16G00	・Oリング	6		
4	15735-58B00	インシユレータ, テー リハ リハ イフ	4		
5	15751-93J00	ハ イフ, テー リハ リ	2		
6	15756-93J01	ホース, フューエル (テー リハ リツデー リハ リ)	1		
7	15762-93J00	ガ スケツト, テー リハ リハ イフ	5		
8	15830-77EA0	ジ ョイント, フューエルメイン	1		
9	15831-93J00	ユニオン, テー リハ リハ イフ	2		
10	18498-93J00	ブ ロテクタ, フューエルホース (15. 4X18. 4X340)	1		
11	09247-14041	ブ ラグ (14X14)	1		
12	09320-08062	クツシヨ	6		
13	09360-14009	ユニオンホ ルト	1		
14	09401-11425	クリツプ	4		
15	09403-16307	クランフ	1		
16	09408-00105	クランフ	1		
17	09408-00155	クランフ	1		
18	01550-08407	ホ ルト	4		
19	15680-93J31	ホース, フューエルインレット (ツーフイルタ)	1	PUMP TO FILTER	
20	09401-13423	クリツプ	1		
21	09408-00135	クリツプ	2		
22	15684-98J00	ガ イト, フューエルホース	1		
23	01550-06127	ホ ルト	2		
24	09251-09005	ブ ラグ	1		

FIG.147A





FIG. 147A (1-C-5) フューエルポンプ / フューエルベーパーセパレータ

見出番号	品番	品名	使用個数	備考	標準作業時間
1	15100-94900	ポンプアツシ, フューエル	1		
2	15410-93J10	フィルタ, フューエル, レフト	1		
3	15411-93J10	・キャツプ, フューエルフィルタ	1		
4	15415-93J10	・シール, フューエルフィルタNO. 1	1		
5	15412-93J10	・フィルタアツシ, フューエル	1		
6	15413-93J10	・ケースアツシ, フューエルフィルタ	1		
7	15644-93J00	カバー, フューエルフィルタ	3		
8	15633-93J20	ホース, フューエル (H)	1		
9	15646-93J00	クランプ, フューエルフィルタ	1		
10	09343-75001-600	ホース (7. 5X13. 5X600)	1	L: 600>65	
11	15440-93J00	フィルタ, フューエル	1		
12	09320-08501	クツシヨシ (8X18X10)	2		
13	15773-90J00	ユニオン, フューエルホース	1		
14	15830-93J00	ユニオン, スリーウエイフューエルホース	1		
15	09169-06062	ワツシヤ	4		
16	15770-93J00	クーラ, フューエル	1		
17	09168-12013	ガスケット (11. 8X22X1. 2)	3		
18	09360-12008	ホルト, 12X27	1		
19	09363-08004	ユニオン	1		
20	15600-93J01	セパレータアツシ, フューエルベーパー	1		
21	13370-93J00	・バルブアツシ, ニードル	1		
22	15626-93J00	・ガスケット, セパレータ	1		
23	15650-93J00	・フロートアツシ	1		
24	15200-93J01	・ポンプアツシ, フューエル (H)	1		
25	15647-93J00	・ブツシユ, フューエルポンプ	1		
26	15641-90J00	・スベーサ	1		
27	15642-90J00	・フィルタ	1		
28	15654-99E00	・ピン	1		
29	02142-0408B	・スクリュ	1		
30	02112-05107	・スクリュ	1		
31	15760-93J00	・レギュレータ, フューエルプレツシヤ	1		
32	15628-99E00	・スクリュ (L: 15)	6		
33	15627-93J00	・スクリュ	1		
34	09320-12072	クツシヨシ	3		
35	15675-93J00	ホルト, クーラブラケツト	3		

FIG.147A



DF250_000_018_147A
FUEL PUMP/FUEL VAPOR SEPARATOR

FIG. 147A (1-C-6) フューエルポンプ / フューエルベーパーセパレータ

見出番号	品番	品名	使用個数	備考	標準作業時間
36	09343-75001-600	ホース(7.5X13.5X600)	1	L:600>50	
37	09401-11414	クリップ(ID:11.5)	14		
38	15636-98J20	ホース,フューエル(L)	1		
39	15686-93J00	クリップ,フューエルホースNO.2	1		
40	15685-93J00	クリップ,フューエルホースNO.1	3		
41	15672-93J00	ブラケット,フューエルクーラ	1		
42	01500-06167	ホルト	4		
43	15635-93J20	ホース,フューエル(H)	1		
44	15632-93J20	ホース,フューエル(H)	1		
45	15673-98J00	ブラケット,フューエルフィルタ	1		
46	01550-06257	ホルト	2		
47	15643-93J00	フィルタ,フューエル,レフト	1		
48	09343-75001-600	ホース(7.5X13.5X600)	1	L:600>65	
49	15634-93J20	ホース,フューエル(H)	1		
50	01570-06357	ホルト	2		
51	15674-93J00	ブラケット,チエツクバルブ	1		
52	15645-93J00	バルブ,チエツク	1		
53	15637-93J20	ホース,フューエル(L)	1		
54	15629-99E10	スクリュ,ドレーン	2		
55	15683-87J00	ホース	1		
56	02112-0406B	スクリュ	3		
57	09352-50003-23A	ホース(5X8.2X1230)	1		
58	09401-08412	クリップ	1		
59	18498-93J10	ブラケット(9.5X11.5X1130)	1		
60	09169-06062	ワツシヤ	2		
61	09116-06202	ホルト(6X25)	2		
62	15671-93J00	ブラケット,ベーパーセパレータ	1		
63	01550-06357	ホルト	2		
64	09169-08042	ワツシヤ	6		
65	01550-08407	ホルト	3		
66	18417-93J00	ブラケット,バージバルブ	1		
67	01550-06127	ホルト	2		
68	09320-08086	クワシヨ	1		
69	09403-14304	クランプ	1		
70	09408-00043	クランプ	1		

DF250_000_018

FIG.160A




FIG. 160A (1-C-7) ウォータポン (DF200T)

見出番号	品番	品名	使用個数	備考	標準作業時間
1	17410-93J01	ケース, ウォータポン	1		
2	17413-93J02	スリーブ, ウォータポン ケース	1		
3	17416-93J00	シーリング, ウォータポン ケース	1		
4	17461-93J00	インペラ, ウォータポン	1		
5	17471-93J02	パネル, ホン ケースアンダ	1		
6	17472-93J00	ガスケット, ホン ケースパネ	1		
7-1	17561-93J03	チューブ, ウォータ (X)	1	X-TRANSOM	
7-2	17561-93J21	チューブ, ウォータ (L)	1	L-TRANSOM	
8	17562-93J01	ブッシュ, ウォータチューブ アッパ	1		
9	17563-93J00	ブッシュ, ウォータチューブ ロア	1		
10	17564-93J00	ブッシュ, ウォータポン ケース	1		
11	17612-93J00	スベーサ, ウォータチューブ	1		
12-1	17631-93J20	フィルタ, ウォータホートサイト	1		
12-2	17631-93J30	フィルタ, ウォータホートサイト	1	オプション	
13-1	17632-93J20	フィルタ, ウォータスターホートサイト	1		
13-2	17632-93J30	フィルタ, ウォータスターホートサイト	1	オプション	
14	09116-08131	ホルト (8X45)	4		
15	09132-04034	タツピング スクリュー	1		
16	09202-06031	ピン (6X12)	2		
17	09420-05009	キー	1		
18	09168-20002	ガスケット (20. 5X30X1. 5)	1		
19	17400-93J02	キット, ウォータポン リペア	1	オプション	

FIG.160B




FIG. 160B (1-C-8) ウォータポン (DF225T)

見出番号	品番	品名	使用個数	備考	標準作業時間
1	17410-93J01	ケース, ウォータポン	1		
2	17413-93J02	スリーブ, ウォータポン ケース	1		
3	17416-93J00	シーリング, ウォータポン ケース	1		
4	17461-93J00	インペラ, ウォータポン	1		
5	17471-93J02	パネル, ホン ケースアンタ	1		
6	17472-93J00	ガスケット, ホン ケースパネル	1		
7	17561-93J03	チューブ, ウォータ (X)	1		
8	17562-93J01	ブッシュ, ウォータチューブ アツハ	1		
9	17563-93J00	ブッシュ, ウォータチューブ ロア	1		
10	17564-93J00	ブッシュ, ウォータポン ケース	1		
11	17612-93J00	スベ-サ, ウォータチューブ	1		
12-1	17631-93J20	フィルタ, ウォータポン トサイド	1		
12-2	17631-93J30	フィルタ, ウォータポン トサイド	1	オプション	
13-1	17632-93J20	フィルタ, ウォータスターボ トサイド	1		
13-2	17632-93J30	フィルタ, ウォータスターボ トサイド	1	オプション	
14	09116-08131	ボルト (8X45)	4		
15	09132-04034	タツヒング スクリュー	1		
16	09202-06031	ピン (6X12)	2		
17	09420-05009	キー	1		
18	09168-20002	ガスケット (20. 5X30X1. 5)	1		
19	17400-93J02	キット, ウォータポン リハア	1	オプション	

FIG.160C




FIG. 160C (1-C-9) ウォータポンプ (DF250T)

見出番号	品番	品名	使用個数	備考	標準作業時間
1	17410-93J01	ケース, ウォータポンプ	1		
2	17413-93J02	スリーブ, ウォータポンプ ケース	1		
3	17416-93J00	シーリング, ウォータポンプ ケース	1		
4	17461-93J00	インペラ, ウォータポンプ	1		
5	17471-93J02	パネル, ホンダ ケースアンダー	1		
6	17472-93J00	ガスケット, ホンダ ケースパネル	1		
7-1	17561-93J03	チューブ, ウォータ (X)	1	X-TRANSOM	
7-2	17561-93J13	チューブ, ウォータ (XX)	1	XX-TRANSOM	
8	17562-93J01	ブッシュ, ウォータチューブ アダプター	1		
9	17563-93J00	ブッシュ, ウォータチューブ ロア	1		
10	17564-93J00	ブッシュ, ウォータポンプ ケース	1		
11	17612-93J00	スベーク, ウォータチューブ	1		
12-1	17631-93J20	フィルタ, ウォータポンプ サイト	1		
12-2	17631-93J30	フィルタ, ウォータポンプ サイト	1	オプション	
13-1	17632-93J20	フィルタ, ウォータポンプ サイト	1		
13-2	17632-93J30	フィルタ, ウォータポンプ サイト	1	オプション	
14	09116-08131	ホルト (8X45)	4		
15	09132-04034	タフニング スクリュー	1		
16	09202-06031	ピン (6X12)	2		
17	09420-05009	キー	1		
18	09168-20002	ガスケット (20. 5X30X1. 5)	1		
19	17400-93J02	キット, ウォータポンプ リペア	1	オプション	

FIG.162A




FIG. 162A (1-C-10) サーマスタット

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
1	11196-93J00	ホース, ウォータリターンホースード	1		
2	11197-93J00	ホース, ウォータリターンホースード	1		
3	11270-93J00	プレート, シリンダ プ ロツクウォータジ ヤケツト	1		
4	11272-93J00	ガ スケツト, シリンダ プ ロツク プ レート	1		
5	17581-93J00	パ イプ, ウォータアウトレット	2		
6	17582-93J00	ガ スケツト, ウォータアウトレットパ イプ	2		
7-1	17611-90J00-YAY	カバ ー, ウォータフ レツシヤパ ルプ (フ ラツク)	1	BODY COLOR:YAY	
7-2	17611-90J00-Y5S	カバ ー, ウォータフ レツシヤパ ルプ (ホワイ ト)	1	BODY COLOR:Y5S	
8	17660-99E01	パ ルプ, ウォータフ レツシヤ	1		
9-1	17670-90J00	サーモスタツト, ウォータ 60° C	2		
9-2	17670-90J10	サーモスタツト, ウォータ 71° C	1	オプ ション	
10	17681-93J00	カバ ー, サーマスタツト	2		
11	17711-90J00	3ウェイ, ウォータホース	1		
12	17712-93J00	ホース, ウォータ (3ウェイツエー E/Hカバ ー)	1		
13	09116-06121	ホ ルト (6X25)	2		
14	09280-26006	Oリング (D:3. 1, ID:26. 4)	1		
15	09320-12014	クツシヨ ン	1		
16	09352-50903-600	ホース (5X9X600)	1	L: 600>60	
17	09352-50903-600	ホース (5X9X600)	1	L: 600>120	
18	09352-50903-600	ホース (5X9X600)	1	L: 600>190	
19	09352-50903-600	ホース (5X9X600)	1	L: 600>300	
20	09352-50903-600	ホース (5X9X600)	1	L: 600>330	
21	09352-50903-600	ホース (5X9X600)	1		
22	09352-50903-600	ホース (5X9X600)	1		
23	09352-50903-00B	ホース (5X9X2000)	1	L: 2000>850	
24	09352-50903-00B	ホース (5X9X2000)	1	L: 2000>1010	
25	01550-08127	ホ ルト	1		
26	09367-06002	ジ ョ イント	1		
27	09401-08413	クリツプ	18		
28	09401-14409	クリツプ	2		
29	09401-25406	クリツプ	4		
30	09403-25304	クランプ	1		
31	09408-00008	クリツプ (ID:20)	1		
32	09408-00056	クリツプ	1		
33	01550-06207	ホ ルト	6		

FIG.162A




FIG. 162A (1-C-11) サーマスタット

見出番号	品番	品名	使用個数	備考	標準作業時間
34	01550-06207	ホルト	4		
35	01550-06257	ホルト	10		
36	17713-98J00	ホルタ, ウォータホース	1		
37	09401-15414	クリップ	2		
38	17915-98J01	ホース, ウォータフラッシュ	1		
39	09408-00024	クリップ (ID:23)	1		
40	09408-00021	クリップ (ID:16)	1		

FIG.163A




FIG. 163A (1-C-12) スロットルボデー (DF200T)

見出番号	品番	品名	使用個数	備考	標準作業時間
1	13130-93J30	コレクタ	1		
2	13139-93J00	・ガ・スケツト, コレクタ	1		
3	13147-93J00	・ガ・スケツト, コレクタカバー	1		
4	13138-93J00	・ボルト, コレクタ	2		
5	08322-01087	・ワッシャ	2		
6	13140-93J13	カバー, コレクタ	1		
7	18590-68H00	・センサ, プレツシャ	1		
8	13310-93J01	・ボデーアツシ, スロットルNO. 1	1		
9	13312-93J00	・・ホース, ハイバースエア	1		
10	13279-10G00	・・スクリュ, アジヤスト	1		
11	13355-93J00	・・スプリング, ハイバースエア	1		
12	13295-10G00	・・Oリング	1		
13	13320-93J00	・ボデーアツシ, スロットルNO. 2	1		
14	13421-93J00	・ガ・スケツト, スロットルボデー	2		
15	18137-93J00	・バルブ, IAC	1		
16	09280-29006	・Oリング (D:2, ID:29.5)	1		
17	01547-06257	・ボルト	4		
18	02112-3416B	・スクリュ	3		
19	02162-0520B	・スクリュ	2		
20	13144-93J00	・ガイド, スロットルラム	1		
21	13583-93J00	・アーム, リンク	1		
22	13583-93J00	・アーム, リンク	1		
23	13555-93J00	・クローメツト, リンク	4		
24	13537-93J00	・ワッシャ, リンク	4		
25	09204-01004	・コッタベツン	4		
26	13553-93J00	・レバー, NO. 1	1		
27	13554-93J00	・レバー, NO. 2	1		
28	02112-35087	・スクリュ	1		
29	09160-05043	・ワッシャ (5.5X16X1.2)	1		
30	13521-93J00	・レバー, リンク	1		
31	13514-93J00	・スベータ, リンクシャフト	1		
32	13599-93J00	・ナツト, リンクシャフト	2		
33	13538-93J00	・ワッシャ, リンクシャフトスプリング	2		
34	13541-93J00	・カム, スロットル	1		
35	13542-93J00	・スプリング, スロットルカム	1		

FIG.163A




FIG. 163A (1-C-13) スロットルボデー (DF200T)

見出番号	品番	品名	使用個数	備考	標準作業時間
36	13543-93J00	・スベーサ、スロットルカム	1		
37	01500-06307	・ボルト	1		
38	09160-06036	・ワッシャ(6. 5X18X1. 5)	1		
39	01550-06167	・ボルト	2		
40	01550-08307	ボルト	7		
41	08316-10087	ナット	2		
42	09103-08182	ボルト(8X125)	2		
43	09103-08134	ボルト(8X110)	4		
44	09108-08267	スタッドボルト	2		
45	08316-1008A	ナット	2		



DF250_000_018_163B
THROTTLE BODY



DF250_000_018

見出番号	品番	品名	使用個数	備考	標準作業時間
1	13130-93J21	コレクタ	1		
2	13139-93J00	・カ スケツト, コレクタ	1		
3	13147-93J00	・カ スケツト, コレクタカハ	1		
4	18116-93J00	・クツシヨシ, ハ キュームハ ルフ	1		
5	18117-93J00	・ハ ルフ, ハ キュームスイツチシヤ	1		
6	18119-93J00	・フ ラケツト, ハ キュームハ ルフ	1		
7	09169-05018	・ワツシヤ	1		
8	01550-08167	・ホ ルト	1		
9	02112-0512A	・スクリュ	1		
10	09355-35754-00B	・ホース(3. 5X7. 5X2000)	1	L:2000>610	
11	09355-35754-601	・ホース(3. 5X7. 5X601)	1	L:601>160	
12	18498-90J00	・フ ロケツタ, エハ ホー ス(9. 5X11. 5X290)	1	L:290>140	
13	13138-93J00	・ホ ルト, コレクタ	2		
14	08322-01087	・ワツシヤ	2		
15	13140-93J03	カハ, コレクタ	1		
16	18590-68H00	・センザ, フ レツシヤ	1		
17	13310-93J01	・ホ テー アツシ, スロツトルNO. 1	1		
18	13312-93J00	・ホース, ハ イハ スエア	1		
19	13279-10G00	・スクリュ, アシ ヤスト	1		
20	13355-93J00	・スフ リンク, ハ イハ スエア	1		
21	13295-10G00	・オリンク	1		
22	13320-93J00	・ホ テー アツシ, スロツトルNO. 2	1		
23	13421-93J00	・カ スケツト, スロツトルホ テー	2		
24	13730-93J00	・チヤンハ, ハ キューム	1		
25	18137-93J00	・ハ ルフ, IAC	1		
26	95569-78040	・ハ ルフ, チエツク	1		
27	09280-29006	・オリンク (D:2, ID:29. 5)	1		
28	01547-06257	・ホ ルト	4		
29	01550-06307	・ホ ルト	2		
30	02112-3416B	・スクリュ	3		
31	02162-0520B	・スクリュ	2		
32	13144-93J00	・カ ト, スロツトルラム	1		
33	09355-35754-601	・ホース(3. 5X7. 5X601)	1	L:601>30	
34	09355-35754-00B	・ホース(3. 5X7. 5X2000)	1	L:2000>165	
35	13583-93J00	・アーム, リンク	1		

FIG.163B




FIG. 163B (1-C-15) スロットルボデー (DF225T, DF250T)

見出番号	品番	品名	使用個数	備考	標準作業時間
36	13583-93J00	・アーム, リンク	1		
37	13555-93J00	・クローメット, リンク	4		
38	13537-93J00	・ワッシャ, リンク	4		
39	09204-01004	・コッタピン	4		
40	13553-93J00	・レバー, NO. 1	1		
41	13554-93J00	・レバー, NO. 2	1		
42	02112-35087	・スクリュー	1		
43	09160-05043	・ワッシャ (5. 5X16X1. 2)	1		
44	13521-93J00	・レバー, リンク	1		
45	13514-93J00	・スベーサ, リンクシャフト	1		
46	13599-93J00	・ナット, リンクシャフト	2		
47	13538-93J00	・ワッシャ, リンクシャフトスフリンク	2		
48	13541-93J00	・カム, スロットル	1		
49	13542-93J00	・スフリンク, スロットルカム	1		
50	13543-93J00	・スベーサ, スロットルカム	1		
51	01500-06307	・ボルト	1		
52	09160-06036	・ワッシャ (6. 5X18X1. 5)	1		
53	01550-06167	・ボルト	2		
54	01550-08307	・ボルト	7		
55	08316-10087	・ナット	2		
56	13132-93J00	・ファネル, エアコレクタ	6		
57	13133-93J00	・ブラケット, コレクタファネル, エア	1		
58	09103-08182	・ボルト (8X125)	2		
59	09103-08134	・ボルト (8X110)	4		
60	09108-08267	・スタッドボルト	2		
61	09329-06002	・クッション	6		
62	01550-0820A	・ボルト	2		
63	08316-1008A	・ナット	2		
64	09408-00060	・クランプ	1		

FIG.164A




FIG. 164A (1-C-16) スロットルロッド*

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
1	13510-93J00	ロッド*, スロットルNO. 1	1		
2	19115-93J01	ホルダ*, スロットルレバ -	1		
3	19121-93J02	レバ - , スロットルNO. 1	1		
4	19148-93J00	ドラム, スロットル	1		
5	19184-93J00	ブラケット, スロットルケーブ ル	1		
6	19185-93J00	スフ リング*, スロットルレバ -	1		
7	63610-93J00	ケーブ ル, スロットル	2		
8	67463-95200	コネクタ, スロットルコントロール	1		
9	09119-06047	ピ スト	1		
10	09140-05005	ナット	1		
11	09160-06066	ワッシャ (6. 5X20X1. 6)	1		
12	09180-06186	スベ -サ (6. 2X12. 6X21)	1		
13	09180-06230	スベ -サ (6. 2X12. 6X12. 5)	1		
14	09407-11401	クランプ* (L: 95)	1		
15	01550-06167	ホ ルト	1		
16	01550-06257	ホ ルト	1		
17	01550-06357	ホ ルト	1		
18	01550-08607	ホ ルト	2		

FIG.175A





FIG. 175A (1-D-2) オイルポンプ

見出番号	品番	品名	使用個数	備考	標準作業時間
1	12632-93J11	スプ ロケツト, オイルポンプ トライブ	1		
2	16113-93J10	スプ ロケツト, オイルポンプ トライブ	1		
3	16400-93J03	ポンプ アツシ, オイル	1		
4	16520-93J00	ストレーナ, オイルポンプ	1		
5	16760-93J00	チェーン, オイルポンプ トライブ	1		
6	16781-93J00	テンシヨナ, オイルポンプ チェーン	1		
7	16782-93J00	スプ リンク, オイルポンプ テンシヨナ	1		
8	16783-93J01	ホルト, オイルポンプ テンシヨナ	1		
9	09181-12158	シム (12X20X0.5)	1		
10	09280-22020	Oリング (D:2.4, ID:21.8)	2		
11	01550-0616A	ホルト	3		
12	01550-0845A	ホルト	1		
13	01550-0865A	ホルト	3		
14	01550-0885A	ホルト	1		
15	08110-60020	ベアリング	1		

FIG.180A




DF250_000_018_180A
OIL PAN

FIG.180A (1-D-3) オイルパン

見出番号	品番	品名	使用個数	備考	標準作業時間
1-1	11261-93J10-YAY	カバー, プロテクションアノード (ブラツク)	1	BODY COLOR:YAY	
1-2	11261-93J10-Y5S	カバー, プロテクションアノード (ホワイト)	1	BODY COLOR:Y5S	
2-1	55321-87J01	アノード, プロテクション	1		
2-2	55321-87J11	アノード (マグネシウム)	1	オプション	
3	29103-93J30	ボルト	1		
4	09103-06281	ボルト (6X14)	1		
5	09280-22019	Oリング (D:1.9, ID:21.8)	1		
6	11489-93J00	ガスケット, オイルパン	1		
7-1	11501-93J03-YAY	パン, オイル (ブラツク)	1	BODY COLOR:YAY	
7-2	11501-93J03-Y5S	パン, オイル (ホワイト)	1	BODY COLOR:Y5S	
8	11591-93J10	ユニオン, オイルパン	1		
9-1	11541-93J00-YAY	バンプ, エキゾースト	1	BODY COLOR:YAY	
9-2	11541-93J00-Y5S	バンプ, エキゾースト (ホワイト)	1	BODY COLOR:Y5S	
10	14154-93J01	シール, エキゾーストチューブ	1		
11	14211-93J00	チューブ, エキゾースト	1		
12	14212-93J00	ガスケット, エキゾーストチューブ	1		
13	29116-93J00	ボルト	4		
14	11435-93J00	バンプ, エキゾーストレリース	1		
15	09168-12012	ガスケット (12.5X20X2.5)	1		
16	09248-12009	ブラケット (12X18.65)	1		
17	09202-08006	ピン (8X12)	2		
18	09202-08006	ピン (8X12)	2		
19	01550-1050A	ボルト	4		
20	09116-08128	ボルト (8X40)	10		
21	09116-10175	ボルト (10X50)	2		
22	09116-10146	ボルト (10X195)	2		
23	09116-10184	ボルト (10X200)	2		
24	29103-93J00	ボルト (6X12)	1		
25	29404-93J10	クランプ	1		
26	16910-93J00	ゲージ, オイルレベル	1		
27	16930-93J00	ガイド, オイルレベルゲージ	1		
28	09280-09008	Oリング (D:2.1, ID:8.8)	1		
29	01550-06127	ボルト	1		

DF250_000_018

FIG.204A



DF250_000_018_204A
CLUTCHSHAFT

FIG. 204A (1-D-4) クラッチシャフト (DF200T)

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
1	21100-93J02	レバ ーアッシ, クラッチ	1		
2	21131-93J00	ブ ッシュ, クラッチレバ ー	1		
3	21151-93J00	ホルダ ー, クラッチレバ ー	1		
4	21155-93J00	ブ レート, シフトレバ ー	1		
5	21210-93J01	シャフト, クラッチ	1		
6	21230-93J01	アーム, クラッチシャフト	1		
7-1	23111-93J00	ロツト ー, クラッチ	1	X-TRANSOM	
7-2	23111-93J10	ロツト ー, クラッチ (L)	1	L-TRANSOM	
8	23115-93J00	リンク, クラッチレバ ー	1		
9	25223-94400	シール, シフトロツト ータ スト	1		
10	09160-06094	ワッシャ (6. 5X15X1. 0)	2		
11	09204-01006	コツタビ ン	2		
12	09205-10006	ピ ン	1		
13	09248-12011	ブ ラグ (12X9)	1		
14	09260-10005	ホ ール	1		
15	09262-17019	ベ アリング (17X35X8)	1		
16	09289-18001	オイルシール	1		
17	09306-06004	ブ ッシュ	2		
18	09306-10001	ブ ッシュ	3		
19	09383-08004	Eリング	1		
20	09440-07051	スプ リング	1		
21	01550-06207	ホ ルト	1		
22	02142-05107	スクリュ	2		
23	08331-41359	サークリツツ	1		

DF250_000_018

FIG.204B




FIG. 204B (1-D-5) クラッチシャフト (DF225T, DF250T)

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
1	21100-93J02	レバ－アツシ, クラツチ	1		
2	21131-93J00	ブ－ツシュ, クラツチレバ－	1		
3	21151-93J00	ホルタ－, クラツチレバ－	1		
4	21155-93J00	ブ－レート, シフトレバ－	1		
5	21210-93J01	シャフト, クラツチ	1		
6	21230-93J01	ア－ム, クラツチシャフト	1		
7	23111-93J00	ロツト－, クラツチ	1		
8	23115-93J00	リンク, クラツチレバ－	1		
9	25223-94400	シ－ル, シフトロツト－タ－スト	1		
10	09160-06094	ワツシヤ (6. 5X15X1. 0)	2		
11	09204-01006	コツタビ－ン	2		
12	09205-10006	ビ－ン	1		
13	09248-12011	ブ－ラケ－ (12X9)	1		
14	09260-10005	ホ－ル	1		
15	09262-17019	ベ－アリング (17X35X8)	1		
16	09289-18001	オイルシ－ル	1		
17	09306-06004	ブ－ツシュ	2		
18	09306-10001	ブ－ツシュ	3		
19	09383-08004	Eリング	1		
20	09440-07051	スプ－リング	1		
21	01550-06207	ホルト	1		
22	02142-05107	スクリュ	2		
23	08331-41359	サークリツフ	1		

FIG.206A




FIG. 206A (1-D-6) クラッチロッド (DF200T, DF225T)

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
1	25111-93J00	ロッド, シフト(X)	1		
2	25131-93J00	ヨーク, シフト	1		
3	25232-96302	マク ネト, キ ヤケース	2		
4	09205-02006	ピン	2		
5	25141-93J00	ハウジ ング, シフトロッド ガ イト	1		
6	25223-94400	シール, シフトロッド タ スト	1		
7	09282-08005	オイルシール	1		
8	25321-93J00	スライダ, シフトホリゾンタル	1		
9	29116-93J00	ボ ルト	2		
10	09160-08151	ワッシャ (8. 5X26X1. 6)	1		
11	09280-60007	リング (D:3. 5, ID:59. 6)	1		

FIG.206B




FIG. 206B (1-D-7) クラッチロッド (DF250T)

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
1-1	25111-93J00	ロッド, シフト (X)	1	X-TRANSOM	
1-2	25111-93J10	ロッド, シフト (XX)	1	XX-TRANSOM	
2	25131-93J00	ヨーク, シフト	1		
3	25232-96302	マクネット, キヤケース	2		
4	09205-02006	ピン	2		
5	25141-93J00	ハウジング, シフトロッドガイド	1		
6	25223-94400	シール, シフトロッドタスト	1		
7	09282-08005	オイルシール	1		
8	25321-93J00	スライダ, シフトホリゾンタル	1		
9	29116-93J00	ボルト	2		
10	09160-08151	ワッシャ (8. 5X26X1. 6)	1		
11	09280-60007	Oリング (D:3. 5, ID:59. 6)	1		

FIG.220A




FIG. 220A (1-D-8) トランスミッション (DF200T)

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
1-1	57110-96J51	シャフト, ドライブ (L)	1	L-TRANSOM	
1-2	57110-93J21	シャフト, ドライブ (X)	1	X-TRANSOM	
2	57133-93J00	カラー, ドライブ シャフト	1		
3	57134-93J00	スベ-サ, ドライブ シャフトへ アリク	1		
4	09159-28003	ナット	1		
5	09269-32001	ベ アリク (32X66X49)	1		
6	57300-93860	ビ ニオン/キ ャセット	1		
7-1	09181-60004	シム (60X66X0.45)	1		
7-2	09181-60005	シム (60X66X0.5)	1		
7-3	09181-60006	シム (60X66X0.55)	1		
7-4	09181-60007	シム (60X66X0.6)	1		
7-5	09181-60008	シム (60X66X0.65)	1		
7-6	09181-60009	シム (60X66X0.7)	1		
7-7	09181-60010	シム (60X66X0.75)	1		
7-8	09181-60011	シム (60X66X0.8)	1		
7-9	09181-60012	シム (60X66X0.85)	1		
7-10	09181-60013	シム (60X66X0.9)	1		
8	09140-16021	ナット	1		
9	08221-16256	シム	1		
10	57500-87861	シムセット, リバ-スフ ロツブ シャフト	1		
11-1	08211-30382	ワツジヤ	1		
11-2	09160-30036	ワツジヤ (30X38X1.7)	1		
11-3	09160-30037	ワツジヤ (30X38X1.9)	1		
11-4	09160-30038	ワツジヤ (30X38X2.1)	1		
11-5	08211-30384	ワツジヤ	1		
11-6	09160-30039	ワツジヤ (30X38X2.3)	1		
11-7	09160-30041	ワツジヤ (30X38X2.4)	1		
11-8	08211-30385	ワツジヤ	1		
11-9	09160-30042	ワツジヤ (30X38X2.6)	1		
11-10	09160-30043	ワツジヤ (30X38X2.7)	1		
11-11	09160-30044	ワツジヤ (30X38X2.8)	1		
12	09160-75002	ワツジヤ (75X100X2)	1	FWD GEAR	
13	57500-87852	シムセット, リバ-スキ ャ	1		
14-1	09181-50013	シム (50X62X1)	1	REV GEAR	
14-2	09181-50012	シム (50X62X1.1)	1	REV GEAR	

FIG.220A




FIG. 220A (1-D-9) トランスミツション (DF200T)

見出番号	品 番	品 名	使用個数	備 考	標準 作業時間
14-3	09181-50005	・シム (50X62X1. 2)	1	REV GEAR	
14-4	09181-50006	・シム (50X62X1. 3)	1	REV GEAR	
14-5	09181-50007	・シム (50X62X1. 4)	1	REV GEAR	
14-6	09181-50008	・シム (50X62X1. 5)	1	REV GEAR	
14-7	09181-50009	・シム (50X62X1. 6)	1	REV GEAR	
14-8	09181-50010	・シム (50X62X1. 7)	1	REV GEAR	
15-1	09181-75018	シム (75X100X0. 5)	1	FWD GEAR	
15-2	09181-75019	シム (75X100X0. 55)	1	FWD GEAR	
15-3	09181-75012	シム (75X100X0. 6)	1	FWD GEAR	
15-4	09181-75013	シム (75X100X0. 65)	1	FWD GEAR	
15-5	09181-75008	シム (75X100X0. 7)	1	FWD GEAR	
15-6	09181-75014	シム (75X100X0. 75)	1	FWD GEAR	
15-7	09181-75009	シム (75X100X0. 8)	1	FWD GEAR	
15-8	09181-75015	シム (75X100X0. 85)	1	FWD GEAR	
15-9	09181-75010	シム (75X100X0. 9)	1	FWD GEAR	
15-10	09181-75016	シム (75X100X0. 95)	1	FWD GEAR	
15-11	09181-75011	シム (75X100X1)	1	FWD GEAR	
16	09269-75002	ベ アリング (75X100X4)	1		
17	57610-93J00	シャフト, フ ロベ ラ	1		
18	57621-93J10	シフト, クラツチツグ	1		
19	09202-08007	ピ ン (8X49)	1		
20	57631-93J00	ピ ン, コネクタ	1		
21	09440-52003	スプ リング	1		
22	09440-09040	スプ リング	1		
23	06111-07004	ホ ール	2		
24	06111-11004	ホ ール	2		
25	09180-25082	スベ ーサ (25X36. 5X9. 5)	1		
26-1	56120-93J50-YAY	ハウジング, フ ロベ ラシャフトベ アリング	1	BODY COLOR:YAY	
26-2	56120-93J50-Y5S	ハウジング, フ ロベ ラシャフトベ アリング (WH)	1	BODY COLOR:Y5S	
27	09263-30063	・ベ アリング (30X40X25)	2		
28	09280-00040	・オリツグ (D:3. 1, ID:104. 4)	1		
29	09282-30006	・オイルシール	2		
30	09381-40003	・サークルツブ	1		
31	08113-60100	・ベ アリング	1		
32	09116-08158	ホ ルト (8X35)	2		

FIG.220A




FIG. 220A (1-D-10) トランスミッション (DF200T)

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
33	56130-93J02	ハウジング, ドライブシャフトアリング	1		
34	09280-66004	・Oリング (D:3.1, ID:65.4)	1		
35	09282-24004	・オイルシール	2		
36	09381-40003	・サークリップ	1		
37	56140-93J01	ハウジング, フォワードギヤベアリング	1		
38	04221-08129	・ピン	1		
39	09263-50009	・ベアリング (50X65X25)	1		

見出番号	品番	品名	使用個数	備考	標準作業時間
1	57110-93J21	シャフト, トﾞ ライフ (X)	1		
2	57133-93J00	カラー, トﾞ ライフ シャフト	1		
3	57134-93J00	スベ-ーサ, トﾞ ライフ シャフトベ- アリソグ	1		
4	09159-28003	ナツト	1		
5	09269-32001	ベ- アリソグ (32X66X49)	1		
6	57300-93860	ヒ- ニオン/ギ- ヤセツト	1		
7-1	09181-60004	シム (60X66X0. 45)	1		
7-2	09181-60005	シム (60X66X0. 5)	1		
7-3	09181-60006	シム (60X66X0. 55)	1		
7-4	09181-60007	シム (60X66X0. 6)	1		
7-5	09181-60008	シム (60X66X0. 65)	1		
7-6	09181-60009	シム (60X66X0. 7)	1		
7-7	09181-60010	シム (60X66X0. 75)	1		
7-8	09181-60011	シム (60X66X0. 8)	1		
7-9	09181-60012	シム (60X66X0. 85)	1		
7-10	09181-60013	シム (60X66X0. 9)	1		
8	09140-16021	ナツト	1		
9	08221-16256	シム	1		
10	57500-87861	シムセツト, リハ-ースフ- ロツフ シャフト	1		
11-1	08211-30382	-ワツジヤ	1		
11-2	09160-30036	-ワツジヤ (30X38X1. 7)	1		
11-3	09160-30037	-ワツジヤ (30X38X1. 9)	1		
11-4	09160-30038	-ワツジヤ (30X38X2. 1)	1		
11-5	08211-30384	-ワツジヤ	1		
11-6	09160-30039	-ワツジヤ (30X38X2. 3)	1		
11-7	09160-30041	-ワツジヤ (30X38X2. 4)	1		
11-8	08211-30385	-ワツジヤ	1		
11-9	09160-30042	-ワツジヤ (30X38X2. 6)	1		
11-10	09160-30043	-ワツジヤ (30X38X2. 7)	1		
11-11	09160-30044	-ワツジヤ (30X38X2. 8)	1		
12	09160-75002	ワツジヤ (75X100X2)	1	FWD GEAR	
13	57500-87852	シムセツト, リハ-ースギ- ヤ	1		
14-1	09181-50013	-シム (50X62X1)	1	REV GEAR	
14-2	09181-50012	-シム (50X62X1. 1)	1	REV GEAR	
14-3	09181-50005	-シム (50X62X1. 2)	1	REV GEAR	

FIG.220B




FIG. 220B (1-D-12) トランスミッション (DF225T)

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
14-4	09181-50006	・シム (50X62X1. 3)	1	REV GEAR	
14-5	09181-50007	・シム (50X62X1. 4)	1	REV GEAR	
14-6	09181-50008	・シム (50X62X1. 5)	1	REV GEAR	
14-7	09181-50009	・シム (50X62X1. 6)	1	REV GEAR	
14-8	09181-50010	・シム (50X62X1. 7)	1	REV GEAR	
15-1	09181-75018	シム (75X100X0. 5)	1	FWD GEAR	
15-2	09181-75019	シム (75X100X0. 55)	1	FWD GEAR	
15-3	09181-75012	シム (75X100X0. 6)	1	FWD GEAR	
15-4	09181-75013	シム (75X100X0. 65)	1	FWD GEAR	
15-5	09181-75008	シム (75X100X0. 7)	1	FWD GEAR	
15-6	09181-75014	シム (75X100X0. 75)	1	FWD GEAR	
15-7	09181-75009	シム (75X100X0. 8)	1	FWD GEAR	
15-8	09181-75015	シム (75X100X0. 85)	1	FWD GEAR	
15-9	09181-75010	シム (75X100X0. 9)	1	FWD GEAR	
15-10	09181-75016	シム (75X100X0. 95)	1	FWD GEAR	
15-11	09181-75011	シム (75X100X1)	1	FWD GEAR	
16	09269-75002	ベアリング (75X100X4)	1		
17	57610-93J00	シャフト, プローバ	1		
18	57621-93J10	シフト, クラッチツグ	1		
19	09202-08007	ピン (8X49)	1		
20	57631-93J00	ピン, コネクタ	1		
21	09440-52003	スプリング	1		
22	09440-09040	スプリング	1		
23	06111-07004	ボール	2		
24	06111-11004	ボール	2		
25	09180-25082	スベサ (25X36. 5X9. 5)	1		
26-1	56120-93J50-YAY	ハウジング, プローバシャフトベアリング	1	BODY COLOR:YAY	
26-2	56120-93J50-Y5S	ハウジング, プローバシャフトベアリング (WH)	1	BODY COLOR:Y5S	
27	09263-30063	ベアリング (30X40X25)	2		
28	09280-00040	オリング (D:3. 1, ID:104. 4)	1		
29	09282-30006	オイルシール	2		
30	09381-40003	サーキット	1		
31	08113-60100	ベアリング	1		
32	09116-08158	ホルト (8X35)	2		
33	56130-93J02	ハウジング, ドライブシャフトベアリング	1		

見出番号	品番	品名	使用個数	備考	標準作業時間
34	09280-66004	・Oリング (D:3.1, ID:65.4)	1		
35	09282-24004	・オイルシール	2		
36	09381-40003	・サーキットブ	1		
37	56140-93J01	ハウジング*, フォワートキ* ヤヘ* アリナク*	1		
38	04221-08129	・ヒン	1		
39	09263-50009	・ヘ* アリナク* (50X65X25)	1		

Exploded view diagram of a mechanical assembly, likely a pump or motor component. The diagram shows the following parts and their assembly sequence:

- 1**: Main shaft assembly.
- 2**: Central shaft component.
- 3**: Seal or O-ring.
- 4**: Small ring or washer.
- 5**: Large housing or bearing.
- 6**: Housing or bearing component.
- 7**: Seal or O-ring.
- 8**: Small ring or washer.
- 9**: Gear or impeller.
- 10-11**: Seal or O-ring.
- 12**: Seal or O-ring.
- 13-14**: Seal or O-ring.
- 15**: Seal or O-ring.
- 16**: Seal or O-ring.
- 17**: Main shaft assembly.
- 18**: Housing or bearing component.
- 19**: Gear or impeller.
- 20**: Small ring or washer.
- 21**: Gear or impeller.
- 22**: Small ring or washer.
- 23**: Seal or O-ring.
- 24**: Small ring or washer.
- 25**: Small ring or washer.
- 26**: Housing or bearing component.
- 27**: Seal or O-ring.
- 28**: Seal or O-ring.
- 29**: Seal or O-ring.
- 30**: Seal or O-ring.
- 31**: Seal or O-ring.
- 32**: Small ring or washer.
- 33**: Seal or O-ring.
- 34**: Seal or O-ring.
- 35**: Seal or O-ring.
- 36**: Seal or O-ring.
- 37**: Seal or O-ring.
- 38**: Seal or O-ring.
- 39**: Seal or O-ring.

A 'FWD' arrow is located at the bottom left, indicating the forward direction of the shaft assembly.

見出番号	品番	品名	使用個数	備考	標準作業時間
1-1	57110-93J21	シャフト, ド・ライフ (X)	1	X-TRANSOM	
1-2	57110-93J31	シャフト, ド・ライフ (XX)	1	XX-TRANSOM	
2	57133-93J00	カラー, ド・ライフ シャフト	1		
3	57134-93J00	スベ-サ, ド・ライフ シャフトへ アリソク	1		
4	09159-28003	ナツト	1		
5	09269-32001	へ アリソク (32X66X49)	1		
6	57300-93860	ヒ-ニソク/キ-ヤセツト	1		
7-1	09181-60004	シム (60X66X0. 45)	1		
7-2	09181-60005	シム (60X66X0. 5)	1		
7-3	09181-60006	シム (60X66X0. 55)	1		
7-4	09181-60007	シム (60X66X0. 6)	1		
7-5	09181-60008	シム (60X66X0. 65)	1		
7-6	09181-60009	シム (60X66X0. 7)	1		
7-7	09181-60010	シム (60X66X0. 75)	1		
7-8	09181-60011	シム (60X66X0. 8)	1		
7-9	09181-60012	シム (60X66X0. 85)	1		
7-10	09181-60013	シム (60X66X0. 9)	1		
8	09140-16021	ナツト	1		
9	08221-16256	シム	1		
10	57500-87861	シムセツト, リハ-ースフ ロツフ シャフト	1		
11-1	08211-30382	・ワツシヤ	1		
11-2	09160-30036	・ワツシヤ (30X38X1. 7)	1		
11-3	09160-30037	・ワツシヤ (30X38X1. 9)	1		
11-4	09160-30038	・ワツシヤ (30X38X2. 1)	1		
11-5	08211-30384	・ワツシヤ	1		
11-6	09160-30039	・ワツシヤ (30X38X2. 3)	1		
11-7	09160-30041	・ワツシヤ (30X38X2. 4)	1		
11-8	08211-30385	・ワツシヤ	1		
11-9	09160-30042	・ワツシヤ (30X38X2. 6)	1		
11-10	09160-30043	・ワツシヤ (30X38X2. 7)	1		
11-11	09160-30044	・ワツシヤ (30X38X2. 8)	1		
12	09160-75002	ワツシヤ (75X100X2)	1	FWD GEAR	
13	57500-87852	シムセツト, リハ-ースキ-ヤ	1		
14-1	09181-50013	・シム (50X62X1)	1	REV GEAR	
14-2	09181-50012	・シム (50X62X1. 1)	1	REV GEAR	

FIG.220C




FIG. 220C (1-D-15) トランスミッション (DF250T)

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
14-3	09181-50005	・シム (50X62X1. 2)	1	REV GEAR	
14-4	09181-50006	・シム (50X62X1. 3)	1	REV GEAR	
14-5	09181-50007	・シム (50X62X1. 4)	1	REV GEAR	
14-6	09181-50008	・シム (50X62X1. 5)	1	REV GEAR	
14-7	09181-50009	・シム (50X62X1. 6)	1	REV GEAR	
14-8	09181-50010	・シム (50X62X1. 7)	1	REV GEAR	
15-1	09181-75018	シム (75X100X0. 5)	1	FWD GEAR	
15-2	09181-75019	シム (75X100X0. 55)	1	FWD GEAR	
15-3	09181-75012	シム (75X100X0. 6)	1	FWD GEAR	
15-4	09181-75013	シム (75X100X0. 65)	1	FWD GEAR	
15-5	09181-75008	シム (75X100X0. 7)	1	FWD GEAR	
15-6	09181-75014	シム (75X100X0. 75)	1	FWD GEAR	
15-7	09181-75009	シム (75X100X0. 8)	1	FWD GEAR	
15-8	09181-75015	シム (75X100X0. 85)	1	FWD GEAR	
15-9	09181-75010	シム (75X100X0. 9)	1	FWD GEAR	
15-10	09181-75016	シム (75X100X0. 95)	1	FWD GEAR	
15-11	09181-75011	シム (75X100X1)	1	FWD GEAR	
16	09269-75002	ベ アリング (75X100X4)	1		
17	57610-93J00	シャフト, フ ロベ ラ	1		
18	57621-93J10	シフト, クラツチツグ	1		
19	09202-08007	ピ ン (8X49)	1		
20	57631-93J00	ピ ン, コネクタ	1		
21	09440-52003	スプ リング	1		
22	09440-09040	スプ リング	1		
23	06111-07004	ホ ール	2		
24	06111-11004	ホ ール	2		
25	09180-25082	スベ ーサ (25X36. 5X9. 5)	1		
26-1	56120-93J50-YAY	ハウジング, フ ロベ ラシャフトベ アリング	1	BODY COLOR:YAY	
26-2	56120-93J50-Y5S	ハウジング, フ ロベ ラシャフトベ アリング (WH)	1	BODY COLOR:Y5S	
27	09263-30063	・ベ アリング (30X40X25)	2		
28	09280-00040	・オリツグ (D:3. 1, ID:104. 4)	1		
29	09282-30006	・オイルシール	2		
30	09381-40003	・サークルツブ	1		
31	08113-60100	・ベ アリング	1		
32	09116-08158	ホ ルト (8X35)	2		

FIG.220C




FIG. 220C (1-D-16) トランスミッション (DF250T)

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
33	56130-93J02	ハウジング, ドライブシャフトアリング	1		
34	09280-66004	・Oリング (D:3.1, ID:65.4)	1		
35	09282-24004	・オイルシール	2		
36	09381-40003	・サークリップ	1		
37	56140-93J01	ハウジング, フォワードギヤベアリング	1		
38	04221-08129	・ピン	1		
39	09263-50009	・ベアリング (50X65X25)	1		

FIG.301A




FIG. 301A (1-E-2) スターティングモータ

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
1	31100-98L00	モータアツシ, スターティング	1		
2	31150-98L00	・ケース, キヤ	1		
3	31170-92J00	・ハウジング, リヤ	1		
4	31173-98L00	・ホルダ アツシ, フラシ	1		
5	31191-63J00	・レバ アツシ	1		
6	31220-98L00	・スイッチアツシ	1		
7	31311-63J00	・アマチュア	1		
8	31192-92J00	・スクリュセツト	1		
9	31261-75F10	・ホ ルト	2		
10	31340-98L00	・クラツチセツト, スターティング モータ	1		
11	31313-86030	・・ストツハ セツト	1		
12	31320-98L00	・・ヒ ニオン	1		
13	31341-98L00	・・シヤフト, ヒ ニオン	1		
14	31343-63J00	・・インタナリキヤ	1		
15	31344-63J00	・・キ ヤアツシ	3		
16	31912-93J01	ハ ント, スタータモータ	1		
17	31918-92J01	タ ンバ, ロア	1		
18	01550-08207	ホ ルト	2		
19	01550-08307	ホ ルト	2		
20	36645-93J00	リート ワイヤ, スターティング モータ	1		
21	38860-76F01	リレーアツシ	1		
22	38915-90J00	ホルダ, リレー	1		

FIG.303A




FIG. 303A (1-E-3) マグネト (DF200T, DF225T)

見出番号	品番	品名	使用個数	備考	標準作業時間
1	32102-93J02	フライホイール, マグネト	1		
2	09103-12125	ボルト (12X26)	8		
3	09202-06031	ピン (6X12)	1		
4	32120-93J00	コイル, ハンダリチャージング	1		
5	32131-93J00	ホルダ, スタータコネクタ	1		
6	01550-06167	ボルト	2		
7	32160-88L00	コイル, イグニッションタイミング	1		
8	09106-05030	ボルト (5X10)	2		
9	33220-69J00	センサアジャスト, カムシャフトポジション	1		
10	33221-42F00	・Oリング	1		
11	01550-06167	ボルト	1		
12	09103-06231	ボルト (6X35)	4		
13	09403-13408	クランプ	2		
14	01550-06127	ボルト	2		

FIG.303B




FIG. 303B (1-E-4) マグネト (DF250T)

見出番号	品番	品名	使用個数	備考	標準作業時間
1	32102-93J02	フライホイール, マグネト	1		
2	09103-12125	ボルト (12X26)	8		
3	09202-06031	ピン (6X12)	1		
4	32120-93J00	コイル, ハンズリチャージング	1		
5	32131-93J00	ホルダ, スタータコネクタ	1		
6	01550-06167	ボルト	2		
7	32160-88L00	コイル, イグニッションタイミング	1		
8	09106-05030	ボルト (5X10)	2		
9	33220-69J00	センサアジャスト, カムシャフトポジション	3		
10	33221-42F00	・Oリング	3		
11	01550-06167	ボルト	3		
12	09103-06231	ボルト (6X35)	4		
13	09403-13408	クランプ	2		
14	01550-06127	ボルト	2		

FIG.310A

FIG. 310A (1-E-5) レクチファイア/イクニション コイル

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
1	32800-93J03	レクチファイア/レキニションコイル	2		
2	32805-93J00	リング, レクチファイア/レキニションコイル	2		
3	32890-93J01	ホルダ, エレクトリックハーツ	1		
4	32891-93J00	カバー, エレクトリックハーツホルダ	1		
5	09169-06062	ワッシャ	4		
6	09320-09016	クッション (9X18X9.5)	4		
7	09116-06202	ボルト (6X25)	4		
8	01550-06257	ボルト	4		
9	33410-93J00	コイルアッパ, イクニション	6		
10	01550-06207	ボルト	6		
11	09408-00021	クリップ (ID:16)	1		




FIG.315A




FIG. 315A (1-E-6) センサ (DF200T)

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
1	13650-52G00	センサ, インレットエアテンパ` レチャ	1		
2	13655-87J00	グ` ロメット, エアテンパ` レチャセンサ	1		
3	34801-93J03	センタ` アツシ, トリム	1	X-TRANSOM	
4	34830-87J20	センサ, テンパ` レチャ	2	FOR EXHAUST TEMP	
5	34830-87J20	センサ, テンパ` レチャ	1	FOR CYLINDER TEMP	
6	37820-99E02	スイツチアツシ, オイルフ` レツシヤ	1		
7	09100-06113	ホ` ルト (6X16)	2	X-TRANSOM	
8	29103-93J00	ホ` ルト (6X12)	1	X-TRANSOM	
9	09125-06063	スクリュ (6X10)	1	X-TRANSOM	
10	09403-19409	クランブ`	1	X-TRANSOM	
11	29404-93J10	クランブ`	1	X-TRANSOM	
12	09407-14407	クランブ` (L: 145)	2		
13	34801-99E04	センタ` アツシ, トリム	1	L-TRANSOM	
14	09103-06093	ホ` ルト (6X20)	2	L-TRANSOM	
15	09103-06093	ホ` ルト (6X20)	1	L-TRANSOM	
16	29404-93J20	クランブ`	1	L-TRANSOM	
17	34813-93J00	ブ` ロテクタ, リート` ワイヤ	1	L-TRANSOM	
18	29103-93J00	ホ` ルト (6X12)	1	L-TRANSOM	
19	09403-19409	クランブ`	1	L-TRANSOM	
20	09403-20308	クランブ`	1	L-TRANSOM	
21	43117-96J00	カム, トリムセンタ`	1	L-TRANSOM	
22	09116-05010	ホ` ルト (5X12)	2	L-TRANSOM	
23	43118-96J00	ブ` レート, トリムセンタ` カム	1	L-TRANSOM	
24	41118-96J00	ブ` レート, トリムセンタ`	1	L-TRANSOM	
25	09403-07340	クランブ`	1	X-TRANSOM	

FIG.315B

FIG. 315B (1-E-7) センサ (DF225T, DF250T)

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
1	13650-52G00	センサ, インレットエアテンバ ^レ レチャ	1		
2	13655-87J00	グ ^レ ロメット, エアテンバ ^レ レチャセンサ	1		
3	34801-93J03	センタ ^レ アツシ, トリム	1		
4	34830-87J20	センサ, テンバ ^レ レチャ	2	FOR EXHAUST TEMP	
5	34830-87J20	センサ, テンバ ^レ レチャ	1	FOR CYLINDER TEMP	
6	37820-99E02	スイツチアツシ, オイルフ ^レ レツシヤ	1		
7	09100-06113	ホ ^レ ルト (6X16)	2		
8	29103-93J00	ホ ^レ ルト (6X12)	1		
9	09125-06063	スクリュ (6X10)	1		
10	09403-19409	クランフ ^レ	1		
11	29404-93J10	クランフ ^レ	1		
12	09407-14407	クランフ ^レ (L: 145)	2		
13	09403-07340	クランフ ^レ	1		




FIG.322A




FIG. 322A (1-E-8) ハーネス (DF200T)

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
1	33810-98J00	ケーブルアッソシ. スタータモータ	1		
2	08316-10087	ナット	1		
3	36616-93J01	ホルダ, コネクタ	1		
4	09169-06062	ワッシャ	1		
5	09320-04009	ブッシュ	2		
6	09320-09016	クッション (9X18X9. 5)	1		
7	01550-06257	ホルト	1		
8	36630-93J10	ハーネスアッソシ. ワイヤリング	1		
9	33634-96J00	・キャップ, サービ スコネクタ	1		
10	09481-15501	・フューズ (15A)	1		
11	09481-30501	・フューズ (30A)	1		
12	36617-93J00	ブラケット, ハーネス	3		
13	36617-93J10	ブラケット, ハーネス	5		
14	36617-93J20	ブラケット, ハーネス	1		
15	36617-93J30	ブラケット, ハーネス	1		
16	01550-06127	ホルト	11		
17	09403-20308	クランプ	1		
18	29404-93J10	クランプ	1		
19	09408-00008	クリップ (ID:20)	1		
20	09408-00184	クランプ	3		
21	01550-06127	ホルト	1		
22	09408-00008	クリップ (ID:20)	1		
23	01550-06127	ホルト	1		
24	36865-90J00	ターミナル, メインフューズ	2		
25	09251-09002	キャップ (OD:13. 6)	2		
26	09481-60401	フューズ (60A)	2		
27	01570-06127	ホルト	2		
28	08310-00067	ナット	2		
29-1	36625-93J00	リート, ハ ッテリ	1		
29-2	36625-93J10	リート, ハ ッテリ	1	オプション	
30	09481-15501	・フューズ (15A)	1		
31	09407-10404	クランプ (L:100)	2		
32	09407-14407	クランプ (L:145)	1		
33	36647-93J00	リート, オーク シ リヤリPTTスイッチ	1	オプション	

FIG.322B




FIG. 322B (1-E-9) ハーネス (DF225T)

見出番号	品 番	品 名	使用個数	備 考	標準 作業時間
1	33810-98J00	ケーブルアッソシ. スタータモータ	1		
2	08316-10087	ナット	1		
3	36616-93J01	ホルダ, コネクタ	1		
4	09169-06062	ワッシャ	1		
5	09320-04009	ブッシュ	2		
6	09320-09016	クッション (9X18X9. 5)	1		
7	01550-06257	ホルト	1		
8	36630-93J20	ハーネスアッソシ. ワイヤリング	1		
9	33634-96J00	・キャップ, サービ スコネクタ	1		
10	09481-15501	・フューズ (15A)	1		
11	09481-30501	・フューズ (30A)	1		
12	36617-93J00	ブラケット, ハーネス	3		
13	36617-93J10	ブラケット, ハーネス	5		
14	36617-93J20	ブラケット, ハーネス	1		
15	36617-93J30	ブラケット, ハーネス	1		
16	01550-06127	ホルト	11		
17	09403-20308	クランプ	1		
18	29404-93J10	クランプ	1		
19	09408-00008	クリップ (ID:20)	1		
20	09408-00184	クランプ	3		
21	01550-06127	ホルト	1		
22	09408-00008	クリップ (ID:20)	1		
23	01550-06127	ホルト	1		
24	36865-90J00	ターミナル, メインフューズ	2		
25	09251-09002	キャップ (OD:13. 6)	2		
26	09481-60401	フューズ (60A)	2		
27	01570-06127	ホルト	2		
28	08310-00067	ナット	2		
29-1	36625-93J00	リート, ハ ッテリ	1		
29-2	36625-93J10	リート, ハ ッテリ	1	オプション	
30	09481-15501	・フューズ (15A)	1		
31	09407-10404	クランプ (L:100)	2		
32	09407-14407	クランプ (L:145)	1		
33	36647-93J00	リート, オーク シ リヤリPTTスイッチ	1	オプション	

FIG.322C




FIG. 322C (1-E-10) ハーネス (DF250T)

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
1	33810-98J00	ケーブルアッソシ. スタータモータ	1		
2	08316-10087	ナット	1		
3	36616-93J01	ホルダ, コネクタ	1		
4	09169-06062	ワッシャ	1		
5	09320-04009	ブッシュ	2		
6	09320-09016	クッション (9X18X9. 5)	1		
7	01550-06257	ホルト	1		
8	36630-93J30	ハーネスアッソシ. ワイヤリング	1		
9	33634-96J00	・キャップ, サービ スコネクタ	1		
10	09481-15501	・フューズ (15A)	1		
11	09481-30501	・フューズ (30A)	1		
12	36617-93J00	ブラケット, ハーネス	3		
13	36617-93J10	ブラケット, ハーネス	5		
14	36617-93J20	ブラケット, ハーネス	1		
15	36617-93J30	ブラケット, ハーネス	1		
16	01550-06127	ホルト	11		
17	09403-20308	クランプ	1		
18	29404-93J10	クランプ	1		
19	09408-00008	クリップ (ID:20)	1		
20	09408-00184	クランプ	3		
21	01550-06127	ホルト	1		
22	09408-00008	クリップ (ID:20)	1		
23	01550-06127	ホルト	1		
24	36865-90J00	ターミナル, メインフューズ	2		
25	09251-09002	キャップ (OD:13. 6)	2		
26	09481-60401	フューズ (60A)	2		
27	01570-06127	ホルト	2		
28	08310-00067	ナット	2		
29-1	36625-93J00	リート, ハ ッテリ	1		
29-2	36625-93J10	リート, ハ ッテリ	1	オプション	
30	09481-15501	・フューズ (15A)	1		
31	09407-10404	クランプ (L:100)	2		
32	09407-14407	クランプ (L:145)	1		
33	36647-93J00	リート, オーク シ リヤリPTTスイッチ	1	オプション	

FIG.326A




FIG. 326A (1-E-11) PTT スイッチ/エンジン コントロール ユニツ (DF200T)

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
1	13580-93J02	センサアツシ, シフトホﾞジ' ション	1		
2	37729-93J00	レバ' -, シフトセンサ	1		
3	09160-05029	ワツシヤ (5. 5X12X0. 8)	1		
4	02112-35167	スクリュ	1		
5	37721-93J00	スイツチアツシ, ニュートラル	1		
6	09137-04004	スクリュ (4X16)	2		
7	09403-12412	クランヅ	1		
8	37725-93J11	カバ' -, スイツチアツシ	1		
9	37850-92J00	スイツチアツシ, PTT	1		
10	37856-92J00	・チ' プ', PTTスイツチ	1		
11	37857-92J00	ブ' ヅシユ, PTTスイツチ	1		
12	09403-11315	クランヅ	1		
13	01550-06127	ボ' ルト	1		
14	37722-93J11	スイツチアツシ, チルトリミツ	1		
15	09403-09316	クランヅ	1	X-TRANSOM	
16	29125-93J00	スクリュ	1	X-TRANSOM	
17	38410-93J12	リレーアツシ, PTT	1		
18	38415-93J00	ホルダ', PTTリレー	1		
19	01550-06127	ボ' ルト	1		
20	33920-93JM2	ユニツト, エンヅ' ションコントロール	1		
21	33925-93J00	クヅシヨ' シン, エンヅ' ションコントロールユニツト	1		
22	38860-76F01	リレーアツシ	1		
23	38915-90J00	ホルダ', リレー	1		
24	09407-14407	クランヅ (L: 145)	1	L-TRANSOM	

FIG.326B




FIG. 326B (1-E-12) PTT スイッチ/エンジン コントロール ユニツ (SEE NOTE 1)

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
1	13580-93J02	センサアツシ, シフトホﾞジ'シヨ'ン	1		
2	37729-93J00	レバ'ー, シフトセンサ	1		
3	09160-05029	ワツシヤ (5. 5X12X0. 8)	1		
4	02112-35167	スクリユ	1		
5	37721-93J00	スイツチアツシ, ニュ'トラ'ル	1		
6	09137-04004	スクリユ (4X16)	2		
7	09403-12412	クラン'プ	1		
8	37725-93J11	カバ'ー, スイツチアツシ	1		
9	37850-92J00	スイツチアツシ, PTT	1		
10	37856-92J00	・テ'ー'プ', PTTスイツチ	1		
11	37857-92J00	ブ'ツシユ, PTTスイツチ	1		
12	09403-11315	クラン'プ	1		
13	01550-06127	ホ'ルト	1		
14	37722-93J11	スイツチアツシ, チ'ルトリミ'ツト	1		
15	09403-09316	クラン'プ	1		
16	29125-93J00	スクリユ	1		
17	38410-93J12	リ'レー'アツシ, PTT	1		
18	38415-93J00	ホ'ルダ', PTTリ'レー	1		
19	01550-06127	ホ'ルト	1		
20	33920-93JM2	ユ'ニツト, エン'ジ'ン'コ'ント'ロ'ル	1		
21	33925-93J00	ク'ヅシヨ'ン, エン'ジ'ン'コ'ント'ロ'ル'ユ'ニツト	1		
22	38860-76F01	リ'レー'アツシ	1		
23	38915-90J00	ホ'ルダ', リ'レー	1		

NOTE 1:
DF225T, DF250T

FIG.335A




FIG. 335A (1-E-13) クランプ ｾﾞﾗｹｯﾄ (L-TRANSOM) (SEE NOTE 1)

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
1-1	41111-96J22-YAY	ﾌﾞﾗｹｯﾄ, ｸﾗﾝﾌﾟ ﾏﾞｰﾄﾞ (ﾌﾞﾗｯｸ)	1	BODY COLOR:YAY	
1-2	41111-96J22-Y5S	ﾌﾞﾗｹｯﾄ, ｸﾗﾝﾌﾟ ﾏﾞｰﾄﾞ (ﾎﾜｲﾄ)	1	BODY COLOR:Y5S	
2-1	41121-96J13-YAY	ﾌﾞﾗｹｯﾄ, ｸﾗﾝﾌﾟ ﾏﾞｰﾄﾞ (ﾌﾞﾗｯｸ)	1	BODY COLOR:YAY	
2-2	41121-96J13-Y5S	ﾌﾞﾗｹｯﾄ, ｸﾗﾝﾌﾟ ﾏﾞｰﾄﾞ (ﾎﾜｲﾄ)	1	BODY COLOR:Y5S	
3	41130-92J03	ｼｬﾌﾄ, ｸﾗﾝﾌﾟ ﾌﾞﾗｹｯﾄ	1		
4	41135-92J00	ワｯｼｬ, ｸﾗﾝﾌﾟ ﾌﾞﾗｹｯﾄｼｬﾌﾄ	1		
5	09159-22006	ﾅｯﾄ	1		
6-1	09100-12085	ﾎｰﾙﾄ (12. 7X115)	6		
6-2	09100-12086	ﾎｰﾙﾄ (12. 7X150)	1	ｵﾌﾞｼｮﾝ	
6-3	09100-12092	ﾎｰﾙﾄ (12. 7X75)	1	ｵﾌﾞｼｮﾝ	
7	09159-12062	ﾅｯﾄ	6		
8	09160-13021	ワｯｼｬ (13. 2X26X3)	6		
9	09160-13022	ワｯｼｬ (13. 2X45X3)	4		
10	41155-93J02	ﾌﾟﾚｰﾄ, ﾄﾗﾝｻﾑ	2		
11	55320-94900	ｱﾉｰﾄ ｾｯﾄ, ｸﾗﾝﾌﾟ ﾌﾞﾗｹｯﾄ	1		
12	09116-06121	ﾎｰﾙﾄ (6X25)	2		
13	48140-93J01	ｶﾑｱｯｼ, ｾﾞﾙﾄﾘﾐｯﾄｽｲｯﾁ	1		
14	48144-93J00	ﾎﾙﾀﾞ, ｾﾞﾙﾄﾘﾐｯﾄｽｲｯﾁ	1		
15	09103-06278	ﾎｰﾙﾄ (6X25)	2		
16	48145-93J00	ｶﾊﾞｰ, ｾﾞﾙﾄﾘﾐｯﾄｽｲｯﾁ	1		
17	55321-94910	ｱﾉｰﾄ (ﾏｸﾞﾈｼｬﾑ)	1	ｵﾌﾞｼｮﾝ	

NOTE 1:
L

FIG.335B




FIG. 335B (1-E-14) クランプ プラケット (X-TRANSOM, XX-TRANSOM) (SEE NOTE 1)

見出番号	品 番	品 名	使用個数	備 考	標準 作業時間
1-1	41111-93J16-YAY	ブ ラケット, クランプ スターボート (ﾌﾞﾗｯｸ)	1	BODY COLOR:YAY	
1-2	41111-93J16-Y5S	ブ ラケット, クランプ スターボート (ﾎﾜｲﾄ)	1	BODY COLOR:Y5S	
2-1	41121-93J08-YAY	ブ ラケット, クランプ ﾎｰﾄ (ﾌﾞﾗｯｸ)	1	BODY COLOR:YAY	
2-2	41121-93J08-Y5S	ブ ラケット, クランプ ﾎｰﾄ (ﾎﾜｲﾄ)	1	BODY COLOR:Y5S	
3	41117-93J02	ﾌﾞﾚｰﾄ, クランプ ﾌﾞﾗｯｸﾞﾛｽﾀｰﾎｰﾄ	1		
4	41122-93J02	ﾌﾞﾚｰﾄ, クランプ ﾌﾞﾗｯｸﾞﾛｽﾀｰﾎｰﾄ	1		
5	09125-06063	ｽｸﾘﾕ (6X10)	4		
6	41130-93J12	ｼｬﾌﾄ, クランプ ﾌﾞﾗｯｸﾞ	1		
7	41135-93J11	ﾜｯｼﾔ, クランプ ﾌﾞﾗｯｸﾞｼｬﾌﾄ	1		
8	09159-22006	ﾅｯﾄ	1		
9-1	09100-12085	ﾎｰﾙﾄ (12. 7X115)	6		
9-2	09100-12092	ﾎｰﾙﾄ (12. 7X75)	1	ｵﾌﾞｼｮﾝ	
9-3	09100-12086	ﾎｰﾙﾄ (12. 7X150)	1	ｵﾌﾞｼｮﾝ	
10	09159-12062	ﾅｯﾄ	6		
11	09160-13022	ﾜｯｼﾔ (13. 2X45X3)	4		
12	09160-13021	ﾜｯｼﾔ (13. 2X26X3)	6		
13	41155-93J02	ﾌﾞﾚｰﾄ, ﾄﾗﾝｻﾑ	2		
14	55320-94900	ｱﾉｰﾄ ｾｯﾄ, クランプ ﾌﾞﾗｯｸﾞ	1		
15	09116-06121	ﾎｰﾙﾄ (6X25)	2		
16	45421-87D03	ﾋﾞｰﾝ, ﾅｲﾄﾛｯｸ	1		
17	09159-14020	ﾅｯﾄ	2		
18	48140-93J01	ｶﾑｱｯｼ, ﾅｲﾄﾘﾐｯﾄｽｲｯﾁ	1		
19	48144-93J00	ﾎﾙﾀﾞ, ﾅｲﾄﾘﾐｯﾄｽｲｯﾁ	1		
20	09103-06278	ﾎｰﾙﾄ (6X25)	2		
21	55321-94910	ｱﾉｰﾄ (ﾏｸﾞﾈｼｳﾑ)	1	ｵﾌﾞｼｮﾝ	
22	48145-93J00	ｶﾊﾞｰ, ﾅｲﾄﾘﾐｯﾄｽｲｯﾁ	1		
23	36894-87D00	ﾘｰﾄ (L:165)	1	CLAMP TO SWIVEL	
24	09125-06063	ｽｸﾘﾕ (6X10)	2		

NOTE 1:
X, XX

FIG.336A





FIG. 336A (1-E-15) スイベルブラケット (L-TRANSOM) (SEE NOTE 1)

見出番号	品番	品名	使用個数	備考	標準作業時間
1	22511-99011	ニツブル, ケーリス	4		
2	36894-87D00	リート (L:165)	1	CLAMP TO SWIVEL	
3-1	43111-96J20-YAY	ブラケット, スイベル (L) (フ ラック)	1	BODY COLOR:YAY	
3-2	43111-96J20-Y5S	ブラケット, スイベル (L) (ホワイト)	1	BODY COLOR:Y5S	
4	43211-93J00	ブッシュ, クラフ シヤフトスイベル	2		
5	43711-97E01	ブッシュ, ステアリング	2		
6-1	43750-96J51-YAY	ブラケット, ステアリング (L) (フ ラック)	1	BODY COLOR:YAY	
6-2	43750-96J51-Y5S	ブラケット, ステアリング (L) (ホワイト)	1	BODY COLOR:Y5S	
7	09125-06063	スクリュ (6X10)	2		
8	09160-39001	ワッシャ (39. 5X64X1)	2		
9	09181-39001	シム (39. 5X64X0. 3)	4		
10	09380-38003	スナツブ リング	1		
11	09169-28003	ワッシャ	2		
12	09282-39001	オイルシール	1		
13	36895-87D10	リート (L:310)	1	SWIVEL TO HSG	
14	09125-06063	スクリュ (6X10)	1		
15	41220-96J10	レバー, チルトロツク	1		
16	41234-96J10	レバー, チルトロツクホート	1		
17	41224-95E01	ブッシュ, チルトストツパ ロツト	2		
18	41230-96J00	リンク, チルトロツクレバー	1		
19	41233-95E10	ブラケット, チルトロツクスフ リング	1		
20	09125-06063	スクリュ (6X10)	1		
21	09140-10032	ナツト	1		
22	09160-06082	ワッシャ (6. 5X13X1. 0)	1		
23	09204-01006	コツタビ ン	1		
24	09440-19028	スフ リング	1		
25	09443-10043	スフ リング	1		
26	09125-06063	スクリュ (6X10)	1		

NOTE 1:
L

FIG.336B



DF250_000_018_336B
SWIVEL BRACKET

FIG. 336B (1-E-16) スイベルブラケット (X-TRANSOM, XX-TRANSOM) (SEE NOTE 1)

見出番号	品番	品名	使用個数	備考	標準作業時間
1	22511-99011	ニツフル, クリース	4		
2	36894-87D00	リート (L:165)	1	CLAMP TO SWIVEL	
3-1	43111-93J24-YAY	ブラケット, スイベル (フ ラツク)	1	BODY COLOR:YAY	
3-2	43111-93J24-Y5S	ブラケット, スイベル (ホワイト)	1	BODY COLOR:Y5S	
4	43114-93J00	ワツシヤ, スイベル ツクランフ ブラケット	2		
5	43211-93J00	ブ ヅシュ, クランフ シヤフト スイベル	2		
6	43711-97E01	ブ ヅシュ, ステアリング	2		
7-1	43750-93J21-YAY	ブラケット, ステアリング (X) (フ ラツク)	1	BODY COLOR:YAY	
7-2	43750-93J21-Y5S	ブラケット, ステアリング (X) (ホワイト)	1	BODY COLOR:Y5S	
8	09125-06063	スクリュ (6X10)	1		
9	09160-39001	ワツシヤ (39. 5X64X1)	2		
10	09181-39001	シム (39. 5X64X0. 3)	4		
11	09282-39001	オイルシール	1		
12	09380-38003	スナツフ リンク	1		
13	41220-93J11	レバ ー, チルト ロツク	1		
14	41234-93J11	レバ ー, チルト ロツク ホート	1		
15	41224-95E01	ブ ヅシュ, チルト スツハ ロツト	2		
16	41230-96J00	リンク, チルト ロツク レバ ー	1		
17	41233-95E10	ブラケット, チルト ロツク スフ リンク	1		
18	09125-06063	スクリュ (6X10)	1		
19	09140-10032	ナツト	1		
20	09160-06082	ワツシヤ (6. 5X13X1. 0)	1		
21	09204-01006	コツタビ ン	1		
22	09440-19028	スフ リンク	1		
23	09443-10043	スフ リンク	1		

NOTE 1:
X, XX

FIG.337A




FIG. 337A (1-F-2) トリムシリンダ* (L-TRANSOM) (SEE NOTE 1)

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
1	48000-93J17	トリムアツシ, ハ* ワ-ウイズ* チルト	1		
2	48503-93J13	・マニホ-ルト* サツ* アツシ	1		
3	48401-93J11	・・ヒ* ストンアツシ	1		
4	48601-94900	・・ヒ* ストン/ラムアツシ	2		
5	48627-95E00	・・リング* セツト	3		
6	48630-96J03	・・ヘツト*, トリムシリンダ*	2		
7	48633-94900	・・リング* セツト, ヘツト*	2	2PCS	
8	48641-96J02	・・マニホ-ルト*, PTT	1		
9	48650-94900	・・ヒ* ストン, フリー	1		
10	48405-93J00	・・・リング* セツト	1		
11	48615-97E00	・・・リング* セツト, ヒ* ストン	1		
12	48570-95E01	・リザ* -ハ* アツシ	1		
13	48572-95E00	・・キヤツツ	1		
14	48588-94900	・リング* セツト	1	6PCS	
15	48861-92J01	・ホ* ルト, リザ* -ハ*	3		
16	38100-93J13	・モ-タアツシ, PTT	1		
17	31281-92J10	・ホ* ルト, スルー	4		
18	48502-93J14	・ホ* ンフ* アツシ, PTT	1		
19	48582-95E01	・・フィルタ	1		
20	48864-96J10	・・ハ* ルフ* セツト, マニユアル	1		
21	48583-95E00	・シ* ヨイント, ト* ライフ	1		
22	48585-95E00	・リング*	1		
23	48862-92J20	・ホ* ルト, ホ* ンフ* NO. 1	1		
24	48862-92J30	・ホ* ルト, ホ* ンフ* NO. 2	2		
25	29404-93J00	・クラツツ	1		
26	48121-92J00	シヤフト, チルトシリンダ* ロア	1		
27	48311-96J20	ハ* ツト*, トリムシリンダ* ラム	2		
28	48321-87D03	シヤフト, チルトシリンダ* アツハ*	1		
29	48326-95E00	ブ* ツシュ, チルトシリンダ* ロア	2		
30	09116-10183	ホ* ルト (10X35)	2		
31	09140-10031	ナツツ	2		
32	09162-10005	ロツクワツシヤ	2		
33	09306-17001	ブ* ツシュ	2		
34	09380-17009	スナツツ* リンク*	2		
35	36894-87D00	リ-ト* (L:165)	1	CLAMP TO SWIVEL	

FIG.337A




FIG. 337A (1-F-3) トリムシリンダ* (L-TRANSOM) (SEE NOTE 1)

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
36	09125-06063	スクリュ (6X10)	1		
37	09125-05050	スクリュ (5X8)	1		
38	36895-87D10	リット* (L:310)	1	SWIVEL TO HSG	

NOTE 1:
L

FIG.337B




FIG. 337B (1-F-4) トリムシリンダ* (X-TRANSOM, XX-TRANSOM) (SEE NOTE 1)

見出番号	品 番	品 名	使用個数	備 考	標準 作業時間
1	48000-93J24	トリムアツシ, ハ ワークイズ* チルト	1		
2	48500-98J10	・マニホールド* アツシ	1		
3	48864-93J01	・マニアルバ* ルフ	1		
4	48320-93J00	・ハ* ルフ* セツト, アツフ* フー	1		
5	48582-95E01	・・フィルタ	1		
6	48605-93J00	・・Oリング* セツト	2		
7	48610-93J01	・・ヒ* ストン/ラム	2		
8	48630-98J01	・・ロッド* ガイト*	2		
9	48633-93J00	・・・Oリング*	2		
10	48691-93J00	・・チエツクハ* ルフ	1		
11	48400-93J07	・シリンダ* アツシ	1		
12	48405-93J00	・・Oリング* セツト	1		
13	48650-93J00	・・ヒ* ストン, フリー	1		
14	48627-93J00	・・Oリング* セツト	1		
15	48572-87J10	・フ* ラグ*	1		
16	48585-95E00	・Oリング*	2		
17	48862-87J20	・ホ* ルト, リザ* ーバ*	2		
18	48583-95E00	・ジ* ヨイント, ト* ライフ*	1		
19	48121-93J20	・シヤフト	1		
20	48125-93J10	・Oリング* セツト	1		
21	48451-93J00	・・ハ* ツクアツツ* リンク*	4		
22	48452-93J00	・・Oリング*	4		
23	48452-93J10	・・Oリング*	2		
24	48573-93J00	・カハ* ー	1		
25	48128-93J11	・ホ* ルト	1		
26	48571-93J00	・リザ* ーバ* タンク	1		
27	38100-93J04	・モ* タアツシ, PTT	1		
28	31281-92J10	・ホ* ルト, スルー	4		
29	48126-93J00	ワツシヤ, チルトシリンダ* ツーマニホールド*	2		
30	48311-96J10	ハ* ツト*, トリムシリンダ* ラム	2		
31	48321-93J00	シヤフト, チルトシリンダ* アツハ*	1		
32	09140-10031	ナツト	2		
33	09162-10005	ロツクワツシヤ	2		
34	09306-24001	ブ* ヅシュ	2		
35	09380-21002	スナツツ* リンク*	2		

FIG.337B




FIG. 337B (1-F-5) トリムシリンダ* (X-TRANSOM, XX-TRANSOM) (SEE NOTE 1)

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
36	09116-10175	ボルト(10X50)	8		
37	36894-87D00	リート*(L:165)	1	CLAMP TO SWIVEL	
38	36895-87D01	リート*(L:230)	1		
39	36895-87D01	リート*(L:230)	1		
40	09125-06063	スクリュー(6X10)	1		
41	09125-06063	スクリュー(6X10)	1		
42	09125-06063	スクリュー(6X10)	1		

NOTE 1:
X, XX

This exploded view diagram illustrates the assembly of a car horn. The components are numbered as follows:

- 1**: Horn housing (top)
- 2**: Screws (two locations)
- 3**: Horn housing (bottom)
- 4**: Horn diaphragm
- 5**: Horn mounting bracket
- 6**: Horn electrical connector
- 7**: Springs (two locations)
- 8**: Horn electrical connector
- 9**: Horn mounting bracket
- 10**: Horn diaphragm

The diagram shows the horn housing (1) being attached to the horn diaphragm (4) using screws (2). The horn diaphragm (4) is then attached to the horn mounting bracket (9) using screws (2). The horn mounting bracket (9) is then attached to the horn housing (3) using screws (2). The horn electrical connector (6) is attached to the horn mounting bracket (9) using a spring (7). The horn electrical connector (8) is attached to the horn mounting bracket (5) using a spring (7). The horn mounting bracket (5) is then attached to the horn housing (1) using screws (2).

見出番号	品番	品名	使用個数	備考	標準作業時間
1	38100-93J13	モータアツシ, PTT	1		
2	31111-94900	・スクリュ	3		
3	31173-94920	・ホルダ`アツシ, プ`ラシ	1		
4	31123-94910	・・Oリング`	1		
5	31133-90J10	・・プ`ラシアツシ	1		
6	31133-94910	・・プ`ラシ(+)	1		
7	31135-94900	・・スプ`リング`	2		
8	31136-90J20	・・プ`レーカアツシ	1		
9	33799-97E00	・・シール, オイル	1		
10	31311-93J00	・アマチュア	1		

L

FIG.340B




FIG. 340B (1-F-7) PTTモータ (X-TRANSOM, XX-TRANSOM) (SEE NOTE 1)

見出番号	品番	品名	使用個数	備考	標準作業時間
1	38100-93J04	モータアツシ, PTT	1		
2	31111-94900	・スクリュ	3		
3	31123-94910	・Oリング	1		
4	31133-90J10	・ﾌﾞﾗｼｱツシ	1		
5	31133-94910	・・ﾌﾞﾗｼ(+)	1		
6	31135-94900	・ｽﾌﾟﾘﾝｸﾞ	2		
7	31136-90J20	・ﾌﾞﾚｰｶﾞアツシ	1		
8	31173-94920	・ﾎﾙﾀﾞｰｱツシ, ﾌﾞﾗｼ	1		
9	31311-93J00	・ｱﾏﾁｭｱ	1		
10	33799-97E00	・ｼｰﾙ, ﾀﾞｲﾙ	1		

NOTE 1:
X, XX

FIG.401A




FIG. 401A (1-F-8) エンジンホルダー (DF200T)

見出番号	品番	品名	使用個数	備考	標準作業時間
1-1	51111-93J20-YAY	ホルダー, エンジン(フック)	1	BODY COLOR:YAY	
1-2	51111-93J20-Y5S	ホルダー, エンジン(ホワイト)	1	BODY COLOR:Y5S	
2	16519-93J00	シール, エンジンホルダー オイル	1		
3	17913-93J00	ブラケット, ウォーター	1		
4	17914-93J00	ガスケット, ウォーター ラグ	1		
5	51116-93J00	シール, ウォータータンク	1		
6	51211-93J00	ガスケット, エンジンホルダー	1		
7	61155-93J20	パッド, ウォーターポンプ ケーパ	1		
8	09206-08001	ピン(8X11)	2		
9	01550-08307	ボルト	6		
10	51120-93J02	カバー, マウントオイルシール	1		
11	22511-99011	・ニツパル, グリース	1		
12	51124-93J01	・シール, オイル	2		
13	51125-93J00	・スクレーパー	1		
14	51123-93J00	ガスケット, マウントオイルシールカバー	1		
15	09103-08109	ボルト(8X120)	2		
16	09206-08001	ピン(8X11)	2		
17	01550-0830A	ボルト	6		
18-1	51140-93J11-YAY	カバー, エンジンホルダー (L) (フック)	1	L-TRANSOM BODY COLOR:YAY	
18-2	51140-93J11-Y5S	カバー, エンジンホルダー (L) (ホワイト)	1	L-TRANSOM BODY COLOR:Y5S	
18-3	51140-98J00-YAY	カバー, エンジンホルダー (フック)	1	X-TRANSOM BODY COLOR:YAY	
18-4	51140-98J00-Y5S	カバー, エンジンホルダー (ホワイト)	1	X-TRANSOM BODY COLOR:Y5S	
19	51142-93J00	ガスケット, エンジンホルダー カバー	1		
20	09116-08122	ボルト(8X30)	8		
21	51151-93J00	カバー, エンジンホルダー アツパ	1		
22	51152-93J00	シール, エンジンホルダー アツパ カバー	1		
23	01550-08307	ボルト	3		
24	01550-08607	ボルト	2		
25	54123-93J03	プレート, アツパ マウント	1		
26	54130-93J01	マウント, アツパ	2		
27	54112-93J00	ボルト, マウント	2		

FIG.401A




FIG. 401A (1-F-9) エンジンホルダー (DF200T)

見出番号	品番	品名	使用個数	備考	標準作業時間
28	29159-93J00	ナット (M14)	2		
29	09160-15051	ワッシャ (15X24X3)	2		
30	54137-93J02	カバー, アツパ マウント	1		
31	09116-10135	ボルト (10X95)	2		
32	09116-10175	ボルト (10X50)	1		
33	54121-98J01	ストッパ, アツパ スラスト	2		
34	54125-93J00	マウント, アツパ スラストリハース	1		
35	09116-10137	ボルト (10X70)	6		
36	09116-10175	ボルト (10X50)	4		
37	09116-10146	ボルト (10X195)	2		
38	09116-10134	ボルト (10X115)	1		
39	09116-08126	ボルト (8X65)	4		
40	09169-08038	ワッシャ	2		
41	54144-93J00	シール, アツパ マウント	1		

FIG.401B




FIG. 401B (1-F-10) エンジンホルダー (DF225T, DF250T)

見出番号	品 番	品 名	使用個数	備 考	標準 作業時間
1-1	51111-93J20-YAY	ホルダー, エンジン (フ ラック)	1	BODY COLOR:YAY	
1-2	51111-93J20-Y5S	ホルダー, エンジン (ホワイ ト)	1	BODY COLOR:Y5S	
2	16519-93J00	シール, エンジンホルダー オイル	1		
3	17913-93J00	ブ ラク, ウォータ	1		
4	17914-93J00	ガ スケット, ウォータブ ラク	1		
5	51116-93J00	シール, ウォータリター	1		
6	51211-93J00	ガ スケット, エンジンホルダー	1		
7	61155-93J20	パ イプ, ウォータインジ ケータ	1		
8	09206-08001	ピ ン (8X11)	2		
9	01550-08307	ボ ルト	6		
10	51120-93J02	カバ ー, マウントオイルシール	1		
11	22511-99011	・ニツプ ル, グ リース	1		
12	51124-93J01	・シール, オイル	2		
13	51125-93J00	・スクレーパ	1		
14	51123-93J00	ガ スケット, マウントオイルシールカバ ー	1		
15	09103-08109	ボ ルト (8X120)	2		
16	09206-08001	ピ ン (8X11)	2		
17	01550-0830A	ボ ルト	6		
18-1	51140-98J00-YAY	カバ ー, エンジンホルダー (フ ラック)	1	BODY COLOR:YAY	
18-2	51140-98J00-Y5S	カバ ー, エンジンホルダー (ホワイ ト)	1	BODY COLOR:Y5S	
19	51142-93J00	ガ スケット, エンジンホルダーカバ ー	1		
20	09116-08122	ボ ルト (8X30)	8		
21	51151-93J00	カバ ー, エンジンホルダーアツハ	1		
22	51152-93J00	シール, エンジンホルダーアツハカバ ー	1		
23	01550-08307	ボ ルト	3		
24	01550-08607	ボ ルト	2		
25	54123-93J03	ブ レート, アツハ マウント	1		
26	54130-93J01	マウント, アツハ	2		
27	54112-93J00	ボ ルト, マウント	2		
28	29159-93J00	ナツト (M14)	2		
29	09160-15051	ワツジヤ (15X24X3)	2		
30	54137-93J02	カバ ー, アツハ マウント	1		
31	09116-10135	ボ ルト (10X95)	2		
32	09116-10175	ボ ルト (10X50)	1		
33	54121-98J01	ストツパ, アツハ スラスト	2		

FIG.401B




FIG. 401B (1-F-11) エンジンホルダー (DF225T, DF250T)

見出番号	品番	品名	使用個数	備考	標準作業時間
34	54125-93J00	マウント, アツパ スラストリハース	1		
35	09116-10137	ボルト (10X70)	6		
36	09116-10175	ボルト (10X50)	4		
37	09116-10146	ボルト (10X195)	2		
38	09116-10134	ボルト (10X115)	1		
39	09116-08126	ボルト (8X65)	4		
40	09169-08038	ワッシャ	2		
41	54144-93J00	シール, アツパ マウント	1		

FIG.405A




FIG. 405A (1-F-12) ドライブシャフトハウジング (SEE NOTE 1)

見出番号	品番	品名	使用個数	備考	標準作業時間
1-1	52111-93J20-YAY	ハウジング, ドライブシャフト(L) (ﾌﾞﾗｯｸ)	1		
1-2	52111-93J20-Y5S	ハウジング, ドライブシャフト(L) (ﾎﾜｲﾄ)	1		
2	09116-10176	ﾎｰﾙﾄ (10X44)	6		
3	09202-08006	ﾋﾟﾝ (8X12)	2		
4	09140-10031	ﾅｯﾄ	2		
5	09108-10150	ｽﾀｯﾄﾞ ｾﾙﾄ	2		
6	09160-10141	ワッｼﾞﾔ (10. 5X19X2)	2		
7	09125-06063	ｽｸﾘﾕ (6X10)	1		
8	54151-93J00	ﾏｳﾝﾄ, ｾﾞｽﾄﾗｽﾄ	1		
9	54160-93J01	ﾏｳﾝﾄ, ｾﾞ	2		
10	54112-93J00	ﾎｰﾙﾄ, ﾏｳﾝﾄ	2		
11	09160-16050	ワッｼﾞﾔ (16X32X3)	2		
12	29159-93J00	ﾅｯﾄ (M14)	2		
13	09160-16050	ワッｼﾞﾔ (16X32X3)	2		
14-1	54211-93J00-YAY	ﾌﾞﾗｹｯﾄ, ｾﾞﾏｳﾝﾄ (ﾌﾞﾗｯｸ)	1	BODY COLOR:YAY	
14-2	54211-93J00-Y5S	ﾌﾞﾗｹｯﾄ, ｾﾞﾏｳﾝﾄ (ﾎﾜｲﾄ)	1	BODY COLOR:Y5S	
15-1	54221-93J00-YAY	ｶﾊﾞｰ, ｾﾞﾏｳﾝﾄ (ﾌﾞﾗｯｸ)	2	BODY COLOR:YAY	
15-2	54221-93J00-Y5S	ｶﾊﾞｰ, ｾﾞﾏｳﾝﾄ (ﾎﾜｲﾄ)	2	BODY COLOR:Y5S	
16	09116-10175	ﾎｰﾙﾄ (10X50)	4		
17	54165-98J01	ｽﾄｯﾊﾟｰ, ｾﾞｽﾄﾗｽﾄﾘﾊﾞｰｽ	4		
18	09160-14066	ワッｼﾞﾔ (14X50X4)	2		
19	36894-87D00	ﾘｰﾄﾞ (L:165)	1		
20	09125-06063	ｽｸﾘﾕ (6X10)	1		

NOTE 1:
L



FIG.405B




FIG. 405B (1-F-13) ドライブシャフトハウジング* (SEE NOTE 1)

見出番号	品番	品名	使用個数	備考	標準作業時間
1-1	52111-93J11-YAY	ハウジング*, ドライブシャフト(X) (ブラック)	1	BODY COLOR:YAY	
1-2	52111-93J11-Y5S	ハウジング*, ドライブシャフト(ホワイト)	1	BODY COLOR:Y5S	
2	09116-10176	ボルト(10X44)	8		
3	09202-08006	ピン(8X12)	2		
4	57130-87D10	ブッシュ, ドライブシャフト	1		
5	09387-38002	リング*	1		
6	09125-06063	スクリュー(6X10)	1		
7	36894-87D00	リート*(L:165)	1		
8	09125-06063	スクリュー(6X10)	1		
9	54151-93J00	マウント, ロアスラスト	1		
10	54160-93J01	マウント, ロア	2		
11	54112-93J00	ボルト, マウント	2		
12	09160-16050	ワッシャ(16X32X3)	2		
13	29159-93J00	ナット(M14)	2		
14	09160-16050	ワッシャ(16X32X3)	2		
15-1	54211-93J00-YAY	ブラケット, ロアマウント(ブラック)	1	BODY COLOR:YAY	
15-2	54211-93J00-Y5S	ブラケット, ロアマウント(ホワイト)	1	BODY COLOR:Y5S	
16-1	54221-93J00-YAY	カバー, ロアマウント(ブラック)	2	BODY COLOR:YAY	
16-2	54221-93J00-Y5S	カバー, ロアマウント(ホワイト)	2	BODY COLOR:Y5S	
17	09116-10175	ボルト(10X50)	4		
18	54165-98J01	ストッパ*, ロアスラストリバー	4		
19	09160-14066	ワッシャ(14X50X4)	2		
20	29404-93J10	クランプ*	1		
21	29103-93J00	ボルト(6X12)	1		
22	55321-93J01	アノード*, プロテクション	1		
23	09116-06236	ボルト(6X16)	1		

NOTE 1:
X

FIG.405C




FIG. 405C (1-F-14) ドライブシャフトハウジング (SEE NOTE 1)

見出番号	品番	品名	使用個数	備考	標準作業時間
1-1	52111-93J11-YAY	ハウジング, ドライブシャフト(X) (ブラック)	1	BODY COLOR:YAY	
1-2	52111-93J11-Y5S	ハウジング, ドライブシャフト(ホワイト)	1	BODY COLOR:Y5S	
2	09116-10176	ボルト(10X44)	8		
3	09202-08006	ピン(8X12)	2		
4	57130-87D10	ブッシュ, ドライブシャフト	1		
5	09387-38002	リング	1		
6	09125-06063	スクリュー(6X10)	1		
7-1	52131-93J00-YAY	ケース, エクステンション(XX) (ブラック)	1	XX-TRANSOM BODY COLOR:YAY	
7-2	52131-93J00-Y5S	ケース, エクステンション(XX) (ホワイト)	1	XX-TRANSOM BODY COLOR:Y5S	
8	09108-10115	スタッドボルト, 10X167	6	XX-TRANSOM	
9	09108-12013	スタッドボルト	1	XX-TRANSOM	
10	09202-08006	ピン(8X12)	2	XX-TRANSOM	
11	36894-87D00	リート(L:165)	1	CLAMP TO SWIVEL	
12	09125-06063	スクリュー(6X10)	1		
13	54151-93J00	マウント, ロアスラスト	1		
14	54160-93J01	マウント, ロア	2		
15	54112-93J00	ボルト, マウント	2		
16	09160-16050	ワッシャ(16X32X3)	2		
17	29159-93J00	ナット(M14)	2		
18	09160-16050	ワッシャ(16X32X3)	2		
19-1	54211-93J00-YAY	ブラケット, ロアマウント(ブラック)	1	BODY COLOR:YAY	
19-2	54211-93J00-Y5S	ブラケット, ロアマウント(ホワイト)	1	BODY COLOR:Y5S	
20-1	54221-93J00-YAY	カバー, ロアマウント(ブラック)	2	BODY COLOR:YAY	
20-2	54221-93J00-Y5S	カバー, ロアマウント(ホワイト)	2	BODY COLOR:Y5S	
21	09116-10175	ボルト(10X50)	4		
22	54165-98J01	ストッパ, ロアスラストリバー	4		
23	09160-14066	ワッシャ(14X50X4)	2		
24	29404-93J10	クランプ	1		
25	29103-93J00	ボルト(6X12)	1		
26-1	55321-93J01	アノード, プロテクション	1	X-TRANSOM	
26-2	55321-93J01	アノード, プロテクション	2	XX-TRANSOM	
27-1	09116-06236	ボルト(6X16)	1	X-TRANSOM	
27-2	09116-06236	ボルト(6X16)	2	XX-TRANSOM	

FIG.405C




FIG. 405C (1-F-15) ドライブシャフトハウジング (SEE NOTE 1)

見出番号	品 番	品 名	使用個数	備 考	標準 作業時間
------	-----	-----	------	-----	------------

NOTE 1:
XX

FIG.407A





FIG. 407A (1-F-16) ギヤケース (DF200T, DF225T)

見出番号	品番	品名	使用個数	備考	標準作業時間
1-1	55110-93J20-YAY	ケース, ギヤ(ブラック)	1	BODY COLOR:YAY	
1-2	55110-93J20-Y5S	ケース, ギヤ(ホワイト)	1	BODY COLOR:Y5S	
2	09263-32017	・ベアリング (32X48X30)	1		
3	09100-12052	ホルト(12X70)	1		
4	09116-10150	ホルト(10X55)	6		
5	09160-12066	ワッシャ(12. 5X22X2. 5)	1		
6	17566-87D11	グロメット	1		
7	09202-08006	ピン(8X12)	2		
8-1	55125-98J00-YAY	タブ, トリム(ブラック)	1	BODY COLOR:YAY	
8-2	55125-98J00-Y5S	タブ, トリム(ホワイト)	1	BODY COLOR:Y5S	
9	09116-08137	ホルト(8X22)	1		
10	55128-93J10	ブラグ, ドレーン	2		
11	09168-10034	ガスケット(9. 5X16. 5X2)	3		
12	55321-93J01	アノード, プロテクション	2		
13	09116-06236	ホルト(6X16)	2		
14	55332-87D11	ラバー, エキゾーストシール	1		
15	55333-87D10	プレート, エキゾーストシール	1		
16	55127-87D00	ブラグ, ユニオン	1		
17	09355-40805-600	ホース(4X8X600)	1	L:600>50	
18	09362-09008	ユニオン	1		
19	09407-10404	クランプ (L:100)	2		
20-1	58200-93L00	ブローラ(3X16X17)	1		
20-2	58200-93L10	ブローラ(3X16X18-1/2)	1		
20-3	58200-93L20	ブローラ(3X16X20)	1		
20-4	58200-93L30	ブローラ(3X16X21-1/2)	1		
20-5	58200-93L40	ブローラ(3X16X23)	1		
20-6	58200-93L50	ブローラ(3X16X24-1/2)	1		
20-7	58200-93L80	ブローラ(3X16X15)	1		
20-8	58200-96J00	ブローラ(3X15-1/2X17)	1	オプション	
20-9	58200-96J10	ブローラ(3X15-1/4X19)	1	オプション	
20-10	58200-96J20	ブローラ(3X15X21)	1	オプション	
20-11	58200-96J30	ブローラ(3X14-3/4X23)	1	オプション	
20-12	58200-96J40	ブローラ(3X14-1/2X25)	1	オプション	
20-13	58200-96J50	ブローラ(3X14-1/2X27)	1	オプション	
21	58105-93J10	・ブッシュセット, ブローラ	1		

FIG.407A



DF250_000_018_407A
GEAR CASE

FIG. 407A (1-G-2) キヤケース (DF200T, DF225T)

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
22	57632-93L01	ストツパ, フロップツシュ	1		
23	57633-87D30	スベ-サ, ナツト(T:6.0)	1		
24	09141-18005	ナツト	1		
25	09160-18028	ワツシヤ(18.5X31X1)	1		
26	09204-03003	コツタビ-ン	1		
27	55128-93L00	ブラグ, ドレーン	1		
28	57630-92E00	キツト, フロップナツト	1	オプション	

DF250_000_018

FIG.407B




FIG. 407B (1-G-3) ギヤケース (DF250T)

見出番号	品番	品名	使用個数	備考	標準作業時間
1-1	55110-93J20-YAY	ケース, ギヤ (ブ ラツク)	1	BODY COLOR:YAY	
1-2	55110-93J20-Y5S	ケース, ギヤ (ホワイト)	1	BODY COLOR:Y5S	
2	09263-32017	・ベ アリング (32X48X30)	1		
3	09100-12052	ホ ルト (12X70)	1	X-TRANSOM	
4	09116-10150	ホ ルト (10X55)	6	X-TRANSOM	
5	09160-10141	ワツシヤ (10. 5X19X2)	6	XX-TRANSOM	
6	09160-12066	ワツシヤ (12. 5X22X2. 5)	1		
7	09140-10031	ナツト	6	XX-TRANSOM	
8	09159-12014	ナツト	1	XX-TRANSOM	
9	17566-87D11	グ ロメツト	1		
10	09202-08006	ビ ン (8X12)	2		
11-1	55125-98J00-YAY	タブ , トリム (ブ ラツク)	1	BODY COLOR:YAY	
11-2	55125-98J00-Y5S	タブ , トリム (ホワイト)	1	BODY COLOR:Y5S	
12	09116-08137	ホ ルト (8X22)	1		
13	55128-93J10	ブ ラグ , ド レーン	2		
14	09168-10034	ガ スケット (9. 5X16. 5X2)	3		
15	55321-93J01	アノード , プ ロテクション	2		
16	09116-06236	ホ ルト (6X16)	2		
17	55332-87D11	ラバ ー , エキゾ ーストシール	1		
18	55333-87D10	ブ レート , エキゾ ーストシール	1		
19	55127-87D00	ブ ラグ , ユニオン	1		
20-1	09355-40805-600	ホ ース (4X8X600)	1	X-TRANSOM, L: 600>50	
20-2	09355-40805-600	ホ ース (4X8X600)	1	XX-TRANSOM, L: 600>50	
21	09362-09008	ユニオン	1		
22	09407-10404	クランプ (L:100)	2		
23-1	58200-93L00	ブ ロ ー (3X16X17)	1		
23-2	58200-93L10	ブ ロ ー (3X16X18-1/2)	1		
23-3	58200-93L20	ブ ロ ー (3X16X20)	1		
23-4	58200-93L30	ブ ロ ー (3X16X21-1/2)	1		
23-5	58200-93L40	ブ ロ ー (3X16X23)	1		
23-6	58200-93L50	ブ ロ ー (3X16X24-1/2)	1		
23-7	58200-93L80	ブ ロ ー (3X16X15)	1		
23-8	58200-96J00	ブ ロ ー (3X15-1/2X17)	1	オプ ション	

FIG.407B




FIG. 407B (1-G-4) ギヤケース (DF250T)

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
23-9	58200-96J10	ブローラ(3X15-1/4X19)	1	オプション	
23-10	58200-96J20	ブローラ(3X15X21)	1	オプション	
23-11	58200-96J30	ブローラ(3X14-3/4X23)	1	オプション	
23-12	58200-96J40	ブローラ(3X14-1/2X25)	1	オプション	
23-13	58200-96J50	ブローラ(3X14-1/2X27)	1	オプション	
24	58105-93J10	・ブッシュセット, ブローラ	1		
25	57632-93L01	ストッパ, ブローラブッシュ	1		
26	57633-87D30	スベ-サ, ナット(T: 6. 0)	1		
27	09141-18005	ナット	1		
28	09160-18028	ワッシャ(18. 5X31X1)	1		
29	09204-03003	コッタピン	1		
30	55128-93L00	ブラグ, ドレーン	1		
31	57630-92E00	ギット, ブローラナット	1	オプション	

FIG.410A




FIG.410A (1-G-5) サイドカバー (SEE NOTE 1)

見出番号	品番	品名	使用個数	備考	標準作業時間
1-1	61131-93J20-YAY	カバー, オイルパンスターボード (L) (ﾌﾞﾗｯｸ)	1	BODY COLOR:YAY	
1-2	61131-93J20-Y5S	カバー, オイルパンスターボード (L) (ﾎﾜｲﾄ)	1	BODY COLOR:Y5S	
2-1	61141-93J20-YAY	カバー, オイルパンボード (L) (ﾌﾞﾗｯｸ)	1	BODY COLOR:YAY	
2-2	61141-93J20-Y5S	カバー, オイルパンボード (L) (ﾎﾜｲﾄ)	1	BODY COLOR:Y5S	
3	61137-93J00	クッション, オイルパンカバーアツパ	2		
4	09136-06161	スクリュー (6X17)	8		
5	09136-06148	スクリュー (6X35)	3		
6-1	61811-93J30-YAY	カバー, サイドスターボード (L) (ﾌﾞﾗｯｸ)	1	BODY COLOR:YAY	
6-2	61811-93J30-Y5S	カバー, サイドスターボード (L) (ﾎﾜｲﾄ)	1	BODY COLOR:Y5S	
7-1	61821-93J10-YAY	カバー, サイドボード (ﾌﾞﾗｯｸ)	1	BODY COLOR:YAY	
7-2	61821-93J10-Y5S	カバー, サイドボード (ﾎﾜｲﾄ)	1	BODY COLOR:Y5S	
8	61134-93J20	シール, サイドカバー	1		
9	09409-05302-5PK	クリップ (ﾌﾞﾗｯｸ)	2		
10	61817-93J00	ﾌﾞﾗｯｸ, サイドカバー	2		
11	09136-06148	スクリュー (6X35)	8		
12	61827-93J02	ホルダー, サイドカバー	1		
13	09321-10030	クッション	2		
14	01550-08167	ホルルト	2		
15-1	61831-93J13-YAY	パネル, フロント (ﾌﾞﾗｯｸ)	1	BODY COLOR:YAY	
15-2	61831-93J13-Y5S	パネル, フロント (ﾎﾜｲﾄ)	1	BODY COLOR:Y5S	
16	09116-08163	ホルルト (8X38)	2		
17	09169-08039	ワッシャ	2		
18	09320-11013	クッション	2		
19	01550-05107	ホルルト	6		
20	61632-93J00	シヤフト, エンジンカバーフック	3		
21-1	61633-93J00-YAY	レバー, フックリヤスターボード (ﾌﾞﾗｯｸ)	1	BODY COLOR:YAY	
21-2	61633-93J00-Y5S	レバー, フックリヤスターボード (ﾎﾜｲﾄ)	1	BODY COLOR:Y5S	
22-1	61634-93J00-YAY	レバー, フックリヤボード (ﾌﾞﾗｯｸ)	1	BODY COLOR:YAY	
22-2	61634-93J00-Y5S	レバー, フックリヤボード (ﾎﾜｲﾄ)	1	BODY COLOR:Y5S	
23	61641-93J10	フック, エンジンカバー	2		
24	61641-93J20	フック, エンジンカバーリヤボード	1		
25-1	61645-93J01-YAY	レバー, フックフロント (ﾌﾞﾗｯｸ)	1	BODY COLOR:YAY	
25-2	61645-93J01-Y5S	レバー, フックフロント (ﾎﾜｲﾄ)	1	BODY COLOR:Y5S	
26	61673-93J01	ラッチ, フックレバー	3		
27	09116-06127	ホルルト (6X12)	3		

FIG.410A




FIG.410A (1-G-6) サイドカバー (SEE NOTE 1)

見出番号	品番	品名	使用個数	備考	標準作業時間
28	09160-13014	ワッシャ (13. 2X25X1)	3		
29	09164-14008	ワッシャ	3		
30	09202-04022	ピン	3		
31	09306-04005	ブッシュ	6		
32	09306-13007	ブッシュ	3		
33	61124-93J60	ゴムマット, リモコンケーブル	1		
34	67341-93J30	ホルダー, リモコンケーブル	1		
35	67345-93J00	プロテクタ, リモコンケーブルホルダー	1		
36	09407-25402	クランプ (L: 250)	1		
37	01550-06167	ホルト	2		
38-1	61649-93J00	ラベル, フツクレバー	1	FOR YAY BODY COLOR: YAY	
38-2	61649-93J10	ラベル, フツクレバー	1	FOR Y5S BODY COLOR: Y5S	
39	67343-93J30	ストッパー, リモコンケーブル	1		
40	09160-06047	ワッシャ (6. 5X20X2)	1		
41	09352-70103-600	ホース (7X10. 2X600)	2	L: 600>21	
42	01570-06107	ホルト	1		
43	17913-93J00	ブラケット, ウォータ	1		
44	17914-93J00	ガスケット, ウォータブラケット	1		
45	17917-87L00	コネクタ, フラッシュウォータ	1		
46	61458-99E50	ラベル, エンジンカバー	1		
47	67361-90J10	アダプタ, ホース (リキリング)	1	オプション	
48	09208-06009	ピン	2	オプション	
49	09383-04002	Eリング	2	オプション	

NOTE 1:
L

FIG.410B




FIG.410B (1-G-7) サイドカバー (SEE NOTE 1)

見出番号	品番	品名	使用個数	備考	標準作業時間
1-1	61131-93J01-YAY	カバー, オイルパンスターホート (ﾌﾞﾗｯｸ)	1	BODY COLOR:YAY	
1-2	61131-93J01-Y5S	カバー, オイルパンスターホート (ﾎﾜｲﾄ)	1	BODY COLOR:Y5S	
2-1	61141-93J01-YAY	カバー, オイルパンホート (ﾌﾞﾗｯｸ)	1	BODY COLOR:YAY	
2-2	61141-93J01-Y5S	カバー, オイルパンホート (ﾎﾜｲﾄ)	1	BODY COLOR:Y5S	
3	61137-93J00	クッション, オイルパンカバーアツパ	2		
4	09139-06135	スクリュー (6X17)	5		
5	09139-06136	スクリュー (6X65)	3		
6-1	61811-93J40-YAY	カバー, サイドスターホート (ﾌﾞﾗｯｸ)	1	BODY COLOR:YAY	
6-2	61811-93J40-Y5S	カバー, サイドスターホート (ﾎﾜｲﾄ)	1	BODY COLOR:Y5S	
7-1	61821-93J10-YAY	カバー, サイドホート (ﾌﾞﾗｯｸ)	1	BODY COLOR:YAY	
7-2	61821-93J10-Y5S	カバー, サイドホート (ﾎﾜｲﾄ)	1	BODY COLOR:Y5S	
8	61134-93J20	シール, サイドカバー	1		
9	09409-05302-5PK	クリップ (ﾌﾞﾗｯｸ)	2		
10	61817-93J00	ﾌﾞﾗｯｸ, サイドカバー	2		
11	09136-06148	スクリュー (6X35)	8		
12	61827-93J02	ホルダー, サイドカバー	1		
13	09321-10030	クッション	2		
14	01550-08167	ホルト	2		
15-1	61831-93J13-YAY	パネル, フロント (ﾌﾞﾗｯｸ)	1	BODY COLOR:YAY	
15-2	61831-93J13-Y5S	パネル, フロント (ﾎﾜｲﾄ)	1	BODY COLOR:Y5S	
16	09116-08163	ホルト (8X38)	2		
17	09169-08039	ワッシャ	2		
18	09320-11013	クッション	2		
19	01550-05107	ホルト	6		
20	61632-93J00	シヤフト, エンジンカバーフック	3		
21-1	61633-93J00-YAY	レバー, フックリヤスターホート (ﾌﾞﾗｯｸ)	1	BODY COLOR:YAY	
21-2	61633-93J00-Y5S	レバー, フックリヤスターホート (ﾎﾜｲﾄ)	1	BODY COLOR:Y5S	
22-1	61634-93J00-YAY	レバー, フックリヤホート (ﾌﾞﾗｯｸ)	1	BODY COLOR:YAY	
22-2	61634-93J00-Y5S	レバー, フックリヤホート (ﾎﾜｲﾄ)	1	BODY COLOR:Y5S	
23	61641-93J10	フック, エンジンカバー	2		
24	61641-93J20	フック, エンジンカバーリヤホート	1		
25-1	61645-93J01-YAY	レバー, フックフロント (ﾌﾞﾗｯｸ)	1	BODY COLOR:YAY	
25-2	61645-93J01-Y5S	レバー, フックフロント (ﾎﾜｲﾄ)	1	BODY COLOR:Y5S	
26	61673-93J01	ラッチ, フックレバー	3		
27	09116-06127	ホルト (6X12)	3		

FIG.410B




FIG. 410B (1-G-8) サイドカバー (SEE NOTE 1)

見出番号	品番	品名	使用個数	備考	標準作業時間
28	09160-13014	ワッシャ (13. 2X25X1)	3		
29	09164-14008	ワッシャ	3		
30	09202-04022	ピン	3		
31	09306-04005	ブッシュ	6		
32	09306-13007	ブッシュ	3		
33	61124-93J60	ゴムマット, リモコンケーブ	1		
34	67341-93J30	ホルダー, リモコンケーブ	1		
35	67345-93J00	ブラケット, リモコンケーブホルダー	1		
36	09407-25402	クランプ (L: 250)	1		
37	01550-06167	ホルト	2		
38-1	61649-93J00	ラベル, フツクレバー	1	FOR YAY BODY COLOR: YAY	
38-2	61649-93J10	ラベル, フツクレバー	1	FOR Y5S BODY COLOR: Y5S	
39	67343-93J30	ストッパー, リモコンケーブ	1		
40	09160-06047	ワッシャ (6. 5X20X2)	1		
41	09352-70103-600	ホース (7X10. 2X600)	2	L: 600>21	
42	01570-06107	ホルト	1		
43	17913-93J00	ブラケット, ウォータ	1		
44	17914-93J00	ガasket, ウォータブラケット	1		
45	17917-87L00	コネクタ, フラッシュウォータ	1		
46	61458-99E50	ラベル, エンジンカバー	1		
47	67361-90J10	アダプター, ホース (リキリング)	1	オプション	
48	09208-06009	ピン	2	オプション	
49	09383-04002	Eリング	2	オプション	

NOTE 1:
X


Exploded view diagram of a car's front end assembly, showing various components and their assembly order. The diagram includes a front view of the car's body, a side view of the front end, and a top view of the front end. Components are numbered 1 through 46. A legend box in the bottom left corner contains a list of parts and their corresponding numbers. A 'FWD' logo is in the bottom right corner.

Legend:

Part Name	Number
Front End Panel	1
Front End Panel	2
Front End Panel	3
Front End Panel	4
Front End Panel	5
Front End Panel	6
Front End Panel	7
Front End Panel	8
Front End Panel	9
Front End Panel	10
Front End Panel	11
Front End Panel	12
Front End Panel	13
Front End Panel	14
Front End Panel	15
Front End Panel	16
Front End Panel	17
Front End Panel	18
Front End Panel	19
Front End Panel	20
Front End Panel	21
Front End Panel	22
Front End Panel	23
Front End Panel	24
Front End Panel	25
Front End Panel	26
Front End Panel	27
Front End Panel	28
Front End Panel	29
Front End Panel	30
Front End Panel	31
Front End Panel	32
Front End Panel	33
Front End Panel	34
Front End Panel	35
Front End Panel	36
Front End Panel	37
Front End Panel	38
Front End Panel	39
Front End Panel	40
Front End Panel	41
Front End Panel	42
Front End Panel	43
Front End Panel	44
Front End Panel	45
Front End Panel	46

見出番号	品番	品名	使用個数	備考	標準作業時間
1-1	61131-93J01-YAY	カハ ⁺ ー, オイルハ ⁺ ンスターホ ⁺ ート ⁺ (ﾌﾞﾗｯｸ)	1	BODY COLOR:YAY	
1-2	61131-93J01-Y5S	カハ ⁺ ー, オイルハ ⁺ ンスターホ ⁺ ート ⁺ (ﾎﾜｲﾄ)	1	BODY COLOR:Y5S	
2-1	61141-93J01-YAY	カハ ⁺ ー, オイルハ ⁺ ンホ ⁺ ート (ﾌﾞﾗｯｸ)	1	BODY COLOR:YAY	
2-2	61141-93J01-Y5S	カハ ⁺ ー, オイルハ ⁺ ンホ ⁺ ート (ﾎﾜｲﾄ)	1	BODY COLOR:Y5S	
3	61137-93J00	ｸｯｼｮﾝ, ﾀﾞｲﾍﾞﾙ ﾎﾝｶﾊﾞｰ ﾏﾞﾗﾌ	2		
4	09139-06135	ｽｸﾘﾕ (6X17)	5		
5	09139-06136	ｽｸﾘﾕ (6X65)	3		
6-1	61811-93J40-YAY	カハ ⁺ ー, ﾏﾞｲﾄﾞ ﾏﾞｽﾀｰホ ⁺ ート ⁺ (ﾌﾞﾗｯｸ)	1	BODY COLOR:YAY	
6-2	61811-93J40-Y5S	カハ ⁺ ー, ﾏﾞｲﾄﾞ ﾏﾞｽﾀｰホ ⁺ ート ⁺ (ﾎﾜｲﾄ)	1	BODY COLOR:Y5S	
7-1	61821-93J10-YAY	カハ ⁺ ー, ﾏﾞｲﾄﾞ ﾎ ⁺ ート (ﾌﾞﾗｯｸ)	1	BODY COLOR:YAY	
7-2	61821-93J10-Y5S	カハ ⁺ ー, ﾏﾞｲﾄﾞ ﾎ ⁺ ート (ﾎﾜｲﾄ)	1	BODY COLOR:Y5S	
8	61134-93J20	ｼｰﾙ, ﾏﾞｲﾄﾞ カﾊﾞｰ	1		
9	09409-05302-5PK	ｸﾘｯﾌﾟ (ﾌﾞﾗｯｸ)	2		
10	61817-93J00	ﾌﾞﾗｯｸ, ﾏﾞｲﾄﾞ カﾊﾞｰ	2		
11	09136-06148	ｽｸﾘﾕ (6X35)	8		
12	61827-93J02	ﾎﾙﾀﾞ, ﾏﾞｲﾄﾞ カﾊﾞｰ	1		
13	09321-10030	ｸｯｼｮﾝ	2		
14	01550-08167	ﾎ ⁺ ﾙﾄ	2		
15-1	61831-93J13-YAY	ﾊﾞﾈﾙ, ｳﾛﾝﾄ (ﾌﾞﾗｯｸ)	1	BODY COLOR:YAY	
15-2	61831-93J13-Y5S	ﾊﾞﾈﾙ, ｳﾛﾝﾄ (ﾎﾜｲﾄ)	1	BODY COLOR:Y5S	
16	09116-08163	ﾎ ⁺ ﾙﾄ (8X38)	2		
17	09169-08039	ﾌﾞﾗｯｼｭ	2		
18	09320-11013	ｸｯｼｮﾝ	2		
19	01550-05107	ﾎ ⁺ ﾙﾄ	6		
20	61632-93J00	ｼｬﾌﾄ, ﾍﾞﾝｼﾞﾝ ﾎﾝｶﾊﾞｰ ﾏﾞｯｸ	3		
21-1	61633-93J00-YAY	ﾚﾊﾞ ⁺ ー, ｳｯｸﾘｻﾞｽﾀｰホ ⁺ ート ⁺ (ﾌﾞﾗｯｸ)	1	BODY COLOR:YAY	
21-2	61633-93J00-Y5S	ﾚﾊﾞ ⁺ ー, ｳｯｸﾘｻﾞｽﾀｰホ ⁺ ート ⁺ (ﾎﾜｲﾄ)	1	BODY COLOR:Y5S	
22-1	61634-93J00-YAY	ﾚﾊﾞ ⁺ ー, ｳｯｸﾘｻﾞｽﾀｰ ﾎ ⁺ ート (ﾌﾞﾗｯｸ)	1	BODY COLOR:YAY	
22-2	61634-93J00-Y5S	ﾚﾊﾞ ⁺ ー, ｳｯｸﾘｻﾞｽﾀｰ ﾎ ⁺ ート (ﾎﾜｲﾄ)	1	BODY COLOR:Y5S	
23	61641-93J10	ﾌﾞﾗｯｸ, ﾍﾞﾝｼﾞﾝ ﾎﾝｶﾊﾞｰ	2		
24	61641-93J20	ﾌﾞﾗｯｸ, ﾍﾞﾝｼﾞﾝ ﾎﾝｶﾊﾞｰ ﾚﾊﾞ ⁺ ー ﾎ ⁺ ート	1		
25-1	61645-93J01-YAY	ﾚﾊﾞ ⁺ ー, ｳｯｸﾌﾞﾛﾝﾄ (ﾌﾞﾗｯｸ)	1	BODY COLOR:YAY	
25-2	61645-93J01-Y5S	ﾚﾊﾞ ⁺ ー, ｳｯｸﾌﾞﾛﾝﾄ (ﾎﾜｲﾄ)	1	BODY COLOR:Y5S	
26	61673-93J01	ﾌﾞﾗｯｼ, ｳｯｸ ﻟﻪﾊﾞ ⁺ ー	3		
27	09116-06127	ﾎ ⁺ ﾙﾄ (6X12)	3		

FIG.410C




DF250_000_018_410C
SIDE COVER

FIG.410C (1-G-10) サイドカバー (SEE NOTE 1)

見出番号	品番	品名	使用個数	備考	標準作業時間
28	09160-13014	ワッシャ (13. 2X25X1)	3		
29	09164-14008	ワッシャ	3		
30	09202-04022	ピン	3		
31	09306-04005	ブッシュ	6		
32	09306-13007	ブッシュ	3		
33	61124-93J60	ゴムマット, リモコンキーホルダー	1		
34	67341-93J30	ホルダー, リモコンキーホルダー	1		
35	67345-93J00	ブロータ, リモコンキーホルダー	1		
36	09407-25402	クランプ (L: 250)	1		
37	01550-06167	ホルト	2		
38-1	61649-93J00	ラベル, フックレバー	1	FOR YAY BODY COLOR: YAY	
38-2	61649-93J10	ラベル, フックレバー	1	FOR Y5S BODY COLOR: Y5S	
39	67343-93J30	ストッパー, リモコンキーホルダー	1		
40	09160-06047	ワッシャ (6. 5X20X2)	1		
41	09352-70103-600	ホース (7X10. 2X600)	2	L: 600>21	
42	01570-06107	ホルト	1		
43	17913-93J00	ブラケット, ウォータ	1		
44	17914-93J00	ガスケット, ウォータブラケット	1		
45	17917-87L00	コネクタ, フラッシュウォータ	1		
46	61458-99E50	ラベル, エンジンカバー	1		
47	67361-90J10	アダプター, ホース (リキリング)	1	オプション	
48	09208-06009	ピン	2	オプション	
49	09383-04002	Eリング	2	オプション	

NOTE 1:
XX

FIG.420A



DF250_000_018_420A
ENGINE COVER


FIG. 420A (1-G-11) エンジンカバー (DF200T)

見出番号	品番	品名	使用個数	備考	標準作業時間
1-1	61420-93890-YAY	カバーセット, エンジン(フ ラツク)	1	BODY COLOR:YAY	
1-2	61430-93800-Y5S	カバーセット, エンジン(ホワイ ト)	1	BODY COLOR:Y5S	
2	61112-93J20	・ラバー, エンジンカバー	1		
3	61416-93J00	・ガード, エアインテーク	1		
4-1	61431-93J03-YAY	・ハンドル, チルトアツプ(フ ラツク)	1	BODY COLOR:YAY	
4-2	61431-93J03-Y5S	・ハンドル, チルトアツプ(ホワイ ト)	1	BODY COLOR:Y5S	
5	61432-93J01	・カバー, チルトアツプハンドル	1		
6	61433-93J01	・カバー, エアインテークインサートホート	1		
7	61434-93J01	・カバー, エアインテークインサート	1		
8	61438-93J00	・テープ, チルトアツプハンドル(L:250)	1		
9	61438-93J00	・テープ, チルトアツプハンドル(L:250)	1	L:250>190	
10	61438-93J00	・テープ, チルトアツプハンドル(L:250)	1	L:250>106	
11	61439-93J20	・シール, チルトアツプハンドルホート	1		
12	61439-93J40	・シール, チルトアツプハンドルリヤ	1		
13	61476-93J00	・シール, エアベント	1		
14	03542-05169	・スクリュ	8		
15	03542-05169	・スクリュ	4		
16	03542-05169	・スクリュ	5		
17	03542-05169	・スクリュ	4		
18	61610-93J00	・フアスタ	3		
19	61621-93J01	・フ ラケツト, フアスタ	3		
20	09329-10022	・クツシヨ	3		
21	01547-06167	・ボルト	6		
22	01550-06127	・ボルト	3		
23-1	61443-96J50	・ストライプ, エンジンカバースターホート	1	FOR YAY BODY COLOR:YAY	
23-2	61443-96J60	・ストライプ, エンジンカバースターホート	1	FOR Y5S BODY COLOR:Y5S	
24-1	61453-96J50	・ストライプ, エンジンカバーホート	1	FOR YAY BODY COLOR:YAY	
24-2	61453-96J60	・ストライプ, エンジンカバーホート	1	FOR Y5S BODY COLOR:Y5S	
25	68111-93J00	・エンブレム, S	1		
26-1	61422-93JF0	マーク, エンブレムフロント(200)	1	FOR YAY BODY COLOR:YAY	

DF250_000_018

見出番号	品番	品名	使用個数	備考	標準 作業時間
26-2	61422-93JG0	マーク、エンブ レムフロント (200)	1	FOR Y5S BODY COLOR: Y5S	
27-1	61435-93JE0	マーク、エンブ レムリヤ (200)	1	FOR YAY BODY COLOR: YAY	
27-2	61435-93JF0	マーク、エンブ レムリヤ (200)	1	FOR Y5S	
28	09800-81835	ツールセット	1		
29	68110-96J01	カバー、ウエザ	1	オフショ	

FIG.420B



DF250_000_018_420B
ENGINE COVER

FIG. 420B (1-G-13) エンジンカバー (DF25T)

見出番号	品番	品名	使用個数	備考	標準作業時間
1-1	61420-93890-YAY	カバーセット, エンジン(フ ラツク)	1	BODY COLOR:YAY	
1-2	61430-93800-Y5S	カバーセット, エンジン(ホワイ ト)	1	BODY COLOR:Y5S	
2	61112-93J20	・ラバー, エンジンカバー	1		
3	61416-93J00	・ガード, エアインテーク	1		
4-1	61431-93J03-YAY	・ハンドル, チルトアツプ(フ ラツク)	1	BODY COLOR:YAY	
4-2	61431-93J03-Y5S	・ハンドル, チルトアツプ(ホワイ ト)	1	BODY COLOR:Y5S	
5	61432-93J01	・ルーバー, チルトアツプハンドル	1		
6	61433-93J01	・カバー, エアインテークインサートホート	1		
7	61434-93J01	・カバー, エアインテークインサート	1		
8	61438-93J00	・テープ, チルトアツプハンドル(L:250)	1		
9	61438-93J00	・テープ, チルトアツプハンドル(L:250)	1	L:250>190	
10	61438-93J00	・テープ, チルトアツプハンドル(L:250)	1	L:250>106	
11	61439-93J20	・シール, チルトアツプハンドルホート	1		
12	61439-93J40	・シール, チルトアツプハンドルリヤ	1		
13	61476-93J00	・シール, エアベント	1		
14	03542-05169	・スクリュ	8		
15	03542-05169	・スクリュ	4		
16	03542-05169	・スクリュ	5		
17	03542-05169	・スクリュ	4		
18	61610-93J00	・フアスタ	3		
19	61621-93J01	・フ ラケツト, フアスタ	3		
20	09329-10022	・クツシヨ	3		
21	01547-06167	・ホ ルト	6		
22	01550-06127	・ホ ルト	3		
23-1	61443-96J50	・ストライプ, エンジンカバースターホート	1	FOR YAY BODY COLOR:YAY	
23-2	61443-96J60	・ストライプ, エンジンカバースターホート	1	FOR Y5S BODY COLOR:Y5S	
24-1	61453-96J50	・ストライプ, エンジンカバーホート	1	FOR YAY BODY COLOR:YAY	
24-2	61453-96J60	・ストライプ, エンジンカバーホート	1	FOR Y5S BODY COLOR:Y5S	
25	68111-93J00	・エンブレム, S	1		
26-1	61422-93JB0	マーク, エンブレムフロント(225)	1	FOR YAY BODY COLOR:YAY	

DF250_000_018

FIG.420B





FIG. 420B (1-G-14) エンジンカバー (DF225T)

見出番号	品番	品名	使用個数	備考	標準作業時間
26-2	61422-93JC0	マーク、エンブレムフロント(225)	1	FOR Y5S BODY COLOR:Y5S	
27-1	61435-93JA0	マーク、エンブレムリヤ(225)	1	FOR YAY BODY COLOR:YAY	
27-2	61435-93JB0	マーク、エンブレムリヤ(225)	1	FOR Y5S BODY COLOR:Y5S	
28	09800-81835	ツールセット	1		
29	68110-96J01	カバー、ウエザ	1	オプション	

FIG.420C



DF250_000_018_420C
ENGINE COVER

FIG. 420C (1-G-15) エンジンカバー (DF250T)

見出番号	品番	品名	使用個数	備考	標準作業時間
1-1	61420-93890-YAY	カバーセット, エンジン(フッラツク)	1	BODY COLOR:YAY	
1-2	61430-93800-Y5S	カバーセット, エンジン(ホワイト)	1	BODY COLOR:Y5S	
2	61112-93J20	・ラバー, エンジンカバー	1		
3	61416-93J00	・ガード, エアインテーク	1		
4-1	61431-93J03-YAY	・ハンドル, チルトアップ(フッラツク)	1	BODY COLOR:YAY	
4-2	61431-93J03-Y5S	・ハンドル, チルトアップ(ホワイト)	1	BODY COLOR:Y5S	
5	61432-93J01	・ラバー, チルトアップハンドル	1		
6	61433-93J01	・カバー, エアインテークインサートホート	1		
7	61434-93J01	・カバー, エアインテークインサート	1		
8	61438-93J00	・テープ, チルトアップハンドル(L:250)	1		
9	61438-93J00	・テープ, チルトアップハンドル(L:250)	1	L:250>190	
10	61438-93J00	・テープ, チルトアップハンドル(L:250)	1	L:250>106	
11	61439-93J20	・シール, チルトアップハンドルホート	1		
12	61439-93J40	・シール, チルトアップハンドルリヤ	1		
13	61476-93J00	・シール, エアベント	1		
14	03542-05169	・スクリュー	8		
15	03542-05169	・スクリュー	4		
16	03542-05169	・スクリュー	5		
17	03542-05169	・スクリュー	4		
18	61610-93J00	・フアスタ	3		
19	61621-93J01	・フッラケツト, フアスタ	3		
20	09329-10022	・クツシヨソ	3		
21	01547-06167	・ホート	6		
22	01550-06127	・ホート	3		
23-1	61443-96J50	・ストライプ, エンジンカバースターホート	1	FOR YAY BODY COLOR:YAY	
23-2	61443-96J60	・ストライプ, エンジンカバースターホート	1	FOR Y5S BODY COLOR:Y5S	
24-1	61453-96J50	・ストライプ, エンジンカバーホート	1	FOR YAY BODY COLOR:YAY	
24-2	61453-96J60	・ストライプ, エンジンカバーホート	1	FOR Y5S BODY COLOR:Y5S	
25	68111-93J00	・エンブレム, S	1		
26-1	61422-93J00	マーク, エンブレムフロント(250)	1	FOR YAY BODY COLOR:YAY	

DF250_000_018

FIG.420C




FIG. 420C (1-G-16) エンジンカバー (DF250T)

見出番号	品番	品名	使用個数	備考	標準作業時間
26-2	61422-93JE0	マーク、エンブレムフロント(250)	1	FOR Y5S BODY COLOR:Y5S	
27-1	61435-93JC0	マーク、エンブレムリヤ(250)	1	FOR YAY BODY COLOR:YAY	
27-2	61435-93JD0	マーク、エンブレムリヤ(250)	1	FOR Y5S BODY COLOR:Y5S	
28	09800-81835	ツールセット	1		
29	68110-96J01	カバー、ウエザ	1	オプション	

FIG.430A




FIG. 430A (1-H-2) フューエルホース

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
1	65700-93J11	ホース, フューエル (タンクツアエンジン)	1		
2	65770-93J12	・ホ ンプ, スクイズ	1		
3	09401-13423	クリップ	2		

FIG.442A




FIG. 442A (1-H-3) ドラックリンク

見出番号	品番	品名	使用個数	備考	標準作業時間
1	67700-93J00	リンクセット, ドラック	1	オプション	
2	41161-94400	・シール, ステアリング ケーブル	1	オプション	
3	67701-87J11	・リンクアッシ, ドラック	1	オプション	
4	67721-87J00	・スベーサ	1	オプション	
5	67725-99E00	・ホルト, ドラック リンク	1	オプション	
6	67726-99E00	・ナット, ロック	2	オプション	
7	67728-99E00	・ワッシャ	4	オプション	
8	67467-89J01	コネクタ	2		
9	09385-06012	スナッブ ピン	2		
10	09160-06055	ワッシャ (7X12X1)	2		

FIG.460A





FIG. 460A (1-H-4) メータ

見出番号	品番	品名	使用個数	備考	標準作業時間
1-1	34200-93J00	タコメータアシ, ウイス' モニタ (ﾌﾞﾗｯｸ)	1	ﾌﾞﾗｯｸ	
1-2	34200-93J12	タコメータアシ, ウイス' モニタ (ﾜｲﾄ)	1	WHITE	
2	09471-12077	ﾊﾞﾙﾌﾞ (12V1. 7W)	1		

FIG.501A



DF250_000_018_501A
OPT:METER

FIG. 501A (1-H-5) オプション:メータ

見出番号	品 番	品 名	使用個数	備 考	標準 作業時間
1-1	34800-93J00	メータアツシ, トリム (ﾌﾞﾗｯｸ)	1	ﾌﾞﾗｯｸ	
1-2	34800-93J11	メータアツシ, トリム (ﾎﾜｲﾄ)	1	WHITE	
2	09471-12108	・ﾊﾞﾙﾌﾞ (12V1. 7W, T: 6. 5)	1		
3-1	34100-93J00	ｽﾍﾞｰﾄﾞ ｾﾞｰｼﾞ ｾﾞｰｼﾞ, 130KM/H (ﾌﾞﾗｯｸ)	1	MAX 130KM/H BLACK	
3-2	34100-93J11	ｽﾍﾞｰﾄﾞ ｾﾞｰｼﾞ ｾﾞｰｼﾞ, 130KM/H (ﾎﾜｲﾄ)	1	MAX 130KM/H WHITE	
3-3	34100-93J20	ｽﾍﾞｰﾄﾞ ｾﾞｰｼﾞ ｾﾞｰｼﾞ, 80KM/H (ﾌﾞﾗｯｸ)	1	MAX 80KM/H BLACK	
3-4	34100-93J31	ｽﾍﾞｰﾄﾞ ｾﾞｰｼﾞ ｾﾞｰｼﾞ, 80KM/H (ﾎﾜｲﾄ)	1	MAX 80KM/H WHITE	
3-5	34100-93J40	ｽﾍﾞｰﾄﾞ ｾﾞｰｼﾞ ｾﾞｰｼﾞ, 45KNOTS (ﾌﾞﾗｯｸ)	1	MAX 45KNOTS BLACK	
3-6	34100-93J51	ｽﾍﾞｰﾄﾞ ｾﾞｰｼﾞ ｾﾞｰｼﾞ, 45KNOTS (ﾎﾜｲﾄ)	1	MAX 45KNOTS WHITE	
3-7	34100-93J60	ｽﾍﾞｰﾄﾞ ｾﾞｰｼﾞ ｾﾞｰｼﾞ, 65KNOTS (ﾎﾜｲﾄ)	1	MAX 65KNOTS WHITE	
4	09471-12028	・ﾊﾞﾙﾌﾞ (12V3. 4W)	1		
5	34191-92E00	・ﾁｭｰﾌﾞ	1		
6	09407-14407	・ｸﾗﾝﾌﾟ (L: 145)	2		
7	36615-96300	・ﾀｰﾐﾅﾙ	2		
8-1	34600-93J00	メータアツシ, ﾎﾙﾃｰｼﾞ (ﾌﾞﾗｯｸ)	1	ﾌﾞﾗｯｸ	
8-2	34600-93J11	メータアツシ, ﾎﾙﾃｰｼﾞ (ﾎﾜｲﾄ)	1	WHITE	
9	09471-12103	・ﾊﾞﾙﾌﾞ (12V3W)	1		
10-1	34300-93J00	ｾﾞｰｼﾞ ｾﾞｰｼﾞ, ﾌｴｰﾙ (ﾌﾞﾗｯｸ)	1	ﾌﾞﾗｯｸ	
10-2	34300-93J11	ｾﾞｰｼﾞ ｾﾞｰｼﾞ, ﾌｴｰﾙ (ﾎﾜｲﾄ)	1	WHITE	
11	34310-92E00	・ﾘｰﾄﾞ ｾﾞｰｼﾞ, ﾌｴｰﾙ, ｾﾞｰｼﾞ	1		
12	34360-92E00	・ｱﾀﾞﾌﾞﾀ, ﾌｴｰﾙ ｾﾞｰｼﾞ	1		
13	09471-12103	・ﾊﾞﾙﾌﾞ (12V3W)	1		
14-1	34500-93J00	メータアツシ, ﾏｰ (ﾌﾞﾗｯｸ)	1	ﾌﾞﾗｯｸ	
14-2	34500-93J11	メータアツシ, ﾏｰ (ﾎﾜｲﾄ)	1	WHITE	
15	09471-12103	・ﾊﾞﾙﾌﾞ (12V3W)	1		
16-1	34650-93J20	ｾﾞｰｼﾞ ｾﾞｰｼﾞ, ﾜｰﾀｰ 15PSI (ﾌﾞﾗｯｸ)	1	15PSI BLACK	
16-2	34650-93J31	ｾﾞｰｼﾞ ｾﾞｰｼﾞ, ﾜｰﾀｰ 15PSI (ﾎﾜｲﾄ)	1	15PSI WHITE	
17	34191-92E00	・ﾁｭｰﾌﾞ	1		
18	09407-14407	・ｸﾗﾝﾌﾟ (L: 145)	2		
19	09471-12103	・ﾊﾞﾙﾌﾞ (12V3W)	1		
20-1	34200-93J00	ﾀｺﾒｰﾀﾞ ｾﾞｰｼﾞ, ﾜｲｽﾞ ﾓﾆﾀ (ﾌﾞﾗｯｸ)	1	ﾌﾞﾗｯｸ	
20-2	34200-93J12	ﾀｺﾒｰﾀﾞ ｾﾞｰｼﾞ, ﾜｲｽﾞ ﾓﾆﾀ (ﾎﾜｲﾄ)	1	WHITE	
21	09471-12077	・ﾊﾞﾙﾌﾞ (12V1. 7W)	1		

DF250_000_018

FIG.501A





FIG. 501A (1-H-6) オプ^レシヨ^ン:メ-タ

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
22	34190-87D00	センタ ^レ , スピ-ト ^レ メ-タ	1		
23	34190-95500	センタ ^レ , スピ-ト ^レ メ-タ	1		
24	03112-0630B	・スクリユ	2		
25	36682-92E00	ワイヤ, トリムメ-タエキステンシヨ ^ン (L: 6500)	1		

FIG.508A




DF250_000_018_508A
OPT:REMOTE CONTROL

FIG. 508A (1-H-7) オプション:リモート コントロール

見出番号	品 番	品 名	使用個数	備 考	標準 作業時間
1	67200-93J51	リモートコントロールアツシ	1		
2	36646-93J01	・ワイヤアツシ, PTTスイッチアツク プ ータ	1		
3	36628-92E00	・グ ロメツト, ワイヤリング ハーネス	1		
4	37110-93J11	・スイッチアツシ, イグ ニツシヨシ	1		
5-1	37141-99E00	・キー (931)	2		
5-2	37141-99E10	・キー (932)	2		
5-3	37141-99E20	・キー (933)	2		
5-4	37141-99E30	・キー (934)	2		
5-5	37141-99E40	・キー (935)	2		
5-6	37141-99E50	・キー (936)	2		
5-7	37141-99E60	・キー (937)	2		
5-8	37141-99E70	・キー (938)	2		
5-9	37141-99E80	・キー (939)	2		
5-10	37141-99E90	・キー (940)	2		
5-11	37141-99EA0	・キー (941)	2		
5-12	37141-99EB0	・キー (942)	2		
6	37143-99E00	・キヤツブ, キー	2		
7	37149-93J00	・キヤツブ, シリシタ ホ ー デー	1		
8	37721-93J91	・スイッチアツシ, ニュートラル	1		
9	37820-93J04	・スイッチアツシ, エマシ ンシ	1		
10	37823-92E01	・フ レートアツシ, エマシ ンシスイッチロツク	1		
11	37826-92J00	・ナツト	1		
12	37850-90J06	・スイッチアツシ, PTT	1		
13	38500-93J90	・フ ザー, ウオーニシグ	1		
14	67212-95600	・ワツシヤ	1		
15	67296-92E11	・スクリュ, ニュートラルスイッチ	2		
16	67220-95630	・フ レートアツシ	1		
17	67223-99E10	・ノフ, プ レーキアシ ャスト	1		
18	67229-95600	・ローラ	1		
19	67232-95600	・フ ツシ	1		
20	67238-87D00	・ギ ー, ト ライフ	1		
21	67241-99E10	・レバ ー, フリースロツトル	1		
22	67243-95600	・フ ツシ	1		
23	67244-95600	・ウエーブ ワツシヤ	1		
24	67245-95600	・ド ラム, フリースロツトル	1		

DF250_000_018

FIG.508A



DF250_000_018_508A
OPT:REMOTE CONTROL

FIG. 508A (1-H-8) オプション:リモート コントロール

見出番号	品 番	品 名	使用個数	備 考	標準 作業時間
25	67251-99E20	・レバー, ハンドル	1		
26	67252-95600	・フ ッシュ	2		
27	67253-95600	・ワッシャ	1		
28	67255-99E10	・アーム, ロック	1		
29	67256-95600	・ホルダ, ニュートラルロック	1		
30	67257-99E10	・キャップ, レバー	1		
31	67258-99E00	・フ ラケツト	1		
32	67259-87D00	・スフ リング, ニュートラルアーム	1		
33	67261-99E10	・グ リップ	1		
34	67296-94310	・スクリュ	1		
35	67264-95600	・ワッシャ	1		
36	67267-93J00	・カバー, ワイヤ	1		
37	67273-95600	・スベ ーサ	1		
38	67275-95600	・エンド, ケーブル	2		
39	67292-94300	・Eリング	3		
40	67294-95600	・スベ ーサ	3		
41	67296-90J10	・スクリュ, リヤカバー	5		
42	67296-94300	・スクリュ (4X10)	2		
43	67296-95600	・スクリュ	3		
44	67296-95610	・スクリュ	2		
45	67297-95600	・ワッシャ	2		
46	77811-54GB0-OPG	・エンフ レム, リヤマークS (クロム)	1		
47	09100-08232	・ボ ルト (8X30)	1		
48	09126-05003	・スクリュ (5X12)	2		
49	09140-06020	・ナツト	3		
50	09160-06104	・ワッシャ (6. 5X24X2)	3		
51	37859-90J00	・スベ ーサ	1		
52	67282-94L00	・デ カル, リモコンサイド	1		
53	67284-94L00	・マーク, ハンドルレバー	1		
54-1	36620-93J02	ワイヤアツシ, リモートコントロール	1		
54-2	36620-93J52	ワイヤアツシ, リモートコントロール	1		
54-3	36620-93J62	ワイヤアツシ, リモートコントロール	1		
55	09481-10501	・フューズ (10A)	1		
56	67140-95600	アタツチメントキット, ツインリモコン	1		
57	67294-95600	・スベ ーサ	3		

DF250_000_018

FIG.508A





FIG. 508A (1-H-9) オプション:リモート コントロール

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
58	67296-95621	・スクリュ (L: 165)	3		
59-1	67320-93J00	ケーブル アダプシ, リモコン (8F: 2. 4M)	2		
59-2	67320-93J10	ケーブル アダプシ, リモコン (10F: 3. 1M)	2		
59-3	67320-93J20	ケーブル アダプシ, リモコン (12F: 3. 7M)	2		
59-4	67320-93J30	ケーブル アダプシ, リモコン (14F: 4. 2M)	2		
59-5	67320-93J40	ケーブル アダプシ, リモコン (16F: 4. 8M)	2		
59-6	67320-93J50	ケーブル アダプシ, リモコン (18F: 5. 4M)	2		
59-7	67320-93J60	ケーブル アダプシ, リモコン (20F: 6. 1M)	2		
59-8	67320-93J70	ケーブル アダプシ, リモコン (22F: 6. 7M)	2		
59-9	67320-93J80	ケーブル アダプシ, リモコン (24F: 7. 3M)	2		

FIG.517A



DF250_000_018_517A
OPT:CONCEALED REMOCON (1)

FIG. 517A (1-H-10) オプション:コンシールド リモコン(1)

見出番号	品番	品名	使用個数	備考	標準作業時間
1	67200-93J33	リモートコントロールアツシ, コンシールド	1		
2	67298-92E50	・スプリング	1		
3	67296-94310	・スクリュー	1		
4	67295-92E10	・スクリュー	2		
5	37850-92E27	・スイッチアツシ, PTT	1		
6	67288-92E60	・ワッシャ	1		
7	09125-04021	・スクリュー (4X20)	1		
8	67255-92E50	・アーム, ニュートラルロック	1		
9	67251-92E50	・レバー, ハンドル	1		
10	67261-92E50	・ knob リップ	1		
11	67256-92E50	・ knob リップ, ニュートラルロック	1		
12	67257-92E00	・ キヤツフ, レバー	1		
13	67242-92E50	・ シヤフト, フリーアキユムレータ	1		
14	67288-92E20	・ ワッシャ	6		
15	67296-88D10	・ スクリュー (5X16)	4		
16	67288-92E70	・ ワッシャ	1		
17	67296-88D20	・ スクリュー	3		
18	67295-92E50	・ スクリュー	3		
19	67287-92E50	・ ナット	3		
20	09160-06104	・ ワッシャ (6. 5X24X2)	3		
21	67296-88D30	・ スクリュー	4		
22	67254-92E50	・ カバール, ロックアーム	1		
23	36890-93J00	・ ワイヤ, ニュートラル/PTTスイッチ	1		
24	67275-95600	・ エンド, ケーブル	2		
25	67273-95600	・ スペーサ	1		
26	67283-92E50	・ デュアル, レバー	1		
27	67284-92E50	・ デュアル, クラツチ	1		
28	67274-92E50	・ ベース	1		
29	67211-92E50	・ カバール	1		

DF250_000_018

FIG.518A




FIG. 518A (1-H-11) オプション:コンシールド リモコン (2)

見出番号	品 番	品 名	使用個数	備 考	標準 作業時間
1	67200-93J33	リモートコントロールアツシ, コンシールド	1		
2	67222-92E50	・ﾌﾞﾚｰﾄ	1		
3	67292-94300	・Eﾘﾝｸﾞ	3		
4	67288-92E10	・ワｯｼﾔ	1		
5	67291-92E00	・ﾘﾝｸﾞ, ﾏﾞｽﾀﾌ	2		
6	67223-92E50	・ﾌﾞﾚｰｷｱｼﾞ ﾔｽﾄ	1		
7	67221-92E50	・ﾎﾙﾀﾞ ﾏﾞｼ	1		
8	67224-92E50	・ﾌﾞﾚｰｷｼｭｰｱﾞｼ	1		
9	67225-92E50	・ﾃﾞｲｽｸ, ﾌﾞﾚｰｷ	1		
10	09140-06020	・ﾅｯﾄ	2		
11	67294-92E00	・ｽﾍﾞｰｻ	1		
12	37721-95500	・ｽｲｯﾁｱﾞｼ, ﻧｴｴﾄﾗﾙ	1		
13	67296-92E11	・ｽｸﾘﾕ, ﻧｴｴﾄﾗﾙｽｲｯﾁ	2		
14	67226-92E10	・ﾎﾙﾄ, ﺴﾄｯﾊﾟﾘﾔ	2		
15	67296-92E20	・ｽｸﾘﾕ (5X25)	2		
16	67240-92E50	・ｽﾛｯﾄﾙﾌﾞｰﾑｱﾞｼ	1		
17	67228-92E00	・ワｯｼﾔ	1		
18	67286-92E00	・ﾎﾙﾄ (6X18)	3		
19	67230-92E00	・ｼﾌﾄﾌﾞｰﾑｱﾞｼ	1		
20	09125-05042	・ｽｸﾘﾕ (5X10)	11		
21	67234-92E00	・ｹｰｽ, ﮔｴﾔ	1		
22	67245-92E00	・ﾚﾊﾞｰｱﾞｼ, ﺴﾛｯﾄﾙ	1		
23	67227-92E00	・ｽﾄｯﾊﾟ	1		
24	67296-88D10	・ｽｸﾘﾕ (5X16)	2		
25	67225-92E00	・ｽﾌﾞﾘﾝｸﾞ	1		
26	09125-04004	・ｽｸﾘﾕ (4X6)	1		
27	67233-92E00	・ｽﾌﾞﾘﾝｸﾞ	1		
28	67235-92E00	・ﾌﾞﾚｰﾄ, ﺴﾌﾄﾛｯｸ	1		
29	67239-92E10	・ﾌﾞﾚｰﾄ, ﺴﾌﾄﾋﾞﾝ	1		
30	67236-92E00	・ﾛｰﾗ	1		
31	67237-92E01	・ｽﾌﾞﾘﾝｸﾞ	5		
32	67238-92E50	・ｷﾞｴ, ﺩﾗｲﾌ	1		
33	67239-92E00	・ﾋﾞﾝ	1		
34	67246-92E50	・ｼｬﾌﾄ, ﺩﾗｲﾌ	1		
35	67252-92E00	・ﾌﾞｯｼｭ	1		

FIG.518A




FIG. 518A (1-H-12) オプション:コンシールド リモコン(2)

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
36	67291-92E10	・リング, スナッフ	1		
37	67253-92E10	・ワッシャ	1		
38	67252-92E10	・ﾌﾞｯｼｭ	1		
39	67253-95600	・ワッシャ	1		
40	67231-92E00	・ｷﾞヤ, シフト	1		
41	67232-95600	・ﾌﾞｯｼｭ	1		
42	67241-92E50	・ﾛｯﾄﾞ,ﾌﾘｰｱｷｭﾑﾚｰﾀ	1		
43	67232-92E50	・ﾌﾞｯｼｭ	1		

FIG.521A





FIG. 521A (1-H-13) オプションハーネス

見出番号	品 番	品 名	使用個数	備 考	標準 作業時間
1-1	36620-93J10	ワイヤアツシ, リモコンエクステンション (L: 2000)	1		
1-2	36620-93J40	ワイヤアツシ, リモコンエクステンション (L: 3000)	1		
2	36620-93J30	ワイヤアツシ, リモコン (L: 2000)	1		
3	17917-87L00	コネクタ, フラツシユオータ	1		
4	38500-93J00	プ ザ ーアツシ, ウォーニング	1		
5	34660-93J00	キツト, ウォータフ レツシヤゲ ージ	1		
6	09352-50903-600	・ホース (5X9X600)	1	L: 600>110	
7	09352-50903-00B	・ホース (5X9X2000)	1	L: 2000>750	
8	09367-06006	・3ウェイ	1		
9	09401-08413	・クリツフ	4		
10	18498-87J00	・フ ロテクタ, ホース (9. 5X11. 5X450)	1	L: 450>390	

FIG.530A




DF250_000_018_530A
OPT:SWITCH

FIG. 530A (1-H-14) オプション:スイッチ

見出番号	品 番	品 名	使用個数	備 考	標準 作業時間
1	37100-96J00	ハ ^ニ ネルアツシ、イク ^ニ ニツシヨンスイツチ	1		
2	37110-93J01	・スイツチアツシ、イク ^ニ ニツシヨシ	1		
3-1	37141-99E00	・・キー (931)	2		
3-2	37141-99E10	・・キー (932)	2		
3-3	37141-99E20	・・キー (933)	2		
3-4	37141-99E30	・・キー (934)	2		
3-5	37141-99E40	・・キー (935)	2		
3-6	37141-99E50	・・キー (936)	2		
3-7	37141-99E60	・・キー (937)	2		
3-8	37141-99E70	・・キー (938)	2		
3-9	37141-99E80	・・キー (939)	2		
3-10	37141-99E90	・・キー (940)	2		
3-11	37141-99EA0	・・キー (941)	2		
3-12	37141-99EB0	・・キー (942)	2		
4	37143-99E00	・・キヤツツ ^ニ 、キー	1		
5	37149-93J00	・・キヤツツ ^ニ 、シリシダ ^ニ ホ ^ニ デ ^ニ	1		
6	37139-99E00	・ハ ^ニ ネル、イク ^ニ ニツシヨンスイツチ	1		
7	38500-93J90	・フ ^ニ ザ ^ニ ー、ウオ ^ニ ーニツク	1		
8	09407-08401	・クラシツ ^ニ (L:80)	1		
9	37803-93J05	ハ ^ニ ネルアツシ、エマシ ^ニ エンシススイッチ	1		
10	37820-93J10	・スイツチアツシ、エマシ ^ニ エンシ	1		
11	37823-92E01	・・フ ^ニ レ ^ニ アツシ、エマシ ^ニ エンシススイッチロツク	1		
12	37826-92J10	・・ナツト	1		
13	37825-99E10	・ハ ^ニ ネル、エマシ ^ニ エンシストツツ ^ニ スイッチ	1		
14	03122-05165	・スクリュ	4		
15	37805-93J00	ハ ^ニ ネルアツシ、PTTスイッチ	1		
16	37855-99E00	・ハ ^ニ ネル、PTTスイッチ	1		
17	37210-93J00	ハ ^ニ ネルアツシ、ライテリシグ ^ニ スイッチ	1		
18	37212-93J00	・ハ ^ニ ネル、ライテリシグ ^ニ スイッチ	1		
19	37100-96J15	ハ ^ニ ネルアツシ、チ ^ニ アルエンシ ^ニ ンスイツチ	1		
20	37110-93J01	・スイツチアツシ、イク ^ニ ニツシヨシ	2		
21-1	37141-99E00	・・キー (931)	4		
21-2	37141-99E10	・・キー (932)	4		
21-3	37141-99E20	・・キー (933)	4		
21-4	37141-99E30	・・キー (934)	4		

FIG.530A



DF250_000_018_530A
OPT:SWITCH

FIG. 530A (1-H-15) オプション:スイッチ

見出番号	品 番	品 名	使用個数	備 考	標準 作業時間
21-5	37141-99E40	・キー (935)	4		
21-6	37141-99E50	・キー (936)	4		
21-7	37141-99E60	・キー (937)	4		
21-8	37141-99E70	・キー (938)	4		
21-9	37141-99E80	・キー (939)	4		
21-10	37141-99E90	・キー (940)	4		
21-11	37141-99EA0	・キー (941)	4		
21-12	37141-99EB0	・キー (942)	4		
22	37143-99E00	・「キャツプ」, キー	2		
23	37149-93J00	・「キャツプ」, シリンダ 部 デー	2		
24	37820-93JA0	・スイッチアツシ, エマシ ンシ	1		
25	37139-99E30	・ハ ねル, イグ ニツシヨンスイツチ	1		
26	03121-0516A	・スクリュ	4		
27	38500-93J90	・フ ザー, ウオーニグ	1		
28	09407-08401	・クランフ (L:80)	1		
29	37100-96J25	ハ ねルアツシ, エンジ ンスイツチ	1		
30	37110-93J01	・スイッチアツシ, イグ ニツシヨ	1		
31-1	37141-99E00	・キー (931)	2		
31-2	37141-99E10	・キー (932)	2		
31-3	37141-99E20	・キー (933)	2		
31-4	37141-99E30	・キー (934)	2		
31-5	37141-99E40	・キー (935)	2		
31-6	37141-99E50	・キー (936)	2		
31-7	37141-99E60	・キー (937)	2		
31-8	37141-99E70	・キー (938)	2		
31-9	37141-99E80	・キー (939)	2		
31-10	37141-99E90	・キー (940)	2		
31-11	37141-99EA0	・キー (941)	2		
31-12	37141-99EB0	・キー (942)	2		
32	37143-99E00	・「キャツプ」, キー	1		
33	37149-93J00	・「キャツプ」, シリンダ 部 デー	1		
34	37820-93J04	・スイッチアツシ, エマシ ンシ	1		
35	37823-92E01	・フ レートアツシ, エマシ ンシスイッチロツク	1		
36	37826-92J10	・ナツト	1		
37	37139-99E40	・ハ ねル, イグ ニツシヨンスイツチ	1		

DF250_000_018

見出番号	品番	品名	使用個数	備考	標準作業時間
38	03121-0516A	・スクリュ	4		
39	38500-93J90	・ﾌﾞﾗｯｸ、ｵｰﾆﾝｸﾞ	1		
40	09407-08401	・ｸﾗﾝﾌﾟ (L:80)	1		

FIG.541A





FIG. 541A (1-I-2) オプション:リモート コントロール アッシ テュアル (1) (SEE NOTE 1)

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
1	67200-88L10	リモートコントロールアッシ, テュアル	1		
2	67261-88L10	・グ リップ, リモコンNO. 2	2		
3	67261-88L00	・グ リップ, リモコンNO. 1	2		
4	37850-88L10	・スイッチアッシ, グ リップ PTT (テュアル)	1	DUAL	
5	67296-88L00	・スクリュ	6		
6	67288-92E20	・ワッシャ	6		
7	67212-88L10	・カハ ー, プ ラク (テュアル)	1	DUAL	
8	68111-88L00	・エンブ レム, マーク (S)	1		
9	67257-88L00	・キヤツフ, リモコンレハ ー	2		
10	67281-88L10	・テ カール (テュアル)	1	DUAL	
11	67296-92E60	・スクリュ	4		
12	67288-92E60	・ワッシャ	4		
13	67253-92E00	・ワッシャ	2		
14	67275-95600	・エンド, ケーブ ル	4		
15	67273-95600	・スヘ ーサ	2		
16	67271-88L10	・カハ ー, リモコンレハ ーロア	2		
17	67211-88L10	・カハ ー (テュアル)	1	DUAL	
18	36890-88L00	・ワイヤアッシ, ニュートラル/PTTスイッチ	1		
19	67263-88L30	・キヤツフ, グ リップ スイツチホル	1		
20	67217-88L00	・ガ イト, ウォーターフ ルーフ	1		
21	67296-88L10	・スクリュ, ウォーターフ ルーフカ イト	2		
22	37850-88L30	・スイッチアッシ, PTTスターボ ート (テュアル)	1	DUAL	
23	37850-88L20	・スイッチアッシ, PTTホ ート (テュアル)	1	DUAL	
24	67264-88L00	・カハ ー, レハ ーテ ザ イン	2		
25	67264-88L10	・カハ ー, レハ ーメツキ	2		
26	67500-88L10	キツト, リモコンスヘ ーサツイン	1		
27	09125-05135	・スクリュ (5X65)	4		
28	09160-05029	・ワッシャ (5. 5X12X0. 8)	4		
29	09140-05005	・ナツト	4		
30	67273-88L10	・グ ロメツト, リモコンテュアル	1		

NOTE 1:
1

FIG.542A



DF250_000_018_542A
OPT:REMOTE CONTROL ASSYDUAL (2)

FIG. 542A (1-I-3) オプション:リモート コントロール アッシ デュアル (2) (SEE NOTE 1)

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
1	67200-88L10	リモートコントロールアッシ, デュアル	1		
2	67222-92E00	・ﾌﾞﾚｰﾄ	2		
3	67223-92E00	・ﾌﾞﾚｰｷｱｼﾞﾞｽﾄ	2		
4	67288-92E00	・ワｯｼﾔ	2		
5	67292-94300	・ｴﾘﾝｸﾞ	8		
6	67272-88L00	・ｺﾞﾑｼｰﾙ, ﾕｵｰﾀｰﾌﾞﾙｰﾌ	2		
7	67291-92E00	・ﾘﾝｸﾞ, ﾏﾅｯﾌﾟ	2		
8	67221-92E00	・ｼﾌﾄｱｯｼ	2		
9	67224-92E00	・ﾌﾞﾚｰｷｱｰﾑｱｯｼ	2		
10	09140-06020	・ﾅｯﾄ	4		
11	37721-92E10	・ｽｲｯﾁｱｯｼ, ﻧｴｴﾄﾗﾙ	1		
12	67236-92E00	・ﾛｰﾗ	2		
13	67296-88D10	・ｽｸﾘﾕ (5X16)	4		
14	67296-92E20	・ｽｸﾘﾕ (5X25)	4		
15	67226-92E00	・ﾎﾞﾙﾄ, ﾏﾂﾊﾞﾌﾛﾝﾄ	2		
16	67226-92E10	・ﾎﾞﾙﾄ, ﾏﾂﾊﾞﾘﾔ	2		
17	67240-92E00	・ｽﾛｯﾄﾙｱｰﾑｱｯｼ	2		
18	67228-92E00	・ワｯｼﾔ	2		
19	67286-92E00	・ﾎﾞﾙﾄ (6X18)	6		
20	67230-88L00	・ｱｰﾑｱｯｼ, ﾚﾓｺﾝｼﾌﾄ	2		
21	09125-05042	・ｽｸﾘﾕ (5X10)	18		
22	67234-88L00	・ｹｰｽ, ﾚﾓｺﾝｷﾞﾔ	2		
23	67245-92E00	・ﾚﾊﾞｰｱｯｼ, ﾏﾂﾄﾙ	2		
24	67227-92E00	・ｽﾄｯﾊﾟ	2		
25	09126-06006	・ｽｸﾘﾕ (6X20)	4		
26	67233-92E00	・ｽﾌﾞﾘﾝｸﾞ	2		
27	67235-92E00	・ﾌﾞﾚｰﾄ, ﾏﾌﾄﾛｯｸ	2		
28	67237-92E01	・ｽﾌﾞﾘﾝｸﾞ	10		
29	67269-92E00	・ﾌﾞﾗｹｯﾄ	1		
30	67296-88D10	・ｽｸﾘﾕ (5X16)	1		
31	67238-88L00	・ｷﾞﾔ, ﾚﾓｺﾝﾄﾞﾗｲﾌ	2		
32	67231-88L00	・ｷﾞﾔ, ﾚﾓｺﾝｼﾌﾄ	2		
33	67232-88L00	・ﾌﾞｯｼｭ, ﾏﾌﾄｷﾞﾔ	2		
34	67241-88L00	・ﾛｯﾄ, ﾚﾓｺﾝﾌﾘｰｱｹｾﾙ	2		
35	67239-92E00	・ﾋﾞｰﾝ	2		

DF250_000_018

FIG.542A




FIG. 542A (1-I-4) オプション:リモート コントロール アッシー デュアル (2) (SEE NOTE 1)

見出番号	品 番	品 名	使用個数	備 考	標準 作業時間
36	67246-88L00	・シャフト, リモコンデ ライフ	2		
37	67291-92E10	・リング, スナツフ	2		
38	67243-92E00	・キャツフ, ホール	2		
39	67252-88L00	・フ ヅシユ, リモコンデ ライフ シャフト	2		
40	67253-88L00	・ワツシヤ, リモコンデ ライフ シャフト	2		
41	67239-92E10	・フ レート, シフトピ ン	2		
42	67274-88L10	・フ ランシ ッ, カバ ーベ ース (デ ュアル)	2	DUAL	
43	67287-92E10	・ナツト	1		
44	67296-95610	・スクリュ	4		
45	67296-92E30	・スクリュ	4		
46	67296-92E80	・スクリュ	3		
47	09160-05024	・ワツシヤ (5. 5X16X1. 5)	4		
48	67287-92E00	・ナツト	4		
49	67273-88L10	・グ ロメツト, リモコンデ ュアル	1		

NOTE 1:
2

FIG.544A




FIG. 544A (1-I-5) オプション:リモート コントロール アツシ シンク ル (1)

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
1	67200-88L00	リモートコントロールアツシ, シンク ル	1		
2	67261-88L10	・グ リップ, リモコンNO. 2	1		
3	67261-88L00	・グ リップ, リモコンNO. 1	1		
4	37850-88L00	・スイッチアツシ, グ リップ PTT (シンク ル)	1	SINGLE	
5	67296-88L00	・スクリュ	3		
6	67288-92E20	・ワツシヤ	3		
7	67212-88L00	・カハ ー, フ ラク (シンク ル)	1	SINGLE	
8	68111-88L00	・エン プ レム, マーク (S)	1		
9	67257-88L00	・キヤツツ, リモコンレバ ー	1		
10	67281-88L00	・デ ィ カール (シンク ル)	1	SINGLE	
11	67296-92E60	・スクリュ	2		
12	67288-92E60	・ワツシヤ	2		
13	67253-92E00	・ワツシヤ	1		
14	67275-95600	・エンド ー, ケー プ ル	2		
15	67273-95600	・スヘ ーサ	1		
16	67271-88L10	・カハ ー, リモコンレバ ーロア	1		
17	67211-88L00	・カハ ー (シンク ル)	1	SINGLE	
18	67264-88L00	・カハ ー, レバ ーデ ィ ザイン	1		
19	67264-88L10	・カハ ー, レバ ーメツキ	1		
20	67500-88L00	キツト, リモコンスヘ ーサシンク ル	1		
21	09125-05135	・スクリュ (5X65)	4		
22	09160-05029	・ワツシヤ (5. 5X12X0. 8)	4		
23	09140-05005	・ナツツ	4		
24	67273-88L00	・グ ロメツツ, リモコンシンク ル	1		

FIG.545A




FIG. 545A (1-I-6) オプション:リモート コントロール アツシ シンｸﾞﾙ (2)

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
1	67200-88L00	リモートコントロールアツシ, シンｸﾞﾙ	1		
2	67222-92E00	・ﾌﾞﾚｰﾄ	1		
3	67223-92E00	・ﾌﾞﾚｰｷｱｼﾞﾂﾞﾔｽﾄ	1		
4	67288-92E00	・ワｯｼﾔ	1		
5	67292-94300	・ｴﾘﾝｸﾞ	4		
6	67272-88L00	・ｺﾞﾑｼｰﾙ, ﾜｰﾀｰﾌﾟﾙｰﾌ	1		
7	67291-92E00	・ﾘﾝｸﾞ, ﾏﾞﾅｯﾌﾟ	1		
8	67221-92E00	・ｼﾌﾄｱｯｼ	1		
9	67224-92E00	・ﾌﾞﾚｰｷｱｰﾑｱｯｼ	1		
10	09140-06020	・ﾅｯﾄ	2		
11	37721-88L00	・ｽｲｯﾁｱｯｼ, ﻧｴｴﾄﾗﾙ	1		
12	67236-92E00	・ﾛｰﾗ	1		
13	67296-88D10	・ｽｸﾘﾕ (5X16)	2		
14	67296-92E20	・ｽｸﾘﾕ (5X25)	2		
15	67226-92E00	・ﾎﾞﾙﾄ, ﾏﾞｽﾄﾊﾞﾌﾞﾛﾝﾄ	1		
16	67226-92E10	・ﾎﾞﾙﾄ, ﾏﾞｽﾄﾊﾞﾌﾞﾘﾔ	1		
17	67240-92E00	・ｽﾛｯﾄﾙｱｰﾑｱｯｼ	1		
18	67228-92E00	・ワｯｼﾔ	1		
19	67286-92E00	・ﾎﾞﾙﾄ (6X18)	3		
20	67230-88L00	・ｱｰﾑｱｯｼ, ﾘﾓﾝｼﾌﾄ	1		
21	09125-05042	・ｽｸﾘﾕ (5X10)	10		
22	67234-88L00	・ｹｰｽ, ﾘﾓﾝｷﾞﾔ	1		
23	67245-92E00	・ﾚﾊﾞｰｱｯｼ, ﾏﾞｯﾄﾙ	1		
24	67227-92E00	・ｽﾄｯﾊﾞ	1		
25	09126-06006	・ｽｸﾘﾕ (6X20)	2		
26	67233-92E00	・ｽﾌﾞﾘﾝｸﾞ	1		
27	67235-92E00	・ﾌﾞﾚｰﾄ, ﾏﾞﾌﾄﾛｯｸ	1		
28	67237-92E01	・ｽﾌﾞﾘﾝｸﾞ	5		
29	67269-92E00	・ﾌﾞﾗｹｯﾄ	1		
30	67296-88D10	・ｽｸﾘﾕ (5X16)	1		
31	67238-88L00	・ｷﾞﾔ, ﾘﾓﾝﾄﾞﾗｲﾌ	1		
32	67231-88L00	・ｷﾞﾔ, ﾘﾓﾝｼﾌﾄ	1		
33	67232-88L00	・ﾌﾞｯｼｬ, ﾏﾞﾌﾄｷﾞﾔ	1		
34	67241-88L00	・ﾛｯﾄﾞ, ﾘﾓﾝﾌﾘｰｱｸｾﾙ	1		
35	67239-92E00	・ﾋﾞｰﾝ	1		

FIG.545A




FIG. 545A (1-I-7) オプション:リモート コントロール アツシ シンク ル (2)

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
36	67246-88L00	・シャフト, リモコンﾄﾞ ラｲﾌ	1		
37	67291-92E10	・ﾘﾝｸﾞ, スﾅｯﾌﾟ	1		
38	67243-92E00	・ｷｬｯﾌﾟ, ﾎｰﾙ	1		
39	67252-88L00	・ﾌﾞ ﾂｼｭ, リモコンﾄﾞ ラｲﾌﾞ ｼｬﾌﾄ	1		
40	67253-88L00	・ﾜｯｼｬ, リモコンﾄﾞ ラｲﾌﾞ ｼｬﾌﾄ	1		
41	67239-92E10	・ﾌﾞ ﾚｰﾄ, ｼﾌﾄﾋﾞｼﾞｮﾝ	1		
42	67274-88L00	・ﾌﾗﾝｼﾝｸﾞ, ｶﾊﾞｰﾍﾞｰｽ (ｼﾝｸﾞﾙ)	2	SINGLE	
43	67296-95610	・ｽｸﾘｭ	4		
44	67296-92E30	・ｽｸﾘｭ	4		
45	09160-05024	・ﾜｯｼｬ (5. 5X16X1. 5)	4		
46	67287-92E00	・ﾅｯﾄ	4		
47	67273-88L00	・ｸﾞﾛﾓﾜｯﾄ, リモコンｼﾝｸﾞﾙ	1		

FIG.585A




FIG. 585A (1-I-8) オプション:ガasket セット

見出番号	品 番	品 名	使用個数	備 考	標準 作業時間
1	11410-93871	ガasketセット	1		
2	11141-93J10	・ガasket, シリンダヘッドスターボート	1		
3	11142-93J10	・ガasket, シリンダヘッドボート	1		
4	11179-93J00	・ガasket, シリンダヘッドカバースターボート	1		
5	11189-93J00	・ガasket, シリンダヘッドカバーボート	1		
6	11332-93J00	・ガasket, クランクケースウォータージャケットカバー	1	CRANKCASE WTR JKT COVER	
7	13119-93J00	・ガasket, インテークマニホールド	2		
8	14151-93J00	・ガasket, エキゾーストカバー (スターボート)	1		
9	14152-93J00	・ガasket, エキゾーストカバー (ボート)	1		
10	11272-93J00	・ガasket, シリンダブロックプレート	1		
11	11489-93J00	・ガasket, オイルパン	1		
12	14212-93J00	・ガasket, エキゾーストチューブ	1		
13	51123-93J00	・ガasket, マウントオイルシールカバー	1		
14	51142-93J00	・ガasket, エンジンホルダーカバー	1		
15	51211-93J00	・ガasket, エンジンホルダー	1		

FIG.601A




FIG. 601A (1-I-9) オプション:マルチ ファンクション ゲージ (1)

見出番号	品 番	品 名	使用個数	備 考	標準 作業時間
1	34000-96L42	キット, シングルゲージ メカニカル	1		
2	34011-96L12	・ゲージセット, マルチ (W/インストラクション)	1		
3	34112-96L00	・ナット, ゲージ	1		
4	34193-96L00	・ベッセル, ゲージ	1		
5	34211-96L00	・カバー, ゲージ	1		
6	34825-96L00	・バッキング, ゲージ	1		
7	36661-96L10	・アダプタ, ゲージ	1		
8	36615-96300	・ターミナル	5		
9	36663-98J10	・ハーネスアツシ, アクティブ ハブ ハワー (6M)	1		
10	09481-05501	・フューズ (5A)	1		
11	34000-96L52	キット, デュアルゲージ メカニカル	1		
12	34011-96L12	・ゲージセット, マルチ (W/インストラクション)	2		
13	34112-96L00	・ナット, ゲージ	2		
14	34193-96L00	・ベッセル, ゲージ	2		
15	34211-96L00	・カバー, ゲージ	2		
16	34825-96L00	・バッキング, ゲージ	2		
17	36661-96L10	・アダプタ, ゲージ	2		
18	36615-96300	・ターミナル	10		
19	36662-88L10	・ワイヤ, 2エクステンション	2		
20	36663-88L00	・ハーネスアツシ, ネットワークハワー	1		
21	36663-98J10	・ハーネスアツシ, アクティブ ハブ ハワー (6M)	1		
22	09481-05501	・フューズ (5A)	1		
23	36664-88L00	・コネクタ, プランチ	2		
24	36665-87L00	・アダプタ, ゲージ フォーマルフル	1		
25	36665-88L00	・ユニット, レジスタメール	1		
26	36665-88L10	・ユニット, レジスタメール	1		

FIG.602A




FIG. 602A (1-I-10) オプション:マルチ ファンクション ゲージ (2) (SEE NOTE 1)

見出番号	品 番	品 名	使用個数	備 考	標準 作業時間
1	36001-88L00	セット, ワイヤ	1		
2	36662-88L10	・ワイヤ, 2エクステンション	1		
3	36663-88L00	・ハーネスアツシ, ネットワークハワ	1		
4	36664-88L00	・コネクタ, プランチ	1		
5	36665-88L00	・ユニット, レジスタヒール	1		
6	36665-88L10	・ユニット, レジスタヒール	1		
7	34190-88L00	センサアツシ, ハットヒール	1		
8	36662-88L10	ワイヤ, 2エクステンション	1		
9	36662-88L20	ワイヤ, 6エクステンション	1		
10	36662-88L30	ワイヤ, 15エクステンション	1		
11	36662-88L00	ワイヤ, 25エクステンション	1		
12	39950-88L02	モジュールアツシ, GPSレシーバ	1		
13	36663-88L00	ハーネスアツシ, ネットワークハワ	1		
14	36665-88L00	ユニット, レジスタヒール	1		
15	36665-88L10	ユニット, レジスタヒール	1		
16	36663-98J00	ハーネスアツシ, アクティブハワハワ (2. 5M)	1		
17	09481-05501	・フーズ (5A)	1		
18	36663-98J10	ハーネスアツシ, アクティブハワハワ (6M)	1		
19	09481-05501	・フーズ (5A)	1		
20	36664-88L00	コネクタ, プランチ	1		
21	36667-96L11	ワイヤ, テュアルケージアダプタ	1		
22	36990-87D00	ターミナル, スリーブセット	1		

NOTE 1:
2