

# ま え が き

このパーツカタログは、スズキ船外機 DF300AP/250AP 型の補給取扱い部品を収録してあります。

|        |        |      |                      |                      |
|--------|--------|------|----------------------|----------------------|
| エンジン諸元 | 4 サイクル | 6 気筒 | 排気量                  | (内径×行程 98 mm× 89 mm) |
|        |        |      | 4028 cm <sup>3</sup> |                      |

| DF300AP |    |        |          |          |                 |
|---------|----|--------|----------|----------|-----------------|
| 機種記号    | 年式 | 型式     | トランサム    | 色        | 実施号機            |
| DF300AP | —  | 30002P | L, X, XX | YAY, Y5S | 30002P-810001 ~ |

| DF250AP |    |        |       |          |                 |
|---------|----|--------|-------|----------|-----------------|
| 機種記号    | 年式 | 型式     | トランサム | 色        | 実施号機            |
| DF250AP | —  | 25003P | X, XX | YAY, Y5S | 25003P-810001 ~ |

## パーツカタログのご使用について

### 1. 記号および略語

#### 1-1. サイズ等

|                          |                |             |
|--------------------------|----------------|-------------|
| A : 用品                   | L : 長さ、リンク数、容積 | US : アンダサイズ |
| AR : 必要量                 | NT : 歯数        | W : 巾       |
| D : 線径                   | OD : 外径        | W/ : 同時使用   |
| E.NO. : エンジン番号           | OPT : オプション    | # : 直送品     |
| F.NO. : フレーム番号           | OS : オーバサイズ    | * : 直売品     |
| H : 高さ                   | STD : スタンダード   | ~ : より、から   |
| ID : 内径                  | T : 厚さ         |             |
| 12×34×5 : 内径×外径×厚さ(巾、長さ) |                |             |

#### 1-2. メーカー名

|                  |                |
|------------------|----------------|
| CHKK : 中央発条      | NGK : 日本特殊陶業   |
| DID : 大同工業       | NHK : 日本発条     |
| DK : 大金製作所       | RK : 高砂チェン     |
| FB : 古河電池        | TEN : 富士通テン    |
| IRC : 井上護謄工業     | TR : 東海理化電機製作所 |
| KYB : 萱場工業       | YB : 湯浅電池      |
| NABCO : 日本エアブレーキ |                |

#### 1-3. 構成部品の表示

| 品番          | 品名                    |
|-------------|-----------------------|
| ×××××-××××× | ○○○アッシ                |
| ×××××-××××× | ・○○○                  |
| ×××××-××××× | :○○○                  |
|             | └─ 構成部品(インナパーツ)を示します。 |

#### 1-4. 部品変更

備考欄の品番の前の→印は変更部品相互の互換性を表示します。

←○○○○○-○○○○○……「～より統一」を示し、旧  新です。

→○○○○○-○○○○○……「～に統一」を示し、旧  新です。

#### 1-5. 修正使用

ホース、チューブ等で寸法表示の→印は修正使用を表示します。

(例) L:200→180……200を180に修正して使用します。

## 2. 部品変更のお知らせ

部品が新設または変更となった場合、サービス・部品ニュース、統一部品一覧表などでご案内いたします。

販売店様にあつては、弊社代理店にお問い合わせください。

## 3. 部品の注文

部品ご注文の場合は、このパーツカタログをご参照の上、次の点にご留意され、正確にご注文ください。

3-1. 品番、品名および数量

3-2. フレーム番号およびエンジン番号と型式番号(年式)

3-3. 部品メーカー(電装部品、保安部品など)

注※ 分解図は、補給部品索引のためのものです。分解、組立には使用しないで下さい。


※ 補給部品の中で車種間の共通化により、一部生産車の部品と異なる場合があります。あらかじめご了承ください。

※ 記載事項は予告なく変更することがあります。あらかじめご了承ください。

## 1.Dプレートの説明

1.Dプレートには下記の項目が刻印されています。

より正確な部品発注のため①機種名、②型式、③製造番号(号機)を確認下さい。



①機種名を示します。(例) DF300AP


②型式を示します。(例) 30002P

③製造番号(号機)を示します。(例) 810001

1.Dプレート


※取付位置：ブラケット、クランプ

FIG.111A




OPPOSH\_000\_016\_111A  
CYLINDERHEAD

FIG.113A




OPPOSH\_000\_016\_113A  
CYLINDERHEAD

FIG.116A




OPPOSH\_000\_016\_116A  
CRANKSHAFT

FIG.119A




OPPOSH\_000\_016\_119A  
TIMINGCHAIN

FIG.121A




OPPOSH\_000\_016\_121A  
CRANKSHAFT

FIG.121B




OPPOSH\_000\_016\_121B  
CRANKSHAFT

FIG.122A




OPPOSH\_000\_016\_122A  
PISTONMANIFOLD

FIG.136A




OPPOSH\_000\_016\_136A  
PISTONMANIFOLD

FIG. 140A




EXHAUSTORER

FIG. 144A




DP3004\_000\_01R\_144K  
FUELINJECTOR

FIG. 147A




DP300A\_000\_01R\_147A  
FUEL PUMP/FUEL WARD/SEPARATOR

FIG. 160A




DP3004\_002\_018\_1804  
WATER PUMP

FIG. 160B




DP3004\_002\_01R\_1809  
WATER PUMP

FIG. 162A




DP3004\_000\_018\_182A  
THERMISTAT

FIG. 163A




UFG004\_000\_01R\_183  
THROTTLE BODY

FIG. 175A




DFR004\_002\_016\_1754  
OIL PUMP

FIG.180A




OPTIONAL PART 180A  
CLUTCH PART

FIG.204A




OPTIONAL PART 204A  
CLUTCH PART

FIG.204B




OPTIONAL PART 204B  
CLUTCH PART

FIG.206A




OPTIONAL PART 206A  
CLUTCH PART

FIG.206B




OPTIONAL PART 206B  
CLUTCH PART

FIG.220A




OPTIONAL PART 220A  
FRAMING PART

FIG.220B




OPTIONAL PART 220B  
FRAMING PART

FIG.301A




OPTIONAL PART 301A  
STARTING MOTOR

FIG.303A




OPTIONAL\_000\_014\_303A  
HARDPIST

FIG.310A



OPTIONAL\_000\_014\_310A  
REC PITCHER/STATION CODE

FIG.315A



OPTIONAL\_000\_014\_315A  
SECURITY

FIG.315B






FIG.335A




OPTIONAL GEAR PUMP 335A  
GEAR PUMP KIT

FIG.335B




OPTIONAL GEAR PUMP 335B  
GEAR PUMP KIT

FIG.336A




OPTIONAL GEAR PUMP 336A  
SWING BRACKET

FIG.336B




OPTIONAL GEAR PUMP 336B  
SWING BRACKET

FIG.337A




OPTIONAL GEAR PUMP 337A  
PUMP CYLINDER

FIG.337B




OPTIONAL GEAR PUMP 337B  
PUMP CYLINDER

FIG.340A




OPTIONAL GEAR PUMP 340A  
PUMP MOTOR

FIG.340B




OPTIONAL GEAR PUMP 340B  
PUMP MOTOR

FIG.401A




OPTIONAL PART 401A  
OPTIONAL PART 401A

FIG.401B




OPTIONAL PART 401B  
OPTIONAL PART 401B

FIG.405A




OPTIONAL PART 405A  
OPTIONAL PART 405A

FIG.405B




OPTIONAL PART 405B  
OPTIONAL PART 405B

FIG.405C




OPTIONAL PART 405C  
OPTIONAL PART 405C

FIG.407A




OPTIONAL PART 407A  
OPTIONAL PART 407A

FIG.407B




OPTIONAL PART 407B  
OPTIONAL PART 407B

FIG.410A




OPTIONAL PART 410A  
OPTIONAL PART 410A

FIG.410B




OPTIONAL PART 410B  
SIDE COVER

FIG.420A




OPTIONAL PART 420A  
ENGINE COVER

FIG.420B




OPTIONAL PART 420B  
ENGINE COVER

FIG.430A




OPTIONAL PART 430A  
FUEL NOZZLE

FIG.520A




OPTIONAL PART 520A  
OPTIONAL PART REMOVAL

FIG.522A




OPTIONAL PART 522A  
OPTIONAL PART REMOVAL

FIG.523A




OPTIONAL PART 523A  
OPTIONAL PART REMOVAL

FIG.530A




OPTIONAL PART 530A  
OPTIONAL PART REMOVAL

FIG.535A




OPTIONAL, USE 014L\_R354  
OPERATE LESSONARY

FIG.540A




OPTIONAL, USE 014L\_R34X  
OPERATE CONTROL ADDITIONAL

FIG.543A




OPTIONAL, USE 014L\_R34X  
OPERATE CONTROL ADDITIONAL

FIG.585A




OPTIONAL, USE 014L\_R354  
OPERATE NET

FIG.601A



OPTIONAL, USE 014L\_R314  
OPERATE FUNCTION CALIBRATION

FIG.602A



OPTIONAL, USE 014L\_R354  
OPERATE FUNCTION CALIBRATION

FIG.111A




FIG. 111A (1-B-2) シリンダヘッド

| 見出番号 | 品 番          | 品 名                        | 使用個数 | 備 考 | 標準<br>作業時間 |
|------|--------------|----------------------------|------|-----|------------|
| 1    | 11101-98J03  | ヘッド アツシ, シリンダ スターホート       | 1    |     |            |
| 2    | 11128-90J00  | ホ ルト, カムシャフトハウジング (6X39)   | 16   |     |            |
| 3    | 09206-08001  | ピ ン (8X11)                 | 14   |     |            |
| 4    | 01550-06207  | ホ ルト                       | 4    |     |            |
| 5    | 11103-98J03  | ヘッド アツシ, シリンダ ホート          | 1    |     |            |
| 6    | 11128-90J00  | ホ ルト, カムシャフトハウジング (6X39)   | 16   |     |            |
| 7    | 09206-08001  | ピ ン (8X11)                 | 14   |     |            |
| 8    | 01550-06207  | ホ ルト                       | 2    |     |            |
| 9    | 11116-93J01  | プ ラグ                       | 4    |     |            |
| 10   | 11141-98J10  | ガ スケット, シリンダ ヘッド スターホート    | 1    |     |            |
| 11   | 11142-98J10  | ガ スケット, シリンダ ヘッド ホート       | 1    |     |            |
| 12   | 09168-16009  | ガ スケット (16X22X0.8)         | 4    |     |            |
| 13   | 11261-93J00  | カバ ー, プ ロテクションノード          | 4    |     |            |
| 14   | 09280-22019  | リング (D:1.9, ID:21.8)       | 4    |     |            |
| 15   | 55321-87J01  | アノード, プ ロテクション             | 4    |     |            |
| 16   | 09103-06281  | ホ ルト (6X14)                | 4    |     |            |
| 17   | 01550-08207  | ホ ルト                       | 4    |     |            |
| 18   | 01550-08607  | ホ ルト                       | 5    |     |            |
| 19   | 01550-08607  | ホ ルト                       | 4    |     |            |
| 20   | 09206-14004  | ピ ン (14X11.4X23)           | 4    |     |            |
| 21   | 11170-93J01  | カバ ー, シリンダ ヘッド スターホート      | 1    |     |            |
| 22   | 11180-98J01  | カバ ー, シリンダ ヘッド ホート         | 1    |     |            |
| 23   | 11173-93J00  | プ レート, プ リーザ スターホート        | 1    |     |            |
| 24   | 11183-93J00  | プ レート, プ リーザ ホート           | 1    |     |            |
| 25   | 11179-93J00  | ガ スケット, シリンダ ヘッド カバースターホート | 1    |     |            |
| 26   | 11189-93J00  | ガ スケット, シリンダ ヘッド カバホート     | 1    |     |            |
| 27   | 09206-08001  | ピ ン (8X11)                 | 1    |     |            |
| 28   | 02112-0612A  | スクリュ                       | 14   |     |            |
| 29   | 01547-06257  | ホ ルト                       | 16   |     |            |
| 30   | 01547-06507  | ホ ルト                       | 6    |     |            |
| 31   | 11382-93J00  | キャツプ, オイルフライ               | 1    |     |            |
| 32   | 09280-26006  | リング (D:3.1, ID:26.4)       | 1    |     |            |
| 33   | #09482-00427 | スバークプラグ (NGK, BKR6E)       | 6    | NGK |            |
| 34   | 11291-93J00  | フック, エンジン                  | 2    |     |            |
| 35   | 01550-08207  | ホ ルト                       | 4    |     |            |

This exploded view diagram illustrates the assembly of a 4-cylinder engine. The components are numbered 1 through 36. The diagram shows the following parts and their assembly sequence:

- Block and Head Assembly:** The main engine block (1) and cylinder head (2) are shown with internal components like pistons (3), connecting rods (4), and valves (5, 6, 7, 8).
- Timing Components:** The timing belt (9) is shown with its tensioner (10) and guide (11).
- Valvetrain Components:** The intake and exhaust valves (12, 13) are shown with their respective guides (14, 15) and springs (16, 17).
- Timing Cover and Water Pump:** The timing cover (18) is shown with the water pump (19) and its drive pulley (20).
- Oil Pan and Sump:** The oil pan (21) is shown with its drain plug (22) and gasket (23).
- Accessory Drive Components:** The alternator (24) and its mounting bracket (25) are shown with the drive pulley (26) and belt (27).
- Front End Components:** The front end plate (28) is shown with the front end pulley (29) and the front end cover (30).
- Other Components:** The front end pulley (31) and the front end cover (32) are shown.

An arrow labeled "FWD" indicates the front view of the engine.

| 見出番号 | 品番              | 品名               | 使用個数 | 備考     | 標準作業時間 |
|------|-----------------|------------------|------|--------|--------|
| 36   | 11115-93J10-001 | ｶﾞｲﾄﾞ,ﾊﾞﾙﾌﾞ (OS) | 24   | ｵﾌﾞｼｮﾝ |        |
| 37   | 11291-98J00     | ﾌﾞﾗｯｸ,ｴﾝｼﾞﾝ      | 1    | ｵﾌﾞｼｮﾝ |        |

FIG.113A




FIG.113A (1-B-4) シリンダブロック

| 見出番号 | 品番          | 品名                      | 使用個数 | 備考 | 標準作業時間 |
|------|-------------|-------------------------|------|----|--------|
| 1    | 11293-98J00 | フック, エンジソフフロント          | 1    |    |        |
| 2    | 01550-08207 | ボルト                     | 2    |    |        |
| 3    | 11301-98J30 | ブロックセット, シリンダ           | 1    |    |        |
| 4    | 11112-93J00 | ・ブ ラグ, オイルベ ンチュリ        | 2    |    |        |
| 5    | 11117-93J10 | ・ボ ルト, クランクケース          | 12   |    |        |
| 6    | 11117-98J10 | ・ボ ルト, クランクケーススタッド      | 4    |    |        |
| 7    | 11119-93J00 | ・ボ ルト, シリンダ ヘッド         | 16   |    |        |
| 8    | 11217-85FA0 | ・ガ スケット, M26ブ ラグ        | 3    |    |        |
| 9    | 09248-26001 | ・ブ ラグ (M26)             | 3    |    |        |
| 10   | 09160-18031 | ・ワッシャ (18. 5X28X2. 6)   | 2    |    |        |
| 11   | 09248-18006 | ・ブ ラグ (18X8)            | 2    |    |        |
| 12   | 09159-10116 | ・ナット                    | 4    |    |        |
| 13   | 09206-13019 | ・ヒ ン (10. 4X13X16)      | 5    |    |        |
| 14   | 16700-93J00 | ・バ ルフ, ヒ ン ストンジ ン       | 1    |    |        |
| 15   | 09280-10009 | ・・リング (D:1. 3, ID:9. 8) | 1    |    |        |
| 16   | 09280-10016 | ・・リング (D:1. 9, ID:9. 8) | 1    |    |        |
| 17   | 07130-0616A | ・ボ ルト                   | 1    |    |        |
| 18   | 07130-0510A | ・ボ ルト                   | 6    |    |        |
| 19   | 11390-98J00 | ・シ ン, ヒ ン ストンク ン        | 6    |    |        |
| 20   | 09280-06005 | ・・リング (D:1. 9, ID:5. 7) | 6    |    |        |
| 21   | 09246-05006 | ・ブ ラグ (1/8PT, H:8)      | 1    |    |        |
| 22   | 11330-93J01 | カバー, クランクケースウ ン         | 1    |    |        |
| 23   | 11332-93J00 | ガ スケット, クランクケースウ ン      | 1    |    |        |
| 24   | 01550-06207 | ボ ルト                    | 12   |    |        |
| 25   | 16430-93J00 | カバー, オイルギ ヤリ            | 1    |    |        |
| 26   | 16431-93J00 | ブ レート, オイルギ ヤリ          | 1    |    |        |
| 27   | 16433-93J00 | ガ スケット, オイルギ ヤリ         | 2    |    |        |
| 28   | 01550-0835A | ボ ルト                    | 9    |    |        |
| 29   | 01550-08457 | ボ ルト                    | 8    |    |        |
| 30   | 16510-96J10 | フィルタアツシ, オイル            | 1    |    |        |

FIG.116A




FIG.116A (1-B-5) クランクシャフト

| 見出番号 | 品 番             | 品 名                           | 使用個数 | 備 考             | 標 準<br>作業時間 |
|------|-----------------|-------------------------------|------|-----------------|-------------|
| 1    | 12111-98J00-0B0 | ピストン                          | 6    |                 |             |
| 2    | 12140-98J00     | リング セット, ピストン                 | 6    |                 |             |
| 3    | 12151-02F00     | ピン, ピストン                      | 6    |                 |             |
| 4    | 09381-22010     | スナッブ リング                      | 12   |                 |             |
| 5    | 12160-98J00     | コネクチング ロッド アツシ                | 6    |                 |             |
| 6-1  | 12100-98810-0A0 | ベアリング セット, コネクチング ロッド         | 6    | グリーン            |             |
| 6-2  | 12100-98810-025 | ベアリング セット, コネクチング ロッド US0.25  | 6    | オフション           |             |
| 7    | 12220-98J00     | クランクシャフト                      | 1    |                 |             |
| 8-1  | 12340-98J00-0A0 | ベアリング セット, カラー: ブラック          | 4    | ブラック            |             |
| 8-2  | 12340-98J00-0B0 | ベアリング セット, カラー: ナン            | 4    | NON             |             |
| 8-3  | 12340-98J00-0C0 | ベアリング セット, カラー: イエロー          | 4    | イエロー            |             |
| 8-4  | 12340-98J00-0D0 | ベアリング セット, カラー: ブルー           | 4    | ブルー             |             |
| 8-5  | 12340-98J00-0E0 | ベアリング セット, カラー: ピンク           | 4    | PINK            |             |
| 8-6  | 12300-98810-0AA | ベアリング セット, クランクシャフト (アンダ サイズ) | 4    | OPT, RED/BLACK  |             |
| 8-7  | 12300-98810-0BA | ベアリング セット, クランクシャフト (アンダ サイズ) | 4    | OPT, RED        |             |
| 8-8  | 12300-98810-0CA | ベアリング セット, クランクシャフト (アンダ サイズ) | 4    | OPT, RED/YELLOW |             |
| 8-9  | 12300-98810-0DA | ベアリング セット, クランクシャフト (アンダ サイズ) | 4    | OPT, RED/BLUE   |             |
| 8-10 | 12300-98810-0EA | ベアリング セット, クランクシャフト (アンダ サイズ) | 4    | OPT, RED/PINK   |             |
| 9-1  | 12300-98821     | ベアリング セット, クランクスラスト           | 1    |                 |             |
| 9-2  | 12300-98821-012 | ベアリング セット, クランクスラスト           | 1    | オフション           |             |
| 10   | 12242-98J00     | ギヤ, トライブ                      | 1    |                 |             |
| 11   | 09160-10104     | ワッシャ (10.5X50X3.2)            | 1    |                 |             |
| 12   | 01550-1025A     | ホルト                           | 1    |                 |             |
| 13   | 09283-91001     | オイルシール                        | 1    |                 |             |
| 14   | 12100-98J00-050 | ピストンセット (OS: 0.5)             | 6    | オフション           |             |
| 15   | 12140-98J00-050 | ・リング セット, ピストン (OS: 0.50)     | 6    | オフション           |             |

FIG.119A




FIG. 119A (1-B-6) タイミングチェーン

| 見出番号 | 品番          | 品名                      | 使用個数 | 備考   | 標準作業時間 |
|------|-------------|-------------------------|------|------|--------|
| 1    | 12730-98J02 | ギヤ、ドリップン                | 1    |      |        |
| 2    | 09262-40018 | ベアリング (40X80X18)        | 1    | ロア   |        |
| 3    | 09262-40017 | ベアリング (40X80X18)        | 1    | アッパー |        |
| 4    | 09283-32044 | オイルシール                  | 1    |      |        |
| 5    | 12734-93J00 | ホルダ、ドリップンギヤ             | 1    |      |        |
| 6    | 09280-70012 | Oリング (D: 5.7)           | 1    |      |        |
| 7    | 01550-0855A | ホルト                     | 4    |      |        |
| 8    | 12761-93J00 | チェーン、タイミングファースト         | 1    |      |        |
| 9    | 12762-93J00 | チェーン、タイミングセカンド          | 2    |      |        |
| 10   | 12770-93J00 | ベース、T/Cガイド NO. 1        | 1    |      |        |
| 11   | 12778-93J00 | ガイドスロット、タイミングチェーンガイドベース | 1    |      |        |
| 12   | 04211-13149 | ピン                      | 2    |      |        |
| 13   | 01550-0830A | ホルト                     | 2    |      |        |
| 14   | 12771-93J00 | シュー、タイミングチェーンアツパ        | 1    |      |        |
| 15   | 12775-93J00 | シュー、タイミングチェーンロア         | 1    |      |        |
| 16   | 12772-93J00 | ガイド、タイミングチェーン NO. 2     | 1    |      |        |
| 17   | 01550-0830A | ホルト                     | 2    |      |        |
| 18   | 12810-93J00 | テンションアツシ、タイミングチェーン      | 1    |      |        |
| 19   | 12813-73G00 | バット、タイミングチェーンテンション      | 1    |      |        |
| 20   | 12812-90J00 | スベーサ、タイミングチェーンテンション     | 1    |      |        |
| 21   | 01550-0830A | ホルト                     | 1    |      |        |
| 22   | 12831-93J01 | アシヤスタツシ、テンション NO. 1     | 1    |      |        |
| 23   | 12832-93J00 | テンションアツシ、スターホート         | 1    |      |        |
| 24   | 12833-93J00 | テンションアツシ、ホート            | 1    |      |        |
| 25   | 01550-0620A | ホルト                     | 2    |      |        |
| 26   | 01550-0620A | ホルト                     | 4    |      |        |

FIG.121A




FIG.121A (1-B-7) カムシャフト (DF300A)

| 見出番号  | 品番              | 品名                   | 使用個数 | 備考 | 標準作業時間 |
|-------|-----------------|----------------------|------|----|--------|
| 1     | 12701-98J10     | カムシャフト, インテークスターボート  | 1    |    |        |
| 2     | 12705-98J10     | カムシャフト, インテークボート     | 1    |    |        |
| 3     | 12721-98J10     | カムシャフト, エキゾーストスターボート | 1    |    |        |
| 4     | 12729-98J20     | カムシャフト, エキゾーストボート    | 1    |    |        |
| 5     | 12740-93J00     | スプロケットアッシ, カムタイミング   | 2    |    |        |
| 6     | 12748-93J00     | スプロケット, カムシャフト       | 2    |    |        |
| 7     | 12753-93J00     | ボルト, インテークカムシャフト     | 2    |    |        |
| 8     | 12749-93J00     | ボルト, カムシャフト          | 2    |    |        |
| 9     | 09202-05032     | ピン (5X12)            | 3    |    |        |
| 10    | 09261-05006     | ピン (5X18)            | 1    |    |        |
| 11    | 16550-93J00     | パルプ, オイルコントロール       | 2    |    |        |
| 12    | 16555-93J00     | ガスケット, オイルコントロールパルプ  | 2    |    |        |
| 13    | 01550-06257     | ボルト                  | 8    |    |        |
| 14    | 12891-93J00     | タペット                 | 24   |    |        |
| 15-1  | 12892-93J00-218 | シム, タペット (T:2. 175)  | AR   |    |        |
| 15-2  | 12892-93J00-220 | シム, タペット (T:2. 200)  | AR   |    |        |
| 15-3  | 12892-93J00-223 | シム, タペット (T:2. 225)  | AR   |    |        |
| 15-4  | 12892-93J00-225 | シム, タペット (T:2. 250)  | AR   |    |        |
| 15-5  | 12892-93J00-228 | シム, タペット (T:2. 275)  | AR   |    |        |
| 15-6  | 12892-93J00-230 | シム, タペット (T:2. 300)  | AR   |    |        |
| 15-7  | 12892-93J00-233 | シム, タペット (T:2. 325)  | AR   |    |        |
| 15-8  | 12892-93J00-235 | シム, タペット (T:2. 350)  | AR   |    |        |
| 15-9  | 12892-93J00-238 | シム, タペット (T:2. 375)  | AR   |    |        |
| 15-10 | 12892-93J00-240 | シム, タペット (T:2. 400)  | AR   |    |        |
| 15-11 | 12892-93J00-243 | シム, タペット (T:2. 425)  | AR   |    |        |
| 15-12 | 12892-93J00-245 | シム, タペット (T:2. 450)  | AR   |    |        |
| 15-13 | 12892-93J00-248 | シム, タペット (T:2. 475)  | AR   |    |        |
| 15-14 | 12892-93J00-250 | シム, タペット (T:2. 500)  | AR   |    |        |
| 15-15 | 12892-93J00-253 | シム, タペット (T:2. 525)  | AR   |    |        |
| 15-16 | 12892-93J00-255 | シム, タペット (T:2. 550)  | AR   |    |        |
| 15-17 | 12892-93J00-258 | シム, タペット (T:2. 575)  | AR   |    |        |
| 15-18 | 12892-93J00-260 | シム, タペット (T:2. 600)  | AR   |    |        |
| 15-19 | 12892-93J00-263 | シム, タペット (T:2. 625)  | AR   |    |        |
| 15-20 | 12892-93J00-265 | シム, タペット (T:2. 650)  | AR   |    |        |
| 15-21 | 12892-93J00-268 | シム, タペット (T:2. 675)  | AR   |    |        |

FIG.121A





FIG.121A (1-B-8) カムシャフト (DF300A)

| 見出番号  | 品 番             | 品 名                      | 使用個数 | 備 考 | 標 準<br>作業時間 |
|-------|-----------------|--------------------------|------|-----|-------------|
| 15-22 | 12892-93J00-270 | シム, タハ° ット (T: 2. 700)   | AR   |     |             |
| 15-23 | 12892-93J00-273 | シム, タハ° ット (T: 2. 725)   | AR   |     |             |
| 15-24 | 12892-93J00-275 | シム, タハ° ット (T: 2. 750)   | AR   |     |             |
| 15-25 | 12892-93J00-278 | シム, タハ° ット (T: 2. 775)   | AR   |     |             |
| 15-26 | 12892-93J00-280 | シム, タハ° ット (T: 2. 800)   | AR   |     |             |
| 15-27 | 12892-93J00-283 | シム, タハ° ット (T: 2. 825)   | AR   |     |             |
| 15-28 | 12892-93J00-285 | シム, タハ° ット (T: 2. 850)   | AR   |     |             |
| 15-29 | 12892-93J00-288 | シム, タハ° ット (T: 2. 875)   | AR   |     |             |
| 15-30 | 12892-93J00-290 | シム, タハ° ット (T: 2. 900)   | AR   |     |             |
| 15-31 | 12892-93J00-293 | シム, タハ° ット (T: 2. 925)   | AR   |     |             |
| 15-32 | 12892-93J00-295 | シム, タハ° ット (T: 2. 950)   | AR   |     |             |
| 15-33 | 12892-93J00-298 | シム, タハ° ット (T: 2. 975)   | AR   |     |             |
| 15-34 | 12892-93J00-300 | シム, タハ° ット (T: 3. 000)   | AR   |     |             |
| 16    | 12911-98J00     | ハ° ルフ°, インテーク            | 12   |     |             |
| 17    | 12915-93J60     | ハ° ルフ°, エキゾースト           | 12   |     |             |
| 18    | 12921-93J11     | スプ° リング°, ハ° ルフ°         | 24   |     |             |
| 19    | 12931-78G00     | リテーナ, ハ° ルフ° スプ° リング°    | 24   |     |             |
| 20    | 12932-24400     | コツタ, ハ° ルフ°              | 48   |     |             |
| 21    | 12933-69G10     | シート, ハ° ルフ° スプ° リング°     | 24   |     |             |
| 22    | 09289-05012     | オイルシール (5. 5X11. 5X9. 3) | 24   |     |             |

FIG.121B



DF300A\_000\_018\_121B  
CAMSHAFT

FIG.121B (1-B-9) カムシャフト (DF250A)

| 見出番号  | 品番              | 品名                   | 使用個数 | 備考 | 標準作業時間 |
|-------|-----------------|----------------------|------|----|--------|
| 1     | 12701-98J20     | カムシャフト, インテークスターボート  | 1    |    |        |
| 2     | 12705-98J10     | カムシャフト, インテークボート     | 1    |    |        |
| 3     | 12721-98J10     | カムシャフト, エキゾーストスターボート | 1    |    |        |
| 4     | 12729-98J20     | カムシャフト, エキゾーストボート    | 1    |    |        |
| 5     | 12740-93J00     | スプリングロケット, カムタイミグ    | 2    |    |        |
| 6     | 12748-93J00     | スプリングロケット, カムシャフト    | 2    |    |        |
| 7     | 12753-93J00     | ボルト, インテークカムシャフト     | 2    |    |        |
| 8     | 12749-93J00     | ボルト, カムシャフト          | 2    |    |        |
| 9     | 09202-05032     | ピン (5X12)            | 3    |    |        |
| 10    | 09261-05006     | ピン (5X18)            | 1    |    |        |
| 11    | 16550-93J00     | バルブ, オイルコントロール       | 2    |    |        |
| 12    | 16555-93J00     | ガスケット, オイルコントロールバルブ  | 2    |    |        |
| 13    | 01550-06257     | ボルト                  | 8    |    |        |
| 14    | 12891-93J00     | タペット                 | 24   |    |        |
| 15-1  | 12892-93J00-218 | シム, タペット (T:2.175)   | AR   |    |        |
| 15-2  | 12892-93J00-220 | シム, タペット (T:2.200)   | AR   |    |        |
| 15-3  | 12892-93J00-223 | シム, タペット (T:2.225)   | AR   |    |        |
| 15-4  | 12892-93J00-225 | シム, タペット (T:2.250)   | AR   |    |        |
| 15-5  | 12892-93J00-228 | シム, タペット (T:2.275)   | AR   |    |        |
| 15-6  | 12892-93J00-230 | シム, タペット (T:2.300)   | AR   |    |        |
| 15-7  | 12892-93J00-233 | シム, タペット (T:2.325)   | AR   |    |        |
| 15-8  | 12892-93J00-235 | シム, タペット (T:2.350)   | AR   |    |        |
| 15-9  | 12892-93J00-238 | シム, タペット (T:2.375)   | AR   |    |        |
| 15-10 | 12892-93J00-240 | シム, タペット (T:2.400)   | AR   |    |        |
| 15-11 | 12892-93J00-243 | シム, タペット (T:2.425)   | AR   |    |        |
| 15-12 | 12892-93J00-245 | シム, タペット (T:2.450)   | AR   |    |        |
| 15-13 | 12892-93J00-248 | シム, タペット (T:2.475)   | AR   |    |        |
| 15-14 | 12892-93J00-250 | シム, タペット (T:2.500)   | AR   |    |        |
| 15-15 | 12892-93J00-253 | シム, タペット (T:2.525)   | AR   |    |        |
| 15-16 | 12892-93J00-255 | シム, タペット (T:2.550)   | AR   |    |        |
| 15-17 | 12892-93J00-258 | シム, タペット (T:2.575)   | AR   |    |        |
| 15-18 | 12892-93J00-260 | シム, タペット (T:2.600)   | AR   |    |        |
| 15-19 | 12892-93J00-263 | シム, タペット (T:2.625)   | AR   |    |        |
| 15-20 | 12892-93J00-265 | シム, タペット (T:2.650)   | AR   |    |        |
| 15-21 | 12892-93J00-268 | シム, タペット (T:2.675)   | AR   |    |        |

DF300A\_000\_018

FIG.121B




FIG. 121B (1-B-10) カムシャフト (DF250A)

| 見出番号  | 品 番             | 品 名                      | 使用個数 | 備 考 | 標 準<br>作業時間 |
|-------|-----------------|--------------------------|------|-----|-------------|
| 15-22 | 12892-93J00-270 | シム, タハ° ット (T: 2. 700)   | AR   |     |             |
| 15-23 | 12892-93J00-273 | シム, タハ° ット (T: 2. 725)   | AR   |     |             |
| 15-24 | 12892-93J00-275 | シム, タハ° ット (T: 2. 750)   | AR   |     |             |
| 15-25 | 12892-93J00-278 | シム, タハ° ット (T: 2. 775)   | AR   |     |             |
| 15-26 | 12892-93J00-280 | シム, タハ° ット (T: 2. 800)   | AR   |     |             |
| 15-27 | 12892-93J00-283 | シム, タハ° ット (T: 2. 825)   | AR   |     |             |
| 15-28 | 12892-93J00-285 | シム, タハ° ット (T: 2. 850)   | AR   |     |             |
| 15-29 | 12892-93J00-288 | シム, タハ° ット (T: 2. 875)   | AR   |     |             |
| 15-30 | 12892-93J00-290 | シム, タハ° ット (T: 2. 900)   | AR   |     |             |
| 15-31 | 12892-93J00-293 | シム, タハ° ット (T: 2. 925)   | AR   |     |             |
| 15-32 | 12892-93J00-295 | シム, タハ° ット (T: 2. 950)   | AR   |     |             |
| 15-33 | 12892-93J00-298 | シム, タハ° ット (T: 2. 975)   | AR   |     |             |
| 15-34 | 12892-93J00-300 | シム, タハ° ット (T: 3. 000)   | AR   |     |             |
| 16    | 12911-98J00     | ハ° ルフ°, インターク            | 12   |     |             |
| 17    | 12915-93J60     | ハ° ルフ°, エキゾ° スト          | 12   |     |             |
| 18    | 12921-93J11     | スフ° リング°, ハ° ルフ°         | 24   |     |             |
| 19    | 12931-78G00     | リテーナ, ハ° ルフ° スフ° リング°    | 24   |     |             |
| 20    | 12932-24400     | コツタ, ハ° ルフ°              | 48   |     |             |
| 21    | 12933-69G10     | シート, ハ° ルフ° スフ° リング°     | 24   |     |             |
| 22    | 09289-05012     | オイルシール (5. 5X11. 5X9. 3) | 24   |     |             |

FIG.122A




FIG. 122A (1-B-11) インテークマニホールド\*

| 見出番号 | 品 番         | 品 名                  | 使用個数 | 備 考 | 標 準<br>作業時間 |
|------|-------------|----------------------|------|-----|-------------|
| 1    | 13110-98J10 | マニホールド*, インテーク       | 1    |     |             |
| 2    | 13119-98J00 | ガスケット, インテークマニホールド*  | 2    |     |             |
| 3    | 09108-08282 | スタッド ボルト             | 4    |     |             |
| 4    | 09103-08437 | ボルト (8X65)           | 4    |     |             |
| 5    | 09159-08136 | ナット                  | 4    |     |             |
| 6    | 09160-08161 | ワッシャー (8. 2X23X3. 2) | 8    |     |             |

FIG.136A




FIG. 136A (1-B-12) リンクギヤカバー

| 見出番号 | 品 番         | 品 名              | 使用個数 | 備 考 | 標準<br>作業時間 |
|------|-------------|------------------|------|-----|------------|
| 1    | 11510-98J02 | カバー, リンクギヤ       | 1    |     |            |
| 2    | 11174-98J00 | ・ホース, プリーザ       | 1    |     |            |
| 3    | 11176-98J00 | ・ユニオン, プリーザ      | 1    |     |            |
| 4    | 11514-98J00 | ・フレート, リンクギヤカバー  | 1    |     |            |
| 5    | 13710-98J00 | ・アレスタ, フレーム      | 1    |     |            |
| 6    | 13811-98J00 | ・サイレンサ, アツハカバー   | 1    |     |            |
| 7    | 09401-18410 | ・クリップ            | 2    |     |            |
| 8    | 01550-06127 | ・ボルト             | 4    |     |            |
| 9    | 01550-06207 | ・ボルト             | 5    |     |            |
| 10   | 11517-98J00 | ・スクリュー           | 3    |     |            |
| 11   | 11515-93J00 | ブレース, リンクギヤカバー   | 1    |     |            |
| 12   | 13841-98J10 | ガード, エアダクトホース    | 1    |     |            |
| 13   | 13851-98J10 | ガード, エアダクト       | 1    |     |            |
| 14   | 01550-06207 | ボルト              | 4    |     |            |
| 15   | 01550-06207 | ボルト              | 2    |     |            |
| 16   | 01550-06407 | ボルト              | 1    |     |            |
| 17   | 01550-08357 | ボルト              | 2    |     |            |
| 18   | 69711-93E10 | ラベル, S. I. G. P. | 1    |     |            |
| 19   | 61494-93J00 | ラベル, オイル/クリアランス  | 1    |     |            |

FIG.140A

FIG. 140A (1-B-13) エキゾーストカバー

| 見出番号 | 品 番         | 品 名                       | 使用個数 | 備 考 | 標準<br>作業時間 |
|------|-------------|---------------------------|------|-----|------------|
| 1    | 14141-93J01 | カバー, エキゾーストスターボート         | 1    |     |            |
| 2    | 14140-98J01 | カバー, エキゾーストボート            | 1    |     |            |
| 3    | 14151-93J00 | ガスケット, エキゾーストカバー (スターボート) | 1    |     |            |
| 4    | 14152-93J00 | ガスケット, エキゾーストカバー (ボート)    | 1    |     |            |
| 5    | 11261-93J00 | カバー, プ ロテクションアノード         | 2    |     |            |
| 6    | 55321-87J01 | アノード, プ ロテクション            | 2    |     |            |
| 7    | 09103-06281 | ボルト (6X14)                | 2    |     |            |
| 8    | 09280-22019 | リング (D:1.9, ID:21.8)      | 2    |     |            |
| 9    | 01550-08207 | ボルト                       | 2    |     |            |
| 10   | 01550-06257 | ボルト                       | 23   |     |            |




FIG.144A




FIG. 144A (1-B-14) フューエルインジェクタ

| 見出番号 | 品番          | 品名                                 | 使用個数 | 備考 | 標準作業時間 |
|------|-------------|------------------------------------|------|----|--------|
| 1    | 15681-93J01 | ホース, フューエル (3ウェイツデー リハ イフ)         | 1    |    |        |
| 2    | 15710-96J00 | インジェクタアツシ, フューエル                   | 6    |    |        |
| 3    | 15717-16G00 | ・Oリング                              | 6    |    |        |
| 4    | 15735-58B00 | インシユレータ, テー リハ リハ イフ               | 4    |    |        |
| 5    | 15751-93J00 | ハ イフ, テー リハ リ                      | 2    |    |        |
| 6    | 15756-93J01 | ホース, フューエル (テー リハ リツデー リハ リ)       | 1    |    |        |
| 7    | 15762-93J00 | ガ スケツト, テー リハ リハ イフ                | 5    |    |        |
| 8    | 15830-77EA0 | ジ ョイント, フューエルメイン                   | 1    |    |        |
| 9    | 15831-93J00 | ユニオン, テー リハ リハ イフ                  | 2    |    |        |
| 10   | 18498-93J00 | ブ ロテクタ, フューエルホース (15. 4X18. 4X340) | 1    |    |        |
| 11   | 09247-14041 | ブ ラグ (14X14)                       | 1    |    |        |
| 12   | 09320-08062 | クツシヨ                               | 6    |    |        |
| 13   | 09360-14009 | ユニオンホ ルト                           | 1    |    |        |
| 14   | 09401-11425 | クリツフ                               | 4    |    |        |
| 15   | 09403-16307 | クランフ                               | 1    |    |        |
| 16   | 09408-00105 | クランフ                               | 1    |    |        |
| 17   | 09408-00155 | クランフ                               | 1    |    |        |
| 18   | 01550-08407 | ホ ルト                               | 4    |    |        |
| 19   | 15680-93J31 | ホース, フューエルインレット (ツーフイルタ)           | 1    |    |        |
| 20   | 09401-13423 | クリツフ                               | 1    |    |        |
| 21   | 09408-00135 | クリツフ                               | 2    |    |        |
| 22   | 15684-98J00 | ガ イト, フューエルホース                     | 1    |    |        |
| 23   | 01550-06127 | ホ ルト                               | 2    |    |        |
| 24   | 09251-09005 | ブ ラグ                               | 1    |    |        |

FIG.147A





FIG. 147A (1-B-15) フューエルポンプ/フューエルベーパーセパレータ

| 見出番号 | 品番              | 品名                    | 使用個数 | 備考        | 標準作業時間 |
|------|-----------------|-----------------------|------|-----------|--------|
| 1    | 15100-94900     | ポンプアツシ, フューエル         | 1    |           |        |
| 2    | 15410-93J10     | フィルタ, フューエル, レフト      | 1    |           |        |
| 3    | 15411-93J10     | ・キャツプ, フューエルフィルタ      | 1    |           |        |
| 4    | 15415-93J10     | ・シール, フューエルフィルタNO. 1  | 1    |           |        |
| 5    | 15412-93J10     | ・フィルタアツシ, フューエル       | 1    |           |        |
| 6    | 15413-93J10     | ・ケースアツシ, フューエルフィルタ    | 1    |           |        |
| 7    | 15644-93J00     | カバー, フューエルフィルタ        | 3    |           |        |
| 8    | 15633-93J20     | ホース, フューエル (H)        | 1    |           |        |
| 9    | 15646-93J00     | クランプ, フューエルフィルタ       | 1    |           |        |
| 10   | 09343-75001-600 | ホース (7. 5X13. 5X600)  | 1    | L: 600>65 |        |
| 11   | 15440-93J00     | フィルタ, フューエル           | 1    |           |        |
| 12   | 09320-08501     | クツシヨシ (8X18X10)       | 2    |           |        |
| 13   | 15773-90J00     | ユニオン, フューエルホース        | 1    |           |        |
| 14   | 15830-93J00     | ユニオン, スリーウエイフューエルホース  | 1    |           |        |
| 15   | 09169-06062     | ワツシヤ                  | 4    |           |        |
| 16   | 15770-93J00     | クーラ, フューエル            | 1    |           |        |
| 17   | 09168-12013     | ガスケツツ (11. 8X22X1. 2) | 3    |           |        |
| 18   | 09360-12008     | ホルト, 12X27            | 1    |           |        |
| 19   | 09363-08004     | ユニオン                  | 1    |           |        |
| 20   | 15600-98J00     | セパレータアツシ, フューエルベーパー   | 1    |           |        |
| 21   | 13370-93J00     | ・バルブアツシ, ニードル         | 1    |           |        |
| 22   | 15626-93J00     | ・ガスケツツ, セパレータ         | 1    |           |        |
| 23   | 15650-93J00     | ・フロートアツシ              | 1    |           |        |
| 24   | 15200-98J00     | ・ポンプアツシ, フューエル (H)    | 1    |           |        |
| 25   | 15647-93J00     | ・アツシ, フューエルポンプ        | 1    |           |        |
| 26   | 15641-90J00     | ・スベーサ                 | 1    |           |        |
| 27   | 15642-90J00     | ・フィルタ                 | 1    |           |        |
| 28   | 15654-99E00     | ・ピン                   | 1    |           |        |
| 29   | 02142-0408B     | ・スクリュ                 | 1    |           |        |
| 30   | 02112-05107     | ・スクリュ                 | 1    |           |        |
| 31   | 15760-93J00     | ・レギュレータ, フューエルプレツシヤ   | 1    |           |        |
| 32   | 15628-99E00     | ・スクリュ (L: 15)         | 6    |           |        |
| 33   | 15627-93J00     | ・スクリュ                 | 1    |           |        |
| 34   | 09320-12072     | クツシヨシ                 | 3    |           |        |
| 35   | 15675-93J00     | ホルト, クーラプレツツ          | 3    |           |        |

FIG.147A



DF300A\_000\_018\_147A  
FUEL PUMP/FUEL VAPOR SEPARATOR

FIG. 147A (1-B-16) フューエルポンプ / フューエルベーパーセパレータ

| 見出番号 | 品番              | 品名                   | 使用個数 | 備考       | 標準作業時間 |
|------|-----------------|----------------------|------|----------|--------|
| 36   | 09343-75001-600 | ホース(7.5X13.5X600)    | 1    | L:600>50 |        |
| 37   | 09401-11414     | クリップ (ID:11.5)       | 14   |          |        |
| 38   | 15636-98J20     | ホース, フューエル (L)       | 1    |          |        |
| 39   | 15686-93J00     | クリップ, フューエルホースNO. 2  | 1    |          |        |
| 40   | 15685-93J00     | クリップ, フューエルホースNO. 1  | 3    |          |        |
| 41   | 15672-93J00     | ブラケット, フューエルクーラ      | 1    |          |        |
| 42   | 01500-06167     | ホルト                  | 4    |          |        |
| 43   | 15635-93J20     | ホース, フューエル (H)       | 1    |          |        |
| 44   | 15632-93J20     | ホース, フューエル (H)       | 1    |          |        |
| 45   | 15673-98J00     | ブラケット, フューエルフィルタ     | 1    |          |        |
| 46   | 01550-06257     | ホルト                  | 2    |          |        |
| 47   | 15643-93J00     | フィルタ, フューエル, レフト     | 1    |          |        |
| 48   | 09343-75001-600 | ホース(7.5X13.5X600)    | 1    | L:600>65 |        |
| 49   | 15634-93J20     | ホース, フューエル (H)       | 1    |          |        |
| 50   | 01570-06357     | ホルト                  | 2    |          |        |
| 51   | 15674-93J00     | ブラケット, チェツクバルブ       | 1    |          |        |
| 52   | 15645-93J00     | バルブ, チェツク            | 1    |          |        |
| 53   | 15637-93J20     | ホース, フューエル (L)       | 1    |          |        |
| 54   | 15629-99E10     | スクリュ, ドレーン           | 2    |          |        |
| 55   | 15683-87J00     | ホース                  | 1    |          |        |
| 56   | 02112-0406B     | スクリュ                 | 3    |          |        |
| 57   | 09401-08412     | クリップ                 | 1    |          |        |
| 58   | 18498-93J10     | ブラケット(9.5X11.5X1130) | 1    |          |        |
| 59   | 09169-06062     | ワッシャ                 | 2    |          |        |
| 60   | 09116-06202     | ホルト(6X25)            | 2    |          |        |
| 61   | 15671-93J00     | ブラケット, ベーパーセパレータ     | 1    |          |        |
| 62   | 01550-06357     | ホルト                  | 2    |          |        |
| 63   | 09169-08042     | ワッシャ                 | 6    |          |        |
| 64   | 01550-08407     | ホルト                  | 3    |          |        |
| 65   | 18417-93J00     | ブラケット, バージバルブ        | 1    |          |        |
| 66   | 01550-06127     | ホルト                  | 2    |          |        |
| 67   | 09352-50003-23A | ホース(5X8.2X1230)      | 1    |          |        |
| 68   | 09320-08086     | クッション                | 1    |          |        |
| 69   | 09403-14304     | クランプ                 | 1    |          |        |
| 70   | 09408-00043     | クランプ                 | 1    |          |        |

DF300A\_000\_018

FIG.160A




FIG. 160A (1-C-2) ウォータポン (DF300A) (SEE NOTE 1)

| 見出番号 | 品番          | 品名                    | 使用個数 | 備考               | 標準作業時間 |
|------|-------------|-----------------------|------|------------------|--------|
| 1    | 17410-93J01 | ケース, ウォータポン           | 1    |                  |        |
| 2    | 17413-93J02 | スリーブ, ウォータポン ケース      | 1    |                  |        |
| 3    | 17416-93J00 | シーリング, ウォータポン ケース     | 1    |                  |        |
| 4    | 17461-93J00 | インベラ, ウォータポン          | 1    |                  |        |
| 5    | 17471-98J01 | ハネル, ホン ケースアンタ        | 1    |                  |        |
| 6    | 17472-98J00 | ガスケツト, ホン ケースハネル      | 1    |                  |        |
| 7    | 17473-98J00 | ハネル, ウォータポン NO. 2     | 1    |                  |        |
| 8-1  | 17561-93J21 | チューブ, ウォータ (L)        | 1    | L-TRANSOM        |        |
| 8-2  | 17561-93J03 | チューブ, ウォータ (X)        | 1    | X-TRANSOM        |        |
| 8-3  | 17561-93J13 | チューブ, ウォータ (XX)       | 1    | XX-TRANSOM       |        |
| 9    | 17562-93J01 | ブツシュ, ウォータチューブ アツハ    | 1    |                  |        |
| 10   | 17563-93J00 | ブツシュ, ウォータチューブ ロア     | 1    |                  |        |
| 11   | 17564-93J00 | ブツシュ, ウォータポン ケース      | 1    |                  |        |
| 12   | 17612-93J00 | スベ-サ, ウォータチューブ        | 1    |                  |        |
| 13   | 17631-93L00 | フィルタ, ウォータポン-ートサイト    | 1    |                  |        |
| 14   | 17632-93L00 | フィルタ, ウォータスターボ-ード サイト | 1    |                  |        |
| 15   | 29116-93J00 | ホルト                   | 2    |                  |        |
| 16   | 09116-08131 | ホルト (8X45)            | 4    |                  |        |
| 17   | 09132-04034 | タツヒング スクリユ            | 1    |                  |        |
| 18   | 09202-06031 | ヒン (6X12)             | 2    |                  |        |
| 19   | 09420-05009 | キー                    | 1    |                  |        |
| 20   | 09168-20002 | ガスケツト (20. 5X30X1. 5) | 1    | WATER TUBE UPPER |        |
| 21   | 17400-98J01 | キツト, ウォータポン リハア       | 1    | オフション            |        |
| 22   | 17416-93J00 | シーリング, ウォータポン ケース     | 1    | オフション            |        |
| 23   | 17461-93J00 | インベラ, ウォータポン          | 1    | オフション            |        |
| 24   | 17471-98J01 | ハネル, ホン ケースアンタ        | 1    | オフション            |        |
| 25   | 17472-98J00 | ガスケツト, ホン ケースハネル      | 1    | オフション            |        |
| 26   | 17473-98J00 | ハネル, ウォータポン NO. 2     | 1    | オフション            |        |
| 27   | 09420-05009 | キー                    | 1    | オフション            |        |

NOTE 1:  
DF300A

FIG.160B




FIG. 160B (1-C-3) ウォータポンプ (DF250A)

| 見出番号 | 品番          | 品名                     | 使用個数 | 備考               | 標準作業時間 |
|------|-------------|------------------------|------|------------------|--------|
| 1    | 17410-93J01 | ケース, ウォータポンプ           | 1    |                  |        |
| 2    | 17413-93J02 | スリーブ, ウォータポンプ ケース      | 1    |                  |        |
| 3    | 17416-93J00 | シーリング, ウォータポンプ ケース     | 1    |                  |        |
| 4    | 17461-93J00 | インペラ, ウォータポンプ          | 1    |                  |        |
| 5    | 17471-98J01 | ハネル, ホンフ ケースアンダ        | 1    |                  |        |
| 6    | 17472-98J00 | ガスクケット, ホンフ ケースハネル     | 1    |                  |        |
| 7    | 17473-98J00 | ハネル, ウォータポンプ NO. 2     | 1    |                  |        |
| 8-1  | 17561-93J03 | チューブ, ウォータ (X)         | 1    | X-TRANSOM        |        |
| 8-2  | 17561-93J13 | チューブ, ウォータ (XX)        | 1    | XX-TRANSOM       |        |
| 9    | 17562-93J01 | ブッシュ, ウォータチューブ アツパ     | 1    |                  |        |
| 10   | 17563-93J00 | ブッシュ, ウォータチューブ ロア      | 1    |                  |        |
| 11   | 17564-93J00 | ブッシュ, ウォータポンプ ケース      | 1    |                  |        |
| 12   | 17612-93J00 | スベーサ, ウォータチューブ         | 1    |                  |        |
| 13   | 17631-93L00 | フィルタ, ウォータポンプ サイト      | 1    |                  |        |
| 14   | 17632-93L00 | フィルタ, ウォータポンプ サイト      | 1    |                  |        |
| 15   | 29116-93J00 | ホルト                    | 2    |                  |        |
| 16   | 09116-08131 | ホルト (8X45)             | 4    |                  |        |
| 17   | 09132-04034 | タツビング スクリュー            | 1    |                  |        |
| 18   | 09202-06031 | ピン (6X12)              | 2    |                  |        |
| 19   | 09420-05009 | キー                     | 1    |                  |        |
| 20   | 09168-20002 | ガスクケット (20. 5X30X1. 5) | 1    | WATER TUBE UPPER |        |
| 21   | 17400-98J01 | キツ, ウォータポンプ リバア        | 1    | オフショ             |        |
| 22   | 17416-93J00 | ・シーリング, ウォータポンプ ケース    | 1    | オフショ             |        |
| 23   | 17461-93J00 | ・インペラ, ウォータポンプ         | 1    | オフショ             |        |
| 24   | 17471-98J01 | ・ハネル, ホンフ ケースアンダ       | 1    | オフショ             |        |
| 25   | 17472-98J00 | ・ガスクケット, ホンフ ケースハネル    | 1    | オフショ             |        |
| 26   | 17473-98J00 | ・ハネル, ウォータポンプ NO. 2    | 1    | オフショ             |        |
| 27   | 09420-05009 | ・キー                    | 1    | オフショ             |        |

FIG.162A





FIG. 162A (1-C-4) サーマスタット

| 見出番号 | 品番              | 品名                            | 使用個数 | 備考               | 標準作業時間 |
|------|-----------------|-------------------------------|------|------------------|--------|
| 1    | 11196-93J00     | ホース, ウォータリターンスターホート           | 1    |                  |        |
| 2    | 11197-93J00     | ホース, ウォータリターンホート              | 1    |                  |        |
| 3    | 11270-93J00     | プレート, シリンダ プ ロツクウォータジヤケツト     | 1    |                  |        |
| 4    | 11272-93J00     | ガ スケツト, シリンダ プ ロツク プ レート      | 1    |                  |        |
| 5    | 17581-93J00     | パ イプ, ウォータアウトレット              | 2    |                  |        |
| 6    | 17582-93J00     | ガ スケツト, ウォータアウトレットパ イプ        | 2    |                  |        |
| 7-1  | 17611-90J00-YAY | カバ ー, ウォータ フ レツシヤパ ルプ (フ ラツク) | 1    |                  |        |
| 7-2  | 17611-90J00-Y5S | カバ ー, ウォータ フ レツシヤパ ルプ (ホワイ ト) | 1    |                  |        |
| 8    | 17660-99E01     | パ ルプ, ウォータ フ レツシヤ             | 1    |                  |        |
| 9-1  | 17670-90J20     | サーモスタツト, ウォータ 50° C           | 2    |                  |        |
| 9-2  | 17670-90J10     | サーモスタツト, ウォータ 71° C           | 1    | オプション            |        |
| 10   | 17681-93J00     | カバ ー, サーマスタツト                 | 2    |                  |        |
| 11   | 17711-90J00     | 3ウェイ, ウォータホース                 | 1    |                  |        |
| 12   | 17712-93J00     | ホース, ウォータ (3ウェイツエー E/Hカバ ー)   | 1    | 3 WAY TO E/H COV |        |
| 13   | 09116-06121     | ホ ルト (6X25)                   | 2    |                  |        |
| 14   | 09280-26006     | Oリング (D: 3. 1, ID: 26. 4)     | 1    |                  |        |
| 15   | 09320-12014     | クツシヨ                          | 1    |                  |        |
| 16   | 09352-50903-600 | ホース (5X9X600)                 | 1    | L: 600>60        |        |
| 17   | 09352-50903-600 | ホース (5X9X600)                 | 1    | L: 600>120       |        |
| 18   | 09352-50903-600 | ホース (5X9X600)                 | 1    | L: 600>190       |        |
| 19   | 09352-50903-600 | ホース (5X9X600)                 | 1    | L: 600>300       |        |
| 20   | 09352-50903-600 | ホース (5X9X600)                 | 1    | L: 600>330       |        |
| 21   | 09352-50903-600 | ホース (5X9X600)                 | 1    |                  |        |
| 22   | 09352-50903-600 | ホース (5X9X600)                 | 1    |                  |        |
| 23   | 09352-50903-00B | ホース (5X9X2000)                | 1    | L: 2000>850      |        |
| 24   | 09352-50903-00B | ホース (5X9X2000)                | 1    | L: 2000>1010     |        |
| 25   | 01550-08127     | ホ ルト                          | 1    |                  |        |
| 26   | 09367-06002     | ジ ョイント                        | 1    |                  |        |
| 27   | 09401-08413     | クリツプ                          | 18   |                  |        |
| 28   | 09401-14409     | クリツプ                          | 2    |                  |        |
| 29   | 09401-25406     | クリツプ                          | 4    |                  |        |
| 30   | 09403-25304     | クランプ                          | 1    |                  |        |
| 31   | 09408-00008     | クリツプ (ID: 20)                 | 1    |                  |        |
| 32   | 09408-00056     | クリツプ                          | 1    |                  |        |
| 33   | 01550-06207     | ホ ルト                          | 6    |                  |        |

FIG.162A




DF300A\_000\_018\_162A  
THERMOSTAT

FIG. 162A (1-C-5) サーマスタット

| 見出番号 | 品 番         | 品 名            | 使用個数 | 備 考 | 標 準<br>作業時間 |
|------|-------------|----------------|------|-----|-------------|
| 34   | 01550-06207 | ホ ルト           | 4    |     |             |
| 35   | 01550-06257 | ホ ルト           | 10   |     |             |
| 36   | 17713-98J00 | ホルタ, ウォータホース   | 1    |     |             |
| 37   | 09401-15414 | クリツフ           | 2    |     |             |
| 38   | 17915-98J01 | ホース, ウォータフラッシュ | 1    |     |             |
| 39   | 09408-00024 | クリツフ (ID:23)   | 1    |     |             |
| 40   | 09408-00021 | クリツフ (ID:16)   | 1    |     |             |
| 41   | 36617-93J10 | ブラケット, ハーネス    | 1    |     |             |
| 42   | 01550-06127 | ホ ルト           | 1    |     |             |

DF300A\_000\_018

FIG.163A



DF300A\_000\_018\_163A  
THROTTLE BODY

FIG. 163A (1-C-6) スロットルホデー

| 見出番号 | 品番          | 品名                    | 使用個数 | 備考 | 標準作業時間 |
|------|-------------|-----------------------|------|----|--------|
| 1    | 11193-98J00 | ホース, PCV              | 1    |    |        |
| 2    | 11198-58B00 | シール, PCVバルブ           | 1    |    |        |
| 3    | 13100-98J10 | コレクタアツシ               | 1    |    |        |
| 4    | 13137-98J00 | ・スベーサ, コレクタ           | 4    |    |        |
| 5    | 13140-98J10 | ・カバレー, コレクタ           | 1    |    |        |
| 6    | 13147-98J00 | ・ガースケツト, コレクタカバレー     | 1    |    |        |
| 7    | 13180-98J00 | ・フアネル, エアコレクタ         | 2    |    |        |
| 8    | 18590-68H00 | ・センサ, プレツジヤ           | 1    |    |        |
| 9    | 09280-10009 | ・オリシク (D:1.3, ID:9.8) | 8    |    |        |
| 10   | 01550-08167 | ・ボルト                  | 4    |    |        |
| 11   | 01550-08357 | ・ボルト                  | 11   |    |        |
| 12   | 02162-05207 | ・スクリュ                 | 2    |    |        |
| 13   | 04211-11129 | ・ヒン                   | 8    |    |        |
| 14   | 13134-98J00 | ブラケツト, コレクタ           | 1    |    |        |
| 15   | 13139-98J01 | ガースケツト, コレクタ          | 1    |    |        |
| 16   | 13310-98J00 | ホデーアツシ, スロットル         | 1    |    |        |
| 17   | 13343-98J10 | ガースケツト, スロットルホデー      | 1    |    |        |
| 18   | 13315-98J00 | ダンパ, スロットルホデー         | 1    |    |        |
| 19   | 13421-98J00 | ガースケツト, スロットルホデー      | 1    |    |        |
| 20   | 13813-98J00 | グロメツト, スロットルホデー       | 1    |    |        |
| 21   | 09401-13423 | クリツブ                  | 2    |    |        |
| 22   | 18118-93J00 | バルブ, PCV              | 1    |    |        |
| 23   | 09103-08370 | ボルト (8X250)           | 6    |    |        |
| 24   | 09320-08076 | グロメツト                 | 4    |    |        |
| 25   | 09403-13310 | クランブ                  | 1    |    |        |
| 26   | 09408-00155 | クランブ                  | 1    |    |        |
| 27   | 01421-08357 | スタツトボルト               | 2    |    |        |
| 28   | 01550-08167 | ボルト                   | 5    |    |        |
| 29   | 01550-08357 | ボルト                   | 2    |    |        |
| 30   | 01550-08607 | ボルト                   | 2    |    |        |
| 31   | 04211-11129 | ヒン                    | 2    |    |        |
| 32   | 09159-08136 | ナツト                   | 4    |    |        |
| 33   | 08316-10087 | ナツト                   | 2    |    |        |
| 34   | 09160-08161 | ワツシヤ (8. 2X23X3. 2)   | 2    |    |        |

DF300A\_000\_018

FIG.175A





FIG. 175A (1-C-7) オイルポンプ

| 見出番号 | 品番          | 品名                      | 使用個数 | 備考 | 標準作業時間 |
|------|-------------|-------------------------|------|----|--------|
| 1    | 12632-93J11 | スプロケット, オイルポンプドライブ      | 1    |    |        |
| 2    | 16113-93J10 | スプロケット, オイルポンプドライブ      | 1    |    |        |
| 3    | 16400-93J03 | ポンプアツシ, オイル             | 1    |    |        |
| 4    | 16520-93J00 | ストレーナ, オイルポンプ           | 1    |    |        |
| 5    | 16760-93J00 | チェーン, オイルポンプドライブ        | 1    |    |        |
| 6    | 16781-93J00 | テンシヨナ, オイルポンプチェーン       | 1    |    |        |
| 7    | 16782-93J00 | スプリング, オイルポンプテンシヨナ      | 1    |    |        |
| 8    | 16783-93J01 | ホルト, オイルポンプテンシヨナ        | 1    |    |        |
| 9    | 09181-12158 | シム (12X20X0.5)          | 1    |    |        |
| 10   | 09280-22020 | Oリング (D: 2.4, ID: 21.8) | 2    |    |        |
| 11   | 01550-0616A | ホルト                     | 3    |    |        |
| 12   | 01550-0845A | ホルト                     | 1    |    |        |
| 13   | 01550-0865A | ホルト                     | 3    |    |        |
| 14   | 01550-0885A | ホルト                     | 1    |    |        |
| 15   | 08110-60020 | ベアリング                   | 1    |    |        |

FIG.180A



DF300A\_000\_018\_180A  
OIL PAN

FIG.180A (1-C-8) オイルパン

| 見出番号 | 品 番             | 品 名                      | 使用個数 | 備 考            | 標準<br>作業時間 |
|------|-----------------|--------------------------|------|----------------|------------|
| 1-1  | 11261-93J10-YAY | カバー, プ ロテクションアノード (ブラック) | 1    | BODY COLOR:YAY |            |
| 1-2  | 11261-93J10-Y5S | カバー, プ ロテクションアノード (ホワイト) | 1    | BODY COLOR:Y5S |            |
| 2-1  | 55321-87J01     | アノード, プ ロテクション           | 1    |                |            |
| 2-2  | 55321-87J11     | アノード (マグネシウム)            | 1    | オプション          |            |
| 3    | 29103-93J30     | ボルト                      | 1    | フロント           |            |
| 4    | 09103-06281     | ボルト (6X14)               | 1    |                |            |
| 5    | 09280-22019     | Oリング (D:1.9, ID:21.8)    | 1    |                |            |
| 6    | 11489-93J00     | ガasket, オイルパン            | 1    |                |            |
| 7-1  | 11501-93J03-YAY | パン, オイル (ブラック)           | 1    | BODY COLOR:YAY |            |
| 7-2  | 11501-93J03-Y5S | パン, オイル (ホワイト)           | 1    | BODY COLOR:Y5S |            |
| 8    | 11591-93J10     | ユニオン, オイルパン              | 1    |                |            |
| 9-1  | 11541-93J00-YAY | パイプ, エキゾースト              | 1    | BODY COLOR:YAY |            |
| 9-2  | 11541-93J00-Y5S | パイプ, エキゾースト (ホワイト)       | 1    | BODY COLOR:Y5S |            |
| 10   | 14154-93J01     | シール, エキゾーストチューブ          | 1    |                |            |
| 11   | 14211-98J00     | チューブ, エキゾースト             | 1    |                |            |
| 12   | 14212-93J00     | ガasket, エキゾーストチューブ       | 1    |                |            |
| 13   | 29116-93J00     | ボルト                      | 4    |                |            |
| 14   | 11435-93J00     | パイプ, エキゾーストレリース          | 1    |                |            |
| 15   | 09168-12012     | ガasket (12.5X20X2.5)     | 1    |                |            |
| 16   | 09248-12009     | ブラケット (12X18.65)         | 1    |                |            |
| 17   | 09202-08006     | ピン (8X12)                | 2    |                |            |
| 18   | 09202-08006     | ピン (8X12)                | 2    |                |            |
| 19   | 01550-1050A     | ボルト                      | 4    |                |            |
| 20   | 09116-08128     | ボルト (8X40)               | 10   |                |            |
| 21   | 09116-10175     | ボルト (10X50)              | 2    |                |            |
| 22   | 09116-10146     | ボルト (10X195)             | 2    |                |            |
| 23   | 09116-10184     | ボルト (10X200)             | 2    |                |            |
| 24   | 29103-93J00     | ボルト (6X12)               | 1    |                |            |
| 25   | 29404-93J10     | クランプ                     | 1    |                |            |
| 26   | 16910-93J00     | ゲージ, オイルレベル              | 1    |                |            |
| 27   | 16930-93J00     | ガイド, オイルレベルゲージ           | 1    |                |            |
| 28   | 09280-09008     | Oリング (D:2.1, ID:8.8)     | 1    |                |            |
| 29   | 01550-06127     | ボルト                      | 1    |                |            |

FIG.204A




FIG. 204A (1-C-9) クラッチシャフト (DF300A)

| 見出番号 | 品 番         | 品 名                 | 使用個数 | 備 考                   | 標 準<br>作業時間 |
|------|-------------|---------------------|------|-----------------------|-------------|
| 1    | 21110-98J02 | レバー, クラッチ           | 1    |                       |             |
| 2    | 21131-93J00 | ブッシュ, クラッチレバー       | 1    |                       |             |
| 3    | 21151-93J00 | ホルダー, クラッチレバー       | 1    |                       |             |
| 4    | 09160-10148 | ワッシャ (10X20X3)      | 1    |                       |             |
| 5    | 21210-98J01 | シャフト, クラッチ          | 1    |                       |             |
| 6    | 21230-98J01 | アーム, クラッチシャフト       | 1    |                       |             |
| 7-1  | 23111-93J10 | ロッド, クラッチ (L)       | 1    | L-TRANSOM             |             |
| 7-2  | 23111-93J00 | ロッド, クラッチ           | 1    | X-TRANSOM, XX-TRANSOM |             |
| 8    | 23115-98J00 | リンク, クラッチレバー        | 1    |                       |             |
| 9    | 25223-94400 | シール, シフトロッドタスト      | 1    |                       |             |
| 10   | 09160-06094 | ワッシャ (6. 5X15X1. 0) | 2    |                       |             |
| 11   | 09204-01006 | コッタピン               | 2    |                       |             |
| 12   | 09205-10006 | ピン                  | 1    |                       |             |
| 13   | 09248-12011 | ブラグ (12X9)          | 1    |                       |             |
| 14   | 09260-10005 | ボール                 | 1    |                       |             |
| 15   | 09262-17019 | ベアリング (17X35X8)     | 1    |                       |             |
| 16   | 09289-18001 | オイルシール              | 1    |                       |             |
| 17   | 09306-06005 | ブッシュ                | 2    |                       |             |
| 18   | 09306-10001 | ブッシュ                | 3    |                       |             |
| 19   | 09383-08004 | Eリング                | 1    |                       |             |
| 20   | 09440-07051 | スプリング               | 1    |                       |             |
| 21   | 01550-06207 | ホルト                 | 1    |                       |             |
| 22   | 02142-05107 | スクリュ                | 2    |                       |             |
| 23   | 08331-41359 | サークリップ              | 1    |                       |             |
| 24   | 21241-98J10 | リンク, クラッチレバーNO. 2   | 1    |                       |             |
| 25   | 67467-89J01 | コネクタ                | 1    |                       |             |
| 26   | 67471-99E00 | ナット, リモコンケーブル       | 1    |                       |             |
| 27   | 09160-06055 | ワッシャ (7X12X1)       | 2    |                       |             |
| 28   | 09385-06012 | スナックピン              | 2    |                       |             |
| 29   | 19115-98J10 | ホルダー, クラッチレバー       | 1    |                       |             |
| 30   | 01550-08557 | ホルト                 | 2    |                       |             |
| 31   | 67467-89J10 | コネクタ, リモコンケーブルNO. 2 | 1    |                       |             |
| 32   | 67471-99E10 | ナット, リモコンケーブルNO. 2  | 1    |                       |             |

FIG.204B





FIG. 204B (1-C-10) クラッチシャフト (DF250A)

| 見出番号 | 品 番         | 品 名                  | 使用個数 | 備 考 | 標 準<br>作業時間 |
|------|-------------|----------------------|------|-----|-------------|
| 1    | 21110-98J02 | レバ ー, クラッチ           | 1    |     |             |
| 2    | 21131-93J00 | ブ ッシュ, クラッチレバ ー      | 1    |     |             |
| 3    | 21151-93J00 | ホルダ ー, クラッチレバ ー      | 1    |     |             |
| 4    | 09160-10148 | ワッシャ (10X20X3)       | 1    |     |             |
| 5    | 21210-98J01 | シャフト, クラッチ           | 1    |     |             |
| 6    | 21230-98J01 | アーム, クラッチシャフト        | 1    |     |             |
| 7    | 23111-93J00 | ロツト ー, クラッチ          | 1    |     |             |
| 8    | 23115-98J00 | リンク, クラッチレバ ー        | 1    |     |             |
| 9    | 25223-94400 | シール, シフトロツト ー タ スト   | 1    |     |             |
| 10   | 09160-06094 | ワッシャ (6. 5X15X1. 0)  | 2    |     |             |
| 11   | 09204-01006 | コツタビ ン               | 2    |     |             |
| 12   | 09205-10006 | ビ ン                  | 1    |     |             |
| 13   | 09248-12011 | ブ ラク ー (12X9)        | 1    |     |             |
| 14   | 09260-10005 | ホ ール                 | 1    |     |             |
| 15   | 09262-17019 | ベ アリング ー (17X35X8)   | 1    |     |             |
| 16   | 09289-18001 | オイルシール               | 1    |     |             |
| 17   | 09306-06005 | ブ ッシュ                | 2    |     |             |
| 18   | 09306-10001 | ブ ッシュ                | 3    |     |             |
| 19   | 09383-08004 | Eリング ー               | 1    |     |             |
| 20   | 09440-07051 | スプ リング ー             | 1    |     |             |
| 21   | 01550-06207 | ホ ルト                 | 1    |     |             |
| 22   | 02142-05107 | スクリュ                 | 2    |     |             |
| 23   | 08331-41359 | サークリツブ               | 1    |     |             |
| 24   | 21241-98J10 | リンク, クラッチレバ ー-NO. 2  | 1    |     |             |
| 25   | 67467-89J01 | コネクタ                 | 1    |     |             |
| 26   | 67471-99E00 | ナツト, リモコンケーブ ル       | 1    |     |             |
| 27   | 09160-06055 | ワッシャ (7X12X1)        | 2    |     |             |
| 28   | 09385-06012 | スナツブ ビ ン             | 2    |     |             |
| 29   | 19115-98J10 | ホルダ ー, クラッチレバ ー      | 1    |     |             |
| 30   | 01550-08557 | ホ ルト                 | 2    |     |             |
| 31   | 67467-89J10 | コネクタ, リモコンケーブ ルNO. 2 | 1    |     |             |
| 32   | 67471-99E10 | ナツト, リモコンケーブ ルNO. 2  | 1    |     |             |

FIG.206A




DF300A\_000\_018\_206A  
CLUTCHROD

FIG. 206A (1-C-11) クラッチロッド (DF300A)

| 見出番号 | 品番              | 品名                        | 使用個数 | 備考                   | 標準作業時間 |
|------|-----------------|---------------------------|------|----------------------|--------|
| 1-1  | 25112-93L00     | ロッド, シフト ライフ (L, X)       | 1    | L-TRANSOM, X-TRANSOM |        |
| 1-2  | 25112-93L10     | ロッド, シフト ライフ (XX)         | 1    | XX-TRANSOM           |        |
| 2    | 25130-93L00     | ヨーク, シフト                  | 1    |                      |        |
| 3    | 25232-90J00     | マグ ネット, キ ヲケース            | 1    |                      |        |
| 4    | 09205-03004     | ピン                        | 1    |                      |        |
| 5-1  | 25141-93L00-YAY | ハウジング, シフトロッド カイト (フ ラック) | 1    | BODY COLOR:YAY       |        |
| 5-2  | 25141-93L00-Y5S | ハウジング, シフトロッド カイト (ホワイト)  | 1    | BODY COLOR:Y5S       |        |
| 6    | 25222-90J00     | カバー, シフトカイト ハウジング オイルシール  | 1    |                      |        |
| 7    | 09283-10011     | オイルシール                    | 1    |                      |        |
| 8    | 25321-93L00     | スライダ, シフトホリゾンタル           | 1    |                      |        |
| 9    | 29116-93J00     | ホルト                       | 3    |                      |        |
| 10   | 09160-10082     | ワッシャ (10. 5X19X2)         | 1    |                      |        |
| 11   | 25113-93L00     | ギヤ, シフトロッド                | 2    |                      |        |
| 12   | 25215-93L00     | ハウジング, マグ ネット             | 1    |                      |        |
| 13   | 09383-07003     | Eリング, 7X14X1. 2           | 3    |                      |        |
| 14   | 55122-93L00     | シーリング, シフトロッド カイト ハウジング   | 1    |                      |        |
| 15   | 56141-93L00     | ハウジング, シフトスライダ            | 1    |                      |        |
| 16   | 17637-93L00     | フィルタ, ウォータホートフロントサイト      | 1    |                      |        |
| 17   | 17638-93L00     | フィルタ, ウォータホート フロントサイト     | 1    |                      |        |
| 18   | 55321-87J01     | アノード, フ ロテクション            | 1    |                      |        |
| 19   | 01550-06357     | ホルト                       | 2    |                      |        |
| 20   | 09103-06281     | ホルト (6X14)                | 1    |                      |        |
| 21   | 09206-09012     | ピン (7. 4X9X10)            | 2    |                      |        |
| 22   | 09132-04034     | タツピング スクリュー               | 1    |                      |        |
| 23   | 25231-93L00     | ホルタ, マグ ネット               | 2    |                      |        |
| 24   | 25232-94300     | マグ ネット, キ ヲケース            | 2    |                      |        |

DF300A\_000\_018

FIG.206B



DF300A\_000\_018\_206B  
CLUTCHROD

FIG. 206B (1-C-12) クラッチロッド (DF250A) (SEE NOTE 1)

| 見出番号 | 品 番             | 品 名                       | 使用個数 | 備 考            | 標準<br>作業時間 |
|------|-----------------|---------------------------|------|----------------|------------|
| 1-1  | 25112-93L00     | ロッド, シフト ライフ (L, X)       | 1    | X-TRANSOM      |            |
| 1-2  | 25112-93L10     | ロッド, シフト ライフ (XX)         | 1    | XX-TRANSOM     |            |
| 2    | 25130-93L00     | ヨーク, シフト                  | 1    |                |            |
| 3    | 25232-90J00     | マグ ネット, キ ャケース            | 1    |                |            |
| 4    | 09205-03004     | ピン                        | 1    |                |            |
| 5-1  | 25141-93L00-YAY | ハウジング, シフトロッド カイト (フ ラツク) | 1    | BODY COLOR:YAY |            |
| 5-2  | 25141-93L00-Y5S | ハウジング, シフトロッド カイト (ホワイト)  | 1    | BODY COLOR:Y5S |            |
| 6    | 25222-90J00     | カバー, シフトカイト ハウジング オイルシール  | 1    |                |            |
| 7    | 09283-10011     | オイルシール                    | 1    |                |            |
| 8    | 25321-93L00     | スライダ, シフトホリゾンタル           | 1    |                |            |
| 9    | 29116-93J00     | ホル ト                      | 3    |                |            |
| 10   | 09160-10082     | ワッシャ (10. 5X19X2)         | 1    |                |            |
| 11   | 25113-93L00     | ギ ャ, シフトロッド               | 2    |                |            |
| 12   | 25215-93L00     | ハウジング, マグ ネット             | 1    |                |            |
| 13   | 09383-07003     | Eリング, 7X14X1. 2           | 3    |                |            |
| 14   | 55122-93L00     | シーリング, シフトロッド カイト ハウジング   | 1    |                |            |
| 15   | 56141-93L00     | ハウジング, シフトスライダ            | 1    |                |            |
| 16   | 17637-93L00     | フィルタ, ウォータホートフロントサイト      | 1    |                |            |
| 17   | 17638-93L00     | フィルタ, ウォータホート フロントサイト     | 1    |                |            |
| 18   | 55321-87J01     | アノード, プ ロテクション            | 1    |                |            |
| 19   | 01550-06357     | ホル ト                      | 2    |                |            |
| 20   | 09103-06281     | ホル ト (6X14)               | 1    |                |            |
| 21   | 09206-09012     | ピン (7. 4X9X10)            | 2    |                |            |
| 22   | 09132-04034     | タツピング スクリュー               | 1    |                |            |
| 23   | 25231-93L00     | ホルダ, マグ ネット               | 2    |                |            |
| 24   | 25232-94300     | マグ ネット, キ ャケース            | 2    |                |            |

NOTE 1 :  
DF250A

DF300A\_000\_018

FIG.220A




FIG. 220A (1-C-13) トランスミッション (DF300A) (SEE NOTE 1)

| 見出番号  | 品 番         | 品 名                   | 使用個数 | 備 考        | 標 準<br>作業時間 |
|-------|-------------|-----------------------|------|------------|-------------|
| 1-1   | 57110-93L02 | シャフト, ドライブ (L)        | 1    | L-TRANSOM  |             |
| 1-2   | 57110-93L12 | シャフト, ドライブ (X)        | 1    | X-TRANSOM  |             |
| 1-3   | 57110-93L22 | シャフト, ドライブ (XX)       | 1    | XX-TRANSOM |             |
| 2     | 57133-93L00 | カラー, ドライブ シャフト        | 1    |            |             |
| 3     | 57134-93J00 | スベ-サ, ドライブ シャフトベ-アリング | 1    |            |             |
| 4     | 09159-28003 | ナット                   | 1    |            |             |
| 5     | 09269-32002 | ベ-アリング (32X66X49)     | 1    |            |             |
| 6     | 57300-93L20 | セツト, ギヤ               | 1    |            |             |
| 7-1   | 09181-60004 | シム (60X66X0. 45)      | 1    |            |             |
| 7-2   | 09181-60005 | シム (60X66X0. 5)       | 1    |            |             |
| 7-3   | 09181-60006 | シム (60X66X0. 55)      | 1    |            |             |
| 7-4   | 09181-60007 | シム (60X66X0. 6)       | 1    |            |             |
| 7-5   | 09181-60008 | シム (60X66X0. 65)      | 1    |            |             |
| 7-6   | 09181-60009 | シム (60X66X0. 7)       | 1    |            |             |
| 7-7   | 09181-60010 | シム (60X66X0. 75)      | 1    |            |             |
| 7-8   | 09181-60011 | シム (60X66X0. 8)       | 1    |            |             |
| 7-9   | 09181-60012 | シム (60X66X0. 85)      | 1    |            |             |
| 7-10  | 09181-60013 | シム (60X66X0. 9)       | 1    |            |             |
| 8     | 09140-16026 | ナット                   | 1    |            |             |
| 9     | 08221-16256 | シム                    | 1    |            |             |
| 10    | 09180-32006 | スベ-サ (32. 4X40X3)     | 1    | REAR GEAR  |             |
| 11-1  | 09181-32035 | シム (32X37X0. 5)       | 1    | REAR GEAR  |             |
| 11-2  | 09181-32036 | シム (32X37X0. 55)      | 1    | REAR GEAR  |             |
| 11-3  | 09181-32037 | シム (32X37X0. 6)       | 1    | REAR GEAR  |             |
| 11-4  | 09181-32038 | シム (32X37X0. 65)      | 1    | REAR GEAR  |             |
| 11-5  | 09181-32039 | シム (32X37X0. 7)       | 1    | REAR GEAR  |             |
| 11-6  | 09181-32040 | シム (32X37X0. 75)      | 1    | REAR GEAR  |             |
| 11-7  | 09181-32041 | シム (32X37X0. 8)       | 1    | REAR GEAR  |             |
| 11-8  | 09181-32042 | シム (32X37X0. 85)      | 1    | REAR GEAR  |             |
| 11-9  | 09181-32043 | シム (32X37X0. 9)       | 1    | REAR GEAR  |             |
| 11-10 | 09181-32044 | シム (32X37X0. 95)      | 1    | REAR GEAR  |             |
| 12    | 09160-60012 | ワッシャ (60X72X3)        | 1    | FRONT GEAR |             |
| 13    | 09263-80002 | ベ-アリング (80X105X4)     | 1    | FRONT GEAR |             |
| 14-1  | 09181-93101 | シム (93. 5X100X0. 50)  | 2    |            |             |
| 14-2  | 09181-93102 | シム (93. 5X100X0. 55)  | 2    |            |             |

FIG.220A




FIG. 220A (1-C-14) トランスミッション (DF300A) (SEE NOTE 1)

| 見出番号  | 品 番         | 品 名                        | 使用個数 | 備 考          | 標準<br>作業時間 |
|-------|-------------|----------------------------|------|--------------|------------|
| 14-3  | 09181-93103 | シム (93. 5X100X0. 60)       | 2    |              |            |
| 14-4  | 09181-93104 | シム (93. 5X100X0. 65)       | 2    |              |            |
| 14-5  | 09181-93105 | シム (93. 5X100X0. 70)       | 2    |              |            |
| 14-6  | 09181-93106 | シム (93. 5X100X0. 75)       | 2    |              |            |
| 14-7  | 09181-93107 | シム (93. 5X100X0. 80)       | 2    |              |            |
| 14-8  | 09181-93108 | シム (93. 5X100X0. 85)       | 2    |              |            |
| 14-9  | 09181-93109 | シム (93. 5X100X0. 90)       | 2    |              |            |
| 14-10 | 09181-93110 | シム (93. 5X100X0. 95)       | 2    |              |            |
| 14-11 | 09181-93111 | シム (93. 5X100X1. 00)       | 2    |              |            |
| 14-12 | 09181-93112 | シム (93. 5X100X1. 05)       | 2    |              |            |
| 14-13 | 09181-93113 | シム (93. 5X100X1. 10)       | 2    |              |            |
| 15-1  | 59171-93L00 | シム, フロントキ*ヤ (81X103X3. 50) | 1    | FRONT GEAR   |            |
| 15-2  | 59171-93L10 | シム, フロントキ*ヤ (81X103X3. 55) | 1    | FRONT GEAR   |            |
| 15-3  | 59171-93L20 | シム, フロントキ*ヤ (81X103X3. 60) | 1    | FRONT GEAR   |            |
| 15-4  | 59171-93L30 | シム, フロントキ*ヤ (81X103X3. 65) | 1    | FRONT GEAR   |            |
| 15-5  | 59171-93L40 | シム, フロントキ*ヤ (81X103X3. 70) | 1    | FRONT GEAR   |            |
| 15-6  | 59171-93L50 | シム, フロントキ*ヤ (81X103X3. 75) | 1    | FRONT GEAR   |            |
| 15-7  | 59171-93L60 | シム, フロントキ*ヤ (81X103X3. 80) | 1    | FRONT GEAR   |            |
| 15-8  | 59171-93L70 | シム, フロントキ*ヤ (81X103X3. 85) | 1    | FRONT GEAR   |            |
| 15-9  | 59171-93L80 | シム, フロントキ*ヤ (81X103X3. 90) | 1    | FRONT GEAR   |            |
| 15-10 | 59171-93L90 | シム, フロントキ*ヤ (81X103X3. 95) | 1    | FRONT GEAR   |            |
| 15-11 | 59171-93LA0 | シム, フロントキ*ヤ (81X103X4. 00) | 1    | FRONT GEAR   |            |
| 15-12 | 59171-93LB0 | シム, フロントキ*ヤ (81X103X4. 05) | 1    | FRONT GEAR   |            |
| 15-13 | 59171-93LC0 | シム, フロントキ*ヤ (81X103X4. 10) | 1    | FRONT GEAR   |            |
| 16    | 09265-30033 | ベ*アリング* (30X72X28. 75)     | 1    |              |            |
| 17    | 57610-93L10 | シャフト, プ*ロペ*ラ               | 1    |              |            |
| 18    | 57621-93L00 | シフト, クラツチド*ツク*             | 1    |              |            |
| 19    | 09202-08013 | ビ*ン (8X55)                 | 1    |              |            |
| 20    | 57631-93L01 | ビ*ン, コネクタ                  | 1    |              |            |
| 21    | 09440-58001 | スプ*リング*                    | 1    |              |            |
| 22    | 57617-93L00 | スプ*リング*, テ*テント             | 1    |              |            |
| 23    | 06111-07004 | ホ*ール                       | 2    | DETENT NO. 1 |            |
| 24    | 06111-11004 | ホ*ール                       | 2    | DETENT NO. 2 |            |
| 25    | 56120-93L20 | ハウジング*, プ*ロペ*ラシャフトベ*アリング*  | 1    |              |            |
| 26    | 09263-30063 | ベ*アリング* (30X40X25)         | 1    |              |            |

FIG.220A




FIG. 220A (1-C-15) トランスミッション (DF300A) (SEE NOTE 1)

| 見出番号 | 品 番         | 品 名                              | 使用個数 | 備 考         | 標 準<br>作業時間 |
|------|-------------|----------------------------------|------|-------------|-------------|
| 27   | 09265-32003 | ・ベ`アリング` (32X58X17)              | 1    |             |             |
| 28   | 09280-00047 | ・Oリング` (D:3)                     | 1    |             |             |
| 29   | 09282-30006 | ・オイルシール                          | 2    |             |             |
| 30   | 09381-40003 | ・サークリップ`                         | 1    |             |             |
| 31   | 56147-93L00 | スベ`ーサ, フ`ロベ`ラシヤフトベ`アリング`ハウシ`ンク`  | 1    |             |             |
| 32   | 56130-93J02 | ハウシ`ンク`, ト`ライブ`シヤフトベ`アリング`       | 1    |             |             |
| 33   | 09280-66004 | ・Oリング` (D:3. 1, ID:65. 4)        | 1    |             |             |
| 34   | 09282-24004 | ・オイルシール                          | 2    |             |             |
| 35   | 09381-40003 | ・サークリップ`                         | 1    |             |             |
| 36   | 57622-93L00 | スベ`ーサ, スラスト                      | 1    | フロント        |             |
| 37   | 09164-50002 | ワツシヤ, ウエ-ブ`                      | 1    |             |             |
| 38   | 09381-72003 | スナツブ`リング`                        | 1    | フロント        |             |
| 39   | 09140-48001 | ナツト                              | 1    | REAR GEAR   |             |
| 40   | 56122-93L00 | ストツハ`, フ`ロベ`ラシヤフトベ`アリング`ハウシ`ンク`  | 1    |             |             |
| 41   | 56126-93L10 | ワツシヤ, フ`ロベ`ラシヤフトベ`アリング`ハウシ`ンク`   | 1    |             |             |
| 42   | 56127-93L00 | ワツシヤ, フ`ロベ`ラシヤフトベ`アリング`ハウシ`ンク` 2 | 1    |             |             |
| 43   | 56128-93L00 | シール, フ`ロツブ`シヤフトベ`アリング`ハウシ`ンク`    | 1    |             |             |
| 44   | 56129-93L00 | ブ`ツシュ, ストツハ`                     | 1    |             |             |
| 45   | 09280-00030 | Oリング` (D:1. 8)                   | 1    |             |             |
| 46   | 57527-93L00 | スベ`ーサ, ベ`アリング`インナ                | 1    |             |             |
| 47   | 57541-93L00 | スベ`ーサ, ベ`アリング`アウト                | 1    |             |             |
| 48   | 09265-50004 | ベ`アリング` (50X80X20)               | 1    | REAR GEAR R |             |
| 49   | 09265-55001 | ベ`アリング` (55X100X22. 75)          | 1    | REAR GEAR F |             |

NOTE 1:  
DF300A

Exploded view diagram of a mechanical assembly, likely a camera lens or viewfinder. The diagram shows the assembly sequence from the handle (1) to the front lens (44). A 'FWD' arrow points to the left. A box highlights the internal gear mechanism (25-32).

Key components and their assembly order (from left to right):

- Handle/Body (1):** The main body of the device.
- Internal Gear Mechanism (25-32):** A complex assembly of gears and rings, including parts 25, 26, 27, 28, 29, 30, 31, and 32.
- Front Lens Assembly (33-44):** The front-most components, including the lens element (33), filter (34), and various rings (35, 36, 37, 38, 39, 40, 41, 42, 43, 44).
- Internal Components (2-24):** Various internal parts, including a small motor or actuator (2), gears (3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24), and a spring (25).

| 見出番号  | 品番          | 品名                   | 使用個数 | 備考         | 標準作業時間 |
|-------|-------------|----------------------|------|------------|--------|
| 1-1   | 57110-93L12 | シャフト, ドライブ (X)       | 1    | X-TRANSOM  |        |
| 1-2   | 57110-93L22 | シャフト, ドライブ (XX)      | 1    | XX-TRANSOM |        |
| 2     | 57133-93L00 | カラー, ドライブ シャフト       | 1    |            |        |
| 3     | 57134-93J00 | スベ-サ, ドライブ シャフトへ アリク | 1    |            |        |
| 4     | 09159-28003 | ナット                  | 1    |            |        |
| 5     | 09269-32002 | へ アリク (32X66X49)     | 1    |            |        |
| 6     | 57300-93L20 | セツト, キヤ              | 1    |            |        |
| 7-1   | 09181-60004 | シム (60X66X0. 45)     | 1    |            |        |
| 7-2   | 09181-60005 | シム (60X66X0. 5)      | 1    |            |        |
| 7-3   | 09181-60006 | シム (60X66X0. 55)     | 1    |            |        |
| 7-4   | 09181-60007 | シム (60X66X0. 6)      | 1    |            |        |
| 7-5   | 09181-60008 | シム (60X66X0. 65)     | 1    |            |        |
| 7-6   | 09181-60009 | シム (60X66X0. 7)      | 1    |            |        |
| 7-7   | 09181-60010 | シム (60X66X0. 75)     | 1    |            |        |
| 7-8   | 09181-60011 | シム (60X66X0. 8)      | 1    |            |        |
| 7-9   | 09181-60012 | シム (60X66X0. 85)     | 1    |            |        |
| 7-10  | 09181-60013 | シム (60X66X0. 9)      | 1    |            |        |
| 8     | 09140-16026 | ナット                  | 1    |            |        |
| 9     | 08221-16256 | シム                   | 1    |            |        |
| 10    | 09180-32006 | スベ-サ (32. 4X40X3)    | 1    | REAR GEAR  |        |
| 11-1  | 09181-32035 | シム (32X37X0. 5)      | 1    | REAR GEAR  |        |
| 11-2  | 09181-32036 | シム (32X37X0. 55)     | 1    | REAR GEAR  |        |
| 11-3  | 09181-32037 | シム (32X37X0. 6)      | 1    | REAR GEAR  |        |
| 11-4  | 09181-32038 | シム (32X37X0. 65)     | 1    | REAR GEAR  |        |
| 11-5  | 09181-32039 | シム (32X37X0. 7)      | 1    | REAR GEAR  |        |
| 11-6  | 09181-32040 | シム (32X37X0. 75)     | 1    | REAR GEAR  |        |
| 11-7  | 09181-32041 | シム (32X37X0. 8)      | 1    | REAR GEAR  |        |
| 11-8  | 09181-32042 | シム (32X37X0. 85)     | 1    | REAR GEAR  |        |
| 11-9  | 09181-32043 | シム (32X37X0. 9)      | 1    | REAR GEAR  |        |
| 11-10 | 09181-32044 | シム (32X37X0. 95)     | 1    | REAR GEAR  |        |
| 12    | 09160-60012 | ワッシャ (60X72X3)       | 1    | FRONT GEAR |        |
| 13    | 09263-80002 | へ アリク (80X105X4)     | 1    | FRONT GEAR |        |
| 14-1  | 09181-93101 | シム (93. 5X100X0. 50) | 2    |            |        |
| 14-2  | 09181-93102 | シム (93. 5X100X0. 55) | 2    |            |        |
| 14-3  | 09181-93103 | シム (93. 5X100X0. 60) | 2    |            |        |

FIG.220B




FIG. 220B (1-D-2) トランスミッション (DF300A) (SEE NOTE 1)

| 見出番号  | 品 番         | 品 名                        | 使用個数 | 備 考          | 標 準<br>作業時間 |
|-------|-------------|----------------------------|------|--------------|-------------|
| 14-4  | 09181-93104 | シム (93. 5X100X0. 65)       | 2    |              |             |
| 14-5  | 09181-93105 | シム (93. 5X100X0. 70)       | 2    |              |             |
| 14-6  | 09181-93106 | シム (93. 5X100X0. 75)       | 2    |              |             |
| 14-7  | 09181-93107 | シム (93. 5X100X0. 80)       | 2    |              |             |
| 14-8  | 09181-93108 | シム (93. 5X100X0. 85)       | 2    |              |             |
| 14-9  | 09181-93109 | シム (93. 5X100X0. 90)       | 2    |              |             |
| 14-10 | 09181-93110 | シム (93. 5X100X0. 95)       | 2    |              |             |
| 14-11 | 09181-93111 | シム (93. 5X100X1. 00)       | 2    |              |             |
| 14-12 | 09181-93112 | シム (93. 5X100X1. 05)       | 2    |              |             |
| 14-13 | 09181-93113 | シム (93. 5X100X1. 10)       | 2    |              |             |
| 15-1  | 59171-93L00 | シム, フロントキ*ヤ (81X103X3. 50) | 1    | FRONT GEAR   |             |
| 15-2  | 59171-93L10 | シム, フロントキ*ヤ (81X103X3. 55) | 1    | FRONT GEAR   |             |
| 15-3  | 59171-93L20 | シム, フロントキ*ヤ (81X103X3. 60) | 1    | FRONT GEAR   |             |
| 15-4  | 59171-93L30 | シム, フロントキ*ヤ (81X103X3. 65) | 1    | FRONT GEAR   |             |
| 15-5  | 59171-93L40 | シム, フロントキ*ヤ (81X103X3. 70) | 1    | FRONT GEAR   |             |
| 15-6  | 59171-93L50 | シム, フロントキ*ヤ (81X103X3. 75) | 1    | FRONT GEAR   |             |
| 15-7  | 59171-93L60 | シム, フロントキ*ヤ (81X103X3. 80) | 1    | FRONT GEAR   |             |
| 15-8  | 59171-93L70 | シム, フロントキ*ヤ (81X103X3. 85) | 1    | FRONT GEAR   |             |
| 15-9  | 59171-93L80 | シム, フロントキ*ヤ (81X103X3. 90) | 1    | FRONT GEAR   |             |
| 15-10 | 59171-93L90 | シム, フロントキ*ヤ (81X103X3. 95) | 1    | FRONT GEAR   |             |
| 15-11 | 59171-93LA0 | シム, フロントキ*ヤ (81X103X4. 00) | 1    | FRONT GEAR   |             |
| 15-12 | 59171-93LB0 | シム, フロントキ*ヤ (81X103X4. 05) | 1    | FRONT GEAR   |             |
| 15-13 | 59171-93LC0 | シム, フロントキ*ヤ (81X103X4. 10) | 1    | FRONT GEAR   |             |
| 16    | 09265-30033 | ベ*アリング* (30X72X28. 75)     | 1    |              |             |
| 17    | 57610-93L10 | シャフト, フ*ロベ*ラ               | 1    |              |             |
| 18    | 57621-93L00 | シフト, クラツチド*ツグ*             | 1    |              |             |
| 19    | 09202-08013 | ビ*ン (8X55)                 | 1    |              |             |
| 20    | 57631-93L01 | ビ*ン, コネク*タ                 | 1    |              |             |
| 21    | 09440-58001 | スプ*リング*                    | 1    |              |             |
| 22    | 57617-93L00 | スプ*リング*, テ*ンテ*ント           | 1    |              |             |
| 23    | 06111-07004 | ホ*ール                       | 2    | DETENT NO. 1 |             |
| 24    | 06111-11004 | ホ*ール                       | 2    | DETENT NO. 2 |             |
| 25    | 56120-93L20 | ハウジング*, フ*ロベ*ラシャフトベ*アリング*  | 1    |              |             |
| 26    | 09263-30063 | ・ベ*アリング* (30X40X25)        | 1    |              |             |
| 27    | 09265-32003 | ・ベ*アリング* (32X58X17)        | 1    |              |             |

| 見出番号 | 品番          | 品名                            | 使用個数 | 備考          | 標準作業時間 |
|------|-------------|-------------------------------|------|-------------|--------|
| 28   | 09280-00047 | ・Oリング (D:3                    | 1    |             |        |
| 29   | 09282-30006 | ・オイルシール                       | 2    |             |        |
| 30   | 09381-40003 | ・サーキュラツフ                      | 1    |             |        |
| 31   | 56147-93L00 | スベ-サ, フロ- ラシャフトベ- アリクハウジ-ンク   | 1    |             |        |
| 32   | 56130-93J02 | ハウジ-ンク, ト- ライフ シヤフトベ- アリク     | 1    |             |        |
| 33   | 09280-66004 | ・Oリング (D:3, 1, ID:65, 4)      | 1    |             |        |
| 34   | 09282-24004 | ・オイルシール                       | 2    |             |        |
| 35   | 09381-40003 | ・サーキュラツフ                      | 1    |             |        |
| 36   | 57622-93L00 | スベ-サ, スラスト                    | 1    | フロント        |        |
| 37   | 09164-50002 | ワツシヤ, ウエ-フ                    | 1    |             |        |
| 38   | 09381-72003 | スナツフ リンク                      | 1    | フロント        |        |
| 39   | 09140-48001 | ナツト                           | 1    | REAR GEAR   |        |
| 40   | 56122-93L00 | ストツハ, フロ- ラシャフトベ- アリクハウジ-ンク   | 1    |             |        |
| 41   | 56126-93L10 | ワツシヤ, フロ- ラシャフトベ- アリクハウジ-ンク   | 1    |             |        |
| 42   | 56127-93L00 | ワツシヤ, フロ- ラシャフトベ- アリクハウジ-ンク 2 | 1    |             |        |
| 43   | 56128-93L00 | シール, フロツフ シヤフトベ- アリクハウジ-ンク    | 1    |             |        |
| 44   | 56129-93L00 | フツシユ, ストツハ                    | 1    |             |        |
| 45   | 09280-00030 | Oリング (D:1, 8                  | 1    |             |        |
| 46   | 57527-93L00 | スベ-サ, ベ- アリクハインナ              | 1    |             |        |
| 47   | 57541-93L00 | スベ-サ, ベ- アリクハアウタ              | 1    |             |        |
| 48   | 09265-50004 | ベ- アリクハ (50X80X20)            | 1    | REAR GEAR R |        |
| 49   | 09265-55001 | ベ- アリクハ (55X100X22, 75)       | 1    | REAR GEAR F |        |

DF300A\_000\_018

FIG.301A




FIG. 301A (1-D-4) スターティングモータ

| 見出番号 | 品 番         | 品 名                  | 使用個数 | 備 考 | 標 準<br>作業時間 |
|------|-------------|----------------------|------|-----|-------------|
| 1    | 31100-98L10 | モータアツシ, スターティング      | 1    |     |             |
| 2    | 31150-98L00 | ・ケース, キヤ             | 1    |     |             |
| 3    | 31170-92J00 | ・ハウジング, リヤ           | 1    |     |             |
| 4    | 31173-98L00 | ・ホルダ アツシ, フラシ        | 1    |     |             |
| 5    | 31191-63J00 | ・レバ アツシ              | 1    |     |             |
| 6    | 31220-98L10 | ・スイツチアツシ             | 1    |     |             |
| 7    | 31311-63J00 | ・アマチュア               | 1    |     |             |
| 8    | 31192-92J00 | ・スクリュセツト             | 1    |     |             |
| 9    | 31261-75F10 | ・ホ ルト                | 2    |     |             |
| 10   | 31340-98L00 | ・クラツセツト, スターティング モータ | 1    |     |             |
| 11   | 31313-86030 | ・・ストツパ セツト           | 1    |     |             |
| 12   | 31320-98L00 | ・・ヒ ニオン              | 1    |     |             |
| 13   | 31341-98L00 | ・・シヤフト, ヒ ニオン        | 1    |     |             |
| 14   | 31343-63J00 | ・・インタナリキ ヤ           | 1    |     |             |
| 15   | 31344-63J00 | ・・キ ヤアツシ             | 3    |     |             |
| 16   | 31912-98J00 | パ ント, スタータモータ        | 1    |     |             |
| 17   | 31918-92J01 | タ ンバ, ロア             | 1    |     |             |
| 18   | 01550-08207 | ホ ルト                 | 2    |     |             |
| 19   | 01550-08307 | ホ ルト                 | 2    |     |             |
| 20   | 36645-93J00 | リート ワイヤ, スターティング モータ | 1    |     |             |

FIG.303A




FIG. 303A (1-D-5) マグネト

| 見出番号 | 品番          | 品名                    | 使用個数 | 備考 | 標準作業時間 |
|------|-------------|-----------------------|------|----|--------|
| 1    | 32102-98J01 | フライホイール, マグネト         | 1    |    |        |
| 2    | 09103-12125 | ボルト (12X26)           | 8    |    |        |
| 3    | 09202-06031 | ピン (6X12)             | 1    |    |        |
| 4    | 32120-93J00 | コイル, ハンズリチャージング       | 1    |    |        |
| 5    | 32131-93J00 | ホルダ, スタータコネクタ         | 1    |    |        |
| 6    | 01550-06167 | ボルト                   | 2    |    |        |
| 7    | 32160-88L00 | コイル, イグニッションタイミング     | 1    |    |        |
| 8    | 09106-05030 | ボルト (5X10)            | 2    |    |        |
| 9    | 33220-69J00 | センサアジャスト, カムシャフトポジション | 3    |    |        |
| 10   | 33221-42F00 | ・Oリング                 | 3    |    |        |
| 11   | 01550-06167 | ボルト                   | 3    |    |        |
| 12   | 09103-06231 | ボルト (6X35)            | 4    |    |        |
| 13   | 09403-13408 | クランプ                  | 2    |    |        |
| 14   | 01550-06127 | ボルト                   | 2    |    |        |

FIG.310A




FIG. 310A (1-D-6) レクチファイア/イグニッション コイル

| 見出番号 | 品 番         | 品 名                  | 使用個数 | 備 考 | 標 準<br>作業時間 |
|------|-------------|----------------------|------|-----|-------------|
| 1    | 32800-98J01 | レクチファイア/レギュレータアツシ    | 1    |     |             |
| 2    | 32805-93J00 | Oリング, レクチファイア/レギュレータ | 2    |     |             |
| 3    | 32890-98J01 | ホルダ, エレクトリツクハーツ      | 1    |     |             |
| 4    | 09160-06134 | ワツシヤ (6. 5X24X1. 6)  | 1    |     |             |
| 5    | 09169-06062 | ワツシヤ                 | 3    |     |             |
| 6    | 09320-09016 | クツシヨソ (9X18X9. 5)    | 3    |     |             |
| 7    | 09116-06202 | ボルト (6X25)           | 3    |     |             |
| 8    | 09320-12076 | クツシヨソ                | 1    |     |             |
| 9    | 01550-06127 | ボルト                  | 1    |     |             |
| 10   | 01550-06257 | ボルト                  | 4    |     |             |
| 11   | 33410-93J00 | コイルアツシ, イグニツシヨソ      | 6    |     |             |
| 12   | 01550-06207 | ボルト                  | 6    |     |             |
| 13   | 09408-00021 | クリツツ (ID:16)         | 1    |     |             |



FIG.315A




FIG. 315A (1-D-7) センサ (X-TRANSOM, XX-TRANSOM)

| 見出番号 | 品 番         | 品 名                  | 使用個数 | 備 考           | 標 準<br>作業時間 |
|------|-------------|----------------------|------|---------------|-------------|
| 1    | 13650-52G00 | センサ, インレットエアテンパ レチャ  | 1    |               |             |
| 2    | 13655-87J00 | グ ロメット, エアテンパ レチャセンサ | 1    |               |             |
| 3    | 29103-93J00 | ホ ルト (6X12)          | 1    |               |             |
| 4    | 34830-87J20 | センサ, テンパ レチャ         | 2    | EXHAUST TEMP  |             |
| 5    | 34830-87J20 | センサ, テンパ レチャ         | 1    | CYLINDER TEMP |             |
| 6    | 34840-98J03 | センサアツシ, トリム/チルト      | 1    |               |             |
| 7    | 37820-98J00 | センサアツシ, オイルフ レツシヤ    | 1    |               |             |
| 8    | 09125-06063 | スクリュ (6X10)          | 1    |               |             |
| 9    | 09403-19409 | クランプ                 | 1    |               |             |
| 10   | 29404-93J10 | クランプ                 | 1    |               |             |
| 11   | 09407-14407 | クランプ (L: 145)        | 2    |               |             |
| 12   | 34841-88L00 | レバ ー, トリムセンサ         | 1    |               |             |
| 13   | 34845-88L01 | ブ ラケツト, トリムセンサ       | 1    |               |             |
| 14   | 09140-05005 | ナツト                  | 1    |               |             |
| 15   | 09125-05048 | スクリュ (5X16)          | 1    |               |             |
| 16   | 09160-05029 | ワツシヤ (5, 5X12X0, 8)  | 1    |               |             |
| 17   | 09103-06093 | ホ ルト (6X20)          | 2    |               |             |
| 18   | 18213-98J30 | センサ, オキシジ ン          | 1    |               |             |
| 19   | 09403-07340 | クランプ                 | 1    |               |             |
| 20   | 11218-98J02 | ホルダ ー, テンパ レチャセンサ    | 1    |               |             |
| 21   | 11219-98J00 | ホルダ ー, オイルセンサ        | 1    |               |             |
| 22   | 34830-98J00 | センサアツシ, オイルテンパ レチャ   | 1    |               |             |

FIG.315B




FIG. 315B (1-D-8) センサ (L-TRANSOM)

| 見出番号 | 品 番         | 品 名                    | 使用個数 | 備 考           | 標 準<br>作業時間 |
|------|-------------|------------------------|------|---------------|-------------|
| 1    | 13650-52G00 | センサ, インレットエアテンパ° レチャ   | 1    |               |             |
| 2    | 13655-87J00 | グ° ロメット, エアテンパ° レチャセンサ | 1    |               |             |
| 3    | 29103-93J00 | ホ° ルト (6X12)           | 1    |               |             |
| 4    | 34830-87J20 | センサ, テンパ° レチャ          | 2    | EXHAUST TEMP  |             |
| 5    | 34830-87J20 | センサ, テンパ° レチャ          | 1    | CYLINDER TEMP |             |
| 6    | 34840-98J11 | センサアツシ, トリム            | 1    |               |             |
| 7    | 37820-98J00 | センサアツシ, オイルフ° レツシヤ     | 1    |               |             |
| 8    | 09103-06307 | ホ° ルト (6X10)           | 1    |               |             |
| 9    | 09403-19409 | クランプ°                  | 1    |               |             |
| 10   | 29404-93J20 | クランプ°                  | 1    |               |             |
| 11   | 09407-14407 | クランプ° (L: 145)         | 2    |               |             |
| 12   | 34841-96J00 | レバ° -, トリムセンサ          | 1    |               |             |
| 13   | 34845-96J00 | ブ° ラケツト, トリムセンサ        | 1    |               |             |
| 14   | 09125-05048 | スクリュ (5X16)            | 1    |               |             |
| 15   | 09160-05029 | ワツシヤ (5. 5X12X0. 8)    | 1    |               |             |
| 16   | 09103-06093 | ホ° ルト (6X20)           | 2    |               |             |
| 17   | 18213-98J30 | センサ, オキシシ° エン          | 1    |               |             |
| 18   | 09403-07340 | クランプ°                  | 1    |               |             |
| 19   | 11218-98J02 | ホルダ°, テンパ° レチャセンサ      | 1    |               |             |
| 20   | 11219-98J00 | ホルダ°, オイルセンサ           | 1    |               |             |
| 21   | 34830-98J00 | センサアツシ, オイルテンパ° レチャ    | 1    |               |             |
| 22   | 34813-93J00 | ブ° ロテクタ, リード° ワイヤ      | 1    |               |             |
| 23   | 36611-96J00 | ワイヤ, トリムセンサ            | 1    |               |             |
| 24   | 43117-96J00 | カム, トリムセンタ°            | 1    |               |             |
| 25   | 09116-05010 | ホ° ルト (5X12)           | 2    |               |             |
| 26   | 43118-96J00 | ブ° レート, トリムセンタ° カム     | 1    |               |             |

FIG.322A




FIG. 322A (1-D-9) ハーネス

| 見出番号 | 品 番         | 品 名                | 使用個数 | 備 考                                                                                                  | 標準<br>作業時間 |
|------|-------------|--------------------|------|------------------------------------------------------------------------------------------------------|------------|
| 1    | 33810-98J00 | ケーブルアツシ, スタータモータ   | 1    |                                                                                                      |            |
| 2    | 08316-10087 | ナット                | 1    |                                                                                                      |            |
| 3-1  | 36610-98J70 | ハーネスアツシ, ワイヤリング    | 1    | FROM 25003P-81000<br>1<br>UPTO 25003P-81053<br>6<br>FROM 30002P-81000<br>1<br>UPTO 30002P-81168<br>1 |            |
| 3-2  | 36610-98J90 | ハーネスアツシ, ワイヤリング    | 1    | FROM 25003P-81053<br>7<br>FROM 30002P-81168<br>2                                                     |            |
| 4    | 09481-10501 | ・フューズ (10A)        | 2    |                                                                                                      |            |
| 5    | 36612-98J10 | ・コネクタ, セレクトターミナル   | 1    |                                                                                                      |            |
| 6    | 36721-96J00 | ・リング, アツパカバー       | 1    |                                                                                                      |            |
| 7    | 36737-96J00 | ・ブレーク, フューズ        | 1    |                                                                                                      |            |
| 8    | 36738-98J00 | ・カバー, フューズケースアツパ   | 1    |                                                                                                      |            |
| 9    | 09320-08021 | ・クワシヨウ (8, 5X20X8) | 2    |                                                                                                      |            |
| 10   | 38860-76F01 | ・リレーアツシ            | 1    | FOR ENG CONTROL U<br>NIT                                                                             |            |
| 11   | 38860-76F01 | ・リレーアツシ            | 1    | FOR STARTER MOTOR                                                                                    |            |
| 12   | 09481-15501 | ・フューズ (15A)        | 5    |                                                                                                      |            |
| 13   | 09481-30501 | ・フューズ (30A)        | 3    |                                                                                                      |            |
| 14   | 09481-40401 | ・フューズ (40A)        | 1    |                                                                                                      |            |
| 15   | 09481-60401 | ・フューズ (60A)        | 2    |                                                                                                      |            |
| 16   | 08310-00067 | ナット                | 1    |                                                                                                      |            |
| 17   | 08321-01067 | ロツクワシヤ             | 1    |                                                                                                      |            |
| 18-1 | 36617-93J00 | ブラケット, ハーネス        | 3    | FROM 25003P-81000<br>1<br>UPTO 25003P-81053<br>6<br>FROM 30002P-81000<br>1                           |            |

FIG.322A





FIG. 322A (1-D-10) ハーネス

| 見出番号 | 品 番         | 品 名            | 使用個数 | 備 考                                                                                                  | 標 準<br>作業時間 |
|------|-------------|----------------|------|------------------------------------------------------------------------------------------------------|-------------|
|      |             |                |      | UPTO 30002P-81168<br>1                                                                               |             |
| 18-2 | 36617-93J00 | ブラケット、ハーネス     | 4    | FROM 25003P-81053<br>7<br>FROM 30002P-81168<br>2                                                     |             |
| 19   | 36617-93J10 | ブラケット、ハーネス     | 8    |                                                                                                      |             |
| 20   | 36617-98J00 | ブラケット、ハーネス     | 1    |                                                                                                      |             |
| 21-1 | 01550-06127 | ホルト            | 12   | FROM 25003P-81000<br>1<br>UPTO 25003P-81053<br>6<br>FROM 30002P-81000<br>1<br>UPTO 30002P-81168<br>1 |             |
| 21-2 | 01550-06127 | ホルト            | 13   | FROM 25003P-81053<br>7<br>FROM 30002P-81168<br>2                                                     |             |
| 22   | 09403-20308 | クランプ           | 1    |                                                                                                      |             |
| 23   | 09407-14407 | クランプ (L:145)   | 4    |                                                                                                      |             |
| 24   | 09408-00008 | クリップ (ID:20)   | 2    |                                                                                                      |             |
| 25   | 09408-00184 | クランプ           | 3    |                                                                                                      |             |
| 26   | 09408-00012 | クリップ (ID:11.5) | 1    |                                                                                                      |             |
| 27   | 09408-00008 | クリップ (ID:20)   | 1    |                                                                                                      |             |
| 28   | 01550-06127 | ホルト            | 1    |                                                                                                      |             |

FIG.326A



DF300A\_000\_018\_326A  
PTT SWITCH/ENGINE CONTROL UNIT

FIG. 326A (1-D-11) PTT スイッチ/エンジン コントロール ユニツ (DF300A)

| 見出番号 | 品 番         | 品 名                    | 使用個数 | 備 考                       | 標 準<br>作業時間 |
|------|-------------|------------------------|------|---------------------------|-------------|
| 1    | 13580-98J02 | センサアツシ, シフトホﾞ ジェ ション   | 1    |                           |             |
| 2    | 13575-40F00 | ・Oリング                  | 1    |                           |             |
| 3    | 37729-96L00 | レバ ー, シフトセンサ           | 1    |                           |             |
| 4    | 09160-05029 | ワツシヤ (5. 5X12X0. 8)    | 1    |                           |             |
| 5    | 07130-05167 | ホﾞ ルト                  | 1    |                           |             |
| 6    | 08321-0105A | ロツクワツシヤ                | 1    |                           |             |
| 7    | 37721-93J00 | スイツチアツシ, ニュートラル        | 1    |                           |             |
| 8    | 09137-04004 | スクリュ (4X16)            | 2    |                           |             |
| 9    | 09407-10404 | クランプ (L: 100)          | 2    |                           |             |
| 10   | 37725-93J11 | カハ ー, スイツチアツシ          | 1    |                           |             |
| 11   | 37850-92J00 | スイツチアツシ, PTT           | 1    |                           |             |
| 12   | 37856-92J00 | ・テ ー プ, PTTスイツチ        | 1    |                           |             |
| 13   | 37857-92J00 | ブ ッ シュ, PTTスイツチ        | 1    |                           |             |
| 14   | 09403-11315 | クランプ                   | 1    |                           |             |
| 15   | 01550-06127 | ホﾞ ルト                  | 1    |                           |             |
| 16   | 37722-93J11 | スイツチアツシ, チルトリミツト       | 1    |                           |             |
| 17-1 | 09407-14407 | クランプ (L: 145)          | 1    | L-TRANSOM                 |             |
| 17-2 | 09403-09316 | クランプ                   | 1    | X-TRANSOM, XX-TRAN<br>SOM |             |
| 18   | 29125-93J00 | スクリュ                   | 1    | X-TRANSOM, XX-TRAN<br>SOM |             |
| 19   | 38410-93J12 | リレーアツシ, PTT            | 1    |                           |             |
| 20   | 38415-93J00 | ホルダ, PTTリレー            | 1    |                           |             |
| 21   | 01550-06127 | ホﾞ ルト                  | 1    |                           |             |
| 22   | 09407-30401 | クランプ (L: 300)          | 1    |                           |             |
| 23-1 | 33930-98JB0 | ユニツト, エンジ ンコントロール      | 1    | L-TRANSOM                 |             |
| 23-2 | 33930-98JB0 | ユニツト, エンジ ンコントロール      | 1    | X-TRANSOM, XX-TRAN<br>SOM |             |
| 24   | 33925-98J00 | クツシヨシ, エンジ ンコントロールユニツト | 1    |                           |             |
| 25   | 38890-98J11 | アクチエー タアツシ, シフト        | 1    |                           |             |
| 26   | 38892-98J00 | ダ ンバ, シフトアクチエー タ       | 1    |                           |             |
| 27   | 38895-98J00 | ブ ラケツト, シフトアクチエー タ     | 1    |                           |             |
| 28   | 01550-06167 | ホﾞ ルト                  | 2    |                           |             |
| 29   | 01550-06357 | ホﾞ ルト                  | 3    |                           |             |
| 30   | 38860-76F01 | リレーアツシ                 | 2    |                           |             |

FIG.326A




FIG. 326A (1-D-12) PTT スイッチ/エンジン コントロール ユニット (DF300A)

| 見出番号 | 品 番         | 品 名      | 使用個数 | 備 考 | 標 準<br>作業時間 |
|------|-------------|----------|------|-----|-------------|
| 31   | 38915-90J00 | ホルダ, リレー | 2    |     |             |

FIG.326B




FIG. 326B (1-D-13) PTT スイッチ/エンジン コントロール ユニツ (DF250A)

| 見出番号 | 品 番         | 品 名                       | 使用個数 | 備 考 | 標 準<br>作業時間 |
|------|-------------|---------------------------|------|-----|-------------|
| 1    | 13580-98J02 | センサアツシ, シフトホﾞ ジ' ション      | 1    |     |             |
| 2    | 13575-40F00 | ・Oリング                     | 1    |     |             |
| 3    | 37729-96L00 | レバ' ー, シフトセンサ             | 1    |     |             |
| 4    | 09160-05029 | ワッシャ (5. 5X12X0. 8)       | 1    |     |             |
| 5    | 07130-05167 | ボ' ルト                     | 1    |     |             |
| 6    | 08321-0105A | ロツクワッシャ                   | 1    |     |             |
| 7    | 37721-93J00 | スイッチアツシ, ニュートラル           | 1    |     |             |
| 8    | 09137-04004 | スクリュ (4X16)               | 2    |     |             |
| 9    | 09407-10404 | クランフ' (L: 100)            | 2    |     |             |
| 10   | 37725-93J11 | カハ' ー, スイツチアツシ            | 1    |     |             |
| 11   | 37850-92J00 | スイツチアツシ, PTT              | 1    |     |             |
| 12   | 37856-92J00 | ・テ' ーブ' , PTTスイツチ         | 1    |     |             |
| 13   | 37857-92J00 | ブ' ッシュ, PTTスイツチ           | 1    |     |             |
| 14   | 09403-11315 | クランフ'                     | 1    |     |             |
| 15   | 01550-06127 | ボ' ルト                     | 1    |     |             |
| 16   | 37722-93J11 | スイツチアツシ, チルトリミツト          | 1    |     |             |
| 17   | 09403-09316 | クランフ'                     | 1    |     |             |
| 18   | 29125-93J00 | スクリュ                      | 1    |     |             |
| 19   | 38410-93J12 | リレーアツシ, PTT               | 1    |     |             |
| 20   | 38415-93J00 | ホルタ' , PTTリレー             | 1    |     |             |
| 21   | 01550-06127 | ボ' ルト                     | 1    |     |             |
| 22   | 09407-30401 | クランフ' (L: 300)            | 1    |     |             |
| 23   | 33930-98JA0 | ユニツト, エンシ' ンコントロール        | 1    |     |             |
| 24   | 33925-98J00 | クヅシヨ' ン, エンシ' ンコントロールユニツト | 1    |     |             |
| 25   | 38890-98J11 | アクチエ' タアツシ, シフト           | 1    |     |             |
| 26   | 38892-98J00 | タ' ンバ' , シフトアクチエ' タ       | 1    |     |             |
| 27   | 38895-98J00 | ブ' ラケツト, シフトアクチエ' タ       | 1    |     |             |
| 28   | 01550-06167 | ボ' ルト                     | 2    |     |             |
| 29   | 01550-06357 | ボ' ルト                     | 3    |     |             |
| 30   | 38860-76F01 | リレーアツシ                    | 2    |     |             |
| 31   | 38915-90J00 | ホルタ' , リレー                | 2    |     |             |

FIG.331A




FIG. 331A (1-D-14) キーレススタート

| 見出番号 | 品 番         | 品 名                     | 使用個数 | 備 考 | 標 準<br>作業時間 |
|------|-------------|-------------------------|------|-----|-------------|
| 1    | 32851-93J00 | クッション, リード ワイヤ          | 1    |     |             |
| 2    | 32980-38F00 | クッション, CDユニット           | 1    |     |             |
| 3    | 36623-96L01 | ハーネスアツシ, キーレススタートコントローラ | 1    |     |             |
| 4    | 36615-96300 | ・ターミナル                  | 1    |     |             |
| 5    | 36662-96L00 | ハーネスアツシ, キーレススタートCAN    | 1    |     |             |
| 6    | 37117-96L00 | デ・カル, キーレススタート          | 2    |     |             |
| 7    | 37171-96L12 | コントローラアツシ, キーレススタート315  | 1    |     |             |
| 8    | 37172-96L10 | リモコンアツシ, キーレススタート315MHZ | 2    |     |             |
| 9    | 37173-96L10 | ホルダ, キーレススタートハーツ        | 1    |     |             |
| 10   | 38500-93J90 | ブザー, ウォーニング             | 1    |     |             |
| 11   | 38860-96L00 | リレーアツシ, キーレススタート        | 1    |     |             |
| 12   | 09407-14407 | クランプ (L: 145)           | 1    |     |             |
| 13   | 37100-96L01 | パネルアツシ, メインスイッチ         | 1    |     |             |
| 14   | 37110-96L00 | ・スイッチアツシ, メイン           | 1    |     |             |
| 15-1 | 37141-99E00 | ・キー (931)               | 1    |     |             |
| 15-2 | 37141-99E10 | ・キー (932)               | 1    |     |             |
| 15-3 | 37141-99E20 | ・キー (933)               | 1    |     |             |
| 15-4 | 37141-99E30 | ・キー (934)               | 1    |     |             |
| 15-5 | 37141-99E40 | ・キー (935)               | 1    |     |             |
| 15-6 | 37141-99E50 | ・キー (936)               | 1    |     |             |
| 16   | 37143-96L00 | ・ノブ, メインスイッチ            | 1    |     |             |
| 17   | 37114-98J00 | ・シート, メインスイッチパネル        | 1    |     |             |
| 18   | 37139-96L30 | ・パネル, メインスイッチ           | 1    |     |             |
| 19   | 37820-93J10 | ・スイッチアツシ, エマシエンシ        | 1    |     |             |
| 20   | 37823-92E01 | ・プレートアツシ, エマシエンシスイッチロック | 1    |     |             |
| 21   | 37826-92J10 | ・ナット                    | 1    |     |             |
| 22   | 03122-05165 | ・スクリュ                   | 4    |     |             |

FIG.335A




FIG. 335A (1-D-15) クランプ プラケット (X-TRANSOM, XX-TRANSOM)

| 見出番号 | 品 番             | 品 名                         | 使用個数 | 備 考             | 標準<br>作業時間 |
|------|-----------------|-----------------------------|------|-----------------|------------|
| 1-1  | 41111-93J16-YAY | ブ ラケット, クランプ スターボート (ﾌﾞﾗｯｸ) | 1    | BODY COLOR:YAY  |            |
| 1-2  | 41111-93J16-Y5S | ブ ラケット, クランプ スターボート (ﾎﾜｲﾄ)  | 1    | BODY COLOR:Y5S  |            |
| 2-1  | 41121-93J08-YAY | ブ ラケット, クランプ ﾎｰﾄ (ﾌﾞﾗｯｸ)    | 1    | BODY COLOR:YAY  |            |
| 2-2  | 41121-93J08-Y5S | ブ ラケット, クランプ ﾎｰﾄ (ﾎﾜｲﾄ)     | 1    | BODY COLOR:Y5S  |            |
| 3    | 41117-93J02     | ﾌﾞﾚｰﾄ, クランプ ﾌﾞﾗｯｹｯﾄﾛｽﾀｰﾎｰﾄ  | 1    |                 |            |
| 4    | 41122-93J02     | ﾌﾞﾚｰﾄ, クランプ ﾌﾞﾗｯｹｯﾄﾛｽﾀｰﾎｰﾄ  | 1    |                 |            |
| 5    | 09125-06063     | ｽｸﾘﾕ (6X10)                 | 4    |                 |            |
| 6    | 41130-93J12     | ｼｬﾌﾄ, クランプ ﾌﾞﾗｯｹｯﾄ          | 1    |                 |            |
| 7    | 41135-93J11     | ﾜｯｼﾔ, クランプ ﾌﾞﾗｯｹｯﾄｼｬﾌﾄ      | 1    |                 |            |
| 8    | 09159-22006     | ﾅｯﾄ                         | 1    |                 |            |
| 9-1  | 09100-12085     | ﾎｰﾙﾄ (12. 7X115)            | 6    |                 |            |
| 9-2  | 09100-12086     | ﾎｰﾙﾄ (12. 7X150)            | 1    | ｵﾌﾞｼｮﾝ          |            |
| 9-3  | 09100-12092     | ﾎｰﾙﾄ (12. 7X75)             | 1    | ｵﾌﾞｼｮﾝ          |            |
| 10   | 09159-12062     | ﾅｯﾄ                         | 6    |                 |            |
| 11   | 09160-13022     | ﾜｯｼﾔ (13. 2X45X3)           | 4    |                 |            |
| 12   | 09160-13021     | ﾜｯｼﾔ (13. 2X26X3)           | 6    |                 |            |
| 13   | 41155-93J02     | ﾌﾞﾚｰﾄ, ﾄﾗﾝｻﾑ                | 2    |                 |            |
| 14   | 55320-94900     | ｱﾉｰﾄ ｾｯﾄ, クランプ ﾌﾞﾗｯｹｯﾄ      | 1    |                 |            |
| 15   | 09116-06121     | ﾎｰﾙﾄ (6X25)                 | 2    |                 |            |
| 16   | 45421-87D03     | ﾋﾞｰﾝ, ｾﾙﾄﾛｯｸ                | 1    |                 |            |
| 17   | 09159-14020     | ﾅｯﾄ                         | 2    |                 |            |
| 18   | 48140-93J01     | ｶﾑｱｯｼ, ｾﾙﾄﾘﾐｯﾄｽｲｯﾁ          | 1    |                 |            |
| 19   | 48144-93J00     | ﾎﾙﾀﾞ, ｾﾙﾄﾘﾐｯﾄｽｲｯﾁ           | 1    |                 |            |
| 20   | 09103-06278     | ﾎｰﾙﾄ (6X25)                 | 2    |                 |            |
| 21   | 55321-94910     | ｱﾉｰﾄ (ﾏｸﾞﾈｼｳﾑ)              | 1    | ｵﾌﾞｼｮﾝ          |            |
| 22   | 48145-93J00     | ｶﾊﾞｰ, ｾﾙﾄﾘﾐｯﾄｽｲｯﾁ           | 1    |                 |            |
| 23   | 36894-87D00     | ﾘｰﾄ (L:165)                 | 1    | CLAMP TO SWIVEL |            |
| 24   | 09125-06063     | ｽｸﾘﾕ (6X10)                 | 2    |                 |            |

FIG.335B





FIG. 335B (1-D-16) クランプ ｳﾞﾗｹｯﾄ (L-TRANSOM)

| 見出番号 | 品 番             | 品 名                              | 使用個数 | 備 考            | 標 準<br>作業時間 |
|------|-----------------|----------------------------------|------|----------------|-------------|
| 1-1  | 41111-96J40-YAY | ﾌﾞﾗｹｯﾄ, ｸﾗﾝﾌﾟ ﾏﾞｰｽﾀｰﾎｰﾄﾞ (ﾌﾞﾗｯｸ) | 1    | BODY COLOR:YAY |             |
| 1-2  | 41111-96J40-Y5S | ﾌﾞﾗｹｯﾄ, ｸﾗﾝﾌﾟ ﾏﾞｰｽﾀｰﾎｰﾄﾞ (ﾎﾜｲﾄ)  | 1    | BODY COLOR:Y5S |             |
| 2-1  | 41121-96J30-YAY | ﾌﾞﾗｹｯﾄ, ｸﾗﾝﾌﾟ ﾎｰﾄﾞ (ﾌﾞﾗｯｸ)       | 1    | BODY COLOR:YAY |             |
| 2-2  | 41121-96J30-Y5S | ﾌﾞﾗｹｯﾄ, ｸﾗﾝﾌﾟ ﾎｰﾄﾞ (ﾎﾜｲﾄ)        | 1    | BODY COLOR:Y5S |             |
| 3    | 41130-92J03     | ｼｬﾌﾄ, ｸﾗﾝﾌﾟ ﾌﾞﾗｹｯﾄ               | 1    |                |             |
| 4    | 41135-92J00     | ﾜｯｼﾔ, ｸﾗﾝﾌﾟ ﾌﾞﾗｹｯﾄｼｬﾌﾄ           | 1    |                |             |
| 5    | 09159-22006     | ﾅｯﾄ                              | 1    |                |             |
| 6-1  | 09100-12085     | ﾎｰﾙﾄ (12. 7X115)                 | 6    |                |             |
| 6-2  | 09100-12086     | ﾎｰﾙﾄ (12. 7X150)                 | 1    | ｵﾌﾞｼｮﾝ         |             |
| 6-3  | 09100-12092     | ﾎｰﾙﾄ (12. 7X75)                  | 1    | ｵﾌﾞｼｮﾝ         |             |
| 7    | 09159-12062     | ﾅｯﾄ                              | 6    |                |             |
| 8    | 09160-13021     | ﾜｯｼﾔ (13. 2X26X3)                | 6    |                |             |
| 9    | 09160-13022     | ﾜｯｼﾔ (13. 2X45X3)                | 4    |                |             |
| 10   | 41155-93J02     | ﾌﾞﾚｰﾄ, ﾄﾗﾝｻﾑ                     | 2    |                |             |
| 11   | 55320-94900     | ｱﾉｰﾄﾞ ｾｯﾄ, ｸﾗﾝﾌﾟ ﾌﾞﾗｹｯﾄ          | 1    |                |             |
| 12   | 09116-06121     | ・ﾎｰﾙﾄ (6X25)                     | 2    |                |             |
| 13   | 48140-93J01     | ｶﾑｱｯｼ, ﾁﾙﾄﾘﾐｯﾄｽｲｯﾁ               | 1    |                |             |
| 14   | 48144-93J00     | ﾎﾙﾀﾞ, ﾁﾙﾄﾘﾐｯﾄｽｲｯﾁ                | 1    |                |             |
| 15   | 09103-06278     | ﾎｰﾙﾄ (6X25)                      | 2    |                |             |
| 16   | 48145-93J00     | ｶﾊﾞｰ, ﾁﾙﾄﾘﾐｯﾄｽｲｯﾁ                | 1    |                |             |
| 17   | 55321-94910     | ｱﾉｰﾄﾞ (ﾏｸﾞﾈｼｳﾑ)                  | 1    | ｵﾌﾞｼｮﾝ         |             |
| 18   | 41117-93L00     | ﾌﾞﾚｰﾄ, ｸﾗﾝﾌﾟ ﾌﾞﾗｹｯﾄｵﾌﾞｽﾀｰﾎｰﾄﾞ    | 1    |                |             |
| 19   | 41122-93L00     | ﾌﾞﾚｰﾄ, ｸﾗﾝﾌﾟ ﾌﾞﾗｹｯﾄｵﾌﾞﾎｰﾄﾞ       | 1    |                |             |
| 20   | 03542-0516C     | ｽｸﾘｭ                             | 4    |                |             |
| 21   | 09160-05053     | ﾜｯｼﾔ                             | 4    |                |             |

FIG.336A



DF300A\_000\_018\_336A  
SWIVEL BRACKET

FIG. 336A (1-E-2) スイベルブラケット (X-TRANSOM, XX-TRANSOM)

| 見出番号 | 品番              | 品名                        | 使用個数 | 備考              | 標準作業時間 |
|------|-----------------|---------------------------|------|-----------------|--------|
| 1    | 22511-99011     | ニツフル, クリース                | 4    |                 |        |
| 2    | 36894-87D00     | リート (L:165)               | 1    | CLAMP TO SWIVEL |        |
| 3-1  | 43111-93J24-YAY | ブラケット, スイベル (フ ラツク)       | 1    | BODY COLOR:YAY  |        |
| 3-2  | 43111-93J24-Y5S | ブラケット, スイベル (ホワイト)        | 1    | BODY COLOR:Y5S  |        |
| 4    | 43114-93J00     | ワツシヤ, スイベル ツクランフ ブラケット    | 2    |                 |        |
| 5    | 43211-93J00     | ブ ヅシュ, クランフ シヤフト スイベル     | 2    |                 |        |
| 6    | 43711-97E01     | ブ ヅシュ, ステアリング             | 2    |                 |        |
| 7-1  | 43750-93J03-YAY | ブラケット, ステアリング (X) (フ ラツク) | 1    | BODY COLOR:YAY  |        |
| 7-2  | 43750-93J03-Y5S | ブラケット, ステアリング (X) (ホワイト)  | 1    | BODY COLOR:Y5S  |        |
| 8    | 09125-06063     | スクリュ (6X10)               | 1    |                 |        |
| 9    | 09160-39001     | ワツシヤ (39. 5X64X1)         | 2    |                 |        |
| 10   | 09181-39001     | シム (39. 5X64X0. 3)        | AR   |                 |        |
| 11   | 09282-39001     | オイルシール                    | 1    |                 |        |
| 12   | 09380-38003     | スナツフ リンク                  | 1    |                 |        |
| 13   | 41220-93J11     | レバ ー, チルト ロツク             | 1    |                 |        |
| 14   | 41234-93J11     | レバ ー, チルト ロツク ホート         | 1    |                 |        |
| 15   | 41224-95E01     | ブ ヅシュ, チルト スツハ ロツト        | 2    |                 |        |
| 16   | 41230-96J00     | リンク, チルト ロツク レバ ー         | 1    |                 |        |
| 17   | 41233-95E10     | ブラケット, チルト ロツク スフ リンク     | 1    |                 |        |
| 18   | 09125-06063     | スクリュ (6X10)               | 1    |                 |        |
| 19   | 09140-10032     | ナツト                       | 1    |                 |        |
| 20   | 09160-06082     | ワツシヤ (6. 5X13X1. 0)       | 1    |                 |        |
| 21   | 09204-01006     | コツタビ ン                    | 1    |                 |        |
| 22   | 09440-19028     | スフ リンク                    | 1    |                 |        |
| 23   | 09443-10043     | スフ リンク                    | 1    |                 |        |




FIG. 336B (1-E-3) スイベルブ ラケット (L-TRANSOM)

| 見出番号 | 品番              | 品名                        | 使用個数 | 備考                    | 標準作業時間 |
|------|-----------------|---------------------------|------|-----------------------|--------|
| 1    | 22511-99011     | ニツフル、グーリス                 | 4    |                       |        |
| 2    | 36894-87D00     | リット (L:165)               | 1    | SWIVEL TO MOUNT B RKT |        |
| 3-1  | 43111-96J20-YAY | ブ ラケット、スィー ル (L) (フ ラツク)  | 1    | BODY COLOR:YAY        |        |
| 3-2  | 43111-96J20-Y5S | ブ ラケット、スィー ル (L) (ホワイト)   | 1    | BODY COLOR:Y5S        |        |
| 4    | 43211-93J00     | ブ ツシュ、クランプ シヤフトスィー ル      | 2    |                       |        |
| 5    | 43711-97E01     | ブ ツシュ、ステアリング              | 2    |                       |        |
| 6-1  | 43750-96J51-YAY | ブ ラケット、ステアリング (L) (フ ラツク) | 1    | BODY COLOR:YAY        |        |
| 6-2  | 43750-96J51-Y5S | ブ ラケット、ステアリング (L) (ホワイト)  | 1    | BODY COLOR:Y5S        |        |
| 7    | 09125-06063     | スクリュ (6X10)               | 2    |                       |        |
| 8    | 09160-39001     | ワツジャ (39. 5X64X1)         | 2    |                       |        |
| 9    | 09181-39001     | シム (39. 5X64X0. 3)        | AR   |                       |        |
| 10   | 09380-38003     | スナツブ リング                  | 1    |                       |        |
| 11   | 09169-28003     | ワツジャ                      | 2    |                       |        |
| 12   | 09282-39001     | オイルシール                    | 1    |                       |        |
| 13   | 36895-87D10     | リット (L:310)               | 1    |                       |        |
| 14   | 09125-06063     | スクリュ (6X10)               | 1    |                       |        |
| 15   | 41220-96J10     | レバ ー、チルトロツク               | 1    |                       |        |
| 16   | 41234-96J10     | レバ ー、チルトロツクホ ート           | 1    |                       |        |
| 17   | 41224-95E01     | ブ ツシュ、チルトストツバ ロツト         | 2    |                       |        |
| 18   | 41230-96J00     | リンク、チルトロツクレバ ー            | 1    |                       |        |
| 19   | 41233-95E10     | ブ ラケット、チルトロツクスフ リング       | 1    |                       |        |
| 20   | 09125-06063     | スクリュ (6X10)               | 1    |                       |        |
| 21   | 09140-10032     | ナツト                       | 1    |                       |        |
| 22   | 09160-06082     | ワツジャ (6. 5X13X1. 0)       | 1    |                       |        |
| 23   | 09204-01006     | コツタビ ン                    | 1    |                       |        |
| 24   | 09440-19028     | スフ リング                    | 1    |                       |        |
| 25   | 09443-10043     | スフ リング                    | 1    |                       |        |
| 26   | 09125-06063     | スクリュ (6X10)               | 1    |                       |        |

FIG.337A




FIG. 337A (1-E-4) トリムシリンダ\* (X-TRANSOM, XX-TRANSOM)

| 見出番号 | 品 番         | 品 名                                                                     | 使用個数 | 備 考 | 標準<br>作業時間 |
|------|-------------|-------------------------------------------------------------------------|------|-----|------------|
| 1    | 48000-98J08 | トリムアツシ, ハ <sup>ン</sup> ワーウイズ <sup>®</sup> チルト                           | 1    |     |            |
| 2    | 31281-92J10 | ・ホ <sup>ル</sup> ト, スルー                                                  | 4    |     |            |
| 3    | 38100-93J04 | ・モータアツシ, PTT                                                            | 1    |     |            |
| 4    | 48500-98J10 | ・マニホ-ルト <sup>®</sup> アツシ                                                | 1    |     |            |
| 5    | 48864-93J01 | ・・マニアルバ <sup>®</sup> ルフ                                                 | 1    |     |            |
| 6    | 48320-93J00 | ・・ハ <sup>ン</sup> ルフ <sup>®</sup> セツト, アツツ <sup>®</sup> フ <sup>ロ</sup> ー | 1    |     |            |
| 7    | 48582-95E01 | ・・フィルタ                                                                  | 1    |     |            |
| 8    | 48605-93J00 | ・・Oリング <sup>®</sup> セツト                                                 | 2    |     |            |
| 9    | 48615-87D00 | ・・・リング <sup>®</sup> , ハ <sup>ン</sup> ツクアツツ <sup>®</sup>                 | 4    |     |            |
| 10   | 48610-93J01 | ・・ヒ <sup>ン</sup> ストン/ラム                                                 | 2    |     |            |
| 11   | 48630-98J00 | ・・ロツト <sup>®</sup> ガ <sup>イ</sup> ド                                     | 2    |     |            |
| 12   | 48633-93J00 | ・・・Oリング <sup>®</sup>                                                    | 4    |     |            |
| 13   | 48691-93J00 | ・・チエツクバ <sup>®</sup> ルフ                                                 | 1    |     |            |
| 14   | 48400-98J03 | ・シリンダ <sup>®</sup>                                                      | 1    |     |            |
| 15   | 48405-93J00 | ・・Oリング <sup>®</sup> セツト                                                 | 1    |     |            |
| 16   | 48650-93J00 | ・・ヒ <sup>ン</sup> ストン, フリー                                               | 1    |     |            |
| 17   | 48627-93J00 | ・・Oリング <sup>®</sup> セツト                                                 | 1    |     |            |
| 18   | 48427-87D00 | ・・・Oリング <sup>®</sup> , ヒ <sup>ン</sup> ストン                               | 1    |     |            |
| 19   | 48572-87J10 | ・フ <sup>ラ</sup> ク <sup>®</sup>                                          | 1    |     |            |
| 20   | 48585-95E00 | ・Oリング <sup>®</sup>                                                      | 2    |     |            |
| 21   | 48862-87J20 | ・ホ <sup>ル</sup> ト, リザ <sup>ー</sup> ハ <sup>ン</sup>                       | 2    |     |            |
| 22   | 48583-95E00 | ・シ <sup>ン</sup> ヨイント, ト <sup>ラ</sup> イフ <sup>®</sup>                    | 1    |     |            |
| 23   | 48121-93J20 | ・シヤフト                                                                   | 1    |     |            |
| 24   | 48125-93J10 | ・Oリング <sup>®</sup> セツト                                                  | 1    |     |            |
| 25   | 48451-93J00 | ・・ハ <sup>ン</sup> ツクアツツ <sup>®</sup> リンク <sup>®</sup>                    | 4    |     |            |
| 26   | 48452-93J00 | ・・Oリング <sup>®</sup>                                                     | 4    |     |            |
| 27   | 48452-93J10 | ・・Oリング <sup>®</sup>                                                     | 2    |     |            |
| 28   | 48126-93J00 | ・ワツシヤ, チルトシリンダ <sup>®</sup> ツ <sup>ー</sup> マニホ-ルト <sup>®</sup>          | 2    |     |            |
| 29   | 48573-93J00 | ・カハ <sup>ー</sup>                                                        | 1    |     |            |
| 30   | 48128-93J11 | ・ホ <sup>ル</sup> ト                                                       | 1    |     |            |
| 31   | 48571-93J00 | ・リザ <sup>ー</sup> ハ <sup>ン</sup> タンク                                     | 1    |     |            |
| 32   | 48311-96J10 | ハ <sup>ン</sup> ツド <sup>®</sup> , トリムシリンダ <sup>®</sup> ラム                | 2    |     |            |
| 33   | 48321-93J00 | シヤフト, チルトシリンダ <sup>®</sup> アツハ <sup>ン</sup>                             | 1    |     |            |
| 34   | 09140-10031 | ナツト                                                                     | 2    |     |            |
| 35   | 09162-10005 | ロツクワツシヤ                                                                 | 2    |     |            |

| 見出番号 | 品番          | 品名          | 使用個数 | 備考 | 標準作業時間 |
|------|-------------|-------------|------|----|--------|
| 36   | 09306-24001 | ﾌﾞｯｼｭ       | 2    |    |        |
| 37   | 09380-21002 | ｽﾅｯﾌﾟﾘﾝｸﾞ   | 2    |    |        |
| 38   | 09116-10175 | ﾎｰﾙﾄ(10X50) | 8    |    |        |
| 39   | 36894-87D00 | ﾘｰﾄﾞ(Ｌ:165) | 1    |    |        |
| 40   | 36895-87D01 | ﾘｰﾄﾞ(Ｌ:230) | 1    |    |        |
| 41   | 36895-87D01 | ﾘｰﾄﾞ(Ｌ:230) | 1    |    |        |
| 42   | 09125-06063 | ｽｸﾚｯﾁ(6X10) | 1    |    |        |
| 43   | 09125-06063 | ｽｸﾚｯﾁ(6X10) | 1    |    |        |
| 44   | 09125-06063 | ｽｸﾚｯﾁ(6X10) | 1    |    |        |

FIG.337B





FIG. 337B (1-E-6) トリムシリンダ\* (L-TRANSOM)

| 見出番号 | 品 番         | 品 名                 | 使用個数 | 備 考 | 標 準<br>作業時間 |
|------|-------------|---------------------|------|-----|-------------|
| 1    | 48000-93L01 | トリムアツシ, ハ`ワ`ウイズ`チルト | 1    |     |             |
| 2    | 29404-93J10 | ・クランプ`              | 1    |     |             |
| 3    | 31281-92J10 | ・ボ`ルト, スルー          | 4    |     |             |
| 4    | 38100-93L01 | ・モ`タアツシ, PTT        | 1    |     |             |
| 5    | 48502-96J05 | ・ボ`ンプ`アツシ, PTT      | 1    |     |             |
| 6    | 48582-95E01 | ・`ファイルタ`            | 1    |     |             |
| 7    | 48864-96J10 | ・`ハ`ルブ`セット, マニュアル   | 1    |     |             |
| 8    | 48503-93L00 | ・マニホ-ルト`サブ`アツシ      | 1    |     |             |
| 9    | 48401-93L00 | ・`ヒ`ストンアツシ          | 1    |     |             |
| 10   | 48601-93L00 | ・`ヒ`ストン/ラムアツシ       | 2    |     |             |
| 11   | 48627-95E00 | ・`リング`セット           | 3    |     |             |
| 12   | 48630-96J03 | ・`ベツト`, トリムシリンダ`    | 2    |     |             |
| 13   | 48633-94900 | ・`リング`セット, ベツト`     | 2    |     |             |
| 14   | 48641-93L00 | ・`マニホ-ルト`, PTT      | 1    |     |             |
| 15   | 48650-94900 | ・`ヒ`ストン, フリー        | 1    |     |             |
| 16   | 48405-93J00 | ・`リング`セット           | 1    |     |             |
| 17   | 48615-97E00 | ・`リング`セット, ヒ`ストン    | 1    |     |             |
| 18   | 48570-95E01 | ・リザ`ーバ`アツシ          | 1    |     |             |
| 19   | 48572-95E00 | ・`キヤツフ`             | 1    |     |             |
| 20   | 48583-95E00 | ・ジ`ヨイント, ド`ライブ`     | 1    |     |             |
| 21   | 48585-95E00 | ・`リング`              | 1    |     |             |
| 22   | 48588-94900 | ・`リング`セット           | 1    |     |             |
| 23   | 48861-92J01 | ・ボ`ルト, リザ`ーバ`       | 3    |     |             |
| 24   | 48862-92J20 | ・ボ`ルト, ボ`ンプ`NO. 1   | 1    |     |             |
| 25   | 48862-92J30 | ・ボ`ルト, ボ`ンプ`NO. 2   | 2    |     |             |
| 26   | 48121-93L00 | シヤフト, チルトシリンダ`ロア`   | 1    |     |             |
| 27   | 09160-10161 | ワツジヤ                | 2    |     |             |
| 28   | 48311-96J20 | ハ`ツド`, トリムシリンダ`ラム   | 2    |     |             |
| 29   | 48321-87D03 | シヤフト, チルトシリンダ`アツパ`  | 1    |     |             |
| 30   | 48326-95E00 | ブ`ツシュ, チルトシリンダ`ロア`  | 2    |     |             |
| 31   | 09116-10183 | ボ`ルト (10X35)        | 2    |     |             |
| 32   | 09140-10031 | ナツト                 | 2    |     |             |
| 33   | 09162-10005 | ロツクワツジヤ             | 2    |     |             |
| 34   | 09306-17001 | ブ`ツシュ               | 2    |     |             |
| 35   | 09380-17009 | スナツフ`リンク`           | 2    |     |             |

FIG.337B



DF300A\_000\_018\_337B  
TRIM CYLINDER

FIG. 337B (1-E-7) トリムシリンダ\* (L-TRANSOM)

| 見出番号 | 品 番         | 品 名          | 使用個数 | 備 考 | 標 準<br>作業時間 |
|------|-------------|--------------|------|-----|-------------|
| 36   | 36894-87D00 | リット* (L:165) | 1    |     |             |
| 37   | 09125-06063 | スクリュ (6X10)  | 1    |     |             |
| 38   | 09125-05050 | スクリュ (5X8)   | 1    |     |             |
| 39   | 36895-87D10 | リット* (L:310) | 1    |     |             |

DF300A\_000\_018

FIG.340A




FIG. 340A (1-E-8) PTTモータ (X-TRANSOM, XX-TRANSOM)

| 見出番号 | 品番          | 品名             | 使用個数 | 備考 | 標準作業時間 |
|------|-------------|----------------|------|----|--------|
| 1    | 38100-93J04 | モータアツシ, PTT    | 1    |    |        |
| 2    | 31111-94900 | ・スクリュ          | 3    |    |        |
| 3    | 31173-94920 | ・ホルダ アツシ, フ ラシ | 1    |    |        |
| 4    | 31123-94910 | ・・0リング         | 1    |    |        |
| 5    | 31133-90J10 | ・・フ ラシアツシ      | 1    |    |        |
| 6    | 31133-94910 | ・・フ ラシ (+)     | 1    |    |        |
| 7    | 31135-94900 | ・・スフ リンク       | 2    |    |        |
| 8    | 31136-90J20 | ・・フ レーカアツシ     | 1    |    |        |
| 9    | 33799-97E00 | ・・シール, オイル     | 1    |    |        |
| 10   | 31311-93J00 | ・アマチュア         | 1    |    |        |

FIG.340B




FIG. 340B (1-E-9) PTTモータ (L-TRANSOM)

| 見出番号 | 品番          | 品名             | 使用個数 | 備考 | 標準作業時間 |
|------|-------------|----------------|------|----|--------|
| 1    | 38100-93L01 | モータアツシ, PTT    | 1    |    |        |
| 2    | 31111-94900 | ・スクリュ          | 3    |    |        |
| 3    | 31173-94920 | ・ホルダ アツシ, フ ラシ | 1    |    |        |
| 4    | 31123-94910 | ・・0リンク         | 1    |    |        |
| 5    | 31133-90J10 | ・・フ ラシアツシ      | 1    |    |        |
| 6    | 31133-94910 | ・・フ ラシ(+)      | 1    |    |        |
| 7    | 31135-94900 | ・・スフ リンク       | 2    |    |        |
| 8    | 31136-90J20 | ・・フ レーカアツシ     | 1    |    |        |
| 9    | 33799-97E00 | ・・シール, オイル     | 1    |    |        |
| 10   | 31311-94900 | ・アマチュア         | 1    |    |        |

FIG.401A





FIG. 401A (1-E-10) エンジンホルダー (DF300A)

| 見出番号 | 品番              | 品名                       | 使用個数 | 備考                                      | 標準作業時間 |
|------|-----------------|--------------------------|------|-----------------------------------------|--------|
| 1-1  | 51111-93J20-YAY | ホルダー, エンジン(フック)          | 1    | BODY COLOR:YAY                          |        |
| 1-2  | 51111-93J20-Y5S | ホルダー, エンジン(ホワイト)         | 1    | BODY COLOR:Y5S                          |        |
| 2    | 16519-93J00     | シール, エンジンホルダー オイル        | 1    |                                         |        |
| 3    | 17913-93J00     | ブラケット, ウォータ              | 1    |                                         |        |
| 4    | 17914-93J00     | ガスケット, ウォータブ ラグ          | 1    |                                         |        |
| 5    | 51116-93J00     | シール, ウォータリターン            | 1    |                                         |        |
| 6    | 51211-93J00     | ガスケット, エンジンホルダー          | 1    |                                         |        |
| 7    | 61155-93J20     | パイプ, ウォータインジ ケータ         | 1    |                                         |        |
| 8    | 09206-08001     | ピン(8X11)                 | 2    |                                         |        |
| 9    | 01550-08307     | ホルト                      | 6    |                                         |        |
| 10   | 51120-93J02     | カバー, マウントオイルシール          | 1    |                                         |        |
| 11   | 22511-99011     | ・ニツブル, グリース              | 1    |                                         |        |
| 12   | 51124-93J01     | ・シール, オイル                | 2    |                                         |        |
| 13   | 51125-93J00     | ・スクレーパ                   | 1    |                                         |        |
| 14   | 51123-93J00     | ガスケット, マウントオイルシールカバー     | 1    |                                         |        |
| 15   | 09103-08109     | ホルト(8X120)               | 2    |                                         |        |
| 16   | 09206-08001     | ピン(8X11)                 | 2    |                                         |        |
| 17   | 01550-0830A     | ホルト                      | 6    |                                         |        |
| 18-1 | 51140-93J11-YAY | カバー, エンジンホルダー (L) (フック)  | 1    | L-TRANSOM<br>BODY COLOR:YAY             |        |
| 18-2 | 51140-98J00-YAY | カバー, エンジンホルダー (フック)      | 1    | X-TRANSOM, XX-TRANSOM<br>BODY COLOR:Y5S |        |
| 18-3 | 51140-93J11-Y5S | カバー, エンジンホルダー (L) (ホワイト) | 1    | L-TRANSOM<br>BODY COLOR:YAY             |        |
| 18-4 | 51140-98J00-Y5S | カバー, エンジンホルダー (ホワイト)     | 1    | X-TRANSOM, XX-TRANSOM<br>BODY COLOR:Y5S |        |
| 19   | 51142-93J00     | ガスケット, エンジンホルダー カバー      | 1    |                                         |        |
| 20   | 09116-08122     | ホルト(8X30)                | 8    |                                         |        |
| 21   | 51151-93J00     | カバー, エンジンホルダー アツパ        | 1    |                                         |        |
| 22   | 51152-93J00     | シール, エンジンホルダー アツパ カバー    | 1    |                                         |        |
| 23   | 01550-08307     | ホルト                      | 3    |                                         |        |
| 24   | 01550-08607     | ホルト                      | 2    |                                         |        |
| 25   | 54123-93J03     | プレート, アツパ マウント           | 1    |                                         |        |

FIG.401A



DF300A\_000\_018\_401A  
ENGINE HOLDER

FIG. 401A (1-E-11) エンジンホルダー (DF300A)

| 見出番号 | 品番          | 品名                | 使用個数 | 備考                        | 標準作業時間 |
|------|-------------|-------------------|------|---------------------------|--------|
| 26   | 54130-93J01 | マウント, アツパ         | 2    |                           |        |
| 27   | 54112-93J00 | ボルト, マウント         | 2    |                           |        |
| 28   | 29159-93J00 | ナット (M14)         | 2    |                           |        |
| 29   | 09160-15051 | ワッシャ (15X24X3)    | 2    |                           |        |
| 30   | 54137-93J02 | カバー, アツパ マウント     | 1    |                           |        |
| 31   | 09116-10135 | ボルト (10X95)       | 2    |                           |        |
| 32   | 09116-10175 | ボルト (10X50)       | 1    |                           |        |
| 33-1 | 54121-98J01 | ストツパ, アツパ スラスト    | 2    | X-TRANSOM, XX-TRAN<br>SOM |        |
| 33-2 | 54121-93J20 | ストツパ, アツパ スラスト    | 2    | L-TRANSOM                 |        |
| 34   | 54140-98J00 | マウント, アツパ スラストリバー | 1    |                           |        |
| 35   | 09116-10137 | ボルト (10X70)       | 6    |                           |        |
| 36   | 09116-10175 | ボルト (10X50)       | 4    |                           |        |
| 37   | 09116-10146 | ボルト (10X195)      | 2    |                           |        |
| 38   | 09116-10134 | ボルト (10X115)      | 1    |                           |        |
| 39   | 09116-08126 | ボルト (8X65)        | 4    |                           |        |
| 40   | 09169-08038 | ワッシャ              | 2    |                           |        |
| 41   | 54144-93J00 | シール, アツパ マウント     | 1    |                           |        |

DF300A\_000\_018

FIG.401B




FIG. 401B (1-E-12) エンジンホルダー (DF250A)

| 見出番号 | 品番              | 品名                     | 使用個数 | 備考              | 標準作業時間 |
|------|-----------------|------------------------|------|-----------------|--------|
| 1-1  | 51111-93J20-YAY | ホルダー, エンジン (フ ラツク)     | 1    | BODY COLOR: YAY |        |
| 1-2  | 51111-93J20-Y5S | ホルダー, エンジン (ホワイ ト)     | 1    | BODY COLOR: Y5S |        |
| 2    | 16519-93J00     | シール, エンジンホルダー オイル      | 1    |                 |        |
| 3    | 17913-93J00     | ブ ラグ, ウォータ             | 1    |                 |        |
| 4    | 17914-93J00     | ガ スケット, ウォータブ ラグ       | 1    |                 |        |
| 5    | 51116-93J00     | シール, ウォータリター           | 1    |                 |        |
| 6    | 51211-93J00     | ガ スケット, エンジンホルダー       | 1    |                 |        |
| 7    | 61155-93J20     | パ イプ, ウォータインジ ケータ      | 1    |                 |        |
| 8    | 09206-08001     | ピ ン (8X11)             | 2    |                 |        |
| 9    | 01550-08307     | ボ ルト                   | 6    |                 |        |
| 10   | 51120-93J02     | カバ ー, マウントオイルシール       | 1    |                 |        |
| 11   | 22511-99011     | ・ニツヅ ル, グ リース          | 1    |                 |        |
| 12   | 51124-93J01     | ・シール, オイル              | 2    |                 |        |
| 13   | 51125-93J00     | ・スクレーパ                 | 1    |                 |        |
| 14   | 51123-93J00     | ガ スケット, マウントオイルシールカバ ー | 1    |                 |        |
| 15   | 09103-08109     | ボ ルト (8X120)           | 2    |                 |        |
| 16   | 09206-08001     | ピ ン (8X11)             | 2    |                 |        |
| 17   | 01550-0830A     | ボ ルト                   | 6    |                 |        |
| 18-1 | 51140-98J00-YAY | カバ ー, エンジンホルダー (フ ラツク) | 1    | BODY COLOR: YAY |        |
| 18-2 | 51140-98J00-Y5S | カバ ー, エンジンホルダー (ホワイ ト) | 1    | BODY COLOR: Y5S |        |
| 19   | 51142-93J00     | ガ スケット, エンジンホルダー カバ ー  | 1    |                 |        |
| 20   | 09116-08122     | ボ ルト (8X30)            | 8    |                 |        |
| 21   | 51151-93J00     | カバ ー, エンジンホルダー アツパ     | 1    |                 |        |
| 22   | 51152-93J00     | シール, エンジンホルダー アツパ カバ ー | 1    |                 |        |
| 23   | 01550-08307     | ボ ルト                   | 3    |                 |        |
| 24   | 01550-08607     | ボ ルト                   | 2    |                 |        |
| 25   | 54123-93J03     | ブ レート, アツパ マウント        | 1    |                 |        |
| 26   | 54130-93J01     | マウント, アツパ              | 2    |                 |        |
| 27   | 54112-93J00     | ボ ルト, マウント             | 2    |                 |        |
| 28   | 29159-93J00     | ナツト (M14)              | 2    |                 |        |
| 29   | 09160-15051     | ワツジヤ (15X24X3)         | 2    |                 |        |
| 30   | 54137-93J02     | カバ ー, アツパ マウント         | 1    |                 |        |
| 31   | 09116-10135     | ボ ルト (10X95)           | 2    |                 |        |
| 32   | 09116-10175     | ボ ルト (10X50)           | 1    |                 |        |
| 33   | 54121-98J01     | ストツパ, アツパ スラスト         | 2    |                 |        |

FIG.401B




FIG. 401B (1-E-13) エンジンホルダー (DF250A)

| 見出番号 | 品 番         | 品 名                | 使用個数 | 備 考 | 標準<br>作業時間 |
|------|-------------|--------------------|------|-----|------------|
| 34   | 54140-98J00 | マウント, アツパ スラストリハース | 1    |     |            |
| 35   | 09116-10137 | ボルト (10X70)        | 6    |     |            |
| 36   | 09116-10175 | ボルト (10X50)        | 4    |     |            |
| 37   | 09116-10146 | ボルト (10X195)       | 2    |     |            |
| 38   | 09116-10134 | ボルト (10X115)       | 1    |     |            |
| 39   | 09116-08126 | ボルト (8X65)         | 4    |     |            |
| 40   | 09169-08038 | ワッシャ               | 2    |     |            |
| 41   | 54144-93J00 | シール, アツパ マウント      | 1    |     |            |

FIG.405A




FIG. 405A (1-E-14) ドライブシャフトハウジング (X-TRANSOM)

| 見出番号 | 品番              | 品名                        | 使用個数 | 備考             | 標準作業時間 |
|------|-----------------|---------------------------|------|----------------|--------|
| 1-1  | 52111-98J00-YAY | ハウジング, ドライブシャフト(X) (ブラック) | 1    | BODY COLOR:YAY |        |
| 1-2  | 52111-98J00-Y5S | ハウジング, ドライブシャフト(X) (ホワイト) | 1    | BODY COLOR:Y5S |        |
| 2    | 09116-10176     | ボルト(10X44)                | 8    |                |        |
| 3    | 09202-08006     | ピン(8X12)                  | 2    |                |        |
| 4    | 57130-87D10     | ブッシュ, ドライブシャフト            | 1    |                |        |
| 5    | 09387-38002     | リング                       | 1    |                |        |
| 6    | 09125-06063     | スクリュ(6X10)                | 1    |                |        |
| 7    | 36894-87D00     | リート(L:165)                | 1    |                |        |
| 8    | 09125-06063     | スクリュ(6X10)                | 1    |                |        |
| 9    | 54150-98J00     | マウント, ロアスラスト              | 1    |                |        |
| 10   | 54160-98J00     | マウント, ロア                  | 2    |                |        |
| 11   | 54112-93J00     | ボルト, マウント                 | 2    |                |        |
| 12   | 09160-16050     | ワッシャ(16X32X3)             | 2    |                |        |
| 13   | 29159-93J00     | ナット(M14)                  | 2    |                |        |
| 14   | 09160-16050     | ワッシャ(16X32X3)             | 2    |                |        |
| 15-1 | 54211-93J00-YAY | ブラケット, ロアマウント(ブラック)       | 1    | BODY COLOR:YAY |        |
| 15-2 | 54211-93J00-Y5S | ブラケット, ロアマウント(ホワイト)       | 1    | BODY COLOR:Y5S |        |
| 16-1 | 54221-93J00-YAY | カバー, ロアマウント(ブラック)         | 2    | BODY COLOR:YAY |        |
| 16-2 | 54221-93J00-Y5S | カバー, ロアマウント(ホワイト)         | 2    | BODY COLOR:Y5S |        |
| 17   | 09116-10175     | ボルト(10X50)                | 4    |                |        |
| 18   | 54165-98J01     | ストッパ, ロアスラストリハース          | 4    |                |        |
| 19   | 09160-14066     | ワッシャ(14X50X4)             | 2    |                |        |
| 20   | 55321-93J01     | アノード, プロテクション             | 1    |                |        |
| 21   | 09116-06236     | ボルト(6X16)                 | 1    |                |        |

FIG.405B




FIG. 405B (1-E-15) トﾞﾗｲﾌﾞｼｬﾌﾄﾊｳｼﾞﾝｸﾞ (XX-TRANSOM)

| 見出番号 | 品 番             | 品 名                             | 使用個数 | 備 考            | 標準<br>作業時間 |
|------|-----------------|---------------------------------|------|----------------|------------|
| 1-1  | 52111-98J00-YAY | ﾊｳｼﾞﾝｸﾞ, トﾞﾗｲﾌﾞｼｬﾌﾄ (X) (ﾌﾞﾗｯｸ) | 1    | BODY COLOR:YAY |            |
| 1-2  | 52111-98J00-Y5S | ﾊｳｼﾞﾝｸﾞ, トﾞﾗｲﾌﾞｼｬﾌﾄ (X) (ﾎﾜｲﾄ)  | 1    | BODY COLOR:Y5S |            |
| 2    | 09116-10176     | ﾎﾞﾙﾄ (10X44)                    | 8    |                |            |
| 3    | 09202-08006     | ﾋﾞｰﾝ (8X12)                     | 2    |                |            |
| 4    | 57130-87D10     | ﾌﾞﾗｯｼｭ, トﾞﾗｲﾌﾞｼｬﾌﾄ              | 1    |                |            |
| 5    | 09387-38002     | ﾘﾝｸﾞ                            | 1    |                |            |
| 6    | 09125-06063     | ｽｸﾘｭ (6X10)                     | 1    |                |            |
| 7-1  | 52131-93J00-YAY | ｹｰｽ, ｴｸｽﾃﾝｼｮﾝ (XX) (ﾌﾞﾗｯｸ)      | 1    | BODY COLOR:YAY |            |
| 7-2  | 52131-93J00-Y5S | ｹｰｽ, ｴｸｽﾃﾝｼｮﾝ (XX) (ﾎﾜｲﾄ)       | 1    | BODY COLOR:Y5S |            |
| 8    | 09108-10115     | ｽﾀｯﾄﾞ ｾﾙﾄ, 10X167               | 6    |                |            |
| 9    | 09108-12013     | ｽﾀｯﾄﾞ ｾﾙﾄ                       | 1    |                |            |
| 10   | 09202-08006     | ﾋﾞｰﾝ (8X12)                     | 2    |                |            |
| 11   | 36894-87D00     | ﾘｰﾄﾞ (L:165)                    | 1    |                |            |
| 12   | 09125-06063     | ｽｸﾘｭ (6X10)                     | 1    |                |            |
| 13   | 54150-98J00     | ﾏｳﾝﾄ, ｾﾞﾅｰ                      | 1    |                |            |
| 14   | 54160-98J00     | ﾏｳﾝﾄ, ｾﾞﾅｰ                      | 2    |                |            |
| 15   | 54112-93J00     | ﾎﾞﾙﾄ, ｾﾞﾅｰ                      | 2    |                |            |
| 16   | 09160-16050     | ワッｼｬ (16X32X3)                  | 2    |                |            |
| 17   | 29159-93J00     | ﾅｯﾄ (M14)                       | 2    |                |            |
| 18   | 09160-16050     | ワッｼｬ (16X32X3)                  | 2    |                |            |
| 19-1 | 54211-93J00-YAY | ﾌﾞﾗｯｸ, ｾﾞﾅｰ (ﾌﾞﾗｯｸ)             | 1    | BODY COLOR:YAY |            |
| 19-2 | 54211-93J00-Y5S | ﾌﾞﾗｯｸ, ｾﾞﾅｰ (ﾎﾜｲﾄ)              | 1    | BODY COLOR:Y5S |            |
| 20-1 | 54221-93J00-YAY | ｶﾊﾞｰ, ｾﾞﾅｰ (ﾌﾞﾗｯｸ)              | 2    | BODY COLOR:YAY |            |
| 20-2 | 54221-93J00-Y5S | ｶﾊﾞｰ, ｾﾞﾅｰ (ﾎﾜｲﾄ)               | 2    | BODY COLOR:Y5S |            |
| 21   | 09116-10175     | ﾎﾞﾙﾄ (10X50)                    | 4    |                |            |
| 22   | 54165-98J01     | ｽﾄｯﾊﾟ, ｾﾞﾅｰ (ﾌﾞﾗｯｸ)             | 4    |                |            |
| 23   | 09160-14066     | ワッｼｬ (14X50X4)                  | 2    |                |            |
| 24   | 55321-93J01     | ﾌﾞﾗｯｼｭ, ｾﾞﾅｰ                    | 2    |                |            |
| 25   | 09116-06236     | ﾎﾞﾙﾄ (6X16)                     | 2    |                |            |

FIG.405C




FIG. 405C (1-E-16) トライブシャフトハウジング (L-TRANSOM)

| 見出番号 | 品番              | 品名                        | 使用個数 | 備考             | 標準作業時間 |
|------|-----------------|---------------------------|------|----------------|--------|
| 1-1  | 52111-98J20-YAY | ハウジング, トライブシャフト(L) (ブラック) | 1    | BODY COLOR:YAY |        |
| 1-2  | 52111-98J20-Y5S | ハウジング, トライブシャフト(L) (ホワイト) | 1    | BODY COLOR:Y5S |        |
| 2    | 09116-10176     | ボルト(10X44)                | 6    |                |        |
| 3    | 09202-08006     | ピン(8X12)                  | 2    |                |        |
| 4    | 09140-10031     | ナット                       | 2    |                |        |
| 5    | 09108-10150     | スタッドボルト                   | 2    |                |        |
| 6    | 09160-10141     | ワッシャ(10.5X19X2)           | 2    |                |        |
| 7    | 09125-06063     | スクリュ(6X10)                | 1    |                |        |
| 8    | 54150-98J00     | マウント, ロアスラスト              | 1    |                |        |
| 9    | 54160-98J00     | マウント, ロア                  | 2    |                |        |
| 10   | 54112-93J00     | ボルト, マウント                 | 2    |                |        |
| 11   | 09160-16050     | ワッシャ(16X32X3)             | 2    |                |        |
| 12   | 29159-93J00     | ナット(M14)                  | 2    |                |        |
| 13   | 09160-16050     | ワッシャ(16X32X3)             | 2    |                |        |
| 14-1 | 54211-93J00-YAY | ブラケット, ロアマウント(ブラック)       | 1    | BODY COLOR:YAY |        |
| 14-2 | 54211-93J00-Y5S | ブラケット, ロアマウント(ホワイト)       | 1    | BODY COLOR:Y5S |        |
| 15-1 | 54221-93J00-YAY | カバー, ロアマウント(ブラック)         | 2    | BODY COLOR:YAY |        |
| 15-2 | 54221-93J00-Y5S | カバー, ロアマウント(ホワイト)         | 2    | BODY COLOR:Y5S |        |
| 16   | 09116-10175     | ボルト(10X50)                | 4    |                |        |
| 17   | 54165-98J01     | ストッパ, ロアスラストリバー           | 4    |                |        |
| 18   | 09160-14066     | ワッシャ(14X50X4)             | 2    |                |        |
| 19   | 36894-87D00     | リート(L:165)                | 1    |                |        |
| 20   | 09125-06063     | スクリュ(6X10)                | 1    |                |        |



FIG.407A




FIG. 407A (1-F-2) ギヤケース (DF300A)

| 見出番号 | 品番              | 品名                   | 使用個数 | 備考                                | 標準作業時間 |
|------|-----------------|----------------------|------|-----------------------------------|--------|
| 1-1  | 55110-93L10-YAY | ケース, ギヤ (ブラック)       | 1    | BODY COLOR: YAY                   |        |
| 1-2  | 55110-93L10-Y5S | ケース, ギヤ (ホワイト)       | 1    | BODY COLOR: Y5S                   |        |
| 2    | 09206-03001     | ・ブッシュ (2X3X11)       | 1    |                                   |        |
| 3    | 09263-35048     | ・ベアリング* (35X56X37)   | 1    |                                   |        |
| 4    | 09263-80001     | ・ベアリング* (80X100X30)  | 1    |                                   |        |
| 5-1  | 09100-12052     | ホルト (12X70)          | 1    | L-TRANSOM                         |        |
| 5-2  | 09100-12052     | ホルト (12X70)          | 1    | X-TRANSOM                         |        |
| 6-1  | 09116-10150     | ホルト (10X55)          | 6    | L-TRANSOM                         |        |
| 6-2  | 09116-10150     | ホルト (10X55)          | 6    | X-TRANSOM                         |        |
| 7    | 09160-10141     | ワッシャ (10. 5X19X2)    | 6    | XX-TRANSOM                        |        |
| 8    | 09160-12066     | ワッシャ (12. 5X22X2. 5) | 1    |                                   |        |
| 9    | 09140-10031     | ナット                  | 6    | XX-TRANSOM                        |        |
| 10   | 09159-12014     | ナット                  | 1    | XX-TRANSOM                        |        |
| 11   | 09202-08006     | ピン (8X12)            | 2    |                                   |        |
| 12-1 | 55125-93L00-YAY | タブ, トリム (ブラック)       | 1    | BODY COLOR: YAY                   |        |
| 12-2 | 55125-93L00-Y5S | タブ, トリム (ホワイト)       | 1    | BODY COLOR: Y5S                   |        |
| 13   | 09116-08137     | ホルト (8X22)           | 1    |                                   |        |
| 14   | 55128-93J10     | ブラケット, ドレーン          | 1    |                                   |        |
| 15   | 09168-10034     | ガスケット (9. 5X16. 5X2) | 2    |                                   |        |
| 16   | 55321-93J01     | アノード, プロテクション        | 2    |                                   |        |
| 17   | 09116-06236     | ホルト (6X16)           | 2    |                                   |        |
| 18   | 55332-98J00     | ラバー, エキゾーストシール       | 1    |                                   |        |
| 19   | 55333-98J00     | プレート, エキゾーストシール      | 1    |                                   |        |
| 20   | 55127-87D00     | ブラケット, ユニオン          | 1    |                                   |        |
| 21-1 | 09355-40805-600 | ホース (4X8X600)        | 1    | L-TRANSOM, X-TRANSOM<br>L: 600>50 |        |
| 21-2 | 09355-40805-600 | ホース (4X8X600)        | 1    | XX-TRANSOM<br>L: 600>180          |        |
| 22   | 09362-09008     | ユニオン                 | 1    |                                   |        |
| 23   | 09407-10404     | クランプ (L: 100)        | 2    |                                   |        |
| 24   | 09202-06031     | ピン (6X12)            | 2    |                                   |        |
| 25-1 | 58200-93L00     | ブローラ (3X16X17)       | 1    | W/REGULAR ROTATION                |        |
| 25-2 | 58200-93L10     | ブローラ (3X16X18-1/2)   | 1    | W/REGULAR ROTATION                |        |

FIG.407A




FIG. 407A (1-F-3) ギヤケース (DF300A)

| 見出番号  | 品番          | 品名                       | 使用個数 | 備考                          | 標準作業時間 |
|-------|-------------|--------------------------|------|-----------------------------|--------|
| 25-3  | 58200-93L20 | ﾌﾞﾛｳﾞ (3X16X20)          | 1    | N<br>W/REGULAR ROTATIO      |        |
| 25-4  | 58200-93L30 | ﾌﾞﾛｳﾞ (3X16X21-1/2)      | 1    | N<br>W/REGULAR ROTATIO      |        |
| 25-5  | 58200-93L40 | ﾌﾞﾛｳﾞ (3X16X23)          | 1    | N<br>W/REGULAR ROTATIO      |        |
| 25-6  | 58200-93L50 | ﾌﾞﾛｳﾞ (3X16X24-1/2)      | 1    | N<br>W/REGULAR ROTATIO      |        |
| 25-7  | 58200-93L80 | ﾌﾞﾛｳﾞ (3X16X15)          | 1    | N<br>W/REGULAR ROTATIO      |        |
| 25-8  | 58300-93J00 | ﾌﾞﾛｳﾞ (4X15-1/4X18)      | 1    | OPT, W/REGULAR ROT<br>ATION |        |
| 25-9  | 58300-93J10 | ﾌﾞﾛｳﾞ (4X15-1/4X20)      | 1    | OPT, W/REGULAR ROT<br>ATION |        |
| 25-10 | 58300-93J20 | ﾌﾞﾛｳﾞ (4X15-1/4X22)      | 1    | OPT, W/REGULAR ROT<br>ATION |        |
| 25-11 | 58300-93J30 | ﾌﾞﾛｳﾞ (4X15-1/4X24)      | 1    | OPT, W/REGULAR ROT<br>ATION |        |
| 25-12 | 58300-93J40 | ﾌﾞﾛｳﾞ (4X15-1/4X26)      | 1    | OPT, W/REGULAR ROT<br>ATION |        |
| 25-13 | 58200-93LA0 | ﾌﾞﾛｳﾞ (3X16X18-1/2), C/R | 1    | N<br>W/COUNTER ROTATIO      |        |
| 25-14 | 58200-93LB0 | ﾌﾞﾛｳﾞ (3X16X20), C/R     | 1    | N<br>W/COUNTER ROTATIO      |        |
| 25-15 | 58200-93LC0 | ﾌﾞﾛｳﾞ (3X16X21-1/2), C/R | 1    | N<br>W/COUNTER ROTATIO      |        |
| 25-16 | 58200-93LD0 | ﾌﾞﾛｳﾞ (3X16X23), C/R     | 1    | N<br>W/COUNTER ROTATIO      |        |
| 25-17 | 58200-93LE0 | ﾌﾞﾛｳﾞ (3X16X17), C/R     | 1    | N<br>W/COUNTER ROTATIO      |        |
| 25-18 | 58200-93LF0 | ﾌﾞﾛｳﾞ (3X16X24-1/2), C/R | 1    | OPT, W/COUNTER ROT<br>ATION |        |
| 25-19 | 58300-93JA0 | ﾌﾞﾛｳﾞ (4X15-1/4X20), C/R | 1    | OPT, W/COUNTER ROT<br>ATION |        |

FIG.407A





FIG. 407A (1-F-4) ギヤケース (DF300A)

| 見出番号  | 品 番         | 品 名                      | 使用個数 | 備 考                         | 標 準<br>作業時間 |
|-------|-------------|--------------------------|------|-----------------------------|-------------|
| 25-20 | 58300-93JB0 | ﾌﾞﾛｹﾞﾗ(4X15-1/4X22), C/R | 1    | OPT, W/COUNTER ROT<br>ATION |             |
| 25-21 | 58300-93JC0 | ﾌﾞﾛｹﾞﾗ(4X15-1/4X24), C/R | 1    | OPT, W/COUNTER ROT<br>ATION |             |
| 25-22 | 58300-93JD0 | ﾌﾞﾛｹﾞﾗ(4X15-1/4X26), C/R | 1    | OPT, W/COUNTER ROT<br>ATION |             |
| 26    | 58105-93J10 | ・ﾌﾞｯｼｭｾｯﾄ, ﾌﾞﾛｹﾞﾗ        | 1    | ｵﾌﾞｼｮﾝ                      |             |
| 27-1  | 58200-96J00 | ﾌﾞﾛｹﾞﾗ(3X15-1/2X17)      | 1    | OPT, W/REGULAR ROT<br>ATION |             |
| 27-2  | 58200-96J10 | ﾌﾞﾛｹﾞﾗ(3X15-1/4X19)      | 1    | OPT, W/REGULAR ROT<br>ATION |             |
| 27-3  | 58200-96J20 | ﾌﾞﾛｹﾞﾗ(3X15X21)          | 1    | OPT, W/REGULAR ROT<br>ATION |             |
| 27-4  | 58200-96J30 | ﾌﾞﾛｹﾞﾗ(3X14-3/4X23)      | 1    | OPT, W/REGULAR ROT<br>ATION |             |
| 27-5  | 58200-96J40 | ﾌﾞﾛｹﾞﾗ(3X14-1/2X25)      | 1    | OPT, W/REGULAR ROT<br>ATION |             |
| 27-6  | 58200-96J50 | ﾌﾞﾛｹﾞﾗ(3X14-1/2X27)      | 1    | OPT, W/REGULAR ROT<br>ATION |             |
| 27-7  | 58200-96JA0 | ﾌﾞﾛｹﾞﾗ(3X15-1/2X17), C/R | 1    | OPT, W/COUNTER ROT<br>ATION |             |
| 27-8  | 58200-96JB0 | ﾌﾞﾛｹﾞﾗ(3X15-1/4X19), C/R | 1    | OPT, W/COUNTER ROT<br>ATION |             |
| 27-9  | 58200-96JC0 | ﾌﾞﾛｹﾞﾗ(3X15X21), C/R     | 1    | OPT, W/COUNTER ROT<br>ATION |             |
| 27-10 | 58200-96JD0 | ﾌﾞﾛｹﾞﾗ(3X14-3/4X23), C/R | 1    | OPT, W/COUNTER ROT<br>ATION |             |
| 27-11 | 58200-96JE0 | ﾌﾞﾛｹﾞﾗ(3X14-1/2X25), C/R | 1    | OPT, W/COUNTER ROT<br>ATION |             |
| 27-12 | 58200-96JF0 | ﾌﾞﾛｹﾞﾗ(3X14-1/2X27), C/R | 1    | OPT, W/COUNTER ROT<br>ATION |             |
| 28    | 58105-93J10 | ・ﾌﾞｯｼｭｾｯﾄ, ﾌﾞﾛｹﾞﾗ        | 1    | ｵﾌﾞｼｮﾝ                      |             |
| 29    | 57632-93L01 | ｽﾄｯﾊﾟ, ﾌﾞﾛｹﾞﾗﾌﾞｯｼｭ       | 1    |                             |             |
| 30    | 57633-87D30 | ｽﾍﾟｰｻ, ﾅｯﾄ(T: 6. 0)      | 1    |                             |             |
| 31    | 09141-18005 | ﾅｯﾄ                      | 1    |                             |             |

FIG.407A



DF300A\_000\_018\_407A  
GEAR CASE

FIG. 407A (1-F-5) ギヤケース (DF300A)

| 見出番号 | 品番          | 品名                | 使用個数 | 備考    | 標準作業時間 |
|------|-------------|-------------------|------|-------|--------|
| 32   | 09160-18028 | ワッシャー (18.5X31X1) | 1    |       |        |
| 33   | 09204-03003 | コックピット            | 1    |       |        |
| 34   | 55128-93L00 | プラグ, ドレーン         | 1    |       |        |
| 35   | 57630-92E00 | キット, フロントラサット     | 1    | オプション |        |

DF300A\_000\_018

FIG.407B




FIG. 407B (1-F-6) ギヤケース (DF250A) (SEE NOTE 1)

| 見出番号 | 品番              | 品名                   | 使用個数 | 備考                      | 標準作業時間 |
|------|-----------------|----------------------|------|-------------------------|--------|
| 1-1  | 55110-93L10-YAY | ケース, ギヤ (ブラック)       | 1    | BODY COLOR: YAY         |        |
| 1-2  | 55110-93L10-Y5S | ケース, ギヤ (ホワイト)       | 1    | BODY COLOR: Y5S         |        |
| 2    | 09206-03001     | ・ブッシュ (2X3X11)       | 1    |                         |        |
| 3    | 09263-35048     | ・ベアリング* (35X56X37)   | 1    |                         |        |
| 4    | 09263-80001     | ・ベアリング* (80X100X30)  | 1    |                         |        |
| 5    | 09100-12052     | ホルト (12X70)          | 1    | X-TRANSOM               |        |
| 6    | 09116-10150     | ホルト (10X55)          | 6    | X-TRANSOM               |        |
| 7    | 09160-10141     | ワッシャ (10. 5X19X2)    | 6    | XX-TRANSOM              |        |
| 8    | 09160-12066     | ワッシャ (12. 5X22X2. 5) | 1    |                         |        |
| 9    | 09140-10031     | ナット                  | 6    | XX-TRANSOM              |        |
| 10   | 09159-12014     | ナット                  | 1    | XX-TRANSOM              |        |
| 11   | 09202-08006     | ピン (8X12)            | 2    |                         |        |
| 12-1 | 55125-93L00-YAY | タブ, トリム (ブラック)       | 1    | BODY COLOR: YAY         |        |
| 12-2 | 55125-93L00-Y5S | タブ, トリム (ホワイト)       | 1    | BODY COLOR: Y5S         |        |
| 13   | 09116-08137     | ホルト (8X22)           | 1    |                         |        |
| 14   | 55128-93J10     | ブラケット, ドレーン          | 1    |                         |        |
| 15   | 09168-10034     | ガスケット (9. 5X16. 5X2) | 2    |                         |        |
| 16   | 55321-93J01     | アノード, プロテクション        | 2    |                         |        |
| 17   | 09116-06236     | ホルト (6X16)           | 2    |                         |        |
| 18   | 55332-98J00     | ラバー, エキゾーストシール       | 1    |                         |        |
| 19   | 55333-98J00     | プレート, エキゾーストシール      | 1    |                         |        |
| 20   | 55127-87D00     | ブラケット, ユニオン          | 1    |                         |        |
| 21-1 | 09355-40805-600 | ホース (4X8X600)        | 1    | X-TRANSOM<br>L: 600>50  |        |
| 21-2 | 09355-40805-600 | ホース (4X8X600)        | 1    | XX-TRANSOM<br>L: 600>50 |        |
| 22   | 09362-09008     | ユニオン                 | 1    |                         |        |
| 23   | 09407-10404     | クランプ (L: 100)        | 2    |                         |        |
| 24   | 09202-06031     | ピン (6X12)            | 2    |                         |        |
| 25-1 | 58200-93L00     | プロペラ (3X16X17)       | 1    | W/REGULAR ROTATION      |        |
| 25-2 | 58200-93L10     | プロペラ (3X16X18-1/2)   | 1    | W/REGULAR ROTATION      |        |
| 25-3 | 58200-93L20     | プロペラ (3X16X20)       | 1    | W/REGULAR ROTATION      |        |

FIG.407B




FIG. 407B (1-F-7) ギヤケース (DF250A) (SEE NOTE 1)

| 見出番号  | 品番          | 品名                       | 使用個数 | 備考                      | 標準作業時間 |
|-------|-------------|--------------------------|------|-------------------------|--------|
| 25-4  | 58200-93L30 | ﾌﾞﾛｯｸ (3X16X21-1/2)      | 1    | W/REGULAR ROTATION      |        |
| 25-5  | 58200-93L40 | ﾌﾞﾛｯｸ (3X16X23)          | 1    | W/REGULAR ROTATION      |        |
| 25-6  | 58200-93L50 | ﾌﾞﾛｯｸ (3X16X24-1/2)      | 1    | W/REGULAR ROTATION      |        |
| 25-7  | 58200-93L80 | ﾌﾞﾛｯｸ (3X16X15)          | 1    | W/REGULAR ROTATION      |        |
| 25-8  | 58300-93J00 | ﾌﾞﾛｯｸ (4X15-1/4X18)      | 1    | OPT, W/REGULAR ROTATION |        |
| 25-9  | 58300-93J10 | ﾌﾞﾛｯｸ (4X15-1/4X20)      | 1    | OPT, W/REGULAR ROTATION |        |
| 25-10 | 58300-93J20 | ﾌﾞﾛｯｸ (4X15-1/4X22)      | 1    | OPT, W/REGULAR ROTATION |        |
| 25-11 | 58300-93J30 | ﾌﾞﾛｯｸ (4X15-1/4X24)      | 1    | OPT, W/REGULAR ROTATION |        |
| 25-12 | 58300-93J40 | ﾌﾞﾛｯｸ (4X15-1/4X26)      | 1    | OPT, W/REGULAR ROTATION |        |
| 25-13 | 58200-93LA0 | ﾌﾞﾛｯｸ (3X16X18-1/2), C/R | 1    | W/COUNTER ROTATION      |        |
| 25-14 | 58200-93LB0 | ﾌﾞﾛｯｸ (3X16X20), C/R     | 1    | W/COUNTER ROTATION      |        |
| 25-15 | 58200-93LC0 | ﾌﾞﾛｯｸ (3X16X21-1/2), C/R | 1    | W/COUNTER ROTATION      |        |
| 25-16 | 58200-93LD0 | ﾌﾞﾛｯｸ (3X16X23), C/R     | 1    | W/COUNTER ROTATION      |        |
| 25-17 | 58200-93LE0 | ﾌﾞﾛｯｸ (3X16X17), C/R     | 1    | W/COUNTER ROTATION      |        |
| 25-18 | 58200-93LF0 | ﾌﾞﾛｯｸ (3X16X24-1/2), C/R | 1    | OPT, W/COUNTER ROTATION |        |
| 25-19 | 58300-93JA0 | ﾌﾞﾛｯｸ (4X15-1/4X20), C/R | 1    | OPT, W/COUNTER ROTATION |        |
| 25-20 | 58300-93JB0 | ﾌﾞﾛｯｸ (4X15-1/4X22), C/R | 1    | OPT, W/COUNTER ROTATION |        |
| 25-21 | 58300-93JC0 | ﾌﾞﾛｯｸ (4X15-1/4X24), C/R | 1    | OPT, W/COUNTER ROTATION |        |

FIG.407B




FIG. 407B (1-F-8) ギヤケース (DF250A) (SEE NOTE 1)

| 見出番号  | 品番          | 品名                        | 使用個数 | 備考                          | 標準作業時間 |
|-------|-------------|---------------------------|------|-----------------------------|--------|
| 25-22 | 58300-93JD0 | ﾌﾞﾛｯｸ (4X15-1/4X26) , C/R | 1    | ATION<br>OPT, W/COUNTER ROT |        |
| 26    | 58105-93J10 | ﾌﾞｯｼｭｾｯﾄ, ﾌﾞﾛｯｸ           | 1    | オプション                       |        |
| 27-1  | 58200-96J00 | ﾌﾞﾛｯｸ (3X15-1/2X17)       | 1    | OPT, W/REGULAR ROT<br>ATION |        |
| 27-2  | 58200-96J10 | ﾌﾞﾛｯｸ (3X15-1/4X19)       | 1    | OPT, W/REGULAR ROT<br>ATION |        |
| 27-3  | 58200-96J20 | ﾌﾞﾛｯｸ (3X15X21)           | 1    | OPT, W/REGULAR ROT<br>ATION |        |
| 27-4  | 58200-96J30 | ﾌﾞﾛｯｸ (3X14-3/4X23)       | 1    | OPT, W/REGULAR ROT<br>ATION |        |
| 27-5  | 58200-96J40 | ﾌﾞﾛｯｸ (3X14-1/2X25)       | 1    | OPT, W/REGULAR ROT<br>ATION |        |
| 27-6  | 58200-96J50 | ﾌﾞﾛｯｸ (3X14-1/2X27)       | 1    | OPT, W/REGULAR ROT<br>ATION |        |
| 27-7  | 58200-96JA0 | ﾌﾞﾛｯｸ (3X15-1/2X17) , C/R | 1    | OPT, W/COUNTER ROT<br>ATION |        |
| 27-8  | 58200-96JB0 | ﾌﾞﾛｯｸ (3X15-1/4X19) , C/R | 1    | OPT, W/COUNTER ROT<br>ATION |        |
| 27-9  | 58200-96JC0 | ﾌﾞﾛｯｸ (3X15X21) , C/R     | 1    | OPT, W/COUNTER ROT<br>ATION |        |
| 27-10 | 58200-96JD0 | ﾌﾞﾛｯｸ (3X14-3/4X23) , C/R | 1    | OPT, W/COUNTER ROT<br>ATION |        |
| 27-11 | 58200-96JE0 | ﾌﾞﾛｯｸ (3X14-1/2X25) , C/R | 1    | OPT, W/COUNTER ROT<br>ATION |        |
| 27-12 | 58200-96JF0 | ﾌﾞﾛｯｸ (3X14-1/2X27) , C/R | 1    | OPT, W/COUNTER ROT<br>ATION |        |
| 28    | 58105-93J10 | ﾌﾞｯｼｭｾｯﾄ, ﾌﾞﾛｯｸ           | 1    | オプション                       |        |
| 29    | 57632-93L01 | ｽﾄｯﾊﾟ, ﾌﾞﾛｯｸ ｾｯﾄ          | 1    |                             |        |
| 30    | 57633-87D30 | ｽﾍﾟｰｻ, ﾅｯﾄ (T:6.0)        | 1    |                             |        |
| 31    | 09141-18005 | ﾅｯﾄ                       | 1    |                             |        |
| 32    | 09160-18028 | ワｼﾔ (18.5X31X1)           | 1    |                             |        |
| 33    | 09204-03003 | ｺﾂﾋﾞﾝ                     | 1    |                             |        |
| 34    | 55128-93L00 | ﾌﾞﾗｸﾞ, ﾉｰﾚﾝ               | 1    |                             |        |

FIG.407B




FIG. 407B (1-F-9) ギヤケース (DF250A) (SEE NOTE 1)

| 見出番号 | 品番          | 品名       | 使用個数 | 備考    | 標準作業時間 |
|------|-------------|----------|------|-------|--------|
| 35   | 57630-92E00 | ギヤ, フロント | 1    | オプション |        |

NOTE 1:  
DF250A

FIG.410A




FIG. 410A (1-F-10) サイドカバー (X-TRANSOM, XX-TRANSOM)

| 見出番号 | 品番              | 品名                       | 使用個数 | 備考             | 標準作業時間 |
|------|-----------------|--------------------------|------|----------------|--------|
| 1-1  | 61131-93J01-YAY | カバー、オイルパスターホート (ブラック)    | 1    | BODY COLOR:YAY |        |
| 1-2  | 61131-93J01-Y5S | カバー、オイルパスターホート (ホワイト)    | 1    | BODY COLOR:Y5S |        |
| 2-1  | 61141-93J01-YAY | カバー、オイルパスターホート (ブラック)    | 1    | BODY COLOR:YAY |        |
| 2-2  | 61141-93J01-Y5S | カバー、オイルパスターホート (ホワイト)    | 1    | BODY COLOR:Y5S |        |
| 3    | 61137-93J00     | クワシオン、オイルパスターホート         | 2    |                |        |
| 4    | 09139-06135     | スクリュー (6X17)             | 5    |                |        |
| 5    | 09139-06136     | スクリュー (6X65)             | 3    |                |        |
| 6-1  | 61811-98J20-YAY | カバー、サイドスターホート (ブラック)     | 1    | BODY COLOR:YAY |        |
| 6-2  | 61811-98J20-Y5S | カバー、サイドスターホート (ホワイト)     | 1    | BODY COLOR:Y5S |        |
| 7-1  | 61821-98J10-YAY | カバー、サイドホート (ブラック)        | 1    | BODY COLOR:YAY |        |
| 7-2  | 61821-98J10-Y5S | カバー、サイドホート (ホワイト)        | 1    | BODY COLOR:Y5S |        |
| 8    | 61134-93J20     | シール、サイドカバー               | 1    |                |        |
| 9    | 09409-05302-5PK | クリップ (ブラック)              | 2    |                |        |
| 10   | 61817-93J00     | ブラケット、サイドカバー             | 2    |                |        |
| 11   | 09136-06148     | スクリュー (6X35)             | 10   |                |        |
| 12   | 61827-93J02     | ホルダー、サイドカバー              | 1    |                |        |
| 13   | 09321-10030     | クワシオン                    | 2    |                |        |
| 14   | 01550-08167     | ホルト                      | 2    |                |        |
| 15   | 61832-98J00     | シール、フロントパネル (スターホート)     | 1    |                |        |
| 16   | 61812-98J00     | シール、サイドカバー               | 1    |                |        |
| 17   | 61814-98J00     | ブラケット、サイドカバー             | 1    |                |        |
| 18-1 | 61831-98J02-YAY | パネル、フロント (ブラック)          | 1    | BODY COLOR:YAY |        |
| 18-2 | 61831-98J02-Y5S | パネル、フロント (ホワイト)          | 1    | BODY COLOR:Y5S |        |
| 19   | 09116-08163     | ホルト (8X38)               | 2    |                |        |
| 20   | 09169-08039     | ワッシャー                    | 2    |                |        |
| 21   | 09320-11013     | クワシオン                    | 2    |                |        |
| 22   | 09321-10030     | クワシオン                    | 3    |                |        |
| 23   | 17913-93J00     | ブラケット、ウオーター              | 1    |                |        |
| 24   | 17914-93J00     | ガスケット、ウオーターラック           | 1    |                |        |
| 25   | 61112-98J00     | ラバー、サイドカバー               | 1    |                |        |
| 26   | 61630-98J00     | シヤフト、カバーフックフロント          | 1    |                |        |
| 27   | 63632-98J20     | シヤフト、エンジンカバーフック (ホート)    | 1    |                |        |
| 28   | 63632-98J30     | シヤフト、エンジンカバーフック (スターホート) | 1    |                |        |
| 29   | 09306-17002     | ブッシュ                     | 3    |                |        |
| 30   | 09160-17052     | ワッシャー (17X30X3)          | 3    |                |        |

FIG.410A




FIG. 410A (1-F-11) サイトカハ - (X-TRANSOM, XX-TRANSOM)

| 見出番号 | 品 番             | 品 名                     | 使用個数 | 備 考            | 標準<br>作業時間 |
|------|-----------------|-------------------------|------|----------------|------------|
| 31   | 61636-98J00     | ブッシュ                    | 3    |                |            |
| 32-1 | 61633-98J10-YAY | レバー, フックリヤスターボート (フック)  | 1    | BODY COLOR:YAY |            |
| 32-2 | 61633-98J10-Y5S | レバー, フックリヤスターボート (ホワイト) | 1    | BODY COLOR:Y5S |            |
| 33-1 | 61634-98J10-YAY | レバー, フックリヤボート (フック)     | 1    | BODY COLOR:YAY |            |
| 33-2 | 61634-98J10-Y5S | レバー, フックリヤボート (ホワイト)    | 1    | BODY COLOR:Y5S |            |
| 34-1 | 61645-98J00-YAY | レバー, フックフロント (フック)      | 1    | BODY COLOR:YAY |            |
| 34-2 | 61645-98J00-Y5S | レバー, フックフロント (ホワイト)     | 1    | BODY COLOR:Y5S |            |
| 35   | 29103-93J20     | ホルト                     | 2    | STBD/PORT      |            |
| 36   | 29103-93J30     | ホルト                     | 1    | フロント           |            |
| 37   | 09160-08152     | ワッシャー (8.5X28X1.5)      | 2    |                |            |
| 38   | 09160-08082     | ワッシャー (8.5X16X1.2)      | 1    |                |            |
| 39   | 61635-98J00     | スベーク                    | 2    |                |            |
| 40   | 61643-98J00     | ブッシュ                    | 2    |                |            |
| 41   | 61658-98J00     | スプリング, フックシャフト          | 3    |                |            |
| 42   | 09329-14002     | クッション (14X20X9)         | 1    |                |            |
| 43   | 61124-98J20     | ゴムマット, リモコンケーブル         | 1    |                |            |
| 44   | 09407-25402     | クランプ (L:250)            | 1    |                |            |
| 45   | 61458-99E50     | ラベル, エンジンカバー            | 1    |                |            |
| 46   | 67361-90J10     | アタフタ, ホース (リキック)        | 1    | オプション          |            |
| 47   | 09208-06009     | ピン                      | 2    | オプション          |            |
| 48   | 09383-04002     | リング                     | 2    | オプション          |            |

FIG.410B




FIG. 410B (1-F-12) サイドカバー (L-TRANSOM)

| 見出番号 | 品番              | 品名                         | 使用個数 | 備考             | 標準作業時間 |
|------|-----------------|----------------------------|------|----------------|--------|
| 1-1  | 61131-93J20-YAY | カバー, オイルパスターホート (L) (ブラック) | 1    | BODY COLOR:YAY |        |
| 1-2  | 61131-93J20-Y5S | カバー, オイルパスターホート (L) (ホワイト) | 1    | BODY COLOR:Y5S |        |
| 2-1  | 61141-93J20-YAY | カバー, オイルパスターホート (L) (ブラック) | 1    | BODY COLOR:YAY |        |
| 2-2  | 61141-93J20-Y5S | カバー, オイルパスターホート (L) (ホワイト) | 1    | BODY COLOR:Y5S |        |
| 3    | 61137-93J00     | クッション, オイルパスターホート          | 2    |                |        |
| 4    | 09136-06161     | スクリュー (6X17)               | 8    |                |        |
| 5    | 09136-06148     | スクリュー (6X35)               | 3    |                |        |
| 6-1  | 61811-98J20-YAY | カバー, サイドスターホート (ブラック)      | 1    | BODY COLOR:YAY |        |
| 6-2  | 61811-98J20-Y5S | カバー, サイドスターホート (ホワイト)      | 1    | BODY COLOR:Y5S |        |
| 7-1  | 61821-98J10-YAY | カバー, サイドホート (ブラック)         | 1    | BODY COLOR:YAY |        |
| 7-2  | 61821-98J10-Y5S | カバー, サイドホート (ホワイト)         | 1    | BODY COLOR:Y5S |        |
| 8    | 61134-93J20     | シール, サイドカバー                | 1    |                |        |
| 9    | 09409-05302-5PK | クリップ (ブラック)                | 2    |                |        |
| 10   | 61817-93J00     | ブラケット, サイドカバー              | 2    |                |        |
| 11   | 09136-06148     | スクリュー (6X35)               | 10   |                |        |
| 12   | 61827-93J02     | ホルダー, サイドカバー               | 1    |                |        |
| 13   | 09321-10030     | クッション                      | 2    |                |        |
| 14   | 01550-08167     | ホルト                        | 2    |                |        |
| 15   | 61832-98J00     | シール, フロントパネル (スターホート)      | 1    |                |        |
| 16   | 61812-98J00     | シール, サイドカバー                | 1    |                |        |
| 17   | 61814-98J00     | ブラケット, サイドカバー              | 1    |                |        |
| 18-1 | 61831-98J02-YAY | パネル, フロント (ブラック)           | 1    | BODY COLOR:YAY |        |
| 18-2 | 61831-98J02-Y5S | パネル, フロント (ホワイト)           | 1    | BODY COLOR:Y5S |        |
| 19   | 09116-08163     | ホルト (8X38)                 | 2    |                |        |
| 20   | 09169-08039     | ワッシャー                      | 2    |                |        |
| 21   | 09320-11013     | クッション                      | 2    |                |        |
| 22   | 09321-10030     | クッション                      | 3    |                |        |
| 23   | 17913-93J00     | ブラケット, ウォータ                | 1    |                |        |
| 24   | 17914-93J00     | ガスクット, ウォータブラケット           | 1    |                |        |
| 25   | 61112-98J00     | ラバー, サイドカバー                | 1    |                |        |
| 26   | 61630-98J00     | シャフト, カバーフックフロント           | 1    | フロント           |        |
| 27   | 63632-98J20     | シャフト, エンジンカバーフック (ホート)     | 1    | PORT           |        |
| 28   | 63632-98J30     | シャフト, エンジンカバーフック (スターホート)  | 1    | STBD           |        |
| 29   | 09306-17002     | ブッシュ                       | 3    |                |        |
| 30   | 09160-17052     | ワッシャー (17X30X3)            | 3    |                |        |

FIG.410B





FIG. 410B (1-F-13) サイドカバー (L-TRANSOM)

| 見出番号 | 品番              | 品名                      | 使用個数 | 備考             | 標準作業時間 |
|------|-----------------|-------------------------|------|----------------|--------|
| 31   | 61636-98J00     | ブッシュ                    | 3    |                |        |
| 32-1 | 61633-98J10-YAY | レバー, フックリヤスターボート (ブラック) | 1    | BODY COLOR:YAY |        |
| 32-2 | 61633-98J10-Y5S | レバー, フックリヤスターボート (ホワイト) | 1    | BODY COLOR:Y5S |        |
| 33-1 | 61634-98J10-YAY | レバー, フックリヤボート (ブラック)    | 1    | BODY COLOR:YAY |        |
| 33-2 | 61634-98J10-Y5S | レバー, フックリヤボート (ホワイト)    | 1    | BODY COLOR:Y5S |        |
| 34-1 | 61645-98J00-YAY | レバー, フックフロント (ブラック)     | 1    | BODY COLOR:YAY |        |
| 34-2 | 61645-98J00-Y5S | レバー, フックフロント (ホワイト)     | 1    | BODY COLOR:Y5S |        |
| 35   | 29103-93J20     | ボルト                     | 2    | STBD/PORT      |        |
| 36   | 29103-93J30     | ボルト                     | 1    | フロント           |        |
| 37   | 09160-08152     | ワッシャー (8.5X28X1.5)      | 2    |                |        |
| 38   | 09160-08082     | ワッシャー (8.5X16X1.2)      | 1    |                |        |
| 39   | 61635-98J00     | スベーク                    | 2    |                |        |
| 40   | 61643-98J00     | ブッシュ                    | 2    |                |        |
| 41   | 61658-98J00     | スプリング, フックシャフト          | 3    |                |        |
| 42   | 09329-14002     | クッション (14X20X9)         | 1    |                |        |
| 43   | 61124-98J20     | ゴムマット, リモコンケーブル         | 1    |                |        |
| 44   | 09407-25402     | クランプ (L:250)            | 1    |                |        |
| 45   | 61458-99E50     | ラベル, エンジンカバー            | 1    |                |        |
| 46   | 67361-90J10     | アダプター, ホース (リキリング)      | 1    | オプション          |        |
| 47   | 09208-06009     | ピン                      | 2    | オプション          |        |
| 48   | 09383-04002     | リング                     | 2    | オプション          |        |

FIG.420A



DF300A\_000\_018\_420A  
ENGINE COVER

FIG. 420A (1-F-14) エンジンカバー (DF300A)

| 見出番号 | 品番              | 品名                         | 使用個数 | 備考                        | 標準作業時間 |
|------|-----------------|----------------------------|------|---------------------------|--------|
| 1-1  | 61420-98800-YAY | カバーセット, エンジン (DF250A/300A) | 1    | BODY COLOR:YAY            |        |
| 1-2  | 61420-98810-Y5S | カバーセット, エンジン (DF250A/300A) | 1    | BODY COLOR:Y5S            |        |
| 2-1  | 61431-98J10-YAY | カバー, エンジントップ (ブラック)        | 1    | BODY COLOR:YAY            |        |
| 2-2  | 61431-98J10-Y5S | カバー, エンジントップ (ホワイト)        | 1    | BODY COLOR:Y5S            |        |
| 3    | 61432-98J01     | カバー, エアインテーク               | 1    |                           |        |
| 4    | 61433-98J01     | クリップ, エンジンアッパーカバースターボート    | 1    |                           |        |
| 5    | 61434-98J02     | クリップ, エンジンアッパーカバーボート       | 1    |                           |        |
| 6    | 61439-98J00     | シール, クリップスターボート            | 1    |                           |        |
| 7    | 61439-98J10     | シール, クリップボート               | 1    |                           |        |
| 8    | 61439-98J21     | シール, エアメントNO. 2            | 1    |                           |        |
| 9    | 61476-98J00     | シール, エアメントNO. 1            | 1    |                           |        |
| 10   | 01550-06167     | ボルト                        | 2    |                           |        |
| 11   | 01550-06207     | ボルト                        | 3    |                           |        |
| 12   | 01550-06167     | ボルト                        | 3    |                           |        |
| 13   | 03542-06169     | スクリュー                      | 5    |                           |        |
| 14   | 01550-06167     | ボルト                        | 4    |                           |        |
| 15   | 03542-06169     | スクリュー                      | 4    |                           |        |
| 16   | 61610-98J00     | ファスナー, フロント                | 1    | フロント                      |        |
| 17   | 61610-98J30     | ファスナー, ボート                 | 1    | PORT                      |        |
| 18   | 61610-98J40     | ファスナー, スターボート              | 1    | STBD                      |        |
| 19   | 77811-54GC0-OPG | エンブレム, マークS (クローム)         | 1    |                           |        |
| 20   | 61614-98J00     | ブラケット, ファスナー               | 1    |                           |        |
| 21   | 61621-98J02     | ブラケット, ファスナーフロント           | 1    |                           |        |
| 22   | 61624-98J11     | ブラケット, ファスナーボート            | 1    |                           |        |
| 23   | 61625-98J11     | ブラケット, ファスナースターボート         | 1    |                           |        |
| 24   | 61619-98J00     | クワジオン, エンジンカバーファスナー        | 3    |                           |        |
| 25   | 01547-06167     | ボルト                        | 6    |                           |        |
| 26   | 01550-06127     | ボルト                        | 1    |                           |        |
| 27   | 01550-06127     | ボルト                        | 2    |                           |        |
| 28   | 61425-98J00     | クワジオン, エンジンカバー             | 1    |                           |        |
| 29-1 | 61443-96J70     | ストラップ, エンジンカバースターボート       | 1    | FOR YAY<br>BODY COLOR:YAY |        |
| 29-2 | 61443-96J80     | ストラップ, エンジンカバースターボート       | 1    | FOR Y5S<br>BODY COLOR:Y5S |        |
| 30-1 | 61453-96J70     | ストラップ, エンジンカバーボート          | 1    | FOR YAY                   |        |

DF300A\_000\_018

FIG.420A





FIG. 420A (1-F-15) エンジンカバー (DF300A)

| 見出番号 | 品 番         | 品 名                  | 使用個数 | 備 考                                         | 標準<br>作業時間 |
|------|-------------|----------------------|------|---------------------------------------------|------------|
| 30-2 | 61453-96J80 | ・ストライプ, エンジンカバー・ボート  | 1    | BODY COLOR:YAY<br>FOR Y5S<br>BODY COLOR:Y5S |            |
| 31   | 61441-98L00 | ・マーク, ススキ            | 2    |                                             |            |
| 32-1 | 61422-98J50 | マーク, エンブレムフロント (300) | 1    | FOR YAY<br>BODY COLOR:YAY                   |            |
| 32-2 | 61422-98J30 | マーク, エンブレムフロント (300) | 1    | FOR Y5S<br>BODY COLOR:Y5S                   |            |
| 33-1 | 61435-98J50 | マーク, エンブレムリヤ (300)   | 1    | FOR YAY<br>BODY COLOR:YAY                   |            |
| 33-2 | 61435-98J30 | マーク, エンブレムリヤ (300)   | 1    | FOR Y5S<br>BODY COLOR:Y5S                   |            |
| 34   | 09800-81835 | ツールセット               | 1    |                                             |            |
| 35   | 68110-98J01 | カバー, ウェザ             | 1    | オプション                                       |            |

FIG.420B



DF300A\_000\_018\_420B  
ENGINE COVER

FIG. 420B (1-F-16) エンジンカバー (DF250A)

| 見出番号 | 品番              | 品名                         | 使用個数 | 備考                        | 標準作業時間 |
|------|-----------------|----------------------------|------|---------------------------|--------|
| 1-1  | 61420-98800-YAY | カバーセット, エンジン (DF250A/300A) | 1    | BODY COLOR:YAY            |        |
| 1-2  | 61420-98810-Y5S | カバーセット, エンジン (DF250A/300A) | 1    | BODY COLOR:Y5S            |        |
| 2-1  | 61431-98J10-YAY | カバー, エンジントップ (ブラック)        | 1    | BODY COLOR:YAY            |        |
| 2-2  | 61431-98J10-Y5S | カバー, エンジントップ (ホワイト)        | 1    | BODY COLOR:Y5S            |        |
| 3    | 61432-98J01     | カバー, エアインテーク               | 1    |                           |        |
| 4    | 61433-98J01     | クリップ, エンジンアッパーカバースターボート    | 1    |                           |        |
| 5    | 61434-98J02     | クリップ, エンジンアッパーカバーボート       | 1    |                           |        |
| 6    | 61439-98J00     | シール, クリップスターボート            | 1    |                           |        |
| 7    | 61439-98J10     | シール, クリップボート               | 1    |                           |        |
| 8    | 61439-98J21     | シール, エアホースNO. 2            | 1    |                           |        |
| 9    | 61476-98J00     | シール, エアホースNO. 1            | 1    |                           |        |
| 10   | 01550-06167     | ボルト                        | 2    |                           |        |
| 11   | 01550-06207     | ボルト                        | 3    |                           |        |
| 12   | 01550-06167     | ボルト                        | 3    |                           |        |
| 13   | 03542-06169     | スクリュー                      | 5    |                           |        |
| 14   | 01550-06167     | ボルト                        | 4    |                           |        |
| 15   | 03542-06169     | スクリュー                      | 4    |                           |        |
| 16   | 61610-98J00     | ファスナー, フロント                | 1    | フロント                      |        |
| 17   | 61610-98J30     | ファスナー, ボート                 | 1    | PORT                      |        |
| 18   | 61610-98J40     | ファスナー, スターボート              | 1    | STBD                      |        |
| 19   | 77811-54GC0-OPG | エンブレム, マークS (クローム)         | 1    |                           |        |
| 20   | 61614-98J00     | ブラケット, ファスナー               | 1    |                           |        |
| 21   | 61621-98J02     | ブラケット, ファスナーフロント           | 1    |                           |        |
| 22   | 61624-98J11     | ブラケット, ファスナーボート            | 1    |                           |        |
| 23   | 61625-98J11     | ブラケット, ファスナースターボート         | 1    |                           |        |
| 24   | 61619-98J00     | クワジオン, エンジンカバーファスナー        | 3    |                           |        |
| 25   | 01547-06167     | ボルト                        | 6    |                           |        |
| 26   | 01550-06127     | ボルト                        | 1    |                           |        |
| 27   | 01550-06127     | ボルト                        | 2    |                           |        |
| 28   | 61425-98J00     | クワジオン, エンジンカバー             | 1    |                           |        |
| 29-1 | 61443-96J70     | ストライプ, エンジンカバースターボート       | 1    | FOR YAY<br>BODY COLOR:YAY |        |
| 29-2 | 61443-96J80     | ストライプ, エンジンカバースターボート       | 1    | FOR Y5S<br>BODY COLOR:Y5S |        |
| 30-1 | 61453-96J70     | ストライプ, エンジンカバーボート          | 1    | FOR YAY                   |        |

DF300A\_000\_018

| 見出番号 | 品番          | 品名                                                                          | 使用個数 | 備考                                          | 標準作業時間 |
|------|-------------|-----------------------------------------------------------------------------|------|---------------------------------------------|--------|
| 30-2 | 61453-96J80 | ・ストライプ <sup>®</sup> 、エンジ <sup>®</sup> ンカバー <sup>®</sup> -ホ <sup>®</sup> -ート | 1    | BODY COLOR:YAY<br>FOR Y5S<br>BODY COLOR:Y5S |        |
| 31   | 61441-98L00 | ・マーク、スス <sup>®</sup> キ                                                      | 2    |                                             |        |
| 32-1 | 61422-98J40 | マーク、エンブ <sup>®</sup> レムフロント(250)                                            | 1    | FOR YAY<br>BODY COLOR:YAY                   |        |
| 32-2 | 61422-93JE0 | マーク、エンブ <sup>®</sup> レムフロント(250)                                            | 1    | FOR Y5S<br>BODY COLOR:Y5S                   |        |
| 33-1 | 61435-98J60 | マーク、エンブ <sup>®</sup> レムリヤ(250)                                              | 1    | FOR YAY<br>BODY COLOR:YAY                   |        |
| 33-2 | 61435-93JD0 | マーク、エンブ <sup>®</sup> レムリヤ(250)                                              | 1    | FOR Y5S<br>BODY COLOR:Y5S                   |        |
| 34   | 09800-81835 | ツールセット                                                                      | 1    |                                             |        |
| 35   | 68110-98J01 | カバー <sup>®</sup> 、ウエザ <sup>®</sup>                                          | 1    | オフ <sup>®</sup> ション                         |        |

FIG.430A




FIG. 430A (1-G-3) フューエルホース


| 見出番号 | 品 番         | 品 名                     | 使用個数 | 備 考 | 標 準<br>作業時間 |
|------|-------------|-------------------------|------|-----|-------------|
| 1    | 65700-93J11 | ホース, フューエル (タンクツア-エンジン) | 1    |     |             |
| 2    | 65770-93J12 | ・ホ ンプ', スクイズ'           | 1    |     |             |
| 3    | 09401-13423 | クリップ'                   | 1    |     |             |

This exploded view diagram illustrates the assembly of a motorcycle headlight. The components are numbered 1 through 55. The main assembly includes a headlight housing (1), a lens (2), a reflector (3), a headlight bulb (4), a mounting bracket (5), a switch (6), a relay (7), a fuse (8), a fuse holder (9), a fuse link (10), a fuse clip (11), a fuse terminal (12), a fuse wire (13), a fuse plug (14), a fuse cap (15), a fuse cover (16), a fuse terminal (17), a fuse terminal (18), a fuse terminal (19), a fuse terminal (20), a fuse terminal (21), a fuse terminal (22), a fuse terminal (23), a fuse terminal (24), a fuse terminal (25), a fuse terminal (26), a fuse terminal (27), a fuse terminal (28), a fuse terminal (29), a fuse terminal (30), a fuse terminal (31), a fuse terminal (32), a fuse terminal (33), a fuse terminal (34), a fuse terminal (35), a fuse terminal (36), a fuse terminal (37), a fuse terminal (38), a fuse terminal (39), a fuse terminal (40), a fuse terminal (41), a fuse terminal (42), a fuse terminal (43), a fuse terminal (44), a fuse terminal (45), a fuse terminal (46), a fuse terminal (47), a fuse terminal (48), a fuse terminal (49), a fuse terminal (50), a fuse terminal (51), a fuse terminal (52), a fuse terminal (53), a fuse terminal (54), a fuse terminal (55).

**FWD**

| 見出番号 | 品番          | 品名                                                         | 使用個数 | 備考 | 標準作業時間 |
|------|-------------|------------------------------------------------------------|------|----|--------|
| 1    | 67200-98J23 | リモートコントロールアツシ、フラツシマウント                                     | 1    |    |        |
| 2    | 67271-98J20 | ・カハ <sup>°</sup> ー、ホ <sup>°</sup> トムベ <sup>°</sup> ース      | 1    |    |        |
| 3    | 67264-98J00 | ・カハ <sup>°</sup> ー、トツフ <sup>°</sup> ヘ <sup>°</sup> ース      | 1    |    |        |
| 4    | 67263-98J20 | ・カハ <sup>°</sup> ー、レハ <sup>°</sup> ー                       | 1    |    |        |
| 5    | 67261-98J20 | ・ク <sup>°</sup> リツフ <sup>°</sup> 、A                        | 1    |    |        |
| 6    | 67261-98J30 | ・ク <sup>°</sup> リツフ <sup>°</sup> 、B                        | 1    |    |        |
| 7    | 67265-98J00 | ・ホ <sup>°</sup> タン、ニュートラルロツク                               | 1    |    |        |
| 8    | 67255-98J00 | ・リンク、ニュートラルロツクNO. 1                                        | 1    |    |        |
| 9    | 67258-98J00 | ・フ <sup>°</sup> レート、ジ <sup>°</sup> ョイント                    | 1    |    |        |
| 10   | 67256-98J00 | ・フ <sup>°</sup> ロツク、ニュートラルロツク                              | 1    |    |        |
| 11   | 67259-98J00 | ・スプ <sup>°</sup> リンク <sup>°</sup>                          | 3    |    |        |
| 12   | 67251-98J20 | ・レハ <sup>°</sup> ー、ハント <sup>°</sup> ル                      | 1    |    |        |
| 13   | 67294-98J00 | ・スベ <sup>°</sup> ーサ                                        | 1    |    |        |
| 14   | 67254-98J00 | ・リンク、ニュートラルロツクNO. 2                                        | 1    |    |        |
| 15   | 67233-98J00 | ・スライダ <sup>°</sup> 、ニュートラルホ <sup>°</sup> タン                | 1    |    |        |
| 16   | 67296-98JA0 | ・スクリュ (4X10)                                               | 3    |    |        |
| 17   | 67234-98J00 | ・フ <sup>°</sup> レート、レハ <sup>°</sup> ー                      | 1    |    |        |
| 18   | 67211-98J20 | ・ハウシ <sup>°</sup> ンク <sup>°</sup>                          | 1    |    |        |
| 19   | 67269-98J20 | ・クランプ <sup>°</sup> 、リト <sup>°</sup>                        | 1    |    |        |
| 20   | 67296-98JB0 | ・スクリュ (4X30)                                               | 1    |    |        |
| 21   | 67227-98J20 | ・スクリュ (4X35)                                               | 1    |    |        |
| 22   | 67227-98J30 | ・スクリュ (4X20)                                               | 1    |    |        |
| 23   | 67288-98J50 | ・ワツシヤ                                                      | 8    |    |        |
| 24   | 67296-98JC0 | ・スクリュ (6X40)                                               | 4    |    |        |
| 25   | 67287-98J00 | ・ナツト                                                       | 4    |    |        |
| 26   | 67226-98J10 | ・ホ <sup>°</sup> ルト (6X50)                                  | 4    |    |        |
| 27   | 67288-98J60 | ・ワツシヤ                                                      | 3    |    |        |
| 28   | 67296-98JD0 | ・スクリュ (5X40)                                               | 1    |    |        |
| 29   | 67238-98J00 | ・ヒ <sup>°</sup> ン                                          | 2    |    |        |
| 30   | 67288-98J70 | ・ワツシヤ                                                      | 5    |    |        |
| 31   | 67246-98J00 | ・シヤフト、ト <sup>°</sup> ライブ <sup>°</sup>                      | 1    |    |        |
| 32   | 67222-98J00 | ・ハ <sup>°</sup> ネルアツシ、ハ <sup>°</sup> ツク                    | 1    |    |        |
| 33   | 67236-98J00 | ・ローラー、デ <sup>°</sup> Tent                                  | 1    |    |        |
| 34   | 67235-98J00 | ・カ <sup>°</sup> イト <sup>°</sup> 、デ <sup>°</sup> Tent ROLER | 1    |    |        |
| 35   | 67237-98J00 | ・スプ <sup>°</sup> リンク <sup>°</sup> 、デ <sup>°</sup> Tent     | 1    |    |        |

FIG.520A



DF300A\_000\_018\_520A  
OPT:FLUSH MOUNT REMOCON

FIG. 520A (1-G-5) オプション:フラッシュマウントリモコン

| 見出番号 | 品 番         | 品 名                 | 使用個数 | 備 考 | 標準<br>作業時間 |
|------|-------------|---------------------|------|-----|------------|
| 36   | 67223-98J00 | ・バツト, プレーキ          | 1    |     |            |
| 37   | 67296-98JE0 | ・スクリュ (5X35)        | 1    |     |            |
| 38   | 67252-98J00 | ・ワッシャ, ドライバシャフト     | 1    |     |            |
| 39   | 67288-98J20 | ・ワッシャ               | 1    |     |            |
| 40   | 67292-98J00 | ・Oリング               | 1    |     |            |
| 41   | 15980-98J00 | ・ボテンシヨメータ           | 1    |     |            |
| 42   | 67227-98J10 | ・レバー, ボテンシヨメータNO. 2 | 1    |     |            |
| 43   | 67296-94300 | ・スクリュ (4X10)        | 2    |     |            |
| 44   | 67288-98J00 | ・ワッシャ               | 5    |     |            |
| 45   | 67296-98J10 | ・スクリュ (5X35)        | 1    |     |            |
| 46   | 67288-98J10 | ・ワッシャ               | 8    |     |            |
| 47   | 67228-98J50 | ・ワッシャ, ウェーブ         | 2    |     |            |
| 48   | 67296-98J60 | ・スクリュ (8X30)        | 1    |     |            |
| 49   | 09160-06104 | ・ワッシャ (6. 5X24X2)   | 4    |     |            |
| 50   | 67296-98J50 | ・スクリュ (5X18)        | 2    |     |            |
| 51   | 67272-98J00 | ・ケロメット, カバー         | 2    |     |            |
| 52   | 37850-98J02 | ・スイッチアツシ, PTT       | 1    |     |            |
| 53   | 67269-98J10 | ・バント                | 1    |     |            |
| 54   | 67257-98J00 | ・マーク, レバー (S)       | 1    |     |            |
| 55   | 36890-98J00 | ・ハーネス, コンデンサアダプタ    | 1    |     |            |

DF300A\_000\_018

FIG.522A




FIG. 522A (1-G-6) オプション:ハーネス(1)

| 見出番号 | 品 番         | 品 名                       | 使用個数 | 備 考 | 標準<br>作業時間 |
|------|-------------|---------------------------|------|-----|------------|
| 1    | 36620-98J50 | ワイヤツシ, リモコンエクステンション       | 1    |     |            |
| 2    | 33830-98J11 | セツト, ハヅリアイソレータリード         | 1    |     |            |
| 3    | 09407-10404 | ・クランプ (L:100)             | 2    |     |            |
| 4    | 09481-40401 | ・フュース (40A)               | 1    |     |            |
| 5    | 33911-88BL0 | キャツプ, ラハ-                 | 1    |     |            |
| 6    | 33925-93J00 | クツシヨシ, エンシヨシコソールユヅ        | AR   |     |            |
| 7    | 33926-98J00 | レシヨシ, ターミナル               | AR   |     |            |
| 8    | 36623-98J20 | ハーネスアツシ, BCM NO. 1 フォーシヨシ | 1    |     |            |
| 9    | 36615-96300 | ・ターミナル                    | 4    |     |            |
| 10-1 | 36770-98J13 | コソールアツシ, ホートエレクトリツク       | 1    |     |            |
| 10-2 | 36770-98J21 | コソールア, ホートエレクトリツクアソール     | 2    |     |            |
| 11   | 36775-98J00 | ホルタ, BCM, レソ              | AR   |     |            |
| 12   | 36776-98J00 | ホルタ, BCM, ラソ              | AR   |     |            |
| 13   | 36622-98J00 | ハーネスアツシ, テュアルステシヨシメイソ     | AR   |     |            |
| 14   | 09481-10501 | ・フュース (10A)               | AR   |     |            |
| 15   | 36624-98J02 | ハーネスアツシ, BCMNO. 2フオーシヨシ   | 1    |     |            |
| 16   | 36615-96300 | ・ターミナル                    | 2    |     |            |
| 17   | 36621-98J00 | ハーネスアツシ, テュアルエンシヨシ        | AR   |     |            |
| 18   | 36623-98J30 | ハーネスアツシ, BCM NO. 1 フォーマルチ | 1    |     |            |
| 19   | 36615-96300 | ・ターミナル                    | 5    |     |            |
| 20   | 36624-98J11 | ハーネスアツシ, BCMNO. 2フオーマルチ   | 1    |     |            |
| 21   | 36615-96300 | ・ターミナル                    | 2    |     |            |
| 22   | 36621-98J10 | ハーネスアツシ, トリフエンシヨシ         | 1    |     |            |
| 23   | 09403-13402 | クランプ (ID:13)              | AR   |     |            |
| 24-1 | 36612-98J01 | コネクタ, カウソタセレクト (グリーソ)     | 1    |     |            |
| 24-2 | 36612-98J20 | コネクタ, カウソタセレクト (ホワソ)      | AR   |     |            |
| 25   | 36990-87D00 | ターミナル, スリーフセツト            | 1    |     |            |
| 26   | 36667-96L20 | ワイヤ, ケーシヨシエクステンシヨシ        | 1    |     |            |

FIG.523A





FIG. 523A (1-G-7) オプション:ハーネス(2)

| 見出番号 | 品番          | 品名                  | 使用個数 | 備考 | 標準作業時間 |
|------|-------------|---------------------|------|----|--------|
| 1    | 36625-98J10 | ワイヤアツシ、ハツテリ         | AR   |    |        |
| 2    | 09481-30501 | ・フューズ (30A)         | AR   |    |        |
| 3    | 36623-98J40 | ハーネスアツシ、BCMフォークアトフル | 1    |    |        |
| 4    | 36615-96300 | ・ターミナル              | 8    |    |        |
| 5    | 36627-98J00 | ・ハーネス、リモコンエクステンション  | 1    |    |        |
| 6    | 17917-87L00 | コネクタ、フラッシュウオータ      | 1    |    |        |

FIG.530A



DF300A\_000\_018\_530A  
OPT:SWITCH

FIG. 530A (1-G-8) オプション:スイッチ

| 見出番号 | 品 番         | 品 名                                                            | 使用個数 | 備 考 | 標 準<br>作業時間 |
|------|-------------|----------------------------------------------------------------|------|-----|-------------|
| 1    | 37100-98J05 | ハ <sup>ニ</sup> ネルアツシ, メインスイッチ                                  | 1    |     |             |
| 2    | 37110-98J01 | ・スイッチアツシ, メイン                                                  | 1    |     |             |
| 3-1  | 37141-99EA0 | ・キー (941)                                                      | 1    |     |             |
| 3-2  | 37141-99EB0 | ・キー (942)                                                      | 1    |     |             |
| 3-3  | 37141-99E00 | ・キー (931)                                                      | 1    |     |             |
| 3-4  | 37141-99E10 | ・キー (932)                                                      | 1    |     |             |
| 3-5  | 37141-99E20 | ・キー (933)                                                      | 1    |     |             |
| 3-6  | 37141-99E30 | ・キー (934)                                                      | 1    |     |             |
| 3-7  | 37141-99E40 | ・キー (935)                                                      | 1    |     |             |
| 3-8  | 37141-99E50 | ・キー (936)                                                      | 1    |     |             |
| 3-9  | 37141-99E60 | ・キー (937)                                                      | 1    |     |             |
| 3-10 | 37141-99E70 | ・キー (938)                                                      | 1    |     |             |
| 3-11 | 37141-99E80 | ・キー (939)                                                      | 1    |     |             |
| 3-12 | 37141-99E90 | ・キー (940)                                                      | 1    |     |             |
| 4    | 37143-99E00 | ・キヤツツ, キー                                                      | 1    |     |             |
| 5    | 37139-98J10 | ・ハ <sup>ニ</sup> ネル, メインスイッチ                                    | 1    |     |             |
| 6    | 37820-93J10 | ・スイッチアツシ, エマシ <sup>ニ</sup> エンシ                                 | 1    |     |             |
| 7    | 37823-92E01 | ・フ <sup>ニ</sup> レートアツシ, エマシ <sup>ニ</sup> エンシスイッチロツク            | 1    |     |             |
| 8    | 37826-92J10 | ・ナツト                                                           | 1    |     |             |
| 9    | 03122-05165 | ・スクリユ                                                          | 4    |     |             |
| 10   | 37114-98J00 | ・シート, メインスイッチハ <sup>ニ</sup> ネル                                 | 1    |     |             |
| 11   | 37100-98J11 | ハ <sup>ニ</sup> ネルアツシ, シンク <sup>ニ</sup> ル                       | 1    |     |             |
| 12   | 37112-98J00 | ・ナツト                                                           | 1    |     |             |
| 13   | 38500-93J90 | ブ <sup>ニ</sup> ザ <sup>ニ</sup> ー, ウォーニンク <sup>ニ</sup>           | AR   |     |             |
| 14   | 09407-08401 | クランブ <sup>ニ</sup> (L: 80)                                      | AR   |     |             |
| 15   | 37803-93J05 | ハ <sup>ニ</sup> ネルアツシ, エマシ <sup>ニ</sup> エンシスイッチ                 | 1    |     |             |
| 16   | 37825-99E10 | ・ハ <sup>ニ</sup> ネル, エマシ <sup>ニ</sup> エンシストツツ <sup>ニ</sup> スイッチ | 1    |     |             |
| 17   | 37820-93J10 | ・スイッチアツシ, エマシ <sup>ニ</sup> エンシ                                 | 1    |     |             |
| 18   | 37823-92E01 | ・フ <sup>ニ</sup> レートアツシ, エマシ <sup>ニ</sup> エンシスイッチロツク            | 1    |     |             |
| 19   | 37826-92J10 | ・ナツト                                                           | 1    |     |             |
| 20   | 03122-05165 | ・スクリユ                                                          | 4    |     |             |
| 21   | 37100-98J21 | ハ <sup>ニ</sup> ネルアツシ, テ <sup>ニ</sup> ュアル                       | AR   |     |             |
| 22   | 37112-98J10 | ・ナツト                                                           | AR   |     |             |
| 23   | 37100-98J31 | ハ <sup>ニ</sup> ネルアツシ, トリフ <sup>ニ</sup> ル                       | 1    |     |             |
| 24   | 37112-98J10 | ・ナツト                                                           | 1    |     |             |

FIG.530A





FIG. 530A (1-G-9) オプション:スイッチ

| 見出番号 | 品 番         | 品 名                     | 使用個数 | 備 考 | 標準<br>作業時間 |
|------|-------------|-------------------------|------|-----|------------|
| 25   | 37860-87L00 | パネルアッシ、トロリング コントロールスイッチ | 1    |     |            |
| 26   | 37862-87L00 | ・パネル                    | 1    |     |            |
| 27   | 09131-05004 | ・タツピング スクリュ             | 4    |     |            |

FIG.535A




DF300A\_000\_018\_535A  
OPT:KEY LESSSTART

FIG. 535A (1-G-10) オプション:キーレススタート

| 見出番号 | 品番          | 品名                       | 使用個数 | 備考 | 標準作業時間 |
|------|-------------|--------------------------|------|----|--------|
| 1    | 37100-96L01 | ハネルアツシ, メインスイッチ          | 1    |    |        |
| 2    | 37110-96L00 | ・スイッチアツシ, メイン            | 1    |    |        |
| 3-1  | 37141-99E00 | ・キー (931)                | 1    |    |        |
| 3-2  | 37141-99E10 | ・キー (932)                | 1    |    |        |
| 3-3  | 37141-99E20 | ・キー (933)                | 1    |    |        |
| 3-4  | 37141-99E30 | ・キー (934)                | 1    |    |        |
| 3-5  | 37141-99E40 | ・キー (935)                | 1    |    |        |
| 3-6  | 37141-99E50 | ・キー (936)                | 1    |    |        |
| 4    | 37143-96L00 | ・ノブ, メインスイッチ             | 1    |    |        |
| 5    | 37114-98J00 | ・シート, メインスイッチハネル         | 1    |    |        |
| 6    | 37139-96L30 | ・ハネル, メインスイッチ            | 1    |    |        |
| 7    | 37820-93J10 | ・スイッチアツシ, エマシエンシ         | 1    |    |        |
| 8    | 37823-92E01 | ・フレートアツシ, エマシエンシスイッチロック  | 1    |    |        |
| 9    | 37826-92J10 | ・ナット                     | 1    |    |        |
| 10   | 03122-05165 | ・スクリュー                   | 4    |    |        |
| 11   | 37105-96L01 | ハーネスセット, キーレススタートコントローラ  | 1    |    |        |
| 12   | 32980-38F00 | ・クツシヨシ, CD1ユニット          | 1    |    |        |
| 13   | 36623-96L01 | ハーネスアツシ, キーレススタートコントローラ  | 1    |    |        |
| 14   | 36615-96300 | ・ターミナル                   | 1    |    |        |
| 15   | 36662-96L00 | ハーネスアツシ, キーレススタートCAN     | 1    |    |        |
| 16   | 37173-96L10 | ・ホルダ, キーレススタートハーツ        | 1    |    |        |
| 17   | 38500-93J90 | ・フザ, ウォーニング              | 1    |    |        |
| 18   | 38860-96L00 | ・リレーアツシ, キーレススタート        | 1    |    |        |
| 19   | 32851-93J00 | ・クツシヨシ, リードワイヤ           | 1    |    |        |
| 20   | 09407-14407 | ・クランプ (L:145)            | 1    |    |        |
| 21   | 37170-96L13 | コントローラセット, キーレススタート315   | 1    |    |        |
| 22   | 37117-96L00 | ・デカル, キーレススタート           | 2    |    |        |
| 23   | 37171-96L12 | ・コントローラアツシ, キーレススタート315  | 1    |    |        |
| 24   | 37172-96L10 | ・リモコンアツシ, キーレススタート315MHZ | 2    |    |        |
| 25   | 36663-96L00 | ワイヤ, キーレススタートCANエクステンション | 1    |    |        |
| 26   | 36664-96L00 | ハーネスアツシ, キーレススタートCAN     | AR   |    |        |
| 27   | 37173-96L00 | ホルダ, キーレススタートハーツ         | 1    |    |        |

DF300A\_000\_018

FIG.540A



DF300A\_000\_018\_540A  
OPT:REMOTE CONTROL ASSYDUAL

FIG. 540A (1-G-11) オプション:リモートコントロールアッセンデュアル

| 見出番号 | 品 番         | 品 名                   | 使用個数 | 備 考 | 標準<br>作業時間 |
|------|-------------|-----------------------|------|-----|------------|
| 1    | 67200-98J14 | リモートコントロールアッセン, マルチプル | 1    |     |            |
| 2    | 67211-98J20 | ・ハウジング                | 1    |     |            |
| 3    | 67251-98J00 | ・レバー, ハンドル            | 2    |     |            |
| 4    | 67246-98J10 | ・シャフト, ドライブ リモコン      | 1    |     |            |
| 5    | 67261-98J00 | ・グリップ, NO. 1          | 1    |     |            |
| 6    | 67261-98J10 | ・グリップ, NO. 2          | 1    |     |            |
| 7    | 67263-98J00 | ・カバー, レバー             | 2    |     |            |
| 8    | 67212-98J30 | ・カバー, リモコンアッセン        | 1    |     |            |
| 9    | 67271-98J40 | ・カバー, リモコンボトム         | 1    |     |            |
| 10   | 67222-98J10 | ・ハネルアッセン, ハック         | 1    |     |            |
| 11   | 67236-98J10 | ・ローラ, テント             | 2    |     |            |
| 12   | 67235-98J10 | ・ガイド, テントローラ          | 2    |     |            |
| 13   | 67237-98J40 | ・スプリング, テント           | 2    |     |            |
| 14   | 67233-98J10 | ・ホルダー, テントスプリング       | 2    |     |            |
| 15   | 67287-92E00 | ・ナット                  | 2    |     |            |
| 16   | 67239-98J00 | ・スクリュ, テントアシスタメント     | 2    |     |            |
| 17   | 67223-98J00 | ・パッド, フレーキ            | 2    |     |            |
| 18   | 67296-98J50 | ・スクリュ (5X18)          | 8    |     |            |
| 19   | 67296-98JA0 | ・スクリュ (4X10)          | 2    |     |            |
| 20   | 67272-98J10 | ・グロメット, リモコンカバー       | 2    |     |            |
| 21   | 67252-98J10 | ・ブッシュ, ドライブ シャフト      | 2    |     |            |
| 22   | 67288-98J20 | ・ワッシャ                 | 2    |     |            |
| 23   | 67292-98J00 | ・Oリング                 | 2    |     |            |
| 24   | 15980-98J00 | ・ボテンシヨメータ             | 2    |     |            |
| 25   | 67227-98J10 | ・レバー, ボテンシヨメータNO. 2   | 1    |     |            |
| 26   | 37850-98J02 | ・スイッチアッセン, PTT        | 1    |     |            |
| 27   | 67269-98J00 | ・クランプ, リード            | 1    |     |            |
| 28   | 67273-98J20 | ・バックギンク               | 1    |     |            |
| 29   | 67296-98J60 | ・スクリュ (8X30)          | 2    |     |            |
| 30   | 67296-98J30 | ・スクリュ (5X70)          | 4    |     |            |
| 31   | 67296-98J60 | ・スクリュ (5X14)          | 2    |     |            |
| 32   | 67296-98J00 | ・スクリュ (5X12)          | 1    |     |            |
| 33   | 67296-94300 | ・スクリュ (4X10)          | 4    |     |            |
| 34   | 67288-98J40 | ・ワッシャ                 | 14   |     |            |
| 35   | 67288-98J00 | ・ワッシャ                 | 4    |     |            |

DF300A\_000\_018

FIG.540A




FIG. 540A (1-G-12) オプション:リモートコントロールアッセンブリアル

| 見出番号 | 品 番         | 品 名                  | 使用個数 | 備 考 | 標準<br>作業時間 |
|------|-------------|----------------------|------|-----|------------|
| 36   | 67288-92E20 | ・ワッシャ                | 2    |     |            |
| 37   | 67226-98J00 | ・ボルト (5X50)          | 4    |     |            |
| 38   | 09160-05024 | ・ワッシャ (5. 5X16X1. 5) | 4    |     |            |
| 39   | 67287-92E00 | ・ナット                 | 4    |     |            |
| 40   | 67296-98J90 | ・スクリュ (8X30)         | 2    |     |            |
| 41   | 67227-98J00 | ・レバー, ボテンシヨメータNO. 1  | 1    |     |            |
| 42   | 67284-98J10 | ・マーク (F-N-R)         | 1    |     |            |
| 43   | 67257-98J00 | ・マーク, レバー (S)        | 2    |     |            |
| 44   | 67269-98J30 | ・ハンドル                | 1    |     |            |
| 45   | 67288-98J10 | ・ワッシャ                | 16   |     |            |
| 46   | 67288-98J30 | ・ワッシャ                | 2    |     |            |
| 47   | 67228-98J50 | ・ワッシャ, ウェーブ          | 2    |     |            |
| 48   | 67211-98J30 | ・ハウジング, リモコン         | 1    |     |            |
| 49   | 67222-98J20 | ・バネアッシ, バック          | 1    |     |            |
| 50   | 67246-98J20 | ・シャフト, ドライブ リモコン     | 1    |     |            |
| 51   | 67273-98J10 | ・バッキング, フロント         | 1    |     |            |
| 52   | 67273-98J30 | ・バッキング, リヤ           | 1    |     |            |
| 53   | 67277-98J00 | ・クローメツト, リモコンホトムカバー  | 1    |     |            |
| 54   | 67296-98JF0 | ・ボルト (5X14)          | 1    |     |            |
| 55   | 67297-98J00 | ・ナット, アッパカバーボルト      | 1    |     |            |
| 56   | 67237-98J50 | ・スプリング, テンテ          | 2    |     |            |
| 57   | 36890-98J00 | ・ハーネス, コンテナサタフタ      | 1    |     |            |
| 58-1 | 36620-98J30 | ワイヤアッシ, リモートコントロール   | 1    |     |            |
| 58-2 | 36620-98J40 | ワイヤアッシ, リモートコントロール   | 1    |     |            |

FIG.543A





FIG. 543A (1-G-13) オプション:リモート コントロール アツシ シンク

| 見出番号 | 品 番         | 品 名                 | 使用個数 | 備 考 | 標準<br>作業時間 |
|------|-------------|---------------------|------|-----|------------|
| 1    | 67200-98J04 | リモートコントロールアツシ, シンク  | 1    |     |            |
| 2    | 67211-98J20 | ・ハウジング              | 1    |     |            |
| 3    | 67251-98J00 | ・レバー, ハンドル          | 1    |     |            |
| 4    | 67246-98J10 | ・シャフト, トライブ リモコン    | 1    |     |            |
| 5    | 67261-98J00 | ・クリップ, NO. 1        | 1    |     |            |
| 6    | 67263-98J00 | ・カバー, レバー           | 1    |     |            |
| 7    | 67212-98J20 | ・カバー, リモコンアツパ       | 1    |     |            |
| 8    | 67271-98J30 | ・カバー, リモコンボトム       | 1    |     |            |
| 9    | 67222-98J10 | ・パネルアツシ, ハツク        | 1    |     |            |
| 10   | 67236-98J10 | ・ローラ, テント           | 1    |     |            |
| 11   | 67235-98J10 | ・ガイド, テントローラ        | 1    |     |            |
| 12   | 67237-98J30 | ・スプリング, テント         | 1    |     |            |
| 13   | 67233-98J10 | ・ホルダ, テントスプリング      | 1    |     |            |
| 14   | 67287-92E00 | ・ナット                | 1    |     |            |
| 15   | 67239-98J00 | ・スクリュ, テントアジャストメント  | 1    |     |            |
| 16   | 67223-98J00 | ・パッド, フレーキ          | 1    |     |            |
| 17   | 67296-98J50 | ・スクリュ (5X18)        | 6    |     |            |
| 18   | 67296-98JA0 | ・スクリュ (4X10)        | 1    |     |            |
| 19   | 67272-98J10 | ・ク ロメツト, リモコンカバー    | 1    |     |            |
| 20   | 67252-98J10 | ・ブ ッシ, トライブ シャフト    | 1    |     |            |
| 21   | 67288-98J20 | ・ワツシヤ               | 1    |     |            |
| 22   | 67292-98J00 | ・Cリング               | 1    |     |            |
| 23   | 15980-98J00 | ・ボ ンシヨメーカ           | 1    |     |            |
| 24   | 67227-98J10 | ・レバー, ボ ンシヨメーカNO. 2 | 1    |     |            |
| 25   | 37850-98J02 | ・スイッチアツシ, PTT       | 1    |     |            |
| 26   | 67269-98J00 | ・クランプ, リート          | 1    |     |            |
| 27   | 67273-98J00 | ・ハ ッキンク             | 1    |     |            |
| 28   | 67296-98J60 | ・スクリュ (8X30)        | 1    |     |            |
| 29   | 67274-98J00 | ・フランジ, ベース          | 1    |     |            |
| 30   | 67288-92E20 | ・ワツシヤ               | 1    |     |            |
| 31   | 67296-98J90 | ・スクリュ (8X30)        | 1    |     |            |
| 32   | 67296-98J60 | ・スクリュ (5X14)        | 1    |     |            |
| 33   | 67296-94300 | ・スクリュ (4X10)        | 2    |     |            |
| 34   | 67288-98J00 | ・ワツシヤ               | 2    |     |            |
| 35   | 67296-98J20 | ・スクリュ (5X50)        | 2    |     |            |

FIG.543A



DF300A\_000\_018\_543A  
OPT:REMOTE CONTROL ASSY SINGLE

FIG. 543A (1-G-14) オプション:リモート コントロール アツシ シンｸﾞﾙ

| 見出番号 | 品 番         | 品 名                   | 使用個数 | 備 考 | 標 準<br>作業時間 |
|------|-------------|-----------------------|------|-----|-------------|
| 36   | 67226-98J00 | ・ボルト (5X50)           | 4    |     |             |
| 37   | 09160-05024 | ・ワッシャ (5. 5X16X1. 5)  | 4    |     |             |
| 38   | 67287-92E00 | ・ナット                  | 4    |     |             |
| 39   | 67296-98J00 | ・スクリュ (5X12)          | 1    |     |             |
| 40   | 67288-98J40 | ・ワッシャ                 | 12   |     |             |
| 41   | 67296-98J10 | ・スクリュ (5X35)          | 1    |     |             |
| 42   | 67284-98J10 | ・マーク (F-N-R)          | 1    |     |             |
| 43   | 67257-98J00 | ・マーク, レバ - (S)        | 1    |     |             |
| 44   | 67269-98J30 | ・ハン ド                 | 1    |     |             |
| 45   | 67288-98J10 | ・ワッシャ                 | 8    |     |             |
| 46   | 67288-98J30 | ・ワッシャ                 | 1    |     |             |
| 47   | 67228-98J50 | ・ワッシャ, ウェーブ           | 1    |     |             |
| 48   | 67273-98J10 | ・バ ッキング, フロント         | 1    |     |             |
| 49   | 67273-98J30 | ・バ ッキング, リヤ           | 1    |     |             |
| 50   | 67277-98J00 | ・ク ロメツト, リモコンホ トムカハ - | 1    |     |             |
| 51   | 67296-98JF0 | ・ボ ルト (5X14)          | 1    |     |             |
| 52   | 67297-98J00 | ・ナツト, アツハ カハ -ボ ルト    | 1    |     |             |
| 53   | 36890-98J00 | ・ハーネス, コンデ ンサタ フ タ    | 1    |     |             |
| 54-1 | 36620-98J30 | ワイヤアツシ, リモートコントロール    | 1    |     |             |
| 54-2 | 36620-98J40 | ワイヤアツシ, リモートコントロール    | 1    |     |             |

DF300A\_000\_018

FIG.585A





FIG. 585A (1-G-15) オプション:ガasket セット

| 見出番号 | 品 番         | 品 名                           | 使用個数 | 備 考 | 標準<br>作業時間 |
|------|-------------|-------------------------------|------|-----|------------|
| 1    | 11410-98830 | ガasketセット                     | 1    |     |            |
| 2    | 11141-98J10 | ・ガasket, シリンダヘッドスターボート        | 1    |     |            |
| 3    | 11142-98J10 | ・ガasket, シリンダヘッドボート           | 1    |     |            |
| 4    | 11179-93J00 | ・ガasket, シリンダヘッドカバースターボート     | 1    |     |            |
| 5    | 11189-93J00 | ・ガasket, シリンダヘッドカバーボート        | 1    |     |            |
| 6    | 11332-93J00 | ・ガasket, クランクケースウォータージャケットカバー | 1    |     |            |
| 7    | 13119-98J00 | ・ガasket, インテークマニホールド          | 2    |     |            |
| 8    | 14151-93J00 | ・ガasket, エキゾーストカバー(スターボート)    | 1    |     |            |
| 9    | 14152-93J00 | ・ガasket, エキゾーストカバー(ボート)       | 1    |     |            |
| 10   | 17472-98J00 | ・ガasket, ホップケースハネル            | 1    |     |            |
| 11   | 11272-93J00 | ・ガasket, シリンダブロックプレート         | 1    |     |            |
| 12   | 11489-93J00 | ・ガasket, オイルパン                | 1    |     |            |
| 13   | 14212-93J00 | ・ガasket, エキゾーストチューブ           | 1    |     |            |
| 14   | 51123-93J00 | ・ガasket, マウントオイルシールカバー        | 1    |     |            |
| 15   | 51142-93J00 | ・ガasket, エンジンホルダーカバー          | 1    |     |            |
| 16   | 51211-93J00 | ・ガasket, エンジンホルダー             | 1    |     |            |

FIG.601A




DF300A\_000\_018\_601A  
OPT: MULTI FUNCTION GAUGE (1)

FIG. 601A (1-G-16) オプション:マルチ ファンクション ゲージ (1)

| 見出番号 | 品 番         | 品 名                                                                 | 使用個数 | 備 考 | 標準<br>作業時間 |
|------|-------------|---------------------------------------------------------------------|------|-----|------------|
| 1    | 34000-96L62 | キット, シンカ <sup>®</sup> ルゲージ <sup>®</sup> エレクトリツク                     | 1    |     |            |
| 2    | 34011-96L12 | ・ゲージ <sup>®</sup> セット, マルチ (W/インストラクション)                            | 1    |     |            |
| 3    | 34112-96L00 | ・・ナツト, ゲージ <sup>®</sup>                                             | 1    |     |            |
| 4    | 34193-96L00 | ・・ベ <sup>®</sup> セ <sup>®</sup> ル, ゲージ <sup>®</sup>                 | 1    |     |            |
| 5    | 34211-96L00 | ・・カバ <sup>®</sup> -, ゲージ <sup>®</sup>                               | 1    |     |            |
| 6    | 34825-96L00 | ・・ハ <sup>®</sup> ツキンク <sup>®</sup> , ゲージ <sup>®</sup>               | 1    |     |            |
| 7    | 36661-96L00 | ・アダ <sup>®</sup> プ <sup>®</sup> タ, ゲージ <sup>®</sup>                 | 1    |     |            |
| 8    | 36615-96300 | ・・ターミナル                                                             | 5    |     |            |
| 9    | 36663-98J10 | ・ハーネスアツシ, アクテイフ <sup>®</sup> ハブ <sup>®</sup> ハ <sup>®</sup> ワー (6M) | 1    |     |            |
| 10   | 09481-05501 | ・・フューズ <sup>®</sup> (5A)                                            | 1    |     |            |
| 11   | 34000-96L72 | キット, デュアルゲージ <sup>®</sup> エレクトリツク                                   | 1    |     |            |
| 12   | 34011-96L12 | ・ゲージ <sup>®</sup> セット, マルチ (W/インストラクション)                            | 2    |     |            |
| 13   | 34112-96L00 | ・・ナツト, ゲージ <sup>®</sup>                                             | 2    |     |            |
| 14   | 34193-96L00 | ・・ベ <sup>®</sup> セ <sup>®</sup> ル, ゲージ <sup>®</sup>                 | 2    |     |            |
| 15   | 34211-96L00 | ・・カバ <sup>®</sup> -, ゲージ <sup>®</sup>                               | 2    |     |            |
| 16   | 34825-96L00 | ・・ハ <sup>®</sup> ツキンク <sup>®</sup> , ゲージ <sup>®</sup>               | 2    |     |            |
| 17   | 36661-96L00 | ・アダ <sup>®</sup> プ <sup>®</sup> タ, ゲージ <sup>®</sup>                 | 1    |     |            |
| 18   | 36615-96300 | ・・ターミナル                                                             | 5    |     |            |
| 19   | 36662-88L10 | ・ワイヤ, 2エクステンション                                                     | 2    |     |            |
| 20   | 36663-88L00 | ・ハーネスアツシ, ネットワークハ <sup>®</sup> ワー                                   | 1    |     |            |
| 21   | 36663-98J10 | ・ハーネスアツシ, アクテイフ <sup>®</sup> ハブ <sup>®</sup> ハ <sup>®</sup> ワー (6M) | 1    |     |            |
| 22   | 09481-05501 | ・・フューズ <sup>®</sup> (5A)                                            | 1    |     |            |
| 23   | 36664-88L00 | ・コネクタ, プ <sup>®</sup> ランチ                                           | 2    |     |            |
| 24   | 36665-88L00 | ・ユニット, レジスタヒーメイル                                                    | 1    |     |            |
| 25   | 36665-88L10 | ・ユニット, レジスタメー                                                       | 1    |     |            |
| 26   | 36667-96L00 | ・ワイヤ, ゲージ <sup>®</sup> アダ <sup>®</sup> プ <sup>®</sup> タ             | 1    |     |            |
| 27   | 36667-96L11 | ワイヤ, デュアルゲージ <sup>®</sup> アダ <sup>®</sup> プ <sup>®</sup> タ          | 1    |     |            |
| 28   | 36667-96L30 | ワイヤ, ゲージ <sup>®</sup> アダ <sup>®</sup> プ <sup>®</sup> タ              | 1    |     |            |

FIG.602A




DF300A\_000\_018\_602A  
OPT: MULTI FUNCTION GAUGE (2)

FIG. 602A (1-H-2) オプション:マルチ ファンクション ゲージ (2)

| 見出番号 | 品 番         | 品 名                            | 使用個数 | 備 考 | 標準<br>作業時間 |
|------|-------------|--------------------------------|------|-----|------------|
| 1    | 34002-96L12 | キット, デュアルステーション                | 1    |     |            |
| 2    | 34011-96L12 | ・ゲージセット, マルチ (W/インストラクション)     | 1    |     |            |
| 3    | 34112-96L00 | ・ナット, ゲージ                      | 1    |     |            |
| 4    | 34193-96L00 | ・ベッセル, ゲージ                     | 1    |     |            |
| 5    | 34211-96L00 | ・カバー, ゲージ                      | 1    |     |            |
| 6    | 34825-96L00 | ・バツキング, ゲージ                    | 1    |     |            |
| 7    | 36662-88L10 | ・ワイヤ, 2エクステンション                | 1    |     |            |
| 8    | 36664-88L00 | ・コネクタ, プランチ                    | 1    |     |            |
| 9    | 36665-96L00 | ・アダプタ, デュアルステーション              | 1    |     |            |
| 10   | 36666-96L00 | ・アダプタ, ゲージハワー                  | 1    |     |            |
| 11   | 36682-92E00 | ・ワイヤ, トリムメータエクステンション (L: 6500) | 1    |     |            |
| 12   | 34011-96L12 | ゲージセット, マルチ (W/インストラクション)      | 1    |     |            |
| 13   | 34112-96L00 | ・ナット, ゲージ                      | 1    |     |            |
| 14   | 34193-96L00 | ・ベッセル, ゲージ                     | 1    |     |            |
| 15   | 34211-96L00 | ・カバー, ゲージ                      | 1    |     |            |
| 16   | 34825-96L00 | ・バツキング, ゲージ                    | 1    |     |            |
| 17   | 36001-88L00 | セット, ワイヤ                       | 1    |     |            |
| 18   | 36662-88L10 | ・ワイヤ, 2エクステンション                | 1    |     |            |
| 19   | 36663-88L00 | ・ハーネスアツシ, ネットワークハワー            | 1    |     |            |
| 20   | 36664-88L00 | ・コネクタ, プランチ                    | 1    |     |            |
| 21   | 36665-88L00 | ・ユニット, レジスタヒューメル               | 1    |     |            |
| 22   | 36665-88L10 | ・ユニット, レジスタヒューメル               | 1    |     |            |
| 23   | 36663-98J00 | ハーネスアツシ, アクティブハワー (2. 5M)      | 1    |     |            |
| 24   | 09481-05501 | ・フューズ (5A)                     | 1    |     |            |
| 25   | 36663-98J10 | ハーネスアツシ, アクティブハワー (6M)         | 1    |     |            |
| 26   | 09481-05501 | ・フューズ (5A)                     | 1    |     |            |
| 27   | 34190-88L00 | センサアツシ, ハットホイール                | 1    |     |            |
| 28   | 36662-88L20 | ワイヤ, 6エクステンション                 | 1    |     |            |
| 29   | 36662-88L30 | ワイヤ, 15エクステンション                | 1    |     |            |
| 30   | 39950-88L02 | モジュールアツシ, GPSレシーバ              | 1    |     |            |
| 31   | 36662-88L00 | ワイヤ, 25エクステンション                | 1    |     |            |
| 32   | 36663-88L00 | ハーネスアツシ, ネットワークハワー             | 1    |     |            |
| 33   | 36665-88L00 | ユニット, レジスタヒューメル                | 1    |     |            |
| 34   | 36665-88L10 | ユニット, レジスタヒューメル                | 1    |     |            |
| 35   | 36662-88L10 | ワイヤ, 2エクステンション                 | 1    |     |            |

DF300A\_000\_018

FIG.602A



DF300A\_000\_018\_602A  
OPT: MULTI FUNCTION GAUGE (2)

FIG. 602A (1-H-3) オプション:マルチ ファンクション ゲージ (2)

| 見出番号 | 品 番         | 品 名        | 使用個数 | 備 考 | 標 準<br>作業時間 |
|------|-------------|------------|------|-----|-------------|
| 36   | 36664-88L00 | コネクタ, プランチ | 1    |     |             |

DF300A\_000\_018