

ま え が き

このパーツカタログは、スズキ船外機 DF200/225/250/275 型の補給取扱い部品を収録してあります。

DF200				
機 種 記 号	型 式	トランサム	色	実 施 号 機
DF200T_020	20002F	L, X	YAY, Y5S	20002F-040001 ～
DF200T_021			YAY, QTN	20002F-140001 ～
DF200T_022			YAY, QTN	20002F-240001 ～
DF200T_023			YAY, QTN	20002F-340001 ～

DF225				
機 種 記 号	型 式	トランサム	色	実 施 号 機
DF225T_020	22503F	X	YAY, Y5S	22503F-040001 ～
DF225T_021			YAY, QTN	22503F-140001 ～
DF225T_022			YAY, QTN	22503F-240001 ～
DF225T_023			YAY, QTN	22503F-340001 ～

DF250				
機 種 記 号	型 式	トランサム	色	実 施 号 機
DF250T_020	25003F	X, XX	YAY, Y5S	25003F-040001 ～
DF250T_021			YAY, QTN	25003F-140001 ～
DF250T_022			YAY, QTN	25003F-240001 ～
DF250T_023			YAY, QTN	25003F-340001 ～

DF275				
機 種 記 号	型 式	トランサム	色	実 施 号 機
DF275ST_020	27501F	L	YKV, YAY	27501F-040001 ～
DF275ST_021				27501F-140001 ～
DF275ST_022				27501F-240001 ～
DF275ST_023				27501F-340001 ～

パーツカタログのご使用について

1. 記号および略語

1-1. サイズ等

A	：用品	L	：長さ、リンク数、容積	US	：アンダサイズ
AR	：必要量	NT	：歯 数	W	：巾
D	：線 径	OD	：外 径	W/	：同時使用
E.NO.	：エンジン番号	OPT	：オプション	#	：直送品
F.NO.	：フレーム番号	OS	：オーバーサイズ	*	：直売品
H	：高 さ	STD	：スタンダード	～	：より、から
ID	：内 径	T	：厚 さ		
12X34X5	：内径X外径X厚さ（巾、長さ）				

1-2. メーカー名

CHKK	：中央発条	NGK	：日本特殊陶業
DID	：大同工業	NHK	：日本発条
DK	：大金製作所	RK	：高砂チェン
FB	：古河電池	TEN	：富士通デン
IRC	：井上護謨工業	TR	：東海理化電機製作所
KYB	：萱場工業	YB	：湯浅電池
NABCO	：日本エアブレーキ		

1-3. 構成部品の表示

品 番	品 名
×××××-×××××	○○○アッシ
×××××-×××××	・○○○
×××××-×××××	・○○○
└─ 構成部品（インナパーツ）を示します。	

1-4. 部品変更

備考欄の品番の前の→印は変更部品相互の互換性を表示します。

←○○○○○-○○○○○……「～より統一」を示し、旧 → 新です。

→○○○○○-○○○○○……「～に統一」を示し、旧 ← 新です。

1-5. 修正使用

ホース、チューブ等で寸法表示の→印は修正使用を表示します。

(例) L: 200 →180……200 を 180 に修正して使用します。

2. 部品変更のお知らせ

部品が新設または変更となった場合、サービス・部品ニュース、統一部品一覧表などでご案内いたします。

販売店様によっては、弊社代理店にお問い合わせください。

3. 部品の注文

部品ご注文の場合は、このパーツカタログをご参照の上、次の点にご留意され、正確にご注文ください。

- 3-1. 品番、品名および数量
- 3-2. フレーム番号およびエンジン番号と型式番号
- 3-3. 部品メーカー（電装部品、保安部品など）

注※ 分解図は、補給部品索引のためのものです。分解、組み立てには使用しないでください。

※ 補給部品の中で車種間の共通化により、一部生産車の部品と異なる場合があります。

あらかじめご了承ください。

※ 記載事項は予告なく変更することがあります。あらかじめご了承ください。

I.D プレートの説明

I.D プレートには下記の項目が刻印されています。

より正確な部品発注のため① 機種名、② 型式、③ 製造番号 (号機) をご確認ください。

I.D プレートはクランプブラケットに取り付けられています。

パターン 1



パターン 2



① 機種名を示します。 (例) DF140ATX

② 型式を示します。 (例) 14003F

③ 製造番号 (号機) を示します。 (例) 910001

FIG.111A


2F2RL, 8RL, 4SL, 111A
CYLINDER HEAD

FIG.111B


2F2RL, 8RL, 4SL, 111B
CYLINDER HEAD

FIG.111C


2F2RL, 8RL, 4SL, 111C
CYLINDER HEAD

FIG.113A


2F2RL, 8RL, 4SL, 113A
CYLINDER HEAD

FIG.113B


2F2RL, 8RL, 4SL, 113B
CYLINDER HEAD

FIG.116A


2F2RL, 8RL, 4SL, 116A
CRANKSHAFT

FIG.116B


2F2RL, 8RL, 4SL, 116B
CRANKSHAFT

FIG.119A




2F2RL, 8RL, 4SL, 119A
CRANKSHAFT

FIG.121H




DF20L 80L 82L 121H
CRANKSHAFT

FIG.122A




DF20L 80L 82L 122A
PISTON-ROD ASSEMBLY

FIG.134A




DF20L 80L 82L 134A
FUEL TANK

FIG.136A




DF20L 80L 82L 136A
FUEL TANK COVER

FIG.140A




DF20L 80L 82L 140A
EXHAUST COVER

FIG.144A




DF20L 80L 82L 144A
FUEL INJECTION

FIG.144B




DF20L 80L 82L 144B
FUEL INJECTION

FIG.147A




DF20L 80L 82L 147A
FUEL PUMP/FUEL VAPOR-SEPARATOR

FIG.160D




DF200L 000, 002, 160D
WATER PUMP

FIG.160F




DF200L 000, 002, 160F
WATER PUMP

FIG.162A




DF200L 000, 002, 162A
THERMOSTAT

FIG.163A




DF200L 000, 002, 163A
THERMOSTAT

FIG.163B




DF200L 000, 002, 163B
THERMOSTAT

FIG.164A




DF200L 000, 002, 164A
THERMOSTAT

FIG.175A



DF200L 000, 002, 175A
CN. PUMP

FIG.180A



DF200L 000, 002, 180A
CN. PUMP

FIG.180B




FIG.180, 181, 182, 183
CLV 204

FIG.204A




FIG.204, 181, 182, 183
CLV 204-SH47

FIG.204B




FIG.204, 181, 182, 183
CLV 204-SH47

FIG.204C




FIG.204, 181, 182, 183
CLV 204-SH47

FIG.206A




FIG.206, 181, 182, 183
CLV 204-RED

FIG.206B




FIG.206, 181, 182, 183
CLV 204-RED

FIG.206C




FIG.206, 181, 182, 183
CLV 204-RED

FIG.220A






FIG.220, 181, 182, 183
TRAMAS 45550

FIG.220B




DF2RL 001, 002, 003
TF4A384520Y

FIG.220C




DF2RL 001, 002, 003
TF4A384520Y

FIG.220D




DF2RL 001, 002, 003
TF4A384520Y

FIG.301A




DF2RL 001, 002, 301A
TF4A384520Y

FIG.303A




DF2RL 001, 002, 303A
KAGHETD

FIG.303B




DF2RL 001, 002, 303B
KAGHETD

FIG.310A




DF2RL 001, 002, 310A
RECREATION CODE

FIG.315A




DF2RL 001, 002, 315A
SEASON

FIG.315B




DF281, 801, 452, 3187
SEALING KIT

FIG.315C




DF281, 801, 452, 3187
SEALING KIT

FIG.322A




DF281, 801, 452, 3334
HARNESS

FIG.322B




DF281, 801, 452, 3337
HARNESS

FIG.322C




DF281, 801, 452, 3337
HARNESS

FIG.322D




DF281, 801, 452, 3337
HARNESS

FIG.326A




DF281, 801, 452, 3364
FIT SWITCH-HEADLINE CONTROL UNIT

FIG.326B




DF281, 801, 452, 3367
FIT SWITCH-HEADLINE CONTROL UNIT

FIG.326C




DF28L 001, 002, 003C
PTT SWITCH ENGINE CONTROL UNIT

FIG.335A




DF28L 001, 002, 003M
CLAMP BRACKET

FIG.335B




DF28L 001, 002, 003P
CLAMP BRACKET

FIG.335C




DF28L 001, 002, 003P
CLAMP BRACKET

FIG.336A




DF28L 001, 002, 003M
STRAP BRACKET

FIG.336B




DF28L 001, 002, 003P
STRAP BRACKET

FIG.336C



DF28L 001, 002, 003P
STRAP BRACKET

FIG.337A



DF28L 001, 002, 003M
TANK CYLINDER




FIG.337B
FIG.337B




FIG.337C
FIG.337C




FIG.340A
FIG.340A




FIG.340B
FIG.340B




FIG.401A
FIG.401A




FIG.401B
FIG.401B




FIG.401C
FIG.401C






FIG.405A
FIG.405A

FIG.405B




DF26L 60L 62L 405B
DRIVE SHAFT ASSEMBLY

FIG.405C




DF26L 60L 62L 405C
DRIVE SHAFT ASSEMBLY

FIG.405D




DF26L 60L 62L 405D
DRIVE SHAFT ASSEMBLY

FIG.407A




DF26L 60L 62L 407A
GEAR CASE

FIG.407B




DF26L 60L 62L 407B
GEAR CASE

FIG.407C




DF26L 60L 62L 407C
GEAR CASE

FIG.407D




DF26L 60L 62L 407D
GEAR CASE

FIG.410A




DF26L 60L 62L 410A
SIDE COVER

FIG.410B




DF200L 400, 402, 410B
400E-023452

FIG.410C




DF200L 400, 402, 410C
400E-023452

FIG.420A




DF200L 400, 402, 403A
EXTERNE COVER

FIG.420B




DF200L 400, 402, 403B
EXTERNE COVER

FIG.420C




DF200L 400, 402, 403C
EXTERNE COVER

FIG.420D




DF200L 400, 402, 403D
EXTERNE COVER

FIG.420E



DF200L 400, 402, 403E
EXTERNE COVER

FIG.420F



DF200L 400, 402, 403F
EXTERNE COVER

FIG.420G




FIG.420G, 420G, 420G
ENGINE COVER

FIG.430A




FIG.430A, 430A, 430A
FUEL INLET

FIG.442A




FIG.442A, 442A, 442A
FUEL INLET

FIG.460A




FIG.460A, 460A, 460A
FUEL INLET

FIG.501A




FIG.501A, 501A, 501A
FUEL INLET

FIG.508A




FIG.508A, 508A, 508A
FUEL INLET

FIG.508B




FIG.508B, 508B, 508B
FUEL INLET

FIG.517A






FIG.517A, 517A, 517A
FUEL INLET

FIG.518A




DF2RL 001, 002, 518A
OPT/CONTROL REMOCON

FIG.521A




DF2RL 001, 002, 521A
OPT/HARNESS

FIG.521B




DF2RL 001, 002, 521B
OPT/HARNESS

FIG.530A




DF2RL 001, 002, 530A
OPT/CONTROL

FIG.530B




DF2RL 001, 002, 530B
OPT/SWITCH

FIG.541A




DF2RL 001, 002, 541A
OPT/HARNESS CONTROL ASSY CULV

FIG.542A




DF2RL 001, 002, 542A
OPT/HARNESS CONTROL ASSY CULV

FIG.544A




DF2RL 001, 002, 544A
OPT/HARNESS CONTROL ASSY BRIGLE

FIG.545A




DF20L 60L 60Z 80M
UNIT REMOTE CONTROL ASSY SINGLE

FIG.585A




DF20L 60L 60Z 80M
UNIT GAS SET SET

FIG.585B




DF20L 60L 60Z 80M
UNIT GAS SET SET

FIG.601A




DF20L 60L 60Z 80M
UNIT GAS FUNCTION GAUGE (1)

FIG.601B



DF20L 60L 60Z 80M
UNIT GAS FUNCTION GAUGE (1)

FIG.602A



DF20L 60L 60Z 80M
UNIT GAS FUNCTION GAUGE

FIG.111A




FIG. 111A (1-B-2) シリンダヘッド (DF200T, DF225T)

見出番号	品番	品名	使用個数	備考	標準作業時間
1	11101-93J20	ヘッドアツシ, シリンダスターホート	1	STBD	
2-1	11128-90J00	ホルト, カムシャフトハウジング (6X39)	16	020, 021	
2-2	09103-06266	ホルト (6X40)	16	022, 023	
3	09206-08001	ピン (8X11)	14		
4	01550-06207	ホルト	4		
5	11103-93J20	ヘッドアツシ, シリンダホート	1	PORT	
6-1	11128-90J00	ホルト, カムシャフトハウジング (6X39)	16	020, 021	
6-2	09103-06266	ホルト (6X40)	16	022, 023	
7	09206-08001	ピン (8X11)	14		
8	01550-06207	ホルト	2		
9	11116-93J01	ブラグ	4		
10	11119-93J00	ホルト, シリンダヘッド	16		
11	11141-93J10	ガスケット, シリンダヘッドスターホート	1	STBD	
12	11142-93J10	ガスケット, シリンダヘッドホート	1	PORT	
13	11216-98L10	ガスケット	4		
14	11261-93J00	カバー, プロテクションアノード	4		
15	09280-22019	リング (D: 1.9, ID: 21.8)	4		
16	55321-87J01	アノード, プロテクション	4		
17	09103-06281	ホルト (6X14)	4		
18-1	01550-08207	ホルト	4	020, 021	
18-2	01550-0820C	ホルト	4	022, 023	
19	01550-08607	ホルト	5	STBD	
20	01550-08607	ホルト	4	PORT	
21	09206-14004	ピン (14X11, 4X23)	4		
22	11170-93J01	カバー, シリンダヘッドスターホート	1	STBD	
23	11180-93J02	カバー, シリンダヘッドホート	1	PORT	
24	11173-93J00	プレート, プリザスターホート	1	STBD	
25	11183-93J00	プレート, プリザホート	1	PORT	
26	11179-93J00	ガスケット, シリンダヘッドカバースターホート	1	STBD	
27	11189-93J00	ガスケット, シリンダヘッドカバーホート	1	PORT	
28	02112-0612A	スクリュー	14		
29-1	01547-06257	ホルト	16	020, 021	
29-2	01547-0625C	ホルト	16	022, 023	
30-1	01547-06507	ホルト	6	020, 021	
30-2	01547-0650C	ホルト	6	022, 023	

FIG.111A




FIG. 111A (1-B-3) シリンダーヘッド (DF200T, DF225T)

見出番号	品番	品名	使用個数	備考	標準作業時間
31	11174-93J10	ホース, フリーザーホース	1		
32	09401-18410	クリップ	1		
33	11382-93J00	キャップ, オイルフイ	1		
34	09280-26006	Oリング (D:3.1, ID:26.4)	1		
35	#09482-00427	スパークプラグ (NGK, BKR6E)	6	NGK	
36	11291-93J00	フック, エンジン	2		
37-1	01550-08207	ボルト	4	020, 021	
37-2	01550-0820C	ボルト	4	022, 023	
38	11184-93J10	ホース, フリーザーホース	1		
39	09401-18410	クリップ	1		
40	11115-93J10-001	ガイド, バルブ (OS)	24	オプション	
41	11291-98J00	フック, エンジン	1	オプション	

FIG.111B




FIG. 111B (1-B-4) シリンダヘッド (DF250T)

見出番号	品番	品名	使用個数	備考	標準作業時間
1	11101-93J20	ヘッドアツシ, シリンダスターホート	1	STBD	
2-1	11128-90J00	ホルト, カムシャフトハウジング (6X39)	16	020, 021	
2-2	09103-06266	ホルト (6X40)	16	022, 023	
3	09206-08001	ピン (8X11)	14		
4	01550-06207	ホルト	4		
5	11103-93J20	ヘッドアツシ, シリンダホート	1	PORT	
6-1	11128-90J00	ホルト, カムシャフトハウジング (6X39)	16	020, 021	
6-2	09103-06266	ホルト (6X40)	16	022, 023	
7	09206-08001	ピン (8X11)	14		
8	01550-06207	ホルト	2		
9	11116-93J01	ブラグ	4		
10	11119-93J00	ホルト, シリンダヘッド	16		
11	11141-93J10	ガスケット, シリンダヘッドスターホート	1	STBD	
12	11142-93J10	ガスケット, シリンダヘッドホート	1	PORT	
13	11216-98L10	ガスケット	4		
14	11261-93J00	カバー, プロテクションアノード	4		
15	09280-22019	リング (D: 1.9, ID: 21.8)	4		
16	55321-87J01	アノード, プロテクション	4		
17	09103-06281	ホルト (6X14)	4		
18-1	01550-08207	ホルト	4	020, 021	
18-2	01550-0820C	ホルト	4	022, 023	
19	01550-08607	ホルト	5	STBD	
20	01550-08607	ホルト	4	PORT	
21	09206-14004	ピン (14X11, 4X23)	4		
22	11170-93J01	カバー, シリンダヘッドスターホート	1	STBD	
23	11180-93J22	カバー, シリンダヘッドホート	1	PORT	
24	11173-93J00	プレート, プリザスターホート	1	STBD	
25	11183-93J00	プレート, プリザホート	1	PORT	
26	11179-93J00	ガスケット, シリンダヘッドカバースターホート	1	STBD	
27	11189-93J00	ガスケット, シリンダヘッドカバーホート	1	PORT	
28	09206-08001	ピン (8X11)	1		
29	02112-0612A	スクリュー	14		
30-1	01547-06257	ホルト	16	020, 021	
30-2	01547-0625C	ホルト	16	022, 023	
31-1	01547-06507	ホルト	6	020, 021	

FIG.111B




FIG. 111B (1-B-5) シリンダーヘッド (DF250T)

見出番号	品番	品名	使用個数	備考	標準作業時間
31-2	01547-0650C	ボルト	6	022, 023	
32	11174-93J10	ホース、フリースターポート	1		
33	09401-18410	クリップ	1		
34	11382-93J00	キャップ、オイルワイ	1		
35	09280-26006	Oリング (D:3.1, ID:26.4)	1		
36	#09482-00427	スパークプラグ (NGK, BKR6E)	6	NGK	
37	11291-93J00	ツク、エンジン	2		
38-1	01550-08207	ボルト	4	020, 021	
38-2	01550-0820C	ボルト	4	022, 023	
39	11184-93J10	ホース、フリースターポート	1		
40	09401-18410	クリップ	1		
41	11115-93J10-001	ガイド、ハルブ (OS)	24	オプション	
42	11291-98J00	ツク、エンジン	1	オプション	

FIG.111C




FIG. 111C (1-B-6) シリンダヘッド (DF275ST)

見出番号	品番	品名	使用個数	備考	標準作業時間
1	11101-98J10	ヘッドアッシ, シリンダスターホート	1	STBD	
2-1	11128-90J00	ホルト, カムシャフトハウジング (6X39)	16	020, 021	
2-2	09103-06266	ホルト (6X40)	16	022, 023	
3	09206-08001	ピン (8X11)	14		
4	01550-06207	ホルト	4		
5	11103-98J10	ヘッドアッシ, シリンダホート	1	PORT	
6-1	11128-90J00	ホルト, カムシャフトハウジング (6X39)	16	020, 021	
6-2	09103-06266	ホルト (6X40)	16	022, 023	
7	09206-08001	ピン (8X11)	14		
8	01550-06207	ホルト	2		
9	11116-93J01	ブラク	4		
10	11141-98J10	ガスクワツ, シリンダヘッドスターホート	1	STBD	
11	11142-98J10	ガスクワツ, シリンダヘッドホート	1	PORT	
12	11216-98L10	ガスクワツ	4		
13	11261-93J00	カバー, プロテクションノート	4		
14	09280-22019	Oリング (D:1.9, ID:21.8)	4		
15	55321-87J01	アノード, プロテクション	4		
16	09103-06281	ホルト (6X14)	4		
17-1	01550-08207	ホルト	4	020, 021	
17-2	01550-0820C	ホルト	4	022, 023	
18	01550-08607	ホルト	5	STBD	
19	01550-08607	ホルト	4	PORT	
20	09206-14004	ピン (14X11.4X23)	4		
21	11170-93J01	カバー, シリンダヘッドスターホート	1	STBD	
22	11180-93J22	カバー, シリンダヘッドホート	1	PORT	
23	11173-93J00	プレート, プリザスターホート	1	STBD	
24	11183-93J00	プレート, プリザホート	1	PORT	
25	11179-93J00	ガスクワツ, シリンダヘッドカバースターホート	1	STBD	
26	11189-93J00	ガスクワツ, シリンダヘッドカバーホート	1	PORT	
27	09206-08001	ピン (8X11)	1		
28	02112-0612A	スクリュ	14		
29-1	01547-06257	ホルト	16	020, 021	
29-2	01547-0625C	ホルト	16	022, 023	
30-1	01547-06507	ホルト	6	020, 021	
30-2	01547-0650C	ホルト	6	022, 023	

FIG.111C





FIG. 111C (1-B-7) シリンダーヘッド (DF275ST)

見出番号	品番	品名	使用個数	備考	標準作業時間
31	11174-93J10	ホース, プリーザースターポート	1		
32	09401-18410	クリップ	1		
33	11382-93J00	キャップ, オイルフイ	1		
34	09280-26006	Oリング (D:3.1, ID:26.4)	1		
35	#09482-00427	スパーキングプラグ (NGK, BKR6E)	6	NGK	
36	11291-93J00	フック, エンジン	2		
37-1	01550-08207	ボルト	4	020, 021	
37-2	01550-0820C	ボルト	4	022, 023	
38	11184-93J10	ホース, プリーザースターポート	1		
39	09401-18410	クリップ	1		
40	11115-93J10-001	ガイド, バルブ (OS)	24	オプション	
41	11291-98J00	フック, エンジン	1	オプション	

FIG.113A



DF250_000_023_113A
CYLINDER BLOCK

FIG. 113A (1-B-8) シリンダブロック (DF200T, DF225T, DF250T)

見出番号	品番	品名	使用個数	備考	標準作業時間
1	11293-98J00	フック, エンジンプロット	1		
2-1	01550-08207	ボルト	2	020, 021	
2-2	01550-0820C	ボルト	2	022, 023	
3	11301-93J20	プロットセット, シリンダ	1		
4	11112-93J00	プラグ, オイルパン	2		
5	11117-93J10	ボルト, クランクケース	16		
6	11216-98L00	ガスケット, M26プラグ	3		
7	09248-26001	プラグ (M26)	3		
8	09160-18031	ワッシャ (18.5X28X2.6)	2		
9	09248-18006	プラグ (18X8)	2		
10	09206-13019	ピン (10.4X13X16)	5		
11	16700-93J00	ハーフ, ピンストン	1		
12	09280-10009	リング (D:1.3, ID:9.8)	1		
13	09280-10015	リング (D:1.9, ID:9.8)	1		
14	07130-0616A	ボルト	1		
15	16712-93J00	ボルト, ピンストン	6		
16	16721-93J00	ピン, ピンストン	6		
17	09246-04009	プラグ	1		
18	11330-93J01	カバー, クランクケース	1		
19	11332-93J00	ガスケット, クランクケース	1		
20-1	01550-06207	ボルト	12	020, 021	
20-2	01550-0620C	ボルト	12	022, 023	
21	16430-93J00	カバー, オイルパン	1		
22	16431-93J00	プレート, オイルパン	1		
23	16433-93J00	ガスケット, オイルパン	2		
24	01550-0835A	ボルト	9		
25-1	01550-08457	ボルト	8	020, 021	
25-2	01550-0845C	ボルト	8	022, 023	
26	16510-96J10	フィルタアッシー, オイル	1		

FIG.113B




FIG. 113B (1-B-9) シリンダブロック (DF275ST)

見出番号	品番	品名	使用個数	備考	標準作業時間
1	11293-98J00	フック, エンジンフロント	1		
2-1	01550-08207	ボルト	2	020, 021	
2-2	01550-0820C	ボルト	2	022, 023	
3	11301-98J50	ブロックセット, シリンダ	1		
4	11112-93J00	・フック, オイルパンチユリ	2		
5	11117-93J10	・ボルト, クランクケース	12		
6	11117-98J10	・ボルト, クランクケーススタッド	4		
7	11119-93J00	・ボルト, シリンダヘッド	16		
8	11216-98L00	・ガスケット, M26フック	3		
9	09248-26001	・フック (M26)	3		
10	09160-18031	・ワッシャ (18.5X28X2.6)	2		
11	09248-18006	・フック (18X8)	2		
12	09159-10116	・ナット	4		
13	09206-13019	・ピン (10.4X13X16)	5		
14	16700-93J00	・バルブ, ピンストンクランク	1		
15	09280-10009	・・リング (D:1.3, ID:9.8)	1		
16	09280-10015	・・リング (D:1.9, ID:9.8)	1		
17	07130-0616A	・ボルト	1		
18	07130-0510A	・ボルト	6		
19	11390-98J00	・ピン, ピンストンクランク	6		
20	09280-06005	・・リング (D:1.9, ID:5.7)	6		
21	09246-04009	・フック	1		
22	11330-93J01	カバー, クランクケースウオータシヤケット	1		
23	11332-93J00	ガスケット, クランクケースウオータシヤケットカバー	1		
24-1	01550-06207	ボルト	12	020, 021	
24-2	01550-0620C	ボルト	12	022, 023	
25	16430-93J00	カバー, オイルキヤリ	1		
26	16431-93J00	プレート, オイルキヤリ	1		
27	16433-93J00	ガスケット, オイルキヤリ	2		
28	01550-0835A	ボルト	9		
29-1	01550-08457	ボルト	8	020, 021	
29-2	01550-0845C	ボルト	8	022, 023	
30	16510-96J10	フィルタワッシャ, オイル	1		

FIG.116A





FIG. 116A (1-B-10) クランクシャフト (DF200T, DF225T, DF250T)

見出番号	品 番	品 名	使用個数	備 考	標準 作業時間
1	12111-93J02-0B0	ピ ス トン	6		
2	12140-93J00	リング セット, ピ ス トン	6		
3	12151-93J10	ピ ン, ピ ス トン	6		
4	09381-22010	スナツプ リング	12		
5	12160-93J10	コンロッド アツシ	6		
6-1	12100-98810-0A0	ベ アリング セット, コネクチング ロッド	6		
6-2	12100-98810-025	ベ アリング セット, コネクチング ロッド USO. 25	6	オプ ション	
7	12220-93J01	クランクシャフト	1		
8-1	12340-86FA2-0B0	ベ アリング セット, クランクシャフトSTD	4	プ ラック	
8-2	12340-86FA2-0C0	ベ アリング セット, クランクシャフトSTD	4	NON	
8-3	12340-86FA2-0D0	ベ アリング セット, クランクシャフトSTD	4	イエロ	
8-4	12340-86FA2-0E0	ベ アリング セット, クランクシャフトSTD	4	プ ル	
8-5	12340-86FA2-0F0	ベ アリング セット, クランクシャフトSTD	4	PINK	
8-6	12300-86812-0BA	ベ アリング セット, クランクシャフトアンタ サイズ	4	OPT, RED/BLACK	
8-7	12300-86812-0CA	ベ アリング セット, クランクシャフトアンタ サイズ	4	OPT, RED	
8-8	12300-86812-0DA	ベ アリング セット, クランクシャフトアンタ サイズ	4	OPT, RED/YELLOW	
8-9	12300-86812-0EA	ベ アリング セット, クランクシャフトアンタ サイズ	4	OPT, RED/BLUE	
8-10	12300-86812-0FA	ベ アリング セット, クランクシャフトアンタ サイズ	4	OPT, RED/PINK	
9-1	12300-85830	ベ アリング セット, クランクスラスト	1		
9-2	12300-85830-012	ベ アリング セット, クランクスラストオーハ サイズ	1	オプ ション	
10	12242-93J01	ギ ャ ト ライブ	1		
11	09160-10104	ワツシャ (10. 5X50X3. 2)	1		
12	01550-1025A	ホ ルト	1		
13	09283-91001	オイルシール	1		
14	12100-93J00-050	ピ ス トンセット (OS: 0. 5)	6	オプ ション	
15	12140-93J00-050	・リング セット, ピ ス トン (OS: 0. 50)	6	オプ ション	

FIG.116B




DF250_000_023_116B
CRANKSHAFT

FIG.116B (1-B-11) クランクシャフト (DF275ST)

見出番号	品 番	品 名	使用個数	備 考	標準 作業時間
1	12111-98J00-0B0	ピ ストン	6		
2	12140-98J00	リング セット, ピ ストン	6		
3	12151-02F00	ピ ン, ピ ストン	6		
4	09381-22010	スナツプ リング	12		
5	12160-98J00	コネクチング ロッド アツシ	6		
6-1	12100-98810-0A0	ベ アリング セット, コネクチング ロッド	6		
6-2	12100-98810-025	ベ アリング セット, コネクチング ロッド USO. 25	6	オプ ション	
7	12220-98J00	クランクシャフト	1		
8-1	12340-98J00-0A0	ベ アリング セット, カラー: ブ ラツク	4		
8-2	12340-98J00-0B0	ベ アリング セット, カラー: ナン	4		
8-3	12340-98J00-0C0	ベ アリング セット, カラー: イエロー	4		
8-4	12340-98J00-0D0	ベ アリング セット, カラー: ブ ルー	4		
8-5	12340-98J00-0E0	ベ アリング セット, カラー: ピ ンク	4		
8-6	12300-98810-0AA	ベ アリング セット, クランクシャフト (アンダ サイズ)	4	OPT, RED/BLACK	
8-7	12300-98810-0BA	ベ アリング セット, クランクシャフト (アンダ サイズ)	4	OPT, RED	
8-8	12300-98810-0CA	ベ アリング セット, クランクシャフト (アンダ サイズ)	4	OPT, RED/YELLOW	
8-9	12300-98810-0DA	ベ アリング セット, クランクシャフト (アンダ サイズ)	4	OPT, RED/BLUE	
8-10	12300-98810-0EA	ベ アリング セット, クランクシャフト (アンダ サイズ)	4	OPT, RED/PINK	
9-1	12300-98821	ベ アリング セット, クランクスラスト	1		
9-2	12300-98821-012	ベ アリング セット, クランクスラスト	1	オプ ション	
10	12242-98J00	ギ ャ ト ライブ	1		
11	09160-10104	ワツシヤ (10. 5X50X3. 2)	1		
12	01550-1025A	ホ ルト	1		
13	09283-91001	オイルシール	1		
14	12100-98J00-050	ピ ストンセット (OS: 0. 5)	6	オプ ション	
15	12140-98J00-050	・リング セット, ピ ストン (OS: 0. 50)	6	オプ ション	

FIG.119A




DF250_000_023_119A
TIMING CHAIN

FIG. 119A (1-B-12) タイミングチェーン (DF200T, DF225T, DF250T)

見出番号	品番	品名	使用個数	備考	標準作業時間
1	12730-93J02	ギヤ, トリフン	1		
2	09262-40021	ベアリング (40X80X18)	1	ロ7	
3	08110-62080	ベアリング	1	アッパ	
4	09283-32044	オイルシール	1		
5	12734-93J00	ホルダ, トリフンギヤ	1		
6	09280-70012	Oリング (D: 5.7)	1		
7	01550-0855A	ホルト	4		
8	12761-93J00	チェーン, タイミング ファースト	1		
9	12762-93J00	チェーン, タイミング セカンド	2		
10	12770-93J00	ベース, T/Cガイド NO. 1	1		
11	12778-93J00	ガイドスケット, タイミング チェンガイド ベース	1		
12	04211-13149	ピン	2		
13	01550-0830A	ホルト	2		
14	12771-93J00	シユール, タイミング チェンアツパ	1		
15	12775-93J00	シユール, タイミング チェンロ7	1		
16	12772-93J00	ガイド, タイミング チェンNO. 2	1		
17	01550-0830A	ホルト	2		
18	12810-93J00	テンションアツシ, タイミング チェン	1		
19	12813-73G00	バツト, タイミング チェンテンシヨナ	1		
20	12812-90J00	スぺーサ, タイミング チェンテンシヨナ	1		
21	01550-0830A	ホルト	1		
22	12831-93J01	アツヤスタアツシ, テンシヨナNO. 1	1		
23	12832-93J00	テンシヨナアツシ, スターホート	1	STBD	
24	12833-93J00	テンシヨナアツシ, ホート	1	PORT	
25	01550-0620A	ホルト	2		
26	01550-0620A	ホルト	4		

FIG.119B




DF250_000_023_119B
TIMING CHAIN

FIG.119B (1-B-13) タイミングチェーン (DF275ST)

見出番号	品番	品名	使用個数	備考	標準作業時間
1	12730-98J02	ギヤ、ドリップン	1		
2	09262-40021	ベアリング (40X80X18)	1	ロア	
3	09262-40017	ベアリング (40X80X18)	1	アッパー	
4	09283-32044	オイルシール	1		
5	12734-93J00	ホルダ、ドリップンギヤ	1		
6	09280-70012	Oリング (D:5.7)	1		
7	01550-0855A	ホルト	4		
8	12761-93J00	チェーン、タイミングファースト	1		
9	12762-93J00	チェーン、タイミングセカンド	2		
10	12770-93J00	ベース、T/Cガイド NO. 1	1		
11	12778-93J00	ガイドスロット、タイミングチェーンガイドベース	1		
12	04211-13149	ピン	2		
13	01550-0830A	ホルト	2		
14	12771-93J00	シユール、タイミングチェーンアツパ	1		
15	12775-93J00	シユール、タイミングチェーンロア	1		
16	12772-93J00	ガイド、タイミングチェーン NO. 2	1		
17	01550-0830A	ホルト	2		
18	12810-93J00	テンションアツジ、タイミングチェーン	1		
19	12813-73G00	バット、タイミングチェーンテンション	1		
20	12812-90J00	スベーサ、タイミングチェーンテンション	1		
21	01550-0830A	ホルト	1		
22	12831-93J01	アシヤスタアツジ、テンション NO. 1	1		
23	12832-93J00	テンションアツジ、スターホート	1	STBD	
24	12833-93J00	テンションアツジ、ホート	1	PORT	
25	01550-0620A	ホルト	2		
26	01550-0620A	ホルト	4		

DF250_000_023_121A
CAMSHAFT



DF250_000_023

見出番号	品番	品名	使用個数	備考	標準作業時間
1	12701-93J30	カムシャフト、インタークスターボート	1		
2	12705-93J30	カムシャフト、インタークボート	1		
3	12721-93J30	カムシャフト、エキゾーストスターボート	1	STBD	
4	12725-93J30	カムシャフト、エキゾーストボート	1	PORT	
5	12742-93J10	スプロケツト、インターカムシャフト	2		
6	12748-93J00	スプロケツト、カムシャフト	4		
7	12749-93J00	ボルト、カムシャフト	4		
8	09202-05032	ピン(5X12)	3		
9	09261-05006	ピン(5X18)	1		
10	16551-93J00	フレート、オイルコントロール	2		
11	16559-93J00	ガスケット、オイルコントロールバルブ	2		
12	01550-06257	ボルト	8		
13	12891-93J10	タペット	24		
14-1	12892-93J10-218	シム、タペット(T:2.175)	AR		
14-2	12892-93J10-220	シム、タペット(T:2.200)	AR		
14-3	12892-93J10-223	シム、タペット(T:2.225)	AR		
14-4	12892-93J10-225	シム、タペット(T:2.250)	AR		
14-5	12892-93J10-228	シム、タペット(T:2.275)	AR		
14-6	12892-93J10-230	シム、タペット(T:2.300)	AR		
14-7	12892-93J10-233	シム、タペット(T:2.325)	AR		
14-8	12892-93J10-235	シム、タペット(T:2.350)	AR		
14-9	12892-93J10-238	シム、タペット(T:2.375)	AR		
14-10	12892-93J10-240	シム、タペット(T:2.400)	AR		
14-11	12892-93J10-243	シム、タペット(T:2.425)	AR		
14-12	12892-93J10-245	シム、タペット(T:2.450)	AR		
14-13	12892-93J10-248	シム、タペット(T:2.475)	AR		
14-14	12892-93J10-250	シム、タペット(T:2.500)	AR		
14-15	12892-93J10-253	シム、タペット(T:2.525)	AR		
14-16	12892-93J10-255	シム、タペット(T:2.550)	AR		
14-17	12892-93J10-258	シム、タペット(T:2.575)	AR		
14-18	12892-93J10-260	シム、タペット(T:2.600)	AR		
14-19	12892-93J10-263	シム、タペット(T:2.625)	AR		
14-20	12892-93J10-265	シム、タペット(T:2.650)	AR		
14-21	12892-93J10-268	シム、タペット(T:2.675)	AR		
14-22	12892-93J10-270	シム、タペット(T:2.700)	AR		

FIG.121A




FIG. 121A (1-B-15) カムシャフト (DF200T: (020, 021))

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
14-23	12892-93J10-273	シム, タハ° ット (T: 2. 725)	AR		
14-24	12892-93J10-275	シム, タハ° ット (T: 2. 750)	AR		
14-25	12892-93J10-278	シム, タハ° ット (T: 2. 775)	AR		
14-26	12892-93J10-280	シム, タハ° ット (T: 2. 800)	AR		
14-27	12892-93J10-283	シム, タハ° ット (T: 2. 825)	AR		
14-28	12892-93J10-285	シム, タハ° ット (T: 2. 850)	AR		
14-29	12892-93J10-288	シム, タハ° ット (T: 2. 875)	AR		
14-30	12892-93J10-290	シム, タハ° ット (T: 2. 900)	AR		
14-31	12892-93J10-293	シム, タハ° ット (T: 2. 925)	AR		
14-32	12892-93J10-295	シム, タハ° ット (T: 2. 950)	AR		
14-33	12892-93J10-298	シム, タハ° ット (T: 2. 975)	AR		
14-34	12892-93J10-300	シム, タハ° ット (T: 3. 000)	AR		
15	12911-93J00	ハ° ルフ°, インテーク	12		
16	12915-93J60	ハ° ルフ°,エキゾ°ースト	12		
17	12921-93J11	スフ° リンク°, ハ° ルフ°	24		
18	12931-78G00	リテーナ, ハ° ルフ° スフ° リンク°	24		
19	12932-24400	コツタ, ハ° ルフ°	48		
20	12933-69G10	シート, ハ° ルフ° スフ° リンク°	24		
21	09289-05012	オイルシール (5. 5X11. 5X9. 3)	24		

FIG.121B





FIG. 121B (1-C-2) カムシャフト (DF200T: (022, 023))

見出番号	品番	品名	使用個数	備考	標準作業時間
1	12701-93J30	カムシャフト, インテークスターボート	1		
2	12705-93J30	カムシャフト, インテークボート	1		
3	12721-93J30	カムシャフト, エキゾーストスターボート	1	STBD	
4	12725-93J30	カムシャフト, エキゾーストボート	1	PORT	
5	12742-93J10	スプリング, インテークカムシャフト	2		
6	12748-93J00	スプリング, カムシャフト	4		
7	12749-93J00	ボルト, カムシャフト	4		
8	09202-05032	ピン (5X12)	3		
9	09261-05006	ピン (5X18)	1		
10	16551-93J00	プレート, オイルコントロール	2		
11	16559-93J00	ガスケット, オイルコントロールバルブ	2		
12	01550-0625C	ボルト	8		
13	12891-93J10	タペット	24		
14-1	12892-93J10-218	シム, タペット (T: 2. 175)	AR		
14-2	12892-93J10-220	シム, タペット (T: 2. 200)	AR		
14-3	12892-93J10-223	シム, タペット (T: 2. 225)	AR		
14-4	12892-93J10-225	シム, タペット (T: 2. 250)	AR		
14-5	12892-93J10-228	シム, タペット (T: 2. 275)	AR		
14-6	12892-93J10-230	シム, タペット (T: 2. 300)	AR		
14-7	12892-93J10-233	シム, タペット (T: 2. 325)	AR		
14-8	12892-93J10-235	シム, タペット (T: 2. 350)	AR		
14-9	12892-93J10-238	シム, タペット (T: 2. 375)	AR		
14-10	12892-93J10-240	シム, タペット (T: 2. 400)	AR		
14-11	12892-93J10-243	シム, タペット (T: 2. 425)	AR		
14-12	12892-93J10-245	シム, タペット (T: 2. 450)	AR		
14-13	12892-93J10-248	シム, タペット (T: 2. 475)	AR		
14-14	12892-93J10-250	シム, タペット (T: 2. 500)	AR		
14-15	12892-93J10-253	シム, タペット (T: 2. 525)	AR		
14-16	12892-93J10-255	シム, タペット (T: 2. 550)	AR		
14-17	12892-93J10-258	シム, タペット (T: 2. 575)	AR		
14-18	12892-93J10-260	シム, タペット (T: 2. 600)	AR		
14-19	12892-93J10-263	シム, タペット (T: 2. 625)	AR		
14-20	12892-93J10-265	シム, タペット (T: 2. 650)	AR		
14-21	12892-93J10-268	シム, タペット (T: 2. 675)	AR		
14-22	12892-93J10-270	シム, タペット (T: 2. 700)	AR		

FIG.121B



DF250_000_023_121B
CAMSHAFT

FIG. 121B (1-C-3) カムシャフト (DF200T: (022, 023))

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
14-23	12892-93J10-273	シム, タハ° ット (T: 2. 725)	AR		
14-24	12892-93J10-275	シム, タハ° ット (T: 2. 750)	AR		
14-25	12892-93J10-278	シム, タハ° ット (T: 2. 775)	AR		
14-26	12892-93J10-280	シム, タハ° ット (T: 2. 800)	AR		
14-27	12892-93J10-283	シム, タハ° ット (T: 2. 825)	AR		
14-28	12892-93J10-285	シム, タハ° ット (T: 2. 850)	AR		
14-29	12892-93J10-288	シム, タハ° ット (T: 2. 875)	AR		
14-30	12892-93J10-290	シム, タハ° ット (T: 2. 900)	AR		
14-31	12892-93J10-293	シム, タハ° ット (T: 2. 925)	AR		
14-32	12892-93J10-295	シム, タハ° ット (T: 2. 950)	AR		
14-33	12892-93J10-298	シム, タハ° ット (T: 2. 975)	AR		
14-34	12892-93J10-300	シム, タハ° ット (T: 3. 000)	AR		
15	12911-93J00	ハ° ルフ°, インテーク	12		
16	12915-93J60	ハ° ルフ°,エキゾ°ースト	12		
17	12921-93J11	スプ° リンク°, ハ° ルフ°	24		
18	12931-78G00	リテーナ, ハ° ルフ° スプ° リンク°	24		
19	12932-24400	コツタ, ハ° ルフ°	48		
20	12933-69G10	シート, ハ° ルフ° スプ° リンク°	24		
21	09289-05012	オイルシール (5. 5X11. 5X9. 3)	24		

DF250_000_023

FIG.121C





FIG. 121C (1-C-4) カムシャフト (DF225T: (020, 021))

見出番号	品番	品名	使用個数	備考	標準作業時間
1	12701-93J40	カムシャフト, インテークスターボート	1	STBD	
2	12705-93J40	カムシャフト, インテークボート	1	PORT	
3	12721-93J30	カムシャフト, エキゾーストスターボート	1	STBD	
4	12725-93J30	カムシャフト, エキゾーストボート	1	PORT	
5	12742-93J10	スプロケット, インテークカムシャフト	2		
6	12748-93J00	スプロケット, カムシャフト	4		
7	12749-93J00	ボルト, カムシャフト	4		
8	09202-05032	ピン (5X12)	3		
9	09261-05006	ピン (5X18)	1		
10	16551-93J00	プレート, オイルコントロール	2		
11	16559-93J00	ガスケット, オイルコントロールバルブ	2		
12	01550-06257	ボルト	8		
13	12891-93J10	タペット	24		
14-1	12892-93J10-218	シム, タペット (T: 2. 175)	AR		
14-2	12892-93J10-220	シム, タペット (T: 2. 200)	AR		
14-3	12892-93J10-223	シム, タペット (T: 2. 225)	AR		
14-4	12892-93J10-225	シム, タペット (T: 2. 250)	AR		
14-5	12892-93J10-228	シム, タペット (T: 2. 275)	AR		
14-6	12892-93J10-230	シム, タペット (T: 2. 300)	AR		
14-7	12892-93J10-233	シム, タペット (T: 2. 325)	AR		
14-8	12892-93J10-235	シム, タペット (T: 2. 350)	AR		
14-9	12892-93J10-238	シム, タペット (T: 2. 375)	AR		
14-10	12892-93J10-240	シム, タペット (T: 2. 400)	AR		
14-11	12892-93J10-243	シム, タペット (T: 2. 425)	AR		
14-12	12892-93J10-245	シム, タペット (T: 2. 450)	AR		
14-13	12892-93J10-248	シム, タペット (T: 2. 475)	AR		
14-14	12892-93J10-250	シム, タペット (T: 2. 500)	AR		
14-15	12892-93J10-253	シム, タペット (T: 2. 525)	AR		
14-16	12892-93J10-255	シム, タペット (T: 2. 550)	AR		
14-17	12892-93J10-258	シム, タペット (T: 2. 575)	AR		
14-18	12892-93J10-260	シム, タペット (T: 2. 600)	AR		
14-19	12892-93J10-263	シム, タペット (T: 2. 625)	AR		
14-20	12892-93J10-265	シム, タペット (T: 2. 650)	AR		
14-21	12892-93J10-268	シム, タペット (T: 2. 675)	AR		
14-22	12892-93J10-270	シム, タペット (T: 2. 700)	AR		

FIG.121C




DF250_000_023_121C
CAMSHAFT

FIG. 121C (1-C-5) カムシャフト (DF225T: (020, 021))

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
14-23	12892-93J10-273	シム, タハ° ット (T: 2. 725)	AR		
14-24	12892-93J10-275	シム, タハ° ット (T: 2. 750)	AR		
14-25	12892-93J10-278	シム, タハ° ット (T: 2. 775)	AR		
14-26	12892-93J10-280	シム, タハ° ット (T: 2. 800)	AR		
14-27	12892-93J10-283	シム, タハ° ット (T: 2. 825)	AR		
14-28	12892-93J10-285	シム, タハ° ット (T: 2. 850)	AR		
14-29	12892-93J10-288	シム, タハ° ット (T: 2. 875)	AR		
14-30	12892-93J10-290	シム, タハ° ット (T: 2. 900)	AR		
14-31	12892-93J10-293	シム, タハ° ット (T: 2. 925)	AR		
14-32	12892-93J10-295	シム, タハ° ット (T: 2. 950)	AR		
14-33	12892-93J10-298	シム, タハ° ット (T: 2. 975)	AR		
14-34	12892-93J10-300	シム, タハ° ット (T: 3. 000)	AR		
15	12911-93J00	ハ° ルフ°, インテーク	12		
16	12915-93J60	ハ° ルフ°,エキゾ°ースト	12		
17	12921-93J11	スプ° リンク°, ハ° ルフ°	24		
18	12931-78G00	リテーナ, ハ° ルフ° スプ° リンク°	24		
19	12932-24400	コツタ, ハ° ルフ°	48		
20	12933-69G10	シート, ハ° ルフ° スプ° リンク°	24		
21	09289-05012	オイルシール (5. 5X11. 5X9. 3)	24		

DF250_000_023

FIG.121D



DF250_000_023_121D
CAMSHAFT

FIG. 121D (1-C-6) カムシャフト (DF225T: (022, 023))

見出番号	品番	品名	使用個数	備考	標準作業時間
1	12701-93J40	カムシャフト, インテークスターボート	1	STBD	
2	12705-93J40	カムシャフト, インテークボート	1	PORT	
3	12721-93J30	カムシャフト, エキゾーストスターボート	1	STBD	
4	12725-93J30	カムシャフト, エキゾーストボート	1	PORT	
5	12742-93J10	スプロケット, インテークカムシャフト	2		
6	12748-93J00	スプロケット, カムシャフト	4		
7	12749-93J00	ボルト, カムシャフト	4		
8	09202-05032	ピン (5X12)	3		
9	09261-05006	ピン (5X18)	1		
10	16551-93J00	プレート, オイルコントロール	2		
11	16559-93J00	ガスケット, オイルコントロールバルブ	2		
12	01550-0625C	ボルト	8		
13	12891-93J10	タペット	24		
14-1	12892-93J10-218	シム, タペット (T: 2. 175)	AR		
14-2	12892-93J10-220	シム, タペット (T: 2. 200)	AR		
14-3	12892-93J10-223	シム, タペット (T: 2. 225)	AR		
14-4	12892-93J10-225	シム, タペット (T: 2. 250)	AR		
14-5	12892-93J10-228	シム, タペット (T: 2. 275)	AR		
14-6	12892-93J10-230	シム, タペット (T: 2. 300)	AR		
14-7	12892-93J10-233	シム, タペット (T: 2. 325)	AR		
14-8	12892-93J10-235	シム, タペット (T: 2. 350)	AR		
14-9	12892-93J10-238	シム, タペット (T: 2. 375)	AR		
14-10	12892-93J10-240	シム, タペット (T: 2. 400)	AR		
14-11	12892-93J10-243	シム, タペット (T: 2. 425)	AR		
14-12	12892-93J10-245	シム, タペット (T: 2. 450)	AR		
14-13	12892-93J10-248	シム, タペット (T: 2. 475)	AR		
14-14	12892-93J10-250	シム, タペット (T: 2. 500)	AR		
14-15	12892-93J10-253	シム, タペット (T: 2. 525)	AR		
14-16	12892-93J10-255	シム, タペット (T: 2. 550)	AR		
14-17	12892-93J10-258	シム, タペット (T: 2. 575)	AR		
14-18	12892-93J10-260	シム, タペット (T: 2. 600)	AR		
14-19	12892-93J10-263	シム, タペット (T: 2. 625)	AR		
14-20	12892-93J10-265	シム, タペット (T: 2. 650)	AR		
14-21	12892-93J10-268	シム, タペット (T: 2. 675)	AR		
14-22	12892-93J10-270	シム, タペット (T: 2. 700)	AR		

DF250_000_023

FIG.121D




FIG. 121D (1-C-7) カムシャフト (DF225T: (022, 023))

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
14-23	12892-93J10-273	シム, タハ° ット (T: 2. 725)	AR		
14-24	12892-93J10-275	シム, タハ° ット (T: 2. 750)	AR		
14-25	12892-93J10-278	シム, タハ° ット (T: 2. 775)	AR		
14-26	12892-93J10-280	シム, タハ° ット (T: 2. 800)	AR		
14-27	12892-93J10-283	シム, タハ° ット (T: 2. 825)	AR		
14-28	12892-93J10-285	シム, タハ° ット (T: 2. 850)	AR		
14-29	12892-93J10-288	シム, タハ° ット (T: 2. 875)	AR		
14-30	12892-93J10-290	シム, タハ° ット (T: 2. 900)	AR		
14-31	12892-93J10-293	シム, タハ° ット (T: 2. 925)	AR		
14-32	12892-93J10-295	シム, タハ° ット (T: 2. 950)	AR		
14-33	12892-93J10-298	シム, タハ° ット (T: 2. 975)	AR		
14-34	12892-93J10-300	シム, タハ° ット (T: 3. 000)	AR		
15	12911-93J00	ハ° ルフ°, インテーク	12		
16	12915-93J60	ハ° ルフ°,エキゾ°ースト	12		
17	12921-93J11	スプ° リンク°, ハ° ルフ°	24		
18	12931-78G00	リテーナ, ハ° ルフ° スプ° リンク°	24		
19	12932-24400	コツタ, ハ° ルフ°	48		
20	12933-69G10	シート, ハ° ルフ° スプ° リンク°	24		
21	09289-05012	オイルシール (5. 5X11. 5X9. 3)	24		

FIG.121E




FIG. 121E (1-C-8) カムシャフト (DF250T: (020, 021))

見出番号	品番	品名	使用個数	備考	標準作業時間
1	12701-93J50	カムシャフト, インテークスターボート	1	STBD	
2	12705-93J50	カムシャフト, インテークボート	1	PORT	
3	12721-93J50	カムシャフト, エキゾーストスターボート	1	STBD	
4	12729-93J50	カムシャフト, エキゾーストボート	1	PORT	
5	12740-93J00	スプロケットアッシー, カムタイミング	2		
6	12748-93J00	スプロケット, カムシャフト	2		
7	12753-93J00	ボルト, インテークカムシャフト	2		
8	12749-93J00	ボルト, カムシャフト	2		
9	09202-05032	ピン (5X12)	3		
10	09261-05006	ピン (5X18)	1		
11	16550-93J00	パルプ, オイルコントロール	2		
12	16555-93J01	ガスケット, オイルコントロールパルプ	2		
13	01550-06257	ボルト	8		
14	12891-93J10	タペット	24		
15-1	12892-93J10-218	シム, タペット (T: 2. 175)	AR		
15-2	12892-93J10-220	シム, タペット (T: 2. 200)	AR		
15-3	12892-93J10-223	シム, タペット (T: 2. 225)	AR		
15-4	12892-93J10-225	シム, タペット (T: 2. 250)	AR		
15-5	12892-93J10-228	シム, タペット (T: 2. 275)	AR		
15-6	12892-93J10-230	シム, タペット (T: 2. 300)	AR		
15-7	12892-93J10-233	シム, タペット (T: 2. 325)	AR		
15-8	12892-93J10-235	シム, タペット (T: 2. 350)	AR		
15-9	12892-93J10-238	シム, タペット (T: 2. 375)	AR		
15-10	12892-93J10-240	シム, タペット (T: 2. 400)	AR		
15-11	12892-93J10-243	シム, タペット (T: 2. 425)	AR		
15-12	12892-93J10-245	シム, タペット (T: 2. 450)	AR		
15-13	12892-93J10-248	シム, タペット (T: 2. 475)	AR		
15-14	12892-93J10-250	シム, タペット (T: 2. 500)	AR		
15-15	12892-93J10-253	シム, タペット (T: 2. 525)	AR		
15-16	12892-93J10-255	シム, タペット (T: 2. 550)	AR		
15-17	12892-93J10-258	シム, タペット (T: 2. 575)	AR		
15-18	12892-93J10-260	シム, タペット (T: 2. 600)	AR		
15-19	12892-93J10-263	シム, タペット (T: 2. 625)	AR		
15-20	12892-93J10-265	シム, タペット (T: 2. 650)	AR		
15-21	12892-93J10-268	シム, タペット (T: 2. 675)	AR		

FIG.121E




FIG. 121E (1-C-9) カムシャフト (DF250T: (020, 021))

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
15-22	12892-93J10-270	シム, タハ° ット (T: 2. 700)	AR		
15-23	12892-93J10-273	シム, タハ° ット (T: 2. 725)	AR		
15-24	12892-93J10-275	シム, タハ° ット (T: 2. 750)	AR		
15-25	12892-93J10-278	シム, タハ° ット (T: 2. 775)	AR		
15-26	12892-93J10-280	シム, タハ° ット (T: 2. 800)	AR		
15-27	12892-93J10-283	シム, タハ° ット (T: 2. 825)	AR		
15-28	12892-93J10-285	シム, タハ° ット (T: 2. 850)	AR		
15-29	12892-93J10-288	シム, タハ° ット (T: 2. 875)	AR		
15-30	12892-93J10-290	シム, タハ° ット (T: 2. 900)	AR		
15-31	12892-93J10-293	シム, タハ° ット (T: 2. 925)	AR		
15-32	12892-93J10-295	シム, タハ° ット (T: 2. 950)	AR		
15-33	12892-93J10-298	シム, タハ° ット (T: 2. 975)	AR		
15-34	12892-93J10-300	シム, タハ° ット (T: 3. 000)	AR		
16	12911-93J00	ハ° ルフ°, インターク	12		
17	12915-93J60	ハ° ルフ°, エキゾ° スト	12		
18	12921-93J11	スフ° リンク°, ハ° ルフ°	24		
19	12931-78G00	リテーナ, ハ° ルフ° スフ° リンク°	24		
20	12932-24400	コツタ, ハ° ルフ°	48		
21	12933-69G10	シート, ハ° ルフ° スフ° リンク°	24		
22	09289-05012	オイルシール (5. 5X11. 5X9. 3)	24		

FIG.121F




FIG. 121F (1-C-10) カムシャフト (DF250T: (022, 023))

見出番号	品番	品名	使用個数	備考	標準作業時間
1	12701-93J50	カムシャフト, インテークスターボート	1	STBD	
2	12705-93J50	カムシャフト, インテークボート	1	PORT	
3	12721-93J50	カムシャフト, エキゾーストスターボート	1	STBD	
4	12729-93J50	カムシャフト, エキゾーストボート	1	PORT	
5	12740-93J00	スプリング, ロケツトアッパ, カムタイミング	2		
6	12748-93J00	スプリング, ロケツト, カムシャフト	2		
7	12753-93J00	ボルト, インテークカムシャフト	2		
8	12749-93J00	ボルト, カムシャフト	2		
9	09202-05032	ピン (5X12)	3		
10	09261-05006	ピン (5X18)	1		
11	16550-93J00	パルプ, オイルコントロール	2		
12	16555-93J01	ガスケット, オイルコントロールパルプ	2		
13	01550-0625C	ボルト	8		
14	12891-93J10	タペット	24		
15-1	12892-93J10-218	シム, タペット (T: 2. 175)	AR		
15-2	12892-93J10-220	シム, タペット (T: 2. 200)	AR		
15-3	12892-93J10-223	シム, タペット (T: 2. 225)	AR		
15-4	12892-93J10-225	シム, タペット (T: 2. 250)	AR		
15-5	12892-93J10-228	シム, タペット (T: 2. 275)	AR		
15-6	12892-93J10-230	シム, タペット (T: 2. 300)	AR		
15-7	12892-93J10-233	シム, タペット (T: 2. 325)	AR		
15-8	12892-93J10-235	シム, タペット (T: 2. 350)	AR		
15-9	12892-93J10-238	シム, タペット (T: 2. 375)	AR		
15-10	12892-93J10-240	シム, タペット (T: 2. 400)	AR		
15-11	12892-93J10-243	シム, タペット (T: 2. 425)	AR		
15-12	12892-93J10-245	シム, タペット (T: 2. 450)	AR		
15-13	12892-93J10-248	シム, タペット (T: 2. 475)	AR		
15-14	12892-93J10-250	シム, タペット (T: 2. 500)	AR		
15-15	12892-93J10-253	シム, タペット (T: 2. 525)	AR		
15-16	12892-93J10-255	シム, タペット (T: 2. 550)	AR		
15-17	12892-93J10-258	シム, タペット (T: 2. 575)	AR		
15-18	12892-93J10-260	シム, タペット (T: 2. 600)	AR		
15-19	12892-93J10-263	シム, タペット (T: 2. 625)	AR		
15-20	12892-93J10-265	シム, タペット (T: 2. 650)	AR		
15-21	12892-93J10-268	シム, タペット (T: 2. 675)	AR		

FIG.121F




FIG. 121F (1-C-11) カムシャフト (DF250T: (022, 023))

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
15-22	12892-93J10-270	シム, タハ° ット (T: 2. 700)	AR		
15-23	12892-93J10-273	シム, タハ° ット (T: 2. 725)	AR		
15-24	12892-93J10-275	シム, タハ° ット (T: 2. 750)	AR		
15-25	12892-93J10-278	シム, タハ° ット (T: 2. 775)	AR		
15-26	12892-93J10-280	シム, タハ° ット (T: 2. 800)	AR		
15-27	12892-93J10-283	シム, タハ° ット (T: 2. 825)	AR		
15-28	12892-93J10-285	シム, タハ° ット (T: 2. 850)	AR		
15-29	12892-93J10-288	シム, タハ° ット (T: 2. 875)	AR		
15-30	12892-93J10-290	シム, タハ° ット (T: 2. 900)	AR		
15-31	12892-93J10-293	シム, タハ° ット (T: 2. 925)	AR		
15-32	12892-93J10-295	シム, タハ° ット (T: 2. 950)	AR		
15-33	12892-93J10-298	シム, タハ° ット (T: 2. 975)	AR		
15-34	12892-93J10-300	シム, タハ° ット (T: 3. 000)	AR		
16	12911-93J00	ハ° ルフ°, インターク	12		
17	12915-93J60	ハ° ルフ°, エキゾ° スト	12		
18	12921-93J11	スフ° リング°, ハ° ルフ°	24		
19	12931-78G00	リテーナ, ハ° ルフ° スフ° リング°	24		
20	12932-24400	コツタ, ハ° ルフ°	48		
21	12933-69G10	シート, ハ° ルフ° スフ° リング°	24		
22	09289-05012	オイルシール (5. 5X11. 5X9. 3)	24		

FIG.121G




FIG. 121G (1-C-12) カムシャフト (DF275ST: (020, 021))

見出番号	品番	品名	使用個数	備考	標準作業時間
1	12701-98J10	カムシャフト, インテークスターボート	1	STBD	
2	12705-98J10	カムシャフト, インテークボート	1	PORT	
3	12721-98J10	カムシャフト, エキゾーストスターボート	1	STBD	
4	12729-98J10	カムシャフト, エキゾーストボート	1	PORT	
5	12740-93J00	スプリング, ロケツトアッシ, カムタイミング	2		
6	12748-93J00	スプリング, ロケツト, カムシャフト	2		
7	12753-93J00	ボルト, インテークカムシャフト	2		
8	12749-93J00	ボルト, カムシャフト	2		
9	09202-05032	ピン (5X12)	3		
10	09261-05006	ピン (5X18)	1		
11	16550-93J00	パルプ, オイルコントロール	2		
12	16555-93J01	ガスケット, オイルコントロールパルプ	2		
13	01550-06257	ボルト	8		
14	12891-93J10	タペット	24		
15-1	12892-93J10-218	シム, タペット (T: 2. 175)	AR		
15-2	12892-93J10-220	シム, タペット (T: 2. 200)	AR		
15-3	12892-93J10-223	シム, タペット (T: 2. 225)	AR		
15-4	12892-93J10-225	シム, タペット (T: 2. 250)	AR		
15-5	12892-93J10-228	シム, タペット (T: 2. 275)	AR		
15-6	12892-93J10-230	シム, タペット (T: 2. 300)	AR		
15-7	12892-93J10-233	シム, タペット (T: 2. 325)	AR		
15-8	12892-93J10-235	シム, タペット (T: 2. 350)	AR		
15-9	12892-93J10-238	シム, タペット (T: 2. 375)	AR		
15-10	12892-93J10-240	シム, タペット (T: 2. 400)	AR		
15-11	12892-93J10-243	シム, タペット (T: 2. 425)	AR		
15-12	12892-93J10-245	シム, タペット (T: 2. 450)	AR		
15-13	12892-93J10-248	シム, タペット (T: 2. 475)	AR		
15-14	12892-93J10-250	シム, タペット (T: 2. 500)	AR		
15-15	12892-93J10-253	シム, タペット (T: 2. 525)	AR		
15-16	12892-93J10-255	シム, タペット (T: 2. 550)	AR		
15-17	12892-93J10-258	シム, タペット (T: 2. 575)	AR		
15-18	12892-93J10-260	シム, タペット (T: 2. 600)	AR		
15-19	12892-93J10-263	シム, タペット (T: 2. 625)	AR		
15-20	12892-93J10-265	シム, タペット (T: 2. 650)	AR		
15-21	12892-93J10-268	シム, タペット (T: 2. 675)	AR		

FIG.121G




FIG. 121G (1-C-13) カムシャフト (DF275ST: (020, 021))

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
15-22	12892-93J10-270	シム, タハ° ット (T: 2. 700)	AR		
15-23	12892-93J10-273	シム, タハ° ット (T: 2. 725)	AR		
15-24	12892-93J10-275	シム, タハ° ット (T: 2. 750)	AR		
15-25	12892-93J10-278	シム, タハ° ット (T: 2. 775)	AR		
15-26	12892-93J10-280	シム, タハ° ット (T: 2. 800)	AR		
15-27	12892-93J10-283	シム, タハ° ット (T: 2. 825)	AR		
15-28	12892-93J10-285	シム, タハ° ット (T: 2. 850)	AR		
15-29	12892-93J10-288	シム, タハ° ット (T: 2. 875)	AR		
15-30	12892-93J10-290	シム, タハ° ット (T: 2. 900)	AR		
15-31	12892-93J10-293	シム, タハ° ット (T: 2. 925)	AR		
15-32	12892-93J10-295	シム, タハ° ット (T: 2. 950)	AR		
15-33	12892-93J10-298	シム, タハ° ット (T: 2. 975)	AR		
15-34	12892-93J10-300	シム, タハ° ット (T: 3. 000)	AR		
16	12911-98J00	ハ° ルフ°, インターク	12		
17	12915-93J60	ハ° ルフ°, エキゾ° スト	12		
18	12921-93J11	スフ° リンク°, ハ° ルフ°	24		
19	12931-78G00	リテーナ, ハ° ルフ° スフ° リンク°	24		
20	12932-24400	コツタ, ハ° ルフ°	48		
21	12933-69G10	シート, ハ° ルフ° スフ° リンク°	24		
22	09289-05012	オイルシール (5. 5X11. 5X9. 3)	24		

FIG.121H




FIG. 121H (1-C-14) カムシャフト (DF275ST: (022, 023))

見出番号	品番	品名	使用個数	備考	標準作業時間
1	12701-98J10	カムシャフト, インテークスターボート	1	STBD	
2	12705-98J10	カムシャフト, インテークボート	1	PORT	
3	12721-98J10	カムシャフト, エキゾーストスターボート	1	STBD	
4	12729-98J10	カムシャフト, エキゾーストボート	1	PORT	
5	12740-93J00	スプロケットアッシー, カムタイミング	2		
6	12748-93J00	スプロケット, カムシャフト	2		
7	12753-93J00	ボルト, インテークカムシャフト	2		
8	12749-93J00	ボルト, カムシャフト	2		
9	09202-05032	ピン (5X12)	3		
10	09261-05006	ピン (5X18)	1		
11	16550-93J00	パルプ, オイルコントロール	2		
12	16555-93J01	ガスケット, オイルコントロールパルプ	2		
13	01550-0625C	ボルト	8		
14	12891-93J10	タペット	24		
15-1	12892-93J10-218	シム, タペット (T:2. 175)	AR		
15-2	12892-93J10-220	シム, タペット (T:2. 200)	AR		
15-3	12892-93J10-223	シム, タペット (T:2. 225)	AR		
15-4	12892-93J10-225	シム, タペット (T:2. 250)	AR		
15-5	12892-93J10-228	シム, タペット (T:2. 275)	AR		
15-6	12892-93J10-230	シム, タペット (T:2. 300)	AR		
15-7	12892-93J10-233	シム, タペット (T:2. 325)	AR		
15-8	12892-93J10-235	シム, タペット (T:2. 350)	AR		
15-9	12892-93J10-238	シム, タペット (T:2. 375)	AR		
15-10	12892-93J10-240	シム, タペット (T:2. 400)	AR		
15-11	12892-93J10-243	シム, タペット (T:2. 425)	AR		
15-12	12892-93J10-245	シム, タペット (T:2. 450)	AR		
15-13	12892-93J10-248	シム, タペット (T:2. 475)	AR		
15-14	12892-93J10-250	シム, タペット (T:2. 500)	AR		
15-15	12892-93J10-253	シム, タペット (T:2. 525)	AR		
15-16	12892-93J10-255	シム, タペット (T:2. 550)	AR		
15-17	12892-93J10-258	シム, タペット (T:2. 575)	AR		
15-18	12892-93J10-260	シム, タペット (T:2. 600)	AR		
15-19	12892-93J10-263	シム, タペット (T:2. 625)	AR		
15-20	12892-93J10-265	シム, タペット (T:2. 650)	AR		
15-21	12892-93J10-268	シム, タペット (T:2. 675)	AR		

FIG.121H




FIG. 121H (1-C-15) カムシャフト (DF275ST: (022, 023))

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
15-22	12892-93J10-270	シム, タハ° ット (T: 2. 700)	AR		
15-23	12892-93J10-273	シム, タハ° ット (T: 2. 725)	AR		
15-24	12892-93J10-275	シム, タハ° ット (T: 2. 750)	AR		
15-25	12892-93J10-278	シム, タハ° ット (T: 2. 775)	AR		
15-26	12892-93J10-280	シム, タハ° ット (T: 2. 800)	AR		
15-27	12892-93J10-283	シム, タハ° ット (T: 2. 825)	AR		
15-28	12892-93J10-285	シム, タハ° ット (T: 2. 850)	AR		
15-29	12892-93J10-288	シム, タハ° ット (T: 2. 875)	AR		
15-30	12892-93J10-290	シム, タハ° ット (T: 2. 900)	AR		
15-31	12892-93J10-293	シム, タハ° ット (T: 2. 925)	AR		
15-32	12892-93J10-295	シム, タハ° ット (T: 2. 950)	AR		
15-33	12892-93J10-298	シム, タハ° ット (T: 2. 975)	AR		
15-34	12892-93J10-300	シム, タハ° ット (T: 3. 000)	AR		
16	12911-98J00	ハ° ルフ°, インターク	12		
17	12915-93J60	ハ° ルフ°, エキゾ° スト	12		
18	12921-93J11	スフ° リンク°, ハ° ルフ°	24		
19	12931-78G00	リテーナ, ハ° ルフ° スフ° リンク°	24		
20	12932-24400	コツタ, ハ° ルフ°	48		
21	12933-69G10	シート, ハ° ルフ° スフ° リンク°	24		
22	09289-05012	オイルシール (5. 5X11. 5X9. 3)	24		

FIG.122A




FIG. 122A (1-D-2) インテークマニホールド*

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
1	13110-93J00	マニホールド*, インテーク	1		
2	13119-93J00	ガスケット, インテークマニホールド*	2		
3	09108-08282	スタッド ボルト	4		
4	09103-08437	ボルト (8X65)	4		
5	09159-08136	ナット	4		
6	09160-08016	ワッシャー (8. 5X20X2)	8		

FIG.134A




FIG. 134A (1-D-3) サイレンサ

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
1	13710-93J00	アレスタ, フレーム	1		
2	13811-93J02	サイレンサ, アツパ` カバ`	1		
3	13813-93J01	ホルダ`, フレームアレスタ	1		
4	13851-93J02	シール, サイレンサ	1		
5	13881-93J01	チューブ`, アウトレット	2		
6	17895-93J00	クランプ`, アウトレットチューブ`	2		
7	02142-06207	スクリュ	6		
8	13853-96L01	グ` ロメツト, フ` リーサ` ホース	2		

FIG.136A




FIG. 136A (1-D-4) リンギギヤカバー

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
1	11510-93J03	カバー, リンギギヤ	1		
2-1	01550-06207	ボルト	2	020, 021	
2-2	01550-0620C	ボルト	2	022, 023	
3-1	01550-06407	ボルト	1	020, 021	
3-2	01550-0640C	ボルト	1	022, 023	
4	11515-93J00	ブレース, リンギギヤカバー	1		
5-1	01550-08357	ボルト	2	020, 021	
5-2	01550-0835C	ボルト	2	022, 023	
6	11516-93J01	ブラツブ, リンギギヤカバー	1		
7	69711-93E11	ラベル, S. I. G. P.	1		
8	61494-93J01	ラベル, オイル/クリアランス	1		



FIG.140A





FIG. 140A (1-D-5) エキゾーストカバー

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
1	14141-93J02	カバー, エキゾーストスターボート	1	STBD	
2	14140-98J01	カバー, エキゾーストボート	1	PORT	
3	14151-93J00	ガスケット, エキゾーストカバー (スターボート)	1	STBD	
4	14152-93J00	ガスケット, エキゾーストカバー (ボート)	1	PORT	
5	11261-93J00	カバー, プロテクションノード	2		
6	55321-87J01	ノード, プロテクション	2		
7	09103-06281	ボルト (6X14)	2		
8	09280-22019	リング (D:1.9, ID:21.8)	2		
9-1	01550-08207	ボルト	2	020, 021	
9-2	01550-0820C	ボルト	2	022, 023	
10	01550-06257	ボルト	23		



FIG.144A



DF250_000_023_144A
FUEL INJECTOR

FIG. 144A (1-D-6) フューエルインジェクタ (DF200T, DF225T, DF250T)

見出番号	品番	品名	使用個数	備考	標準作業時間
1	15681-93J02	ホース, フューエル (3ウェイツデー リハ リハ イフ)	1		
2	15710-93J00	インジェクタアツシ, フューエル	6		
3	15717-16G00	・Oリング	6		
4	15735-58B00	インシユレータ, テー リハ リハ イフ	4		
5	15751-93J00	ハ イフ, テー リハ リ	2		
6	15756-93J02	ホース, フューエル (テー リハ リツデー リハ リ)	1		
7	15762-93J00	ガ スケツト, テー リハ リハ イフ	5		
8	15830-77EA0	ジ ョイント, フューエルメイン	1		
9	15831-93J00	ユニオン, テー リハ リハ イフ	2		
10	18498-93J01	ブ ロテクタ, フューエルホース (15. 4X18. 4X340)	1		
11	09247-14041	ブ ラグ (14X14)	1		
12	09320-08062	クツシヨ	6		
13	09360-14009	ユニオンホ ルト	1		
14	09401-11425	クリツフ	4		
15	09403-16307	クランフ	1		
16	09408-00105	クランフ	1		
17	09408-00155	クランフ	1		
18-1	01550-08407	ホ ルト	4	020, 021	
18-2	01550-0840C	ホ ルト	4	022, 023	
19	15680-93J40	ホース, フューエルインレツト (ツーフイルタ)	1		
20	09401-14409	クリツフ	1		
21	09408-00135	クリツフ	2		
22	15684-98J00	ガ イド, フューエルホース	1		
23-1	01550-06127	ホ ルト	2	020, 021	
23-2	01550-0612C	ホ ルト	2	022, 023	
24	09251-09009	ブ ラグ	1		

DF250_000_023

FIG.144B





FIG. 144B (1-D-7) フューエルインジェクタ (DF275ST)

見出番号	品番	品名	使用個数	備考	標準作業時間
1	15681-93J02	ホース, フューエル (3ウェイツデー リハ リハ イフ)	1		
2	15710-96J00	インジェクタアツシ, フューエル	6		
3	15717-16G00	・Oリング	6		
4	15735-58B00	インシユレータ, テー リハ リハ イフ	4		
5	15751-93J00	ハ イフ, テー リハ リ	2		
6	15756-93J02	ホース, フューエル (テー リハ リツデー リハ リ)	1		
7	15762-93J00	ガ スケツト, テー リハ リハ イフ	5		
8	15830-77EA0	ジ ョイント, フューエルメイン	1		
9	15831-93J00	ユニオン, テー リハ リハ イフ	2		
10	18498-93J01	ブ ロテクタ, フューエルホース (15. 4X18. 4X340)	1		
11	09247-14041	ブ ラグ (14X14)	1		
12	09320-08062	クツシヨ	6		
13	09360-14009	ユニオンホ ルト	1		
14	09401-11425	クリツブ	4		
15	09403-16307	クランブ	1		
16	09408-00105	クランブ	1		
17	09408-00155	クランブ	1		
18-1	01550-08407	ホ ルト	4	020, 021	
18-2	01550-0840C	ホ ルト	4	022, 023	
19	15680-93J40	ホース, フューエルインレット (ツーフイルタ)	1		
20	09401-14409	クリツブ	1		
21	09408-00135	クリツブ	2		
22	15684-98J00	ガ イド, フューエルホース	1		
23-1	01550-06127	ホ ルト	2	020, 021	
23-2	01550-0612C	ホ ルト	2	022, 023	
24	09251-09009	ブ ラグ	1		

FIG.147A



DF250_000_023_147A
FUEL PUMP/FUEL VAPOR SEPARATOR

FIG. 147A (1-D-8) フューエルポンプ / フューエルベ-ハセパレータ (SEE NOTE 1)

見出番号	品番	品名	使用個数	備考	標準作業時間
1	15100-98J00	ホ-ンプ アツシ, フューエル	1		
2	15410-93J11	フィルタ, フューエル, レフト	1		
3	15411-93J10	・キヤツプ, フューエルフィルタ	1		
4	15415-93J10	・シール, フューエルフィルタNO. 1	1		
5	15412-93J10	・フィルタアツシ, フューエル	1		
6	15413-93J10	・ケースアツシ, フューエルフィルタ	1		
7	15644-93J00	カバー, フューエルフィルタ	1		
8	15633-93J20	ホ-ス, フューエル (H)	1		
9	09343-75002-600	ホ-ス (7. 5X13. 5X600)	1	L: 600->65	
10	15440-93J00	フィルタ, フューエル	1		
11	09320-08519	クツシヨソ	2		
12	15773-90J10	ユニオン, フューエルホ-ス	1		
13	15830-93J00	ユニオン, スリーウエイフューエルホ-ス	1		
14	09169-06093	ワツシヤ, フューエルホ-ンプ	3		
15	15770-93J00	クーラ, フューエル	1		
16	09168-12013	ガ-スケツト (11. 8X22X1. 2)	3		
17	09360-12008	ホ-ルト, 12X27	1		
18	09363-08004	ユニオン	1		
19	15600-93J21	セパレータアツシ, フューエルベ-ハ	1		
20	13370-93J00	・パ-ルプ アツシ, ニートル	1		
21	15626-93J00	・ガ-スケツト, セパレータ	1		
22	15650-93J00	・フロートアツシ	1		
23	15200-93J01	・ホ-ンプ アツシ, フューエル (H)	1		
24	15647-93J00	・プ-ツシ, フューエルホ-ンプ	1		
25	15641-90J00	・スベ-サ	1		
26	15642-90J00	・フィルタ	1		
27	15654-99E00	・ヒ-ソ	1		
28	02142-0408B	・スクリュ	1		
29	13602-05108	・スクリュ	1		
30	15760-93J01	・レキ-エレータ, フューエルプ-レツシヤ	1		
31	15628-99E00	・スクリュ (L: 15)	6		
32	15627-93J00	・スクリュ	1		
33	09320-12094	クツシヨソ	3		
34	15675-93J00	ホ-ルト, クーラプ-ラケツト	3		
35	09343-75002-600	ホ-ス (7. 5X13. 5X600)	1	L: 600->50	

NOTE 1:
(DF200T, DF225T) : (020, 021)

FIG.147A




FIG. 147A (1-D-9) フューエルポンプ/フューエルベ-パセパレータ (SEE NOTE 1)

見出番号	品番	品名	使用個数	備考	標準作業時間
36	09401-11414	クリップ (ID:11.5)	15		
37	15636-93J30	ホ-ス, フューエル	1		
38	15685-93J00	クリップ, フューエルホ-スNO. 1	3		
39	15672-93J10	ブラケット, フューエルクーラ	1		
40	01500-06167	ホルト	4		
41	15635-93J30	ホ-ス, フューエル	1		
42	15632-93J30	ホ-ス, フューエル	1		
43	15673-98J00	ブラケット, フューエルフィルタ	1		
44	01550-06257	ホルト	2		
45	15643-93J00	フィルタ, フューエル, レフト	1		
46	09343-75002-600	ホ-ス (7.5X13.5X600)	1	L: 600->65	
47	15634-93J20	ホ-ス, フューエル (H)	1		
48	09116-06525	ホルト (6X35)	3		
49	15674-93J00	ブラケット, チェツクバルブ	1		
50	15645-93J00	バルブ, チェツク	1		
51	15637-93J30	ホ-ス, フューエル	1		
52	15629-99E10	スクリュ, ドレーン	2		
53	15683-87J00	ホ-ス	1		
54	02112-0406B	スクリュ	3		
55	09343-70503-600	ホ-ス (7X12X600)	1	L: 600->240	
56	09401-11423	クリップ	2		
57	18498-87J51	プロテクタ, エバホホ-ス (160)	1		
58	09169-06062	ワッシャ	2		
59	09116-06202	ホルト (6X25)	2		
60	15671-93J00	ブラケット, エバホセパレータ	1		
61	01550-06357	ホルト	2		
62	09169-08042	ワッシャ	6		
63	01550-08407	ホルト	3		
64	18417-93J00	ブラケット, ハージバルブ	1		
65	01550-06127	ホルト	2		
66	09320-08520	クッション	1		
67	09403-14304	クランプ	1		
68	13671-02F00	クリップ	1		
69	15114-93J00	ブラケット, フューエルポンプ NO. 1	1		
70	15115-93J02	ブラケット, フューエルポンプ NO. 2	1		

NOTE 1:

(DF200T, DF225T) : (020, 021)

FIG.147A




FIG. 147A (1-D-10) フューエルポンプ/フューエルベーパーセパレータ (SEE NOTE 1)

見出番号	品番	品名	使用個数	備考	標準作業時間
71	15695-98L00	ユニオン、エバホレーション	1		
72	09352-50003-00A	ホース	1		
73	09401-08412	クリップ	1		
74	09408-00056	クリップ	1		
75	09408-00050	クリップ	1		
76	18498-93J20	プロテクタ、エバホホース(900)	1		
77	15118-93J00	ホルト	1		

NOTE 1:
(DF200T, DF225T) : (020, 021)

FIG.147B




FIG. 147B (1-D-11) フューエルポンプ/フューエルベーパーセパレーター (SEE NOTE 1)

見出番号	品番	品名	使用個数	備考	標準作業時間
1	15100-98J00	ポンプアツシ, フューエル	1		
2	15410-93J11	フィルタ, フューエル, レフト	1		
3	15411-93J10	・キャツプ, フューエルフィルタ	1		
4	15415-93J10	・シール, フューエルフィルタNO. 1	1		
5	15412-93J10	・フィルタアツシ, フューエル	1		
6	15413-93J10	・ケースアツシ, フューエルフィルタ	1		
7	15644-93J00	カバー, フューエルフィルタ	1		
8	15633-93J20	ホース, フューエル (H)	1		
9	09343-75002-600	ホース (7. 5X13. 5X600)	1	L: 600->65	
10	15440-93J00	フィルタ, フューエル	1		
11	09320-08519	クワシヨン	2		
12	15773-90J10	ユニオン, フューエルホース	1		
13	15830-93J00	ユニオン, スリーウエイフューエルホース	1		
14	09169-06093	ワツシヤ, フューエルポンプ	3		
15	15770-93J00	クーラ, フューエル	1		
16	09168-12013	ガスケット (11. 8X22X1. 2)	3		
17	09360-12008	ホルト, 12X27	1		
18	09363-08004	ユニオン	1		
19	15600-93J40	セパレーターアツシ, フューエルベーパー	1		
20	13370-93J00	・バルブアツシ, ニードル	1		
21	15626-93J00	・ガスケット, セパレーター	1		
22	15650-93J00	・フロートアツシ	1		
23	15200-93J01	・ポンプアツシ, フューエル (H)	1		
24	15647-93J00	・ブツシユ, フューエルポンプ	1		
25	15641-90J00	・スベーサ	1		
26	15642-90J00	・フィルタ	1		
27	15654-99E00	・ヒン	1		
28	02142-0408B	・スクリュ	1		
29	13602-05108	・スクリュ	1		
30	15760-93J01	・レギュレーター, フューエルブレスツヤ	1		
31	15628-99E00	・スクリュ (L: 15)	6		
32	15627-93J00	・スクリュ	1		
33	09320-12094	クワシヨン	3		
34	15675-93J00	ホルト, クーラブラケット	3		
35	09343-75002-600	ホース (7. 5X13. 5X600)	1	L: 600->50	

NOTE 1:
(DF200T, DF225T) : (022, 023)

FIG.147B




FIG. 147B (1-D-12) フューエルポンプ / フューエルホースセパレータ (SEE NOTE 1)

見出番号	品番	品名	使用個数	備考	標準作業時間
36	09401-11414	クリップ (ID:11.5)	15		
37	15636-93J30	ホース, フューエル	1		
38	15685-93J00	クリップ, フューエルホースNO. 1	3		
39	15672-93J10	ブラケット, フューエルクーラ	1		
40	01500-06167	ホルト	4		
41	15635-93J30	ホース, フューエル	1		
42	15632-93J30	ホース, フューエル	1		
43	15673-98J00	ブラケット, フューエルフィルタ	1		
44	01550-06257	ホルト	2		
45	15643-93J00	フィルタ, フューエル, レフト	1		
46	09343-75002-600	ホース (7.5X13.5X600)	1	L: 600->65	
47	15634-93J20	ホース, フューエル (H)	1		
48	09116-06525	ホルト (6X35)	3		
49	15674-93J00	ブラケット, チェックバルブ	1		
50	15645-93J00	バルブ, チェック	1		
51	15637-93J30	ホース, フューエル	1		
52	15629-99E10	スクリュ, ドレーン	2		
53	15683-87J00	ホース	1		
54	02112-0406B	スクリュ	3		
55	09343-70503-600	ホース (7X12X600)	1	L: 600->130	
56	09401-11423	クリップ	2		
57	18498-90J61	プロテクタ, フューエルホース (70)	1		
58	09169-06062	ワッシャ	2		
59	09116-06202	ホルト (6X25)	2		
60	15671-93J00	ブラケット, ホースセパレータ	1		
61	01550-06357	ホルト	2		
62	09169-08042	ワッシャ	6		
63	01550-0840C	ホルト	3		
64	18417-93J00	ブラケット, バージバルブ	1		
65	01550-0612C	ホルト	2		
66	18117-52G10	バルブ, キヤニスタバジ	1		
67	09352-50003-080	ホース (5X8.2X080)	1		
68	13671-02F00	クリップ	1		
69	15114-93J00	ブラケット, フューエルポンプ NO. 1	1		
70	15115-93J02	ブラケット, フューエルポンプ NO. 2	1		

NOTE 1:
(DF200T, DF225T) : (022, 023)

FIG.147B




FIG. 147B (1-D-13) フューエルポンプ/フューエルベーパーセパレーター (SEE NOTE 1)

見出番号	品 番	品 名	使用個数	備 考	標準 作業時間
71	15695-98L00	ユニオン, エバポレーター用	1		
72	09352-50003-550	ホース (5X8. 2X550)	1		
73	09401-08412	クリップ	4		
74	09408-00056	クリップ	1		
75	18498-87JC1	プロテクタ, ホース (9. 5X11. 5X450)	1		
76	08316-10067	ナット	1		
77	15118-93J00	ホルト	1		
78	15141-93J00	カバー, フューエルポンプ	1		

NOTE 1:
(DF200T, DF225T) : (022, 023)

FIG.147C




FIG. 147C (1-D-14) フューエルポンプ/フューエルベーパーセパレータ (SEE NOTE 1)

見出番号	品番	品名	使用個数	備考	標準作業時間
1	15100-98J00	ポンプアツシ, フューエル	1		
2	15410-93J11	フィルタ, フューエル, レフト	1		
3	15411-93J10	・キャツプ, フューエルフィルタ	1		
4	15415-93J10	・シール, フューエルフィルタNO. 1	1		
5	15412-93J10	・フィルタアツシ, フューエル	1		
6	15413-93J10	・ケースアツシ, フューエルフィルタ	1		
7	15644-93J00	カバー, フューエルフィルタ	1		
8	15633-93J20	ホース, フューエル (H)	1		
9	09343-75002-600	ホース (7. 5X13. 5X600)	1	L: 600->65	
10	15440-93J00	フィルタ, フューエル	1		
11	09320-08519	クワシヨン	2		
12	15773-90J10	ユニオン, フューエルホース	1		
13	15830-93J00	ユニオン, スリーウエイフューエルホース	1		
14	09169-06093	ワツシヤ, フューエルポンプ	3		
15	15770-93J00	クーラ, フューエル	1		
16	09168-12013	ガスケット (11. 8X22X1. 2)	3		
17	09360-12008	ホルト, 12X27	1		
18	09363-08004	ユニオン	1		
19	15600-93J21	セパレータアツシ, フューエルベーパー	1		
20	13370-93J00	・バルブアツシ, ニードル	1		
21	15626-93J00	・ガスケット, セパレータ	1		
22	15650-93J00	・フロートアツシ	1		
23	15200-93J01	・ポンプアツシ, フューエル (H)	1		
24	15647-93J00	・ブツシユ, フューエルポンプ	1		
25	15641-90J00	・スベールサ	1		
26	15642-90J00	・フィルタ	1		
27	15654-99E00	・ヒン	1		
28	02142-0408B	・スクリュ	1		
29	13602-05108	・スクリュ	1		
30	15760-93J01	・レギュレータ, フューエルブツシヤ	1		
31	15628-99E00	・スクリュ (L: 15)	6		
32	15627-93J00	・スクリュ	1		
33	09320-12094	クワシヨン	3		
34	15675-93J00	ホルト, クラップラケツト	3		
35	09343-75002-600	ホース (7. 5X13. 5X600)	1	L: 600->50	

NOTE 1:
DF250T: (020, 021)

FIG.147C




FIG. 147C (1-D-15) フューエルポンプ/フューエルベーパーセパレーター (SEE NOTE 1)

見出番号	品番	品名	使用個数	備考	標準作業時間
36	09401-11414	クリップ (ID:11.5)	15		
37	15636-93J30	ホース, フューエル	1		
38	15685-93J00	クリップ, フューエルホースNO. 1	3		
39	15672-93J10	ブラケット, フューエルクーラ	1		
40	01500-06167	ホルト	4		
41	15635-93J30	ホース, フューエル	1		
42	15632-93J30	ホース, フューエル	1		
43	15673-98J00	ブラケット, フューエルフィルタ	1		
44	01550-06257	ホルト	2		
45	15643-93J00	フィルタ, フューエル, レフト	1		
46	09343-75002-600	ホース (7.5X13.5X600)	1	L: 600->65	
47	15634-93J20	ホース, フューエル (H)	1		
48	09116-06525	ホルト (6X35)	3		
49	15674-93J00	ブラケット, チェックバルブ	1		
50	15645-93J00	バルブ, チェック	1		
51	15637-93J30	ホース, フューエル	1		
52	15629-99E10	スクリュ, ドレーン	2		
53	15683-87J00	ホース	1		
54	02112-0406B	スクリュ	3		
55	09343-70503-600	ホース (7X12X600)	1	L: 600->240	
56	09401-11423	クリップ	2		
57	18498-87J51	プロテクタ, エアホース (160)	1		
58	09169-06062	ワッシャ	2		
59	09116-06202	ホルト (6X25)	2		
60	15671-93J00	ブラケット, エアセパレーター	1		
61	01550-06357	ホルト	2		
62	09169-08042	ワッシャ	6		
63	01550-08407	ホルト	3		
64	18417-93J00	ブラケット, バージバルブ	1		
65	01550-06127	ホルト	2		
66	09320-08520	クッション	1		
67	09403-14304	クランプ	1		
68	13671-02F00	クリップ	1		
69	15114-93J00	ブラケット, フューエルポンプ NO. 1	1		
70	15115-93J02	ブラケット, フューエルポンプ NO. 2	1		

NOTE 1:
DF250T: (020, 021)

FIG.147C




FIG. 147C (1-E-2) フューエルポンプ/フューエルベーパーセパレータ (SEE NOTE 1)

見出番号	品番	品名	使用個数	備考	標準作業時間
71	15695-98L00	ユニオン, エバホレーション	1		
72	09352-50003-00A	ホース	1		
73	09401-08412	クリップ	1		
74	09408-00056	クリップ	1		
75	09408-00050	クリップ	1		
76	18498-93J20	プロテクタ, エバホース (900)	1		
77	15118-93J00	ホルト	1		

NOTE 1:
DF250T : (020, 021)

FIG.147D




FIG. 147D (1-E-3) フューエルポンプ/フューエルベ-ハセパレータ (SEE NOTE 1)

見出番号	品番	品名	使用個数	備考	標準作業時間
1	15100-98J00	ホ-ンプ アツシ, フューエル	1		
2	15410-93J11	フィルタ, フューエル, レフト	1		
3	15411-93J10	・キャツプ, フューエルフィルタ	1		
4	15415-93J10	・シール, フューエルフィルタNO. 1	1		
5	15412-93J10	・フィルタアツシ, フューエル	1		
6	15413-93J10	・ケースアツシ, フューエルフィルタ	1		
7	15644-93J00	カバー, フューエルフィルタ	1		
8	15633-93J20	ホ-ス, フューエル (H)	1		
9	09343-75002-600	ホ-ス (7. 5X13. 5X600)	1	L: 600->65	
10	15440-93J00	フィルタ, フューエル	1		
11	09320-08519	クツシヨ	2		
12	15773-90J10	ユニオン, フューエルホ-ス	1		
13	15830-93J00	ユニオン, スリーウエイフューエルホ-ス	1		
14	09169-06093	ワツシヤ, フューエルホ-ンプ	3		
15	15770-93J00	クーラ, フューエル	1		
16	09168-12013	ガ-スケツト (11. 8X22X1. 2)	3		
17	09360-12008	ホ-ルト, 12X27	1		
18	09363-08004	ユニオン	1		
19	15600-93J40	セパレータアツシ, フューエルベ-ハ	1		
20	13370-93J00	・バルブアツシ, ニートル	1		
21	15626-93J00	・ガ-スケツト, セパレータ	1		
22	15650-93J00	・フロートアツシ	1		
23	15200-93J01	・ホ-ンプアツシ, フューエル (H)	1		
24	15647-93J00	・プ-ツシユ, フューエルホ-ンプ	1		
25	15641-90J00	・スベ-サ	1		
26	15642-90J00	・フィルタ	1		
27	15654-99E00	・ヒ-ン	1		
28	02142-0408B	・スクリュ	1		
29	13602-05108	・スクリュ	1		
30	15760-93J01	・レキ-ュレータ, フューエルブ-レツシヤ	1		
31	15628-99E00	・スクリュ (L: 15)	6		
32	15627-93J00	・スクリュ	1		
33	09320-12094	クツシヨ	3		
34	15675-93J00	ホ-ルト, クーラブ-ラケツト	3		
35	09343-75002-600	ホ-ス (7. 5X13. 5X600)	1	L: 600->50	

NOTE 1:
DF250T: (022, 023)

FIG.147D




FIG. 147D (1-E-4) フューエルポンプ /フューエルベ-パセパレータ (SEE NOTE 1)

見出番号	品番	品名	使用個数	備考	標準作業時間
36	09401-11414	クリップ (ID:11.5)	15		
37	15636-93J30	ホ-ス, フューエル	1		
38	15685-93J00	クリップ, フューエルホ-スNO. 1	3		
39	15672-93J10	ブラケット, フューエルクーラ	1		
40	01500-06167	ホルト	4		
41	15635-93J30	ホ-ス, フューエル	1		
42	15632-93J30	ホ-ス, フューエル	1		
43	15673-98J00	ブラケット, フューエルフィルタ	1		
44	01550-06257	ホルト	2		
45	15643-93J00	フィルタ, フューエル, レフト	1		
46	09343-75002-600	ホ-ス (7.5X13.5X600)	1	L: 600->65	
47	15634-93J20	ホ-ス, フューエル (H)	1		
48	09116-06525	ホルト (6X35)	3		
49	15674-93J00	ブラケット, チェックバルブ	1		
50	15645-93J00	バルブ, チェック	1		
51	15637-93J30	ホ-ス, フューエル	1		
52	15629-99E10	スクリュ, トレーン	2		
53	15683-87J00	ホ-ス	1		
54	02112-0406B	スクリュ	3		
55	09343-70503-600	ホ-ス (7X12X600)	1	L: 600->130	
56	09401-11423	クリップ	2		
57	18498-90J61	ブラケット, フューエルホ-ス (70)	1		
58	09169-06062	ワッシャ	2		
59	09116-06202	ホルト (6X25)	2		
60	15671-93J00	ブラケット, ベ-パセパレータ	1		
61	01550-06357	ホルト	2		
62	09169-08042	ワッシャ	6		
63	01550-0840C	ホルト	3		
64	18417-93J00	ブラケット, バ-ジバルブ	1		
65	01550-0612C	ホルト	2		
66	18117-52G10	バルブ, キヤニスタバ-ジ	1		
67	09352-50003-080	ホ-ス (5X8.2X080)	1		
68	13671-02F00	クリップ	1		
69	15114-93J00	ブラケット, フューエルポンプ NO. 1	1		
70	15115-93J02	ブラケット, フューエルポンプ NO. 2	1		

NOTE 1:
DF250T: (022, 023)

FIG.147D




FIG. 147D (1-E-5) フューエルポンプ/フューエルベーパーセパレーター (SEE NOTE 1)

見出番号	品番	品名	使用個数	備考	標準作業時間
71	15695-98L00	ユニオン, エバホレーション	1		
72	09352-50003-550	ホース (5X8. 2X550)	1		
73	09401-08412	クリップ	4		
74	09408-00056	クリップ	1		
75	18498-87JC1	プロテクタ, ホース (9. 5X11. 5X450)	1		
76	08316-10067	ナット	1		
77	15118-93J00	ホルト	1		
78	15141-93J00	カバー, フューエルポンプ	1		

NOTE 1:
DF250T: (022. 023)

FIG.147E




FIG. 147E (1-E-6) フューエルポンプ / フューエルベ-ハセパレータ (SEE NOTE 1)

見出番号	品番	品名	使用個数	備考	標準作業時間
1	15100-98J00	ホ-ンプ アツシ, フューエル	1		
2	15410-93J11	フィルタ, フューエル, レフト	1		
3	15411-93J10	・キャツプ, フューエルフィルタ	1		
4	15415-93J10	・シール, フューエルフィルタNO. 1	1		
5	15412-93J10	・フィルタアツシ, フューエル	1		
6	15413-93J10	・ケースアツシ, フューエルフィルタ	1		
7	15644-93J00	カバー, フューエルフィルタ	1		
8	15633-93J20	ホ-ス, フューエル (H)	1		
9	09343-75002-600	ホ-ス (7. 5X13. 5X600)	1	L: 600->65	
10	15440-93J00	フィルタ, フューエル	1		
11	09320-08519	クツシヨシ	2		
12	15773-90J10	ユニオン, フューエルホ-ス	1		
13	15830-93J00	ユニオン, スリーウエイフューエルホ-ス	1		
14	09169-06093	ワツシヤ, フューエルホ-ンプ	3		
15	15770-93J00	クーラ, フューエル	1		
16	09168-12013	ガ-スケツト (11. 8X22X1. 2)	3		
17	09360-12008	ホ-ルト, 12X27	1		
18	09363-08004	ユニオン	1		
19	15600-98J21	セパレータアツシ, フューエルベ-ハ	1		
20	13370-93J00	・バルブアツシ, ニートル	1		
21	15626-93J00	・ガ-スケツト, セパレータ	1		
22	15650-93J00	・フロートアツシ	1		
23	15200-98J00	・ホ-ンプアツシ, フューエル (H)	1		
24	15647-93J00	・プ-ツシ, フューエルホ-ンプ	1		
25	15641-90J00	・スベ-サ	1		
26	15642-90J00	・フィルタ	1		
27	15654-99E00	・ヒ-シ	1		
28	02142-0408B	・スクリュ	1		
29	13602-05108	・スクリュ	1		
30	15760-93J01	・レキ-ュレータ, フューエルブ-レツシヤ	1		
31	15628-99E00	・スクリュ (L: 15)	6		
32	15627-93J00	・スクリュ	1		
33	09320-12094	クツシヨシ	3		
34	15675-93J00	ホ-ルト, クーラブ-ラケツト	3		
35	09343-75002-600	ホ-ス (7. 5X13. 5X600)	1	L: 600->50	

NOTE 1:
DF275ST: (020, 021)

FIG.147E




FIG. 147E (1-E-7) フューエルポンプ/フューエルベーパーセパレーター (SEE NOTE 1)

見出番号	品番	品名	使用個数	備考	標準作業時間
36	09401-11414	クリップ (ID:11.5)	15		
37	15636-93J30	ホース, フューエル	1		
38	15685-93J00	クリップ, フューエルホースNO. 1	3		
39	15672-93J10	ブラケット, フューエルクーラ	1		
40	01500-06167	ホルト	4		
41	15635-93J30	ホース, フューエル	1		
42	15632-93J30	ホース, フューエル	1		
43	15673-98J00	ブラケット, フューエルフィルタ	1		
44	01550-06257	ホルト	2		
45	15643-93J00	フィルタ, フューエル, レフト	1		
46	09343-75002-600	ホース (7.5X13.5X600)	1	L: 600->65	
47	15634-93J20	ホース, フューエル (H)	1		
48	09116-06525	ホルト (6X35)	3		
49	15674-93J00	ブラケット, チェックバルブ	1		
50	15645-93J00	バルブ, チェック	1		
51	15637-93J30	ホース, フューエル	1		
52	15629-99E10	スクリュ, ドレーン	2		
53	15683-87J00	ホース	1		
54	02112-0406B	スクリュ	3		
55	09343-70503-600	ホース (7X12X600)	1	L: 600->240	
56	09401-11423	クリップ	2		
57	18498-87J51	プロテクタ, エバホース (160)	1		
58	09169-06062	ワッシャ	2		
59	09116-06202	ホルト (6X25)	2		
60	15671-93J00	ブラケット, エバセパレーター	1		
61	01550-06357	ホルト	2		
62	09169-08042	ワッシャ	6		
63	01550-08407	ホルト	3		
64	18417-93J00	ブラケット, バージバルブ	1		
65	01550-06127	ホルト	2		
66	09320-08520	クッション	1		
67	09403-14304	クランプ	1		
68	13671-02F00	クリップ	1		
69	15114-93J00	ブラケット, フューエルポンプ NO. 1	1		
70	15115-93J02	ブラケット, フューエルポンプ NO. 2	1		

NOTE 1:

DF275ST: (020, 021)

FIG.147E




FIG. 147E (1-E-8) フューエルポンプ/フューエルベーパーセパレータ (SEE NOTE 1)

見出番号	品番	品名	使用個数	備考	標準作業時間
71	15695-98L00	ユニオン, エバホレーション	1		
72	09352-50003-00A	ホース	1		
73	09401-08412	クリップ	1		
74	09408-00056	クリップ	1		
75	09408-00050	クリップ	1		
76	18498-93J20	プロテクタ, エバホース (900)	1		
77	15118-93J00	ホルト	1		

NOTE 1:
DF275ST: (020, 021)

FIG.147F




FIG. 147F (1-E-9) フューエルポンプ / フューエルベ-ハセパレータ (SEE NOTE 1)

見出番号	品番	品名	使用個数	備考	標準作業時間
1	15100-98J00	ホ-ンプ アツシ, フューエル	1		
2	15410-93J11	フィルタ, フューエル, レフト	1		
3	15411-93J10	・キャツプ, フューエルフィルタ	1		
4	15415-93J10	・シール, フューエルフィルタNO. 1	1		
5	15412-93J10	・フィルタアツシ, フューエル	1		
6	15413-93J10	・ケースアツシ, フューエルフィルタ	1		
7	15644-93J00	カバー, フューエルフィルタ	1		
8	15633-93J20	ホ-ス, フューエル (H)	1		
9	09343-75002-600	ホ-ス (7. 5X13. 5X600)	1	L: 600->65	
10	15440-93J10	フィルタ, フューエル	1		
11	09320-08519	クツシヨシ	2		
12	15773-90J10	ユニオン, フューエルホ-ス	1		
13	15830-93J00	ユニオン, スリーウエイフューエルホ-ス	1		
14	09169-06093	ワツシヤ, フューエルホ-ンプ	3		
15	15770-93J00	クー-ラ, フューエル	1		
16	15762-90J00	ガ-スケツト, ユニオン	3		
17	15830-90J00	ジ-ヨイント, フューエルメイン	1		
18	09360-12013	ホ-ルト	1		
19	15600-98J50	セパレータアツシ, フューエルベ-ハ	1		
20	13370-93J10	・ハ-ルプ アツシ, ニートル	1		
21	15626-93J10	・ガ-スケツト, セパレータ	1		
22	15650-93J00	・フロートアツシ	1		
23	15200-98J10	・ホ-ンプ アツシ, フューエル (H)	1		
24	15647-93J10	・プ-ツシ, フューエルホ-ンプ	1		
25	15641-90J10	・スベ-サ, フューエルホ-ンプ	1		
26	15642-90J00	・フィルタ	1		
27	15654-99E00	・ヒ-ン	1		
28	13614-93J00	・スクリュ	1		
29	15631-99E10	・スクリュ, レキ-ユレータ	1		
30	15760-93J01	・レキ-ユレータ, フューエルフ レツシヤ	1		
31	15628-99E00	・スクリュ (L: 15)	6		
32	15627-93J00	・スクリュ	1		
33	09320-12094	クツシヨシ	3		
34	15675-93J00	ホ-ルト, クーラフ ラケツト	3		
35	09343-75002-600	ホ-ス (7. 5X13. 5X600)	1	L: 600->50	

NOTE 1:
DF275ST: (022, 023)

FIG.147F




FIG. 147F (1-E-10) フューエルポンプ/フューエルホースセパレータ (SEE NOTE 1)

見出番号	品番	品名	使用個数	備考	標準作業時間
36	09401-11414	クリップ (ID:11.5)	15		
37	15636-93J30	ホース, フューエル	1		
38	15685-93J00	クリップ, フューエルホースNO. 1	3		
39	15672-93J10	ブラケット, フューエルクーラ	1		
40	01500-06167	ホルト	4		
41	15635-93J30	ホース, フューエル	1		
42	15632-93J30	ホース, フューエル	1		
43	15673-98J00	ブラケット, フューエルフィルタ	1		
44	01550-06257	ホルト	2		
45	15643-93J00	フィルタ, フューエル, レフト	1		
46	09343-75002-600	ホース (7.5X13.5X600)	1	L: 600->65	
47	15634-93J20	ホース, フューエル (H)	1		
48	09116-06525	ホルト (6X35)	3		
49	15674-93J00	ブラケット, チェックバルブ	1		
50	15645-93J10	バルブ, チェック	1		
51	15637-93J30	ホース, フューエル	1		
52	15629-99E10	スクリュ, ドレーン	2		
53	15683-87J00	ホース	1		
54	02112-0406B	スクリュ	3		
55	09343-70503-600	ホース (7X12X600)	1	L: 600->130	
56	09401-11423	クリップ	2		
57	18498-90J61	ブラケット, フューエルホース (70)	1		
58	09169-06062	ワッシャ	2		
59	09116-06202	ホルト (6X25)	2		
60	15671-93J00	ブラケット, ホースセパレータ	1		
61	01550-06357	ホルト	2		
62	09169-08042	ワッシャ	6		
63	01550-0840C	ホルト	3		
64	18417-93J00	ブラケット, バージバルブ	1		
65	01550-0612C	ホルト	2		
66	18117-52G10	バルブ, キヤニスタバシ	1		
67	09352-50003-080	ホース (5X8.2X080)	1		
68	13671-02F00	クリップ	1		
69	15114-93J00	ブラケット, フューエルポンプ NO. 1	1		
70	15115-93J02	ブラケット, フューエルポンプ NO. 2	1		

NOTE 1:
DF275ST: (022, 023)

FIG.147F




FIG. 147F (1-E-11) フューエルポンプ/フューエルベーパーセパレーター (SEE NOTE 1)

見出番号	品番	品名	使用個数	備考	標準作業時間
71	15695-98L00	ユニオン, エバホレーション	1		
72	09352-50003-550	ホース (5X8. 2X550)	1		
73	09401-08412	クリップ	4		
74	09408-00056	クリップ	1		
75	18498-87JC1	プロテクタ, ホース (9. 5X11. 5X450)	1		
76	08316-10067	ナット	1		
77	15118-93J00	ホルト	1		
78	15141-93J00	カバー, フューエルポンプ	1		

NOTE 1:
DF275ST: (022, 023)

FIG.160A




FIG. 160A (1-E-12) ウォータポンプ (DF200T)

見出番号	品番	品名	使用個数	備考	標準作業時間
1	17410-93J01	ケース, ウォータポンプ	1		
2	17413-93J02	スリーブ, ウォータポンプ ケース	1		
3	17416-93J01	シール, ウォータポンプ ケース	1		
4	17461-93J01	インペラ, ウォータポンプ	1		
5	17471-93J02	パネル, ホンフ ケースアンダ	1		
6	17472-93J00	ガスケツト, ホンフ ケースパネル	1		
7-1	17561-93J03	チューブ, ウォータ (X)	1	X-TRANSOM	
7-2	17561-93J21	チューブ, ウォータ (L)	1	L-TRANSOM	
8	17562-93J01	ブッシュ, ウォータチューブ アツパ	1		
9	17563-93J01	ブッシュ, ウォータチューブ ロア	1		
10	17564-93J01	ブッシュ, ウォータポンプ ケース	1		
11	17612-93J00	スベーサ, ウォータチューブ	1		
12-1	17631-93J20	フィルタ, ウォータホートサイト	1	PORT	
12-2	17631-93J30	フィルタ, ウォータホートサイト	1	OPT, PORT	
13-1	17632-93J20	フィルタ, ウォータスターホートサイト	1	STBD	
13-2	17632-93J30	フィルタ, ウォータスターホートサイト	1	OPT, STBD	
14	09116-08131	ホルト (8X45)	4		
15	09132-04034	タツビング スクリユ	1		
16	09202-06031	ピン (6X12)	2		
17	09420-05009	キー	1		
18	09168-20002	ガスケツト (20. 5X30X1. 5)	1		
19	17400-93J05	キツト, ウォータポンプ リペア	1	オプション	

FIG.160B




FIG. 160B (1-E-13) ウォータポン (DF225T)

見出番号	品番	品名	使用個数	備考	標準作業時間
1	17410-93J01	ケース, ウォータポン	1		
2	17413-93J02	スリーブ, ウォータポン ケース	1		
3	17416-93J01	シール, ウォータポン ケース	1		
4	17461-93J01	インペラ, ウォータポン	1		
5	17471-93J02	パネル, ホン ケースアンタ	1		
6	17472-93J00	ガasket, ホン ケースパネル	1		
7	17561-93J03	チューブ, ウォータ (X)	1		
8	17562-93J01	ブッシュ, ウォータチューブ アツハ	1		
9	17563-93J01	ブッシュ, ウォータチューブ ロア	1		
10	17564-93J01	ブッシュ, ウォータポン ケース	1		
11	17612-93J00	スベ-サ, ウォータチューブ	1		
12-1	17631-93J20	フィルタ, ウォータポン トサイド	1	PORT	
12-2	17631-93J30	フィルタ, ウォータポン トサイド	1	OPT, PORT	
13-1	17632-93J20	フィルタ, ウォータスターボ-ト サイト	1	STBD	
13-2	17632-93J30	フィルタ, ウォータスターボ-ト サイト	1	OPT, STBD	
14	09116-08131	ホルト (8X45)	4		
15	09132-04034	タツヒ-ング スクリユ	1		
16	09202-06031	ピン (6X12)	2		
17	09420-05009	キー	1		
18	09168-20002	ガasket (20. 5X30X1. 5)	1		
19	17400-93J05	キット, ウォータポン リハ-ア	1	オプション	

FIG.160C




FIG. 160C (1-E-14) ウォータポンプ (DF250T)

見出番号	品番	品名	使用個数	備考	標準作業時間
1	17410-93J01	ケース, ウォータポンプ	1		
2	17413-93J02	スリーブ, ウォータポンプ ケース	1		
3	17416-93J01	シール, ウォータポンプ ケース	1		
4	17461-93J01	インペラ, ウォータポンプ	1		
5	17471-93J02	パネル, ホンダ ケースアンダー	1		
6	17472-93J00	ガスケット, ホンダ ケースパネル	1		
7-1	17561-93J03	チューブ, ウォータ (X)	1	X-TRANSOM	
7-2	17561-93J13	チューブ, ウォータ (XX)	1	XX-TRANSOM	
8	17562-93J01	ブッシュ, ウォータチューブ アッパ	1		
9	17563-93J01	ブッシュ, ウォータチューブ ロア	1		
10	17564-93J01	ブッシュ, ウォータポンプ ケース	1		
11	17612-93J00	スベ-サ, ウォータチューブ	1		
12-1	17631-93J20	フィルタ, ウォータホ-ドサイト	1	PORT	
12-2	17631-93J30	フィルタ, ウォータホ-ドサイト	1	OPT, PORT	
13-1	17632-93J20	フィルタ, ウォータスターホ-ドサイト	1	STBD	
13-2	17632-93J30	フィルタ, ウォータスターホ-ドサイト	1	OPT, STBD	
14	09116-08131	ホルト (8X45)	4		
15	09132-04034	タツヒング スクリュー	1		
16	09202-06031	ピン (6X12)	2		
17	09420-05009	キー	1		
18	09168-20002	ガスケット (20. 5X30X1. 5)	1		
19	17400-93J05	キット, ウォータポンプ リペア	1	オプション	

FIG.160D




FIG. 160D (1-E-15) ウォータポンプ (DF275ST: (020, 021, 022))

見出番号	品番	品名	使用個数	備考	標準作業時間
1	17410-93J01	ケース, ウォータポンプ	1		
2	17413-93J02	スリーブ, ウォータポンプ ケース	1		
3	17416-93J01	シール, ウォータポンプ ケース	1		
4	17461-93J01	インペラ, ウォータポンプ	1		
5	17471-98J01	パネル, ホンポン ケースアンダ	1		
6	17472-98J00	ガasket, ホンポン ケースパネル	1		
7	17473-98J00	パネル, ウォータポンプ NO. 2	1		
8	17561-93J21	チューブ, ウォータ (L)	1		
9	17562-93J01	ブッシュ, ウォータチューブ アツパ	1		
10	17563-93J01	ブッシュ, ウォータチューブ ロフ	1		
11	17564-93J01	ブッシュ, ウォータポンプ ケース	1		
12	17612-93J00	スベーサ, ウォータチューブ	1		
13	17631-98J10	フィルタ, ウォータポンプ トサイト	1	PORT	
14	17632-98J10	フィルタ, ウォータスターボ トサイト	1	STBD	
15	17633-98J00	キャップ, ウォータフィルタ	1		
16	29116-93J00	ホルト	2		
17	09116-08131	ホルト (8X45)	4		
18	09132-04034	タツピング スクリュー	1		
19	09202-06031	ピン (6X12)	2		
20	09420-05009	キー	1		
21	09168-20002	ガasket (20. 5X30X1. 5)	1		
22	17400-98J04	キット, ウォータポンプ リペア	1	オプション	

FIG.160F




FIG. 160F (1-F-2) ウォータポン (DF275ST:023)

見出番号	品番	品名	使用個数	備考	標準作業時間
1	17410-93J01	ケース, ウォータポン	1		
2	17413-93J02	スリーブ, ウォータポン ケース	1		
3	17416-93J01	シール, ウォータポン ケース	1		
4	17461-93J01	インペラ, ウォータポン	1		
5	17471-98J01	パネル, ホン ケースアンダ	1		
6	17472-98J00	ガasket, ホン ケースパネル	1		
7	17473-98J00	パネル, ウォータポン NO. 2	1		
8	17561-93J21	チューブ, ウォータ (L)	1		
9	17562-93J01	ブッシュ, ウォータチューブ アツパ	1		
10	17563-93J01	ブッシュ, ウォータチューブ ロア	1		
11	17564-93J01	ブッシュ, ウォータポン ケース	1		
12	17612-93J00	スベーサ, ウォータチューブ	1		
13	17631-98J20	カバー, ウォータポン トサイト	1	PORT	
14	17632-98J20	カバー, ウォータポン トサイト	1	STBD	
15	17633-98J10	キヤツプ, ウォータフィルタ	1		
16	29116-93J00	ホルト	2		
17	09116-08131	ホルト (8X45)	4		
18	09132-04034	タツビング スクリユ	1		
19	09202-06031	ピン (6X12)	2		
20	09420-05009	キー	1		
21	09168-20002	ガasket (20. 5X30X1. 5)	1		
22	17400-98J04	キツ, ウォータポン リバア	1	オプショ	

FIG.162A




FIG. 162A (1-F-3) サーマスタット

見出番号	品番	品名	使用個数	備考	標準作業時間
1	11196-93J00	ホース, ウォータリターンスターボート	1	STBD	
2	11197-93J00	ホース, ウォータリターンボート	1	PORT	
3	11270-93J00	プレート, シリンダ プ ロツクウォータジヤケツト	1		
4	11272-93J00	ガスケット, シリンダ プ ロツクプレート	1		
5	17581-93J00	パイプ, ウォータアウトレット	2		
6	17582-93J00	ガスケット, ウォータアウトレットパイプ	2		
7	17611-90J00	カバー, ウォータフ レツシヤパ ルプ	1		
8	17660-99E01	パ ルプ, ウォータフ レツシヤ	1		
9-1	17670-90J01	サーモスタット, ウォータ60° C	2		
9-2	17670-90J11	サーモスタット, ウォータ71° C	1	オプション	
10	17681-93J00	カバー, サーマスタット	2		
11	17711-90J00	3ウェイ, ウォータホース	1		
12	17712-93J01	ホース, ウォータ (3ウェイツエ/Hカバー)	1		
13	09116-06121	ボルト (6X25)	2		
14	09280-26006	Oリング (D:3. 1, ID:26. 4)	1		
15	09320-12093	クワシヨ	1		
16	09352-50006-600	ホース (5X9X600)	1	L: 600->60	
17	09352-50006-600	ホース (5X9X600)	1	L: 600->120	
18	09352-50006-600	ホース (5X9X600)	1	L: 600->190	
19	09352-50006-600	ホース (5X9X600)	1	L: 600->300	
20	09352-50006-600	ホース (5X9X600)	1	L: 600->330	
21	09352-50006-600	ホース (5X9X600)	1		
22	09352-50006-600	ホース (5X9X600)	1		
23	09352-50006-00B	ホース (5X9X2000)	1	L: 2000->850	
24	09352-50006-00B	ホース (5X9X2000)	1	L: 2000->1010	
25	01550-0812C	ボルト	1		
26	09367-06002	ジ ョイント	1		
27	09401-08413	クリツプ	18		
28	09401-14409	クリツプ	2		
29	09401-25406	クリツプ	4		
30	09403-25304	クランプ	1		
31	09408-00008	クリツプ (ID:20)	1		
32	09408-00056	クリツプ	1		
33	01550-0620C	ボルト	6		
34	01550-0620C	ボルト	4		

FIG.162A




FIG. 162A (1-F-4) サーマスタット

見出番号	品 番	品 名	使用個数	備 考	標準 作業時間
35	01550-0625C	ホル	10		
36	17713-98J01	ホルダ, ウォータホース	1		
37	09401-15414	クリップ	2		
38	17915-98J02	ホース, ウォータフラッシュ	1		
39	09408-00024	クリップ (ID:23)	1		
40	09408-00021	クリップ (ID:16)	1		

FIG.163A




FIG. 163A (1-F-5) スロットルボデー (DF200T)

見出番号	品番	品名	使用個数	備考	標準作業時間
1-1	13130-93J31	コレクタ	1	020, 021, 022	
1-2	13130-93J50	コレクタ	1	023	
2	13139-93J00	・ガスケット, コレクタ	1		
3	13147-93J00	・ガスケット, コレクタカバー	1		
4-1	13138-93J00	・ボルト, コレクタ	2	020, 021, 022	
4-2	13138-93J10	・ボルト, コレクタ	2	023	
5	08322-01087	・ワッシャ	2		
6	13140-93J30	カバー, コレクタ	1		
7	18590-68H00	・センサ, プレツシヤ	1		
8	13310-93J02	・ボデーアツシ, スロットルNO. 1	1		
9	13312-93J01	・・ホース, バイパスエア	1		
10	13279-10G00	・・スクリュ, アジャスト	1		
11	13355-93J00	・・スプリング, バイパスエア	1		
12	13295-10G00	・・Oリング	1		
13	13320-93J00	・ボデーアツシ, スロットルNO. 2	1		
14	13421-93J00	・ガスケット, スロットルボデー	2		
15	18137-93J01	・バルブ, IAC	1		
16	09280-29008	・Oリング (D:2, ID:29.5)	1		
17	01547-06257	・ボルト	4		
18	02112-34167	・スクリュ	3		
19-1	02162-0520B	・スクリュ	2	020, 021	
19-2	09103-05028	・ボルト	2	022, 023	
20	13144-93J00	・ガイド, スロットルドラム	1		
21	13583-93J00	・アーム, リンク	1		
22	13583-93J00	・アーム, リンク	1		
23	13555-93J00	・クローゼット, リンク	4		
24	13537-93J00	・ワッシャ, リンク	4		
25	09204-01004	・コッタピッチ	4		
26	13553-93J00	・レバー, NO. 1	1		
27	13554-93J00	・レバー, NO. 2	1		
28	02112-35087	・スクリュ	1		
29	09160-05043	・ワッシャ (5.5X16X1.2)	1		
30	13521-93J00	・レバー, リンク	1		
31	13514-93J00	・スベーサ, リンクシャフト	1		
32	13599-93J00	・ナット, リンクシャフト	2		

FIG.163A





FIG. 163A (1-F-6) スロットルホデー (DF200T)

見出番号	品番	品名	使用個数	備考	標準作業時間
33	13538-93J00	・ワッシャ, リンクシャフトスフリンク	2		
34	13541-93J00	・カム, スロットル	1		
35	13542-93J00	・スフリンク, スロットルカム	1		
36	13543-93J00	・スヘーサ, スロットルカム	1		
37	01500-06307	・ボルト	1		
38	09160-06036	・ワッシャ (6. 5X18X1. 5)	1		
39	01550-06167	・ボルト	2		
40-1	01550-08307	ボルト	7	020, 021	
40-2	01550-0830C	ボルト	7	022, 023	
41-1	08316-10087	ナット	2	020, 021	
41-2	08316-1008C	ナット	2	022, 023	
42	09103-08182	ボルト (8X125)	2		
43	09103-08134	ボルト (8X110)	4		
44	09108-08267	スタッドボルト	2		
45	08316-1008A	ナット	2		



FIG.163B




DF250_000_023_163B
THROTTLE BODY

FIG. 163B (1-F-7) スロットルボデー (DF225T, DF250T, DF275ST)

見出番号	品番	品名	使用個数	備考	標準作業時間
1-1	13130-93J23	コレクタ	1	020, 021, 022	
1-2	13130-93J40	コレクタ	1	023	
2	13139-93J00	・ガースケツト, コレクタ	1		
3	13147-93J00	・ガースケツト, コレクタカバー	1		
4	18116-93J01	・クツシヨシヨシ, ハンキュムバルブ	1		
5	18117-93J00	・ハンバルブ, ハンキュムスイツチンク	1		
6	18119-93J00	・フアラケツト, ハンキュムハンバルブ	1		
7	09169-05018	・ワツシヤ	1		
8	01550-08167	・ボルト	1		
9	02112-05127	・スクリュ	1		
10	09355-35006-00B	・ホース (3. 5X7. 5X2000)	1	L: 2000->610	
11	09355-35006-601	・ホース (3. 5X7. 5X601)	1	L: 601->160	
12	18498-90J71	・フロケツタ	1		
13-1	13138-93J00	・ボルト, コレクタ	2	020, 021, 022	
13-2	13138-93J10	・ボルト, コレクタ	2	023	
14	08322-01087	・ワツシヤ	2		
15	13140-93J20	カバー, コレクタ	1		
16	18590-68H00	・センサ, プレツシヤ	1		
17	13310-93J02	・ボデーアツシ, スロットルNO. 1	1		
18	13312-93J01	・・ホース, ハンバースエア	1		
19	13279-10G00	・・スクリュ, アジヤスト	1		
20	13355-93J00	・・スプリンク, ハンバースエア	1		
21	13295-10G00	・・オリンク	1		
22	13320-93J00	・ボデーアツシ, スロットルNO. 2	1		
23	13421-93J00	・ガースケツト, スロットルボデー	2		
24	13730-93J00	・チヤンバ, ハンキュム	1		
25	18137-93J01	・ハンバルブ, IAC	1		
26	95569-78040	・ハンバルブ, チェツク	1		
27	09280-29008	・オリンク (D: 2, ID: 29. 5)	1		
28	01547-06257	・ボルト	4		
29	01550-06307	・ボルト	2		
30	02112-3416B	・スクリュ	3		
31-1	02162-0520B	・スクリュ	2	020, 021	
31-2	09103-05028	・ボルト	2	022, 023	
32	13144-93J00	・ガード, スロットルラム	1		

DF250_000_023

FIG.163B



DF250_000_023_163B
THROTTLE BODY

FIG. 163B (1-F-8) スロットルボデー (DF225T, DF250T, DF275ST)

見出番号	品番	品名	使用個数	備考	標準作業時間
33	09355-35006-601	・ホース (3. 5X7. 5X601)	1	L: 601->30	
34	09355-35006-601	・ホース (3. 5X7. 5X601)	1	L: 601->165	
35	13583-93J00	・アーム, リンク	1		
36	13583-93J00	・アーム, リンク	1		
37	13555-93J00	・ク ロメツト, リンク	4		
38	13537-93J00	・ワッシャ, リンク	4		
39	09204-01004	・コツタビ ン	4		
40	13553-93J00	・レバ ー, NO. 1	1		
41	13554-93J00	・レバ ー, NO. 2	1		
42	02112-35087	・スクリュ	1		
43	09160-05043	・ワッシャ (5. 5X16X1. 2)	1		
44	13521-93J00	・レバ ー, リンク	1		
45	13514-93J00	・スベ ーサ, リンクシャフト	1		
46	13599-93J00	・ナツト, リンクシャフト	2		
47	13538-93J00	・ワッシャ, リンクシャフトスワ ー リンク	2		
48	13541-93J00	・カム, スロットル	1		
49	13542-93J00	・スワ ー リンク ー, スロットルカム	1		
50	13543-93J00	・スベ ーサ, スロットルカム	1		
51	01500-06307	・ボ ルト	1		
52	09160-06036	・ワッシャ (6. 5X18X1. 5)	1		
53	01550-06167	・ボ ルト	2		
54-1	01550-08307	・ボ ルト	7	020, 021	
54-2	01550-0830C	・ボ ルト	7	022, 023	
55-1	08316-10087	・ナツト	2	020, 021	
55-2	08316-1008C	・ナツト	2	022, 023	
56	13132-93J00	・フANEL, エアコレクタ	6		
57	13133-93J00	・ブ ラケツト, コレクタフANEL, エア	1		
58	09103-08182	・ボ ルト (8X125)	2		
59	09103-08134	・ボ ルト (8X110)	4		
60	09108-08267	・スタツト ーボ ルト	2		
61	09329-06003	・クツシヨ ン	6		
62	01550-0820A	・ボ ルト	2		
63	08316-1008A	・ナツト	2		
64	09408-00060	・クラン プ	1		

DF250_000_023

FIG.164A




FIG. 164A (1-F-9) スロットルロッド

見出番号	品 番	品 名	使用個数	備 考	標準 作業時間
1	13510-93J00	ロッド, スロットルNO. 1	1		
2	19115-93J02	ホルダ, スロットルレバ -	1		
3	19121-93J02	レバ -, スロットルNO. 1	1		
4	19148-93J00	ドラム, スロットル	1		
5	19184-93J00	ブラケット, スロットルケーブル	1		
6	19185-93J00	スプリング, スロットルレバ -	1		
7	63610-93J01	ケーブル, スロットル	2		
8	67463-95200	コネクタ, スロットルコントロール	1		
9	09119-06047	ピン - ツット	1		
10	09140-05005	ナット	1		
11	09160-06066	ワッシャ (6. 5X20X1. 6)	1		
12	09180-06186	スベ - サ (6. 2X12. 6X21)	1		
13	09180-06230	スベ - サ (6. 2X12. 6X12. 5)	1		
14	09407-11401	クランプ (L: 95)	1		
15-1	01550-06167	ホルト	1	020, 021	
15-2	01550-0616C	ホルト	1	022, 023	
16-1	01550-06257	ホルト	1	020, 021	
16-2	01550-0625C	ホルト	1	022, 023	
17	01550-06357	ホルト	1		
18-1	01550-08607	ホルト	2	020, 021	
18-2	01550-0860C	ホルト	2	022, 023	

FIG.175A





FIG. 175A (1-F-10) オイルポンプ

見出番号	品番	品名	使用個数	備考	標準作業時間
1	12632-93J11	スプ ロケツト, オイルポンプ トライブ	1		
2	16113-93J10	スプ ロケツト, オイルポンプ トライブ	1		
3	16400-93J20	ポンプ アツシ, オイル	1		
4	16520-93J00	ストレーナ, オイルポンプ	1		
5	16760-93J00	チェーン, オイルポンプ トライブ	1		
6	16781-93J00	テンシヨナ, オイルポンプ チェーン	1		
7	16782-93J00	スプ リンク, オイルポンプ テンシヨナ	1		
8	16783-93J01	ホルト, オイルポンプ テンシヨナ	1		
9	09181-12158	シム (12X20X0.5)	1		
10	09280-22020	Oリング (D:2.4, ID:21.8)	2		
11	01550-0616A	ホルト	3		
12	01550-0845A	ホルト	1		
13	01550-0865A	ホルト	3		
14	01550-0885A	ホルト	1		
15	08110-60020	ベアリング	1		



FIG.180A




DF250_000_023_180A
OIL PAN

FIG. 180A (1-F-11) オイルパン (DF200T, DF225T, DF250T)

見出番号	品番	品名	使用個数	備考	標準作業時間
1	11261-93J10	カバー, プロテクションアノード*	1		
2-1	55321-87J01	アノード*, プロテクション	1		
2-2	55321-87J11	アノード* (マグネシウム)	1	オプション	
3	29103-93J30	ホルト	1		
4	09103-06281	ホルト (6X14)	1		
5	09280-22019	Oリング (D: 1. 9, ID: 21. 8)	1		
6	11489-93J00	ガasket, オイルパン	1		
7-1	11501-93J03-YAY	パン, オイル (ブラック)	1	020	
				BODY COLOR: YAY	
7-2	11501-93J03-Y5S	パン, オイル (ホワイト)	1	020	
				BODY COLOR: Y5S	
7-3	11501-93J03-YAY	パン, オイル (ブラック)	1	021, 022, 023	
				BODY COLOR: YAY	
7-4	11501-93J03-QTN	パン, オイル (ホワイト)	1	021, 022, 023	
				BODY COLOR: QTN	
8	11591-93J11	ユニオン, オイルパン	1		
9-1	11541-93J00-YAY	パイプ, エキゾースト	1	020	
				BODY COLOR: YAY	
9-2	11541-93J00-Y5S	パイプ, エキゾースト (ホワイト)	1	020	
				BODY COLOR: Y5S	
9-3	11541-93J00-YAY	パイプ, エキゾースト	1	021, 022, 023	
				BODY COLOR: YAY	
9-4	11541-93J00-QTN	パイプ, エキゾースト (ホワイト)	1	021, 022, 023	
				BODY COLOR: QTN	
10	14154-93J02	シール, エキゾーストチューブ*	1		
11	14211-93J00	チューブ*, エキゾースト	1		
12	14212-93J00	ガasket, エキゾーストチューブ*	1		
13	29116-93J00	ホルト	4		
14	11435-93J01	パイプ, エキゾーストスリーブ*	1		
15	09168-12012	ガasket (12. 5X20X2. 5)	1		
16	09248-12009	ブラケット (12X18. 65)	1		
17	09202-08006	ピン (8X12)	2		
18	09202-08006	ピン (8X12)	2		
19	01550-1050A	ホルト	4		
20	09116-08128	ホルト (8X40)	10		

FIG.180A




DF250_000_023_180A
OIL PAN

FIG. 180A (1-F-12) オイルパン (DF200T, DF225T, DF250T)

見出番号	品 番	品 名	使用個数	備 考	標準 作業時間
21	09116-10175	ボルト(10X50)	2		
22	09116-10146	ボルト(10X195)	2		
23	09116-10184	ボルト(10X200)	2		
24	29103-93J00	ボルト(6X12)	1		
25	29404-93J11	クランプ	1		
26	16910-93J00	ゲージ, オイルレベル	1		
27	16930-93J00	ガイド, オイルレベルゲージ	1		
28	09280-09008	リング (D:2.1, ID:8.8)	1		
29-1	01550-06127	ボルト	1	020, 021	
29-2	01550-0612C	ボルト	1	022, 023	

FIG.180B



DF250_000_023_180B
OIL PAN

FIG. 180B (1-F-13) オイルパン (DF275ST)

見出番号	品番	品名	使用個数	備考	標準作業時間
1	11261-93J10	カバー, フロント	1		
2-1	55321-87J01	アノード, フロント	1		
2-2	55321-87J11	アノード (マグネシウム)	1	オプション	
3	29103-93J30	ボルト	1		
4	09103-06281	ボルト (6X14)	1		
5	09280-22019	Oリング (D: 1. 9, ID: 21. 8)	1		
6	11489-93J00	ガasket, オイルパン	1		
7	11501-93J03-YAY	パン, オイル (ブラケット)	1	BODY COLOR: YKV, YAY	
8	11591-93J11	ユニオン, オイルパン	1		
9	11541-93J00-YAY	パイプ, エキゾースト	1	BODY COLOR: YKV, YAY	
10	14154-93J02	シール, エキゾーストチューブ	1		
11	14211-93J00	チューブ, エキゾースト	1		
12	14212-93J00	ガasket, エキゾーストチューブ	1		
13	29116-93J00	ボルト	4		
14	11435-93J01	パイプ, エキゾーストレリース	1		
15	09168-12012	ガasket (12. 5X20X2. 5)	1		
16	09248-12009	プラグ (12X18. 65)	1		
17	09202-08006	ピン (8X12)	2		
18	09202-08006	ピン (8X12)	2		
19	01550-1050A	ボルト	4		
20	09116-08128	ボルト (8X40)	10		
21	09116-10175	ボルト (10X50)	2		
22	09116-10146	ボルト (10X195)	2		
23	09116-10184	ボルト (10X200)	2		
24	29103-93J00	ボルト (6X12)	1		
25	29404-93J11	クランプ	1		
26	16910-93J00	ゲージ, オイルレベル	1		
27	16930-93J00	ガイト, オイルレベルゲージ	1		
28	09280-09008	Oリング (D: 2. 1, ID: 8. 8)	1		
29-1	01550-06127	ボルト	1	020, 021	
29-2	01550-0612C	ボルト	1	022, 023	

FIG.204A




FIG. 204A (1-F-14) クラッチシャフト (DF200T)

見出番号	品 番	品 名	使用個数	備 考	標準 作業時間
1	21100-93J02	レバ ーアツシ, クラツチ	1		
2	21131-93J00	ブ ッシュ, クラツチレバ ー	1		
3	21151-93J00	ホルダ ー, クラツチレバ ー	1		
4	21155-93J00	ブ レート, シフトレバ ー	1		
5	21210-93J01	シャフト, クラツチ	1		
6	21230-93J01	アーム, クラツチシャフト	1		
7-1	23111-93J00	ロツト ー, クラツチ	1	X-TRANSOM	
7-2	23111-93J10	ロツト ー, クラツチ (L)	1	L-TRANSOM	
8	23115-93J00	リンク, クラツチレバ ー	1		
9	25223-96J00	シール, クラツチロツト ー	1		
10	09160-06094	ワツシヤ (6. 5X15X1. 0)	2		
11	09204-01006	コツタビ ン	2		
12	09205-10006	ビ ン	1		
13	09248-12011	ブ ラク (12X9)	1		
14	09260-10005	ホ ール	1		
15	09262-17019	ベ アリング (17X35X8)	1		
16	09289-18001	オイルシール	1		
17	09306-06004	ブ ッシュ	2		
18	09306-10001	ブ ッシュ	3		
19	09383-08004	Eリング	1		
20	09440-07051	スプ リング	1		
21-1	01550-06207	ホ ルト	1	020, 021	
21-2	01550-0620C	ホ ルト	1	022, 023	
22	02142-05107	スクリュ	2		
23	08331-41359	サークリツフ	1		

FIG.204B





FIG. 204B (1-F-15) クラッチシャフト (DF225T, DF250T)

見出番号	品 番	品 名	使用個数	備 考	標準 作業時間
1	21100-93J02	レバーアッシ, クラッチ	1		
2	21131-93J00	ブッシュ, クラッチレバー	1		
3	21151-93J00	ホルダ, クラッチレバー	1		
4	21155-93J00	プレート, シフトレバー	1		
5	21210-93J01	シャフト, クラッチ	1		
6	21230-93J01	アーム, クラッチシャフト	1		
7	23111-93J00	ロッド, クラッチ	1		
8	23115-93J00	リンク, クラッチレバー	1		
9	25223-96J00	シール, クラッチロッド	1		
10	09160-06094	ワッシャ (6.5X15X1.0)	2		
11	09204-01006	コッタピン	2		
12	09205-10006	ピン	1		
13	09248-12011	ブラケット (12X9)	1		
14	09260-10005	ボール	1		
15	09262-17019	ベアリング (17X35X8)	1		
16	09289-18001	オイルシール	1		
17	09306-06004	ブッシュ	2		
18	09306-10001	ブッシュ	3		
19	09383-08004	Eリング	1		
20	09440-07051	スプリング	1		
21-1	01550-06207	ホルト	1	020, 021	
21-2	01550-0620C	ホルト	1	022, 023	
22	02142-05107	スクリュ	2		
23	08331-41359	サークリップ	1		

FIG.204C



DF250_000_023_204C
CLUTCH SHAFT

FIG. 204C (1-G-2) クラッチシャフト (DF275ST)

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
1	21100-93J02	レバーアッシ, クラッチ	1		
2	21131-93J00	ブッシュ, クラッチレバー	1		
3	21151-93J00	ホルダ, クラッチレバー	1		
4	21155-93J00	プレート, シフトレバー	1		
5	21210-93J01	シャフト, クラッチ	1		
6	21230-93J01	アーム, クラッチシャフト	1		
7	23111-93J10	ロッド, クラッチ (L)	1		
8	23115-93J00	リンク, クラッチレバー	1		
9	25223-96J00	シール, クラッチロッド	1		
10	09160-06094	ワッシャ (6.5X15X1.0)	2		
11	09204-01006	コッタピン	2		
12	09205-10006	ピン	1		
13	09248-12011	ブラケット (12X9)	1		
14	09260-10005	ボール	1		
15	09262-17019	ベアリング (17X35X8)	1		
16	09289-18001	オイルシール	1		
17	09306-06004	ブッシュ	2		
18	09306-10001	ブッシュ	3		
19	09383-08004	Eリング	1		
20	09440-07051	スプリング	1		
21-1	01550-06207	ホルト	1	020, 021	
21-2	01550-0620C	ホルト	1	022, 023	
22	02142-05107	スクリュ	2		
23	08331-41359	サークリップ	1		

FIG.206A




FIG. 206A (1-G-3) クラッチロッド[※] (DF200T, DF225T)

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
1	25111-93J00	ロッド [※] , シフト(X)	1		
2	25131-93J00	ヨーク, シフト	1		
3	25232-96302	マグネツト, キヤケース	2		
4	09205-02006	ピン	2		
5	25141-93J00	ハウジング [※] , シフトロッド [※] ガイド	1		
6	25223-96J00	シール, クラッチロッド [※]	1		
7	09282-08005	オイルシール	1		
8	25321-93J00	スライダ [※] , シフトホリゾンタル	1		
9	29116-93J00	ボルト	2		
10	09160-08151	ワッシャ(8. 5X26X1. 6)	1		
11	09280-60007	リング(D: 3. 5, ID: 59. 6)	1		

FIG.206B




FIG. 206B (1-G-4) クラッチロッド (DF250T)

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
1-1	25111-93J00	ロッド, シフト (X)	1	X-TRANSOM	
1-2	25111-93J10	ロッド, シフト (XX)	1	XX-TRANSOM	
2	25131-93J00	ヨーク, シフト	1		
3	25232-96302	マクネット, キヤケース	2		
4	09205-02006	ピン	2		
5	25141-93J00	ハウジング, シフトロッドガイド	1		
6	25223-96J00	シール, クラッチロッド	1		
7	09282-08005	オイルシール	1		
8	25321-93J00	スライダ, シフトホリゾンタル	1		
9	29116-93J00	ボルト	2		
10	09160-08151	ワッシャ (8. 5X26X1. 6)	1		
11	09280-60007	Oリング (D:3. 5, ID:59. 6)	1		

FIG.206C

FIG. 206C (1-G-5) クラッチロッド (DF275ST)

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
1	25111-98J00	ロッド, シフト (X)	1		
2	25131-98J00	ヨーク, シフト	1		
3	25232-90J00	マグネト, キヤケース	1		
4	09205-04002	ピン	2		
5	25141-98J01	ハウジング, シフトロッドガイド	1		
6	25222-90J01	カバー, シヤフトガイドハウジングオイルシール	1		
7	09283-10011	オイルシール	1		
8	25321-98J00	スライダ, シフトホリゾンタル	1		
9	29116-93J00	ボルト	2		
10	09280-40019	リング (D: 3. 5, ID: 39. 7)	1		




FIG.220A




FIG. 220A (1-G-6) トランスミッション (DF200T)

見出番号	品番	品名	使用個数	備考	標準作業時間
1-1	57110-96J51	シャフト, ドライブ (L)	1	L-TRANSOM	
1-2	57110-93J21	シャフト, ドライブ (X)	1	X-TRANSOM	
2	57133-93J00	カラー, ドライブ シャフト	1		
3	57134-93J00	スベ-サ, ドライブ シャフトへ アリク	1		
4	09159-28003	ナット	1		
5	09269-32002	ベ アリク (32X66X49)	1		
6	57300-93860	ビ ニオン/キ ヤセツ	1		
7-1	09181-60004	シム (60X66X0.45)	1		
7-2	09181-60005	シム (60X66X0.5)	1		
7-3	09181-60006	シム (60X66X0.55)	1		
7-4	09181-60007	シム (60X66X0.6)	1		
7-5	09181-60008	シム (60X66X0.65)	1		
7-6	09181-60009	シム (60X66X0.7)	1		
7-7	09181-60010	シム (60X66X0.75)	1		
7-8	09181-60011	シム (60X66X0.8)	1		
7-9	09181-60012	シム (60X66X0.85)	1		
7-10	09181-60013	シム (60X66X0.9)	1		
8	09140-16021	ナット	1		
9	08221-16256	シム	1		
10	57500-87861	シムセツ, リハ-スフ ロツブ シャフト	1		
11-1	08211-30382	ワツシヤ	1		
11-2	09160-30036	ワツシヤ (30X38X1.7)	1		
11-3	09160-30037	ワツシヤ (30X38X1.9)	1		
11-4	09160-30038	ワツシヤ (30X38X2.1)	1		
11-5	08211-30384	ワツシヤ	1		
11-6	09160-30039	ワツシヤ (30X38X2.3)	1		
11-7	09160-30041	ワツシヤ (30X38X2.4)	1		
11-8	08211-30385	ワツシヤ	1		
11-9	09160-30042	ワツシヤ (30X38X2.6)	1		
11-10	09160-30043	ワツシヤ (30X38X2.7)	1		
11-11	09160-30044	ワツシヤ (30X38X2.8)	1		
12	09160-75002	ワツシヤ (75X100X2)	1	FWD GEAR	
13	57500-87852	シムセツ, リハ-スキ ヤ	1		
14-1	09181-50013	シム (50X62X1)	1	REV GEAR	
14-2	09181-50012	シム (50X62X1.1)	1	REV GEAR	

FIG.220A




FIG. 220A (1-G-7) トランスミッション (DF200T)

見出番号	品番	品名	使用個数	備考	標準作業時間
14-3	09181-50005	・シム (50X62X1.2)	1	REV GEAR	
14-4	09181-50006	・シム (50X62X1.3)	1	REV GEAR	
14-5	09181-50007	・シム (50X62X1.4)	1	REV GEAR	
14-6	09181-50008	・シム (50X62X1.5)	1	REV GEAR	
14-7	09181-50009	・シム (50X62X1.6)	1	REV GEAR	
14-8	09181-50010	・シム (50X62X1.7)	1	REV GEAR	
15-1	09181-75018	シム (75X100X0.5)	1	FWD GEAR	
15-2	09181-75019	シム (75X100X0.55)	1	FWD GEAR	
15-3	09181-75012	シム (75X100X0.6)	1	FWD GEAR	
15-4	09181-75013	シム (75X100X0.65)	1	FWD GEAR	
15-5	09181-75008	シム (75X100X0.7)	1	FWD GEAR	
15-6	09181-75014	シム (75X100X0.75)	1	FWD GEAR	
15-7	09181-75009	シム (75X100X0.8)	1	FWD GEAR	
15-8	09181-75015	シム (75X100X0.85)	1	FWD GEAR	
15-9	09181-75010	シム (75X100X0.9)	1	FWD GEAR	
15-10	09181-75016	シム (75X100X0.95)	1	FWD GEAR	
15-11	09181-75011	シム (75X100X1)	1	FWD GEAR	
16	09269-75002	ベアリング (75X100X4)	1		
17	57610-93J00	シャフト、フロベラ	1		
18	57621-93J10	シフト、クラッチ、ツグ	1		
19	09202-08007	ピン (8X49)	1		
20	57631-93J00	ピン、コネクタ	1		
21	09440-52003	スプリング	1		
22	09440-09040	スプリング	1		
23	06111-07004	ボール	2		
24	06111-11004	ボール	2		
25	09180-25082	スベアサ (25X36.5X9.5)	1		
26-1	56120-93J70-YAY	ハウジング、フロッツシャフトベアリング (フラツ)	1	020 BODY COLOR:YAY	
26-2	56120-93J70-Y5S	ハウジング、フロッツシャフトベアリング (ホワイト)	1	020 BODY COLOR:Y5S	
26-3	56120-93J70-YAY	ハウジング、フロッツシャフトベアリング (フラツ)	1	021, 022, 023 BODY COLOR:YAY	
26-4	56120-93J70-QTN	ハウジング、フロッツシャフトベアリング (ホワイト)	1	021, 022, 023 BODY COLOR:QTN	

FIG.220A




FIG. 220A (1-G-8) トランスミッション (DF200T)

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
27	09263-30063	・ベ`アリング` (30X40X25)	2		
28	09280-00040	・Oリング` (D:3. 1, ID:104. 4)	1		
29	09282-30006	・オイルシール	2		
30	09381-40003	・サークリップ`	1		
31	08113-60100	・ベ`アリング`	1		
32	09116-08158	ホ`ルト (8X35)	2		
33	56130-93J02	ハウシ`ング`, ト`ライフ` シャフトベ`アリング`	1		
34	09280-66004	・Oリング` (D:3. 1, ID:65. 4)	1		
35	09282-24004	・オイルシール	2		
36	09381-40003	・サークリップ`	1		
37	56140-93J20	ハウシ`ング`, フォワード`キ`ヤベ`アリング`	1		
38	04221-08129	・ヒ`ン	1		
39	09263-50009	・ベ`アリング` (50X65X25)	1		

FIG.220B




FIG. 220B (1-G-9) トランスミッション (DF225T)

見出番号	品 番	品 名	使用個数	備 考	標準 作業時間
1	57110-93J21	シャフト, ドライブ (X)	1		
2	57133-93J00	カラー, ドライブ シャフト	1		
3	57134-93J00	スベ-サ, ドライブ シャフトベ-アリング	1		
4	09159-28003	ナット	1		
5	09269-32002	ベ-アリング (32X66X49)	1		
6	57300-93860	ピニオン/ギヤセット	1		
7-1	09181-60004	シム (60X66X0.45)	1		
7-2	09181-60005	シム (60X66X0.5)	1		
7-3	09181-60006	シム (60X66X0.55)	1		
7-4	09181-60007	シム (60X66X0.6)	1		
7-5	09181-60008	シム (60X66X0.65)	1		
7-6	09181-60009	シム (60X66X0.7)	1		
7-7	09181-60010	シム (60X66X0.75)	1		
7-8	09181-60011	シム (60X66X0.8)	1		
7-9	09181-60012	シム (60X66X0.85)	1		
7-10	09181-60013	シム (60X66X0.9)	1		
8	09140-16021	ナット	1		
9	08221-16256	シム	1		
10	57500-87861	シムセット, リハ-ースフ ロック シャフト	1		
11-1	08211-30382	ワッシャ	1		
11-2	09160-30036	ワッシャ (30X38X1.7)	1		
11-3	09160-30037	ワッシャ (30X38X1.9)	1		
11-4	09160-30038	ワッシャ (30X38X2.1)	1		
11-5	08211-30384	ワッシャ	1		
11-6	09160-30039	ワッシャ (30X38X2.3)	1		
11-7	09160-30041	ワッシャ (30X38X2.4)	1		
11-8	08211-30385	ワッシャ	1		
11-9	09160-30042	ワッシャ (30X38X2.6)	1		
11-10	09160-30043	ワッシャ (30X38X2.7)	1		
11-11	09160-30044	ワッシャ (30X38X2.8)	1		
12	09160-75002	ワッシャ (75X100X2)	1	FWD GEAR	
13	57500-87852	シムセット, リハ-ースギヤ	1		
14-1	09181-50013	シム (50X62X1)	1	REV GEAR	
14-2	09181-50012	シム (50X62X1.1)	1	REV GEAR	
14-3	09181-50005	シム (50X62X1.2)	1	REV GEAR	

FIG.220B




FIG. 220B (1-G-10) トランスミッション (DF225T)

見出番号	品 番	品 名	使用個数	備 考	標準 作業時間
14-4	09181-50006	・シム (50X62X1.3)	1	REV GEAR	
14-5	09181-50007	・シム (50X62X1.4)	1	REV GEAR	
14-6	09181-50008	・シム (50X62X1.5)	1	REV GEAR	
14-7	09181-50009	・シム (50X62X1.6)	1	REV GEAR	
14-8	09181-50010	・シム (50X62X1.7)	1	REV GEAR	
15-1	09181-75018	シム (75X100X0.5)	1	FWD GEAR	
15-2	09181-75019	シム (75X100X0.55)	1	FWD GEAR	
15-3	09181-75012	シム (75X100X0.6)	1	FWD GEAR	
15-4	09181-75013	シム (75X100X0.65)	1	FWD GEAR	
15-5	09181-75008	シム (75X100X0.7)	1	FWD GEAR	
15-6	09181-75014	シム (75X100X0.75)	1	FWD GEAR	
15-7	09181-75009	シム (75X100X0.8)	1	FWD GEAR	
15-8	09181-75015	シム (75X100X0.85)	1	FWD GEAR	
15-9	09181-75010	シム (75X100X0.9)	1	FWD GEAR	
15-10	09181-75016	シム (75X100X0.95)	1	FWD GEAR	
15-11	09181-75011	シム (75X100X1)	1	FWD GEAR	
16	09269-75002	ベアリング (75X100X4)	1		
17	57610-93J00	シャフト, プローラ	1		
18	57621-93J10	シフト, クラッチツグ	1		
19	09202-08007	ピン (8X49)	1		
20	57631-93J00	ピン, コネクタ	1		
21	09440-52003	スプリング	1		
22	09440-09040	スプリング	1		
23	06111-07004	ボール	2		
24	06111-11004	ボール	2		
25	09180-25082	スベサ (25X36.5X9.5)	1		
26-1	56120-93J70-YAY	ハウジング, プローラシャフトベアリング (ブラツ)	1	020 BODY COLOR:YAY	
26-2	56120-93J70-Y5S	ハウジング, プローラシャフトベアリング (ホワイト)	1	020 BODY COLOR:Y5S	
26-3	56120-93J70-YAY	ハウジング, プローラシャフトベアリング (ブラツ)	1	021, 022, 023 BODY COLOR:YAY	
26-4	56120-93J70-QTN	ハウジング, プローラシャフトベアリング (ホワイト)	1	021, 022, 023 BODY COLOR:QTN	
27	09263-30063	ベアリング (30X40X25)	2		

FD-Z220D

1

2

3

4

5

6

7

8

9

10-11

12

13-14

15

16

17

18

19

20

21

22

23

24

25

26

27

28

29

30

31

32

33

34

35

36

37

38

39

FWD

見出番号	品番	品名	使用個数	備考	標準作業時間
28	09280-00040	・Oリング (D:3.1, ID:104.4)	1		
29	09282-30006	・オイルシール	2		
30	09381-40003	・サークリップ	1		
31	08113-60100	・ベアリング	1		
32	09116-08158	ホルト (8X35)	2		
33	56130-93J02	ハウジング, ドライブシャフトベアリング	1		
34	09280-66004	・Oリング (D:3.1, ID:65.4)	1		
35	09282-24004	・オイルシール	2		
36	09381-40003	・サークリップ	1		
37	56140-93J20	ハウジング, フォワードギヤベアリング	1		
38	04221-08129	・ピン	1		
39	09263-50009	・ベアリング (50X65X25)	1		

FIG.220C




FIG. 220C (1-G-12) トランスミッション (DF250T)

見出番号	品 番	品 名	使用個数	備 考	標準 作業時間
1-1	57110-93J21	シャフト, ドライブ (X)	1	X-TRANSOM	
1-2	57110-93J31	シャフト, ドライブ (XX)	1	XX-TRANSOM	
2	57133-93J00	カラー, ドライブ シャフト	1		
3	57134-93J00	スベ-サ, ドライブ シャフトへ アリク	1		
4	09159-28003	ナット	1		
5	09269-32002	ベ アリク (32X66X49)	1		
6	57300-93860	ビ ニオン/ギ ャセット	1		
7-1	09181-60004	シム (60X66X0.45)	1		
7-2	09181-60005	シム (60X66X0.5)	1		
7-3	09181-60006	シム (60X66X0.55)	1		
7-4	09181-60007	シム (60X66X0.6)	1		
7-5	09181-60008	シム (60X66X0.65)	1		
7-6	09181-60009	シム (60X66X0.7)	1		
7-7	09181-60010	シム (60X66X0.75)	1		
7-8	09181-60011	シム (60X66X0.8)	1		
7-9	09181-60012	シム (60X66X0.85)	1		
7-10	09181-60013	シム (60X66X0.9)	1		
8	09140-16021	ナット	1		
9	08221-16256	シム	1		
10	57500-87861	シムセット, リハ-スフ ロツブ シャフト	1		
11-1	08211-30382	ワツジヤ	1		
11-2	09160-30036	ワツジヤ (30X38X1.7)	1		
11-3	09160-30037	ワツジヤ (30X38X1.9)	1		
11-4	09160-30038	ワツジヤ (30X38X2.1)	1		
11-5	08211-30384	ワツジヤ	1		
11-6	09160-30039	ワツジヤ (30X38X2.3)	1		
11-7	09160-30041	ワツジヤ (30X38X2.4)	1		
11-8	08211-30385	ワツジヤ	1		
11-9	09160-30042	ワツジヤ (30X38X2.6)	1		
11-10	09160-30043	ワツジヤ (30X38X2.7)	1		
11-11	09160-30044	ワツジヤ (30X38X2.8)	1		
12	09160-75002	ワツジヤ (75X100X2)	1	FWD GEAR	
13	57500-87852	シムセット, リハ-スギ ャ	1		
14-1	09181-50013	シム (50X62X1)	1	REV GEAR	
14-2	09181-50012	シム (50X62X1.1)	1	REV GEAR	

FIG.220C




FIG. 220C (1-G-13) トランスミッション (DF250T)

見出番号	品番	品名	使用個数	備考	標準作業時間
14-3	09181-50005	・シム (50X62X1.2)	1	REV GEAR	
14-4	09181-50006	・シム (50X62X1.3)	1	REV GEAR	
14-5	09181-50007	・シム (50X62X1.4)	1	REV GEAR	
14-6	09181-50008	・シム (50X62X1.5)	1	REV GEAR	
14-7	09181-50009	・シム (50X62X1.6)	1	REV GEAR	
14-8	09181-50010	・シム (50X62X1.7)	1	REV GEAR	
15-1	09181-75018	シム (75X100X0.5)	1	FWD GEAR	
15-2	09181-75019	シム (75X100X0.55)	1	FWD GEAR	
15-3	09181-75012	シム (75X100X0.6)	1	FWD GEAR	
15-4	09181-75013	シム (75X100X0.65)	1	FWD GEAR	
15-5	09181-75008	シム (75X100X0.7)	1	FWD GEAR	
15-6	09181-75014	シム (75X100X0.75)	1	FWD GEAR	
15-7	09181-75009	シム (75X100X0.8)	1	FWD GEAR	
15-8	09181-75015	シム (75X100X0.85)	1	FWD GEAR	
15-9	09181-75010	シム (75X100X0.9)	1	FWD GEAR	
15-10	09181-75016	シム (75X100X0.95)	1	FWD GEAR	
15-11	09181-75011	シム (75X100X1)	1	FWD GEAR	
16	09269-75002	ベアリング (75X100X4)	1		
17	57610-93J00	シャフト, フロネル	1		
18	57621-93J10	シフト, クラッチツグ	1		
19	09202-08007	ピン (8X49)	1		
20	57631-93J00	ピン, コネクタ	1		
21	09440-52003	スプリング	1		
22	09440-09040	スプリング	1		
23	06111-07004	ボール	2		
24	06111-11004	ボール	2		
25	09180-25082	スベーク (25X36.5X9.5)	1		
26-1	56120-93J70-YAY	ハウジング, フロネルシャフトベアリング (フラット)	1	020 BODY COLOR:YAY	
26-2	56120-93J70-Y5S	ハウジング, フロネルシャフトベアリング (ホワイト)	1	020 BODY COLOR:Y5S	
26-3	56120-93J70-YAY	ハウジング, フロネルシャフトベアリング (フラット)	1	021, 022, 023 BODY COLOR:YAY	
26-4	56120-93J70-QTN	ハウジング, フロネルシャフトベアリング (ホワイト)	1	021, 022, 023 BODY COLOR:QTN	

FIG.220C





FIG. 220C (1-G-14) トランスミッション (DF250T)

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
27	09263-30063	・ベ`アリング` (30X40X25)	2		
28	09280-00040	・Oリング` (D:3. 1, ID:104. 4)	1		
29	09282-30006	・オイルシール	2		
30	09381-40003	・サークリップ`	1		
31	08113-60100	・ベ`アリング`	1		
32	09116-08158	ホ`ルト (8X35)	2		
33	56130-93J02	ハウシ`ング`, ト`ライフ` シャフトベ`アリング`	1		
34	09280-66004	・Oリング` (D:3. 1, ID:65. 4)	1		
35	09282-24004	・オイルシール	2		
36	09381-40003	・サークリップ`	1		
37	56140-93J20	ハウシ`ング`, フォワード`キ`ヤベ`アリング`	1		
38	04221-08129	・ピ`ン	1		
39	09263-50009	・ベ`アリング` (50X65X25)	1		

FIG.220D



DF250_000_023_220D
TRANSMISSION

FIG. 220D (1-G-15) トランスミッション (DF275ST)

見出番号	品 番	品 名	使用個数	備 考	標準 作業時間
1	57110-98J22	シャフト, ドライブ (L)	1		
2	57133-98J00	カラー, ドライブ シャフト	1		
3	57134-93J00	スベ-サ, ドライブ シャフトベ-アリング	1		
4	09159-28003	ナット	1		
5	09269-32002	ベ-アリング (32X66X49)	1		
6-1	57300-98880	ビ-ニオン/ギヤセット	1	020, 021, 022	
6-2	57300-98Y10	ビ-ニオン/ギヤセット	1	023	
7	09263-25067	ベ-アリング (25X32X26)	1		
8-1	09181-60004	シム (60X66X0.45)	1		
8-2	09181-60005	シム (60X66X0.5)	1		
8-3	09181-60006	シム (60X66X0.55)	1		
8-4	09181-60007	シム (60X66X0.6)	1		
8-5	09181-60008	シム (60X66X0.65)	1		
8-6	09181-60009	シム (60X66X0.7)	1		
8-7	09181-60010	シム (60X66X0.75)	1		
8-8	09181-60011	シム (60X66X0.8)	1		
8-9	09181-60012	シム (60X66X0.85)	1		
8-10	09181-60013	シム (60X66X0.9)	1		
9	09140-16026	ナット	1		
10	08221-16256	シム	1		
11-1	09160-35015	ワッシャ (35X46X0.6)	1	PROP SHAFT REV	
11-2	09160-35014	ワッシャ (35X46X0.7)	1	PROP SHAFT REV	
11-3	09160-35013	ワッシャ (35X46X0.8)	1	PROP SHAFT REV	
11-4	09160-35006	ワッシャ (35X46X0.9)	1	PROP SHAFT REV	
11-5	09160-35008	ワッシャ (35X46X0.95)	1	PROP SHAFT REV	
11-6	09160-35002	ワッシャ (35X46X1)	1	PROP SHAFT REV	
11-7	09160-35009	ワッシャ (35X46X1.05)	1	PROP SHAFT REV	
11-8	09160-35003	ワッシャ (35X46X1.1)	1	PROP SHAFT REV	
11-9	09160-35010	ワッシャ (35X46X1.15)	1	PROP SHAFT REV	
12-1	09181-50020	シム (50X65X0.45)	1	REV GEAR	
12-2	09181-50021	シム (50X65X0.5)	1	REV GEAR	
12-3	09181-50022	シム (50X65X0.55)	1	REV GEAR	
12-4	09181-50023	シム (50X65X0.6)	1	REV GEAR	
12-5	09181-50024	シム (50X65X0.65)	1	REV GEAR	
12-6	09181-50025	シム (50X65X0.7)	1	REV GEAR	

FIG.220D





FIG. 220D (1-H-2) トランスミッション (DF275ST)

見出番号	品 番	品 名	使用個数	備 考	標準 作業時間
12-7	09181-50026	シム (50X65X0. 75)	1	REV GEAR	
12-8	09181-50027	シム (50X65X0. 8)	1	REV GEAR	
12-9	09181-50028	シム (50X65X0. 85)	1	REV GEAR	
12-10	09181-50029	シム (50X65X0. 90)	1	REV GEAR	
13-1	09181-50020	シム (50X65X0. 45)	1	FWD GEAR	
13-2	09181-50021	シム (50X65X0. 5)	1	FWD GEAR	
13-3	09181-50022	シム (50X65X0. 55)	1	FWD GEAR	
13-4	09181-50023	シム (50X65X0. 6)	1	FWD GEAR	
13-5	09181-50024	シム (50X65X0. 65)	1	FWD GEAR	
13-6	09181-50025	シム (50X65X0. 7)	1	FWD GEAR	
13-7	09181-50026	シム (50X65X0. 75)	1	FWD GEAR	
13-8	09181-50027	シム (50X65X0. 8)	1	FWD GEAR	
13-9	09181-50028	シム (50X65X0. 85)	1	FWD GEAR	
13-10	09181-50029	シム (50X65X0. 90)	1	FWD GEAR	
14	57610-98J20	シャフト, プ ロベ ラ	1		
15	57621-98J10	シフト, クラツチド ッグ	1		
16	09160-25080	ワッシャ (25X38X1)	1		
17	09202-08011	ビ ン (8X53)	1		
18	57631-98J10	ビ ン, コネクタ	1		
19	06111-07004	ホ ール	2		
20	06111-11004	ホ ール	2		
21	09440-56001	スプ リング	1		
22	09440-09040	スプ リング	1		
23	09160-30056	ワッシャ (32X47X3)	1		
24	09269-30014	ベ アリング (30X47X2)	1		
25	09160-30055	ワッシャ (30X47X6)	1		
26	56120-98J01-YAY	ハブシ ング, プ ロベ ラシャフトベ アリング	1	BODY COLOR: YKV, YA Y	
27	09263-30063	ベ アリング (30X40X25)	2		
28	09280-00040	オリ ング (D: 3. 1, ID: 104. 4)	1		
29	09282-30006	オイルシール	2		
30	09381-40003	サークルツッ	1		
31	56123-93J00	プ ロテクタ, オイルシール	1		
32	09387-45001	リ ング	1		
33	08113-62100	ベ アリング	1		

FIG.220D



DF250_000_023_220D
TRANSMISSION

FIG. 220D (1-H-3) トランスミッション (DF275ST)

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
34	09116-10177	ホ ルト (10X35)	2		
35	56130-93J02	ハウシ ング , ト ライ フ シ ャ フ ト ベ ア リ ング	1		
36	09280-66004	・ O リ ン グ (D : 3 . 1 , I D : 65 . 4)	1		
37	09282-24004	・ オ イ ル シ ー ル	2		
38	09381-40003	・ サ ー ク リ ッ プ	1		
39	55321-87J01	ア ノード , フ ロ テ ク シ ョ ン	1		
40	09103-06281	ホ ル ト (6 X 14)	1		

FIG.301A




FIG. 301A (1-H-4) スターティングモータ

見出番号	品番	品名	使用個数	備考	標準作業時間
1	31100-98L10	モータアツシ, スターティング	1		
2	31150-98L00	・ケース, キヤ	1		
3	31170-92J00	・ハウジング, リヤ	1		
4	31173-98L00	・ホルダ アツシ, フラシ	1		
5	31191-63J00	・レバ アツシ	1		
6	31220-98L10	・スイッチアツシ	1		
7	31311-63J00	・アマチュア	1		
8	31192-92J00	・スクリュセット	1		
9	31261-75F10	・ホルト	2		
10	31340-98L00	・クラツチセット, スターティング モータ	1		
11	31314-86030	・・ストツバ セット	1		
12	31320-98L00	・・ヒ ニオン	1		
13	31341-98L00	・・シヤフト, ヒ ニオン	1		
14	31343-63J00	・・インターナルギヤ	1		
15	31344-63J00	・・ギヤアツシ	3		
16	31912-93J01	パント, スタータモータ	1		
17	31918-92J01	ダンパ, ロア	1		
18	01550-08207	ホルト	2		
19-1	01550-08307	ホルト	2	020, 021	
19-2	01550-0835C	ホルト	2	022, 023	
20	36645-93J00	リートワイヤ, スターティング モータ	1		
21	38860-76F01	リレーアツシ	1		
22	38915-90J00	ホルダ, リレー	1		

FIG.303A




FIG. 303A (1-H-5) マグネト (DF200T, DF225T)

見出番号	品 番	品 名	使用個数	備 考	標準 作業時間
1-1	32102-93J20	フライホイール, マグネト	1	FROM 20002F-04000 1 UPTO 20002F-04041 0 FROM 22503F-04000 1 UPTO 22503F-04055 6	
1-2	32102-93J11	フライホイール, マグネト	1	FROM 20002F-04041 1 FROM 22503F-04055 7	
2	09103-12125	ボルト (12X26)	8		
3	09202-06031	ピン (6X12)	1		
4-1	32120-93J10	コイル, ハンズリチャージング	1	FROM 20002F-04000 1 UPTO 20002F-04041 0 FROM 22503F-04000 1 UPTO 22503F-04055 6	
4-2	32120-93J01	コイル, ハンズリチャージング	1	FROM 20002F-04041 1 FROM 22503F-04055 7	
5	32131-93J00	ホルタ, スタータコネクタ	1		
6-1	01550-06167	ボルト	2	020, 021	
6-2	01550-0616C	ボルト	2	022, 023	
7	32160-88L01	コイル, イグニッションタイミング	1		
8	09106-05030	ボルト (5X10)	2		
9	33220-98J00	センサアツシ, カムホシシヨ	1		
10	33221-42F00	・Oリング	1		
11-1	01550-06167	ボルト	1	020, 021	
11-2	01550-0616C	ボルト	1	022, 023	

FIG.303A




FIG. 303A (1-H-6) マグネト (DF200T, DF225T)

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
12	09103-06231	ボルト (6X35)	4		
13	09403-13414	クランプ	2		
14-1	01550-06127	ボルト	2	020, 021	
14-2	01550-06120	ボルト	2	022, 023	

FIG.303B




FIG. 303B (1-H-7) マグネト (DF250T, DF275ST)

見出番号	品番	品名	使用個数	備考	標準作業時間
1-1	32102-93J20	フライホイール, マグネト	1	FROM 25003F-04000	
			1	UPTO 25003F-04218	
			1	FROM 27501F-04000	
			1	UPTO 27501F-04000	
1-2	32102-93J11	フライホイール, マグネト	1	FROM 25003F-04218	
			2	FROM 27501F-04000	
2	09103-12125	ボルト (12X26)	8		
3	09202-06031	ピン (6X12)	1		
4-1	32120-93J10	コイル, ハンズリチャージング	1	FROM 25003F-04000	
			1	UPTO 25003F-04218	
			1	FROM 27501F-04000	
			1	UPTO 27501F-04000	
4-2	32120-93J01	コイル, ハンズリチャージング	1	FROM 25003F-04218	
			2	FROM 27501F-04000	
5	32131-93J00	ホルタ, スタータコネクタ	1		
6-1	01550-06167	ボルト	2	020, 021	
6-2	01550-0616C	ボルト	2	022, 023	
7	32160-88L01	コイル, イグニッションタイミング	1		
8	09106-05030	ボルト (5X10)	2		
9	33220-98J00	センサアサシ, カムホシシヨ	3		
10	33221-42F00	・Oリング	3		
11-1	01550-06167	ボルト	3	020, 021	
11-2	01550-0616C	ボルト	3	022, 023	

FIG.303B




FIG. 303B (1-H-8) マグネト (DF250T, DF275ST)

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
12	09103-06231	ボルト (6X35)	4		
13	09403-13414	クランプ	2		
14-1	01550-06127	ボルト	2	020, 021	
14-2	01550-06120	ボルト	2	022, 023	

FIG.310A





FIG. 310A (1-H-9) レクチファイア/イグニッション コイル

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
1	32800-93J03	レクチファイア/レギュレータツジ	2		
2	32805-93J00	Oリング, レクチファイア/レギュレータ	2		
3	32890-93J02	ホルダ, エレクトリックハーツ	1		
4	32891-93J00	カバー, エレクトリックハーツホルダ	1		
5	09169-06062	ワッシャ	4		
6	09320-09016	クワシヨン (9X18X9.5)	4		
7	09116-06202	ボルト (6X25)	4		
8-1	01550-06257	ボルト	4	020, 021	
8-2	01550-0625C	ボルト	4	022, 023	
9	33410-93J00	コイルアツジ, イグニッション	6		
10-1	01550-06207	ボルト	6	020, 021	
10-2	01550-0620C	ボルト	6	022, 023	
11	09408-00021	クリップ (ID:16)	1		

FIG.315A



DF250_000_023_315A
SENSOR

FIG. 315A (1-H-10) センサ (DF200T)

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
1	13650-52G00	センサ, インレットエアテンパ` レチャ	1		
2	13655-87J01	グ` ロメット, インレットエアテンパ` レチャセンサ	1		
3	34801-93J04	センタ` アツシ, トリム	1	X-TRANSOM	
4	34830-87J20	センサ, テンパ` レチャ	2	FOR EXHAUST TEMP	
5	34830-87J20	センサ, テンパ` レチャ	1	FOR CYLINDER TEMP	
6	37820-99E02	スイツチアツシ, オイルフ` レツシヤ	1		
7	09100-06113	ホ` ルト (6X16)	2	X-TRANSOM	
8	29103-93J00	ホ` ルト (6X12)	1	X-TRANSOM	
9	09125-06063	スクリュ (6X10)	1	X-TRANSOM	
10	09403-19412	クランブ`	1	X-TRANSOM	
11	29404-93J11	クランブ`	1	X-TRANSOM	
12	09407-14407	クランブ` (L: 145)	2		
13	34801-99E05	センタ` アツシ, トリム	1	L-TRANSOM	
14	09103-06093	ホ` ルト (6X20)	2	L-TRANSOM	
15	09103-06093	ホ` ルト (6X20)	1	L-TRANSOM	
16	29404-93J21	クランブ`	1	L-TRANSOM	
17	34813-93J00	ブ` ロテクタ, リート` ワイヤ	1	L-TRANSOM	
18	29103-93J00	ホ` ルト (6X12)	1	L-TRANSOM	
19	09403-19412	クランブ`	1	L-TRANSOM	
20	09403-20308	クランブ`	1	L-TRANSOM	
21	43117-96J00	カム, トリムセンタ`	1	L-TRANSOM	
22	09116-05010	ホ` ルト (5X12)	2	L-TRANSOM	
23	43118-96J00	ブ` レート, トリムセンタ` カム	1	L-TRANSOM	
24	41118-96J00	ブ` レート, トリムセンタ`	1	L-TRANSOM	
25	09403-07340	クランブ`	1	X-TRANSOM	

DF250_000_023

FIG.315B




FIG. 315B (1-H-11) センサ (DF225T, DF250T)

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
1	13650-52G00	センサ, インレットエアテンパ` レチャ	1		
2	13655-87J01	グ` ロメット, インレットエアテンパ` レチャセンサ	1		
3	34801-93J04	センタ` アツシ, トリム	1		
4	34830-87J20	センサ, テンパ` レチャ	2	FOR EXHAUST TEMP	
5	34830-87J20	センサ, テンパ` レチャ	1	FOR CYLINDER TEMP	
6	37820-99E02	スイツチアツシ, オイルフ` レツシヤ	1		
7	09100-06113	ホ` ルト (6X16)	2		
8	29103-93J00	ホ` ルト (6X12)	1		
9	09125-06063	スクリュ (6X10)	1		
10	09403-19412	クランフ`	1		
11	29404-93J11	クランフ`	1		
12	09407-14407	クランフ` (L: 145)	2		
13	09403-07340	クランフ`	1		

FIG.315C




FIG. 315C (1-H-12) センサ (DF275ST)

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
1	13650-52G00	センサ, インレットエアテンパ` レチャ	1		
2	13655-87J01	グ` ロメット, インレットエアテンパ` レチャセンサ	1		
3	34830-87J20	センサ, テンパ` レチャ	2	FOR EXHAUST TEMP	
4	34830-87J20	センサ, テンパ` レチャ	1	FOR CYLINDER TEMP	
5	37820-99E02	スイツチアツシ, オイルプ` レツシヤ	1		
6	09407-14407	クランプ` (L: 145)	2		
7	34801-99E05	センタ` アツシ, トリム	1		
8	09103-06093	ホ` ルト (6X20)	2		
9	09103-06093	ホ` ルト (6X20)	1		
10	29404-93J21	クランプ`	1		
11	34813-93J00	プ` ロテクタ, リード` ワイヤ	1		
12	29103-93J00	ホ` ルト (6X12)	1		
13	09403-19412	クランプ`	1		
14	09403-20308	クランプ`	1		
15	43117-96J00	カム, トリムセンタ`	1		
16	09116-05010	ホ` ルト (5X12)	2		
17	43118-96J00	プ` レート, トリムセンタ` カム	1		
18	41118-96J00	プ` レート, トリムセンタ`	1		

FIG.322A





FIG. 322A (1-H-13) ハーネス (DF200T)

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
1	33810-98J01	ケーブルアッソシ, スタータモータ	1		
2	08316-10087	ナット	1		
3	36616-93J01	ホルダ, コネクタ	1		
4	09169-06062	ワッシャ	1		
5	09320-04013	クッション	2		
6	09320-09016	クッション (9X18X9.5)	1		
7	01550-0625C	ホルト	1		
8-1	36630-93J11	ハーネスアッソシ, ワイヤリング	1	020, 021	
8-2	36610-93JN2	ハーネスアッソシ, ワイヤリング	1	022, 023	
9	33634-96J00	キヤツプ, サービスコネクタ	1		
10	09481-15501	・フューズ (15A)	1		
11	09481-30501	・フューズ (30A)	1		
12	36617-93J00	ブラケット, ハーネス	3		
13	36617-93J10	ブラケット, ハーネス	5		
14	36617-93J20	ブラケット, ハーネス	1		
15	36617-93J30	ブラケット, ハーネス	1		
16	01550-0612C	ホルト	11		
17	09403-20308	クランプ	1		
18	29404-93J01	クランプ	1		
19	09408-00008	クリツプ (ID:20)	1		
20	09408-00184	クランプ	3		
21	01550-0612C	ホルト	1		
22	09408-00024	クリツプ (ID:23)	1		
23	01550-06127	ホルト	1		
24	36865-90J00	ターミナル, メインフューズ	2		
25	09251-09008	キヤツプ (OD:13.6)	2		
26	09481-60401	フューズ (60A)	2		
27	01570-06127	ホルト	2		
28	08310-00067	ナット	2		
29-1	36625-93J01	リード, ハツテリ	1		
29-2	36625-93J10	リード, ハツテリ	1	オプション	
30	09481-15501	・フューズ (15A)	1		
31	09407-10404	クランプ (L:100)	2		
32	09407-14407	クランプ (L:145)	1		
33	36647-93J00	リード, オークシリヤリPTTスイッチ	1	オプション	

FIG.322B




DF250_000_023_322B
HARNESS

FIG. 322B (1-H-14) ハーネス (DF225T)

見出番号	品 番	品 名	使用個数	備 考	標準 作業時間
1	33810-98J01	ケーブルアッソシ, スタータモータ	1	L: 4000	
2	08316-10087	ナット	1		
3	36616-93J01	ホルダ, コネクタ	1		
4	09169-06062	ワッシャ	1		
5	09320-04013	クッション	2		
6	09320-09016	クッション (9X18X9.5)	1		
7	01550-0625C	ホルト	1		
8-1	36630-93J21	ハーネスアッソシ, ワイヤリング	1	020, 021	
8-2	36610-93JP2	ハーネスアッソシ, ワイヤリング	1	022, 023	
9	33634-96J00	キヤツプ, サービスコネクタ	1		
10	09481-15501	・フューズ (15A)	1		
11	09481-30501	・フューズ (30A)	1		
12	36617-93J00	ブラケット, ハーネス	3		
13	36617-93J10	ブラケット, ハーネス	5		
14	36617-93J20	ブラケット, ハーネス	1		
15	36617-93J30	ブラケット, ハーネス	1		
16	01550-0612C	ホルト	11		
17	09403-20308	クランプ	1		
18	29404-93J01	クランプ	1		
19	09408-00008	クリップ (ID: 20)	1		
20	09408-00184	クランプ	3		
21	01550-0612C	ホルト	1		
22	09408-00024	クリップ (ID: 23)	1		
23	01550-06127	ホルト	1		
24	36865-90J00	ターミナル, メインフューズ	2		
25	09251-09008	キヤツプ (OD: 13.6)	2		
26	09481-60401	フューズ (60A)	2		
27	01570-06127	ホルト	2		
28	08310-00067	ナット	2		
29-1	36625-93J01	リード, ハンズ	1		
29-2	36625-93J10	リード, ハンズ	1	オプション	
30	09481-15501	・フューズ (15A)	1		
31	09407-10404	クランプ (L: 100)	2		
32	09407-14407	クランプ (L: 145)	1		
33	36647-93J00	リード, オークシリヤリPTTスイッチ	1	オプション	

DF250_000_023

FIG.322C




DF250_000_023_322C
HARNESS

FIG. 322C (1-H-15) ハーネス (DF250T)

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
1	33810-98J01	ケーブルアッソシ, スタータモータ	1		
2	08316-10087	ナット	1		
3	36616-93J01	ホルダ, コネクタ	1		
4	09169-06062	ワッシャ	1		
5	09320-04013	クッション	2		
6	09320-09016	クッション (9X18X9.5)	1		
7	01550-0625C	ホルト	1		
8-1	36630-93J31	ハーネスアッソシ, ワイヤリング	1	020, 021	
8-2	36610-93JR2	ハーネスアッソシ, ワイヤリング	1	022, 023	
9	33634-96J00	キヤツプ, サービスコネクタ	1		
10	09481-15501	・フューズ (15A)	1		
11	09481-30501	・フューズ (30A)	1		
12	36617-93J00	ブラケット, ハーネス	3		
13	36617-93J10	ブラケット, ハーネス	5		
14	36617-93J20	ブラケット, ハーネス	1		
15	36617-93J30	ブラケット, ハーネス	1		
16	01550-0612C	ホルト	11		
17	09403-20308	クランプ	1		
18	29404-93J01	クランプ	1		
19	09408-00008	クリツプ (ID:20)	1		
20	09408-00184	クランプ	3		
21	01550-0612C	ホルト	1		
22	09408-00024	クリツプ (ID:23)	1		
23	01550-06127	ホルト	1		
24	36865-90J00	ターミナル, メインフューズ	2		
25	09251-09008	キヤツプ (OD:13.6)	2		
26	09481-60401	フューズ (60A)	2		
27	01570-06127	ホルト	2		
28	08310-00067	ナット	2		
29-1	36625-93J01	リード, ハンズレリ	1		
29-2	36625-93J10	リード, ハンズレリ	1	オプション	
30	09481-15501	・フューズ (15A)	1		
31	09407-10404	クランプ (L:100)	2		
32	09407-14407	クランプ (L:145)	1		
33	36647-93J00	リード, オークシリヤリPTTスイッチ	1	オプション	

DF250_000_023

FIG.322D




DF250_000_023_322D
HARNESS

FIG. 322D (1-I-2) ハーネス (DF275ST)

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
1	33810-98J01	ケーブルアッソシ, スタータモータ	1		
2	08316-10087	ナット	1		
3	36616-93J01	ホルダ, コネクタ	1		
4	09169-06062	ワッシャ	1		
5	09320-04013	クッション	2		
6	09320-09016	クッション (9X18X9.5)	1		
7	01550-0625C	ホルト	1		
8-1	36630-93J01	ハーネスアッソシ, ワイヤリング	1	020, 021	
8-2	36610-93JM2	ハーネスアッソシ, ワイヤリング	1	022, 023	
9	33634-96J00	キヤツプ, サービスコネクタ	1		
10	09481-15501	・フューズ (15A)	1		
11	09481-30501	・フューズ (30A)	1		
12	36617-93J00	ブラケット, ハーネス	3		
13	36617-93J10	ブラケット, ハーネス	7		
14	36617-93J20	ブラケット, ハーネス	1		
15	36617-93J30	ブラケット, ハーネス	1		
16	01550-0612C	ホルト	13		
17	09403-20308	クランプ	1		
18	29404-93J01	クランプ	1		
19	09408-00008	クリツプ (ID:20)	1		
20	09408-00184	クランプ	3		
21	01550-0612C	ホルト	1		
22	09408-00024	クリツプ (ID:23)	1		
23	01550-06127	ホルト	1		
24	36865-90J00	ターミナル, メインフューズ	2		
25	09251-09008	キヤツプ (OD:13.6)	2		
26	09481-60401	フューズ (60A)	2		
27	01570-06127	ホルト	2		
28	08310-00067	ナット	2		
29-1	36625-93J01	リード, ハツテリ	1		
29-2	36625-93J10	リード, ハツテリ	1	オプション	
30	09481-15501	・フューズ (15A)	1		
31	09407-10404	クランプ (L:100)	2		
32	09407-14407	クランプ (L:145)	1		
33	36647-93J00	リード, オークシリヤリPTTスイッチ	1	オプション	

DF250_000_023



DF250_000_023

見出番号	品番	品名	使用個数	備考	標準作業時間
1	13580-93J03	センサアツシ, シフトホﾞ ション	1		
2	37729-93J00	レバ ー, シフトセンサ	1		
3	09160-05029	ワッシャ (5. 5X12X0. 8)	1		
4	02112-35167	スクリュ	1		
5	37721-93J00	スイツチアツシ, ニュートラル	1		
6	09137-04004	スクリュ (4X16)	2		
7	09403-12412	クランプ	1		
8	37725-93J11	カバ ー, スイツチアツシ	1		
9	37850-92J00	スイツチアツシ, PTT	1		
10	37856-92J00	・テフ, PTTスイツチ	1		
11	37857-92J01	フ ッシュ, PTTスイツチ	1		
12	09403-11328	クランプ	1		
13-1	01550-06127	ホ ルト	1	020, 021	
13-2	01550-0612C	ホ ルト	1	022, 023	
14	37722-93J13	スイツチアツシ, チルトリミット	1		
15	09403-09330	クランプ	1	X-TRANSOM	
16	29125-93J00	スクリュ	1	X-TRANSOM	
17	38410-93J12	リレーアツシ, PTT	1		
18	38415-93J00	ホルト, PTTリレー	1		
19	01550-06127	ホ ルト	1		
20-1	33930-93J00	ユニット, エンジ ンコントロー	1	020, 021	
20-2	33930-93J20	ユニット, エンジ ンコントロー	1	022, 023	
21	33925-93J00	クワシオン, エンジ ンコントロー	1		
22	38860-76F01	リレーアツシ	1		
23	38915-90J00	ホルト, リレー	1		
24	09407-14407	クランプ (L: 145)	1	L-TRANSOM	

FIG.326B




FIG. 326B (1-I-4) PTT スイッチ/エンジン コントロール ユニツ (SEE NOTE 1)

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
1	13580-93J03	センサアツシ, シフトホﾞジ' ション	1		
2	37729-93J00	レバ' ー, シフトセンサ	1		
3	09160-05029	ワツシヤ (5. 5X12X0. 8)	1		
4	02112-35167	スクリュ	1		
5	37721-93J00	スイツチアツシ, ニュートラル	1		
6	09137-04004	スクリュ (4X16)	2		
7	09403-12412	クランプ	1		
8	37725-93J11	カバ' ー, スイツチアツシ	1		
9	37850-92J00	スイツチアツシ, PTT	1		
10	37856-92J00	・チ' ーフ', PTTスイツチ	1		
11	37857-92J01	ブ' ヅシユ, PTTスイツチ	1		
12	09403-11328	クランプ	1		
13	01550-06127	ホ' ルト	1		
14	37722-93J13	スイツチアツシ, チルトリミツト	1		
15	09403-09330	クランプ	1		
16	29125-93J00	スクリュ	1		
17	38410-93J12	リレーアツシ, PTT	1		
18	38415-93J00	ホルダ', PTTリレー	1		
19-1	01550-06127	ホ' ルト	1	020, 021	
19-2	01550-0612C	ホ' ルト	1	022, 023	
20-1	33930-93J00	ユニツト, エンジ' ンコントロール	1	020, 021	
20-2	33930-93J20	ユニツト, エンジ' ンコントロール	1	022, 023	
21	33925-93J00	クツシヨ' ン, エンジ' ンコントロールユニツト	1		
22	38860-76F01	リレーアツシ	1		
23	38915-90J00	ホルダ', リレー	1		

NOTE 1:
DF225T, DF250T

FIG.326C





FIG. 326C (1-I-5) PTT スイッチ/エンジン コントロール ユニツ (DF275ST)

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
1	13580-93J03	センサアツシ, シフトホﾞジ'シヨ'ン	1		
2	37729-93J00	レバ'ー, シフトセンサ	1		
3	09160-05029	ワツシヤ (5. 5X12X0. 8)	1		
4	02112-35167	スクリユ	1		
5	37721-93J00	スイツチアツシ, ニュ'トラ'ル	1		
6	09137-04004	スクリユ (4X16)	2		
7	09403-12412	クラン'プ	1		
8	37725-93J11	カバ'ー, スイツチアツシ	1		
9	37850-92J00	スイツチアツシ, PTT	1		
10	37856-92J00	・チ'ーフ', PTTスイツチ	1		
11	37857-92J01	ブ'ツシュ, PTTスイツチ	1		
12	09403-11328	クラン'プ	1		
13	01550-06127	ホ'ルト	1		
14	37722-93J13	スイツチアツシ, チルトリミツト	1		
15	38410-93J12	リレ'アツシ, PTT	1		
16	38415-93J00	ホルダ', PTTリレ'ー	1		
17-1	01550-06127	ホ'ルト	1	020, 021	
17-2	01550-0612C	ホ'ルト	1	022, 023	
18-1	33930-93J10	ユ'ニツト, エン'ジ'ンコントロール	1	020, 021	
18-2	33930-93J30	ユ'ニツト, エン'ジ'ンコントロール	1	022, 023	
19	33925-93J00	ク'ヅシヨ'ン, エン'ジ'ンコントロールユ'ニツト	1		
20	38860-76F01	リレ'アツシ	1		
21	38915-90J00	ホルダ', リレ'ー	1		
22	09407-14407	クラン'プ (L: 145)	1		

FIG.335A



DF250_000_023_335A
CLAMP BRACKET

FIG. 335A (1-I-6) クランプ プラケット (L-TRANSOM:DF200T)

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
1-1	41111-96J22-YAY	ﾌﾞﾗｹｯﾄ,ｸﾗﾝﾌﾟｽﾀｰﾎｰﾄﾞ(ﾌﾞﾗｯｸ)	1	020 STBD BODY COLOR:YAY	
1-2	41111-96J22-Y5S	ﾌﾞﾗｹｯﾄ,ｸﾗﾝﾌﾟｽﾀｰﾎｰﾄﾞ(ﾎﾜｲﾄ)	1	020 STBD BODY COLOR:Y5S	
1-3	41111-96J22-YAY	ﾌﾞﾗｹｯﾄ,ｸﾗﾝﾌﾟｽﾀｰﾎｰﾄﾞ(ﾌﾞﾗｯｸ)	1	021, 022, 023 STBD BODY COLOR:YAY	
1-4	41111-96J22-QTN	ﾌﾞﾗｹｯﾄ,ｸﾗﾝﾌﾟｽﾀｰﾎｰﾄﾞ(ﾎﾜｲﾄ)	1	021, 022, 023 STBD BODY COLOR:QTN	
2-1	41121-96J13-YAY	ﾌﾞﾗｹｯﾄ,ｸﾗﾝﾌﾟﾎｰﾄﾞ(ﾌﾞﾗｯｸ)	1	020 PORT BODY COLOR:YAY	
2-2	41121-96J13-Y5S	ﾌﾞﾗｹｯﾄ,ｸﾗﾝﾌﾟﾎｰﾄﾞ(ﾎﾜｲﾄ)	1	020 PORT BODY COLOR:Y5S	
2-3	41121-96J13-YAY	ﾌﾞﾗｹｯﾄ,ｸﾗﾝﾌﾟﾎｰﾄﾞ(ﾌﾞﾗｯｸ)	1	021, 022, 023 PORT BODY COLOR:YAY	
2-4	41121-96J13-QTN	ﾌﾞﾗｹｯﾄ,ｸﾗﾝﾌﾟﾎｰﾄﾞ(ﾎﾜｲﾄ)	1	021, 022, 023 PORT BODY COLOR:QTN	
3	41130-92J03	ｼｬﾌﾄ,ｸﾗﾝﾌﾟﾌﾞﾗｹｯﾄ	1		
4	41135-92J00	ワｯｼﾞ,ｸﾗﾝﾌﾟﾌﾞﾗｹｯﾄｼｬﾌﾄ	1		
5	09159-22006	ﾅｯﾄ	1		
6-1	09100-12085	ﾎｰﾙﾄ(12. 7X115)	6		
6-2	09100-12086	ﾎｰﾙﾄ(12. 7X150)	1	ｵﾌﾞｼｮﾝ	
6-3	09100-12092	ﾎｰﾙﾄ(12. 7X75)	1	ｵﾌﾞｼｮﾝ	
7	09159-12062	ﾅｯﾄ	6		
8	09160-13021	ワｯｼﾞ(13. 2X26X3)	6		
9	09160-13022	ワｯｼﾞ(13. 2X45X3)	4		
10	41155-93J02	ﾌﾟﾚｰﾄ,ﾄﾗﾝｻﾑ	2		
11	55320-94900	ｱﾉｰﾄﾞｾｯﾄ,ｸﾗﾝﾌﾟﾌﾞﾗｹｯﾄ	1		

FIG. 335A (1-I-7) クランプ フ ラケット (L-TRANSOM:DF200T)





FIG.335B



DF250_000_023_335B
CLAMP BRACKET

FIG. 335B (1-I-8) クランプ プラケット (L-TRANSOM:DF275ST)

見出番号	品 番	品 名	使用個数	備 考	標準 作業時間
1	41111-96J22-YAY	プラケット, クランプ スターボート (プラケット)	1	STBD BODY COLOR:YKV, YAY	
2	41121-96J13-YAY	プラケット, クランプ ホート (プラケット)	1	PORT BODY COLOR:YKV, YAY	
3	41130-92J03	シャフト, クランプ プラケット	1		
4	41135-92J00	ワッシャ, クランプ プラケットシャフト	1		
5	09159-22006	ナット	1		
6-1	09100-12086	ボルト (12. 7X150)	6		
6-2	09100-12092	ボルト (12. 7X75)	1	オプション	
6-3	09100-12085	ボルト (12. 7X115)	1	オプション	
7	09159-12062	ナット	6		
8	09160-13021	ワッシャ (13. 2X26X3)	6		
9	09160-13022	ワッシャ (13. 2X45X3)	4		
10	41155-93J02	プレート, トランサム	2		
11	55320-94900	アノード セット, クランプ プラケット	1		
12	09116-06121	ボルト (6X25)	2		
13	48140-93J01	カムアッスン, チルトリミットスイッチ	1		
14	48144-93J00	ホルダー, チルトリミットスイッチ	1		
15	09103-06278	ボルト (6X25)	2		
16	48145-93J00	カバー, チルトリミットスイッチ	1		
17	55321-94910	アノード (マグネシウム)	1	オプション	

FIG.335C




FIG. 335C (1-I-9) クランプ プラケット (X-TRANSOM, XX-TRANSOM)

見出番号	品 番	品 名	使用個数	備 考	標準 作業時間
1-1	41111-93J16-YAY	プラケット, クランプ スターボート (ﾌﾞﾗｯｸ)	1	020 STBD BODY COLOR:YAY	
1-2	41111-93J16-Y5S	プラケット, クランプ スターボート (ﾎﾜｲﾄ)	1	020 STBD BODY COLOR:Y5S	
1-3	41111-93J16-YAY	プラケット, クランプ スターボート (ﾌﾞﾗｯｸ)	1	021, 022, 023 STBD BODY COLOR:YAY	
1-4	41111-93J16-QTN	プラケット, クランプ スターボート (ﾎﾜｲﾄ)	1	021, 022, 023 STBD BODY COLOR:QTN	
2-1	41121-93J08-YAY	プラケット, クランプ ホート (ﾌﾞﾗｯｸ)	1	020 PORT BODY COLOR:YAY	
2-2	41121-93J08-Y5S	プラケット, クランプ ホート (ﾎﾜｲﾄ)	1	020 PORT BODY COLOR:Y5S	
2-3	41121-93J08-YAY	プラケット, クランプ ホート (ﾌﾞﾗｯｸ)	1	021, 022, 023 PORT BODY COLOR:YAY	
2-4	41121-93J08-QTN	プラケット, クランプ ホート (ﾎﾜｲﾄ)	1	021, 022, 023 PORT BODY COLOR:QTN	
3	41117-93J02	プレート, クランプ プラケットロアスターボート	1	STBD	
4	41122-93J02	プレート, クランプ プラケットロアホート	1	PORT	
5	09125-06063	スクリュー (6X10)	4		
6	41130-93J12	シャフト, クランプ プラケット	1		
7	41135-93J11	ワッシャ, クランプ プラケットシャフト	1		
8	09159-22006	ナット	1		
9-1	09100-12085	ボルト (12. 7X115)	6		
9-2	09100-12092	ボルト (12. 7X75)	1	オプション	
9-3	09100-12086	ボルト (12. 7X150)	1	オプション	
10	09159-12062	ナット	6		
11	09160-13022	ワッシャ (13. 2X45X3)	4		

FIG.335C




FIG. 335C (1-I-10) クランプ プラケット (X-TRANSOM, XX-TRANSOM)

見出番号	品 番	品 名	使用個数	備 考	標準 作業時間
12	09160-13021	ワッシャ (13. 2X26X3)	6		
13	41155-93J02	プレート, トランサム	2		
14	55320-94900	アノード セット, クランプ プラケット	1		
15	09116-06121	ボルト (6X25)	2		
16	45421-87D03	ピン, チルトロツク	1		
17	09159-14020	ナツト	2		
18	48140-93J01	カムアツシ, チルトリミツトスイッチ	1		
19	48144-93J00	ホルダ, チルトリミツトスイッチ	1		
20	09103-06278	ボルト (6X25)	2		
21	55321-94910	アノード (マク ネシウム)	1	オプション	
22	48145-93J00	カバー, チルトリミツトスイッチ	1		
23	36894-87D00	リート (L: 165)	1	CLAMP TO SWIVEL	
24	09125-06063	スクリュ (6X10)	2		




FIG. 336A (1-I-11) スイベルブ ラケット (L-TRANSOM:DF200T)

見出番号	品番	品名	使用個数	備考	標準作業時間
1	22511-99011	ニツブル, グリース	4		
2	36894-87D00	リード (L:165)	1	SWIVEL TO MOUNT B RKT	
3-1	43111-96J20-YAY	ブ ラケツト, スイベ ル (L) (ブ ラツク)	1	020 BODY COLOR:YAY	
3-2	43111-96J20-Y5S	ブ ラケツト, スイベ ル (L) (ホワイト)	1	020 BODY COLOR:Y5S	
3-3	43111-96J20-YAY	ブ ラケツト, スイベ ル (L) (ブ ラツク)	1	021, 022, 023 BODY COLOR:YAY	
3-4	43111-96J20-QTN	ブ ラケツト, スイベ ル (レフト) (ホワイト)	1	021, 022, 023 BODY COLOR:QTN	
4	43211-93J11	ブ ツシュ, クランプ シヤフトスイベ ル	2		
5	43711-97E11	ブ ツシュ, ステアリング*	2		
6-1	43750-96J03-YAY	ブ ラケツト, ステアリング* (L) (ブ ラツク)	1	020 BODY COLOR:YAY	
6-2	43750-96J03-Y5S	ブ ラケツト, ステアリング* (L) (ホワイト)	1	020 BODY COLOR:Y5S	
6-3	43750-96J03-YAY	ブ ラケツト, ステアリング* (L) (ブ ラツク)	1	021, 022, 023 BODY COLOR:YAY	
6-4	43750-96J03-QTN	ブ ラケツト, ステアリング* (レフト) (ホワイト)	1	021, 022, 023 BODY COLOR:QTN	
7	09125-06063	スクリュ (6X10)	2		
8	09160-39001	ワツシヤ (39. 5X64X1)	2		
9	09181-39001	シム (39. 5X64X0. 3)	4		
10	09380-38003	スナツフ リンク*	1		
11	09169-28003	ワツシヤ	2		
12	09282-39001	オイルシール	1		
13	36895-87D10	リード* (L:310)	1	SWIVEL TO HSG	
14	09125-06063	スクリュ (6X10)	1		
15	41220-96J10	レバ ー, チルトロツク	1		
16	41234-96J10	レバ ー, チルトロツクホ ート	1	PORT	
17	41224-95E01	ブ ツシュ, チルトストツバ ロツト*	2		
18	41230-96J00	リンク, チルトロツクレバ ー	1		
19	41233-95E10	ブ ラケツト, チルトロツクスブ リンク*	1		
20	09125-06063	スクリュ (6X10)	1		

FIG.336A




FIG. 336A (1-I-12) スイベルブラケット (L-TRANSOM:DF200T)

見出番号	品番	品名	使用個数	備考	標準作業時間
21	09140-10032	ナット	1		
22	09160-06082	ワッシャ (6.5X13X1.0)	1		
23	09204-01006	コッタピン	1		
24	09440-19028	スプリンク	1		
25	09443-10043	スプリンク	1		
26	09125-06063	スクリュー (6X10)	1		

FIG.336B





FIG. 336B (1-I-13) スイベルブラケット (L-TRANSOM:DF275ST)

見出番号	品番	品名	使用個数	備考	標準作業時間
1	22511-99011	ニツブル, ケーリス	4		
2	36894-87D00	リート (L:165)	1	SWIVEL TO MOUNT B RKT	
3	43111-96J20-YAY	ブラケット, スイベル (L) (ブラケット)	1	BODY COLOR: YKV, YAY	
4	43211-93J11	ブッシュ, クラフ シヤフトスイベル	2		
5	43711-97E11	ブッシュ, ステアリング	2		
6	43750-96J03-YAY	ブラケット, ステアリング (L) (ブラケット)	1	BODY COLOR: YKV, YAY	
7	09125-06063	スクリュ (6X10)	2		
8	09160-39001	ワッシャ (39. 5X64X1)	2		
9	09181-39001	シム (39. 5X64X0. 3)	4		
10	09380-38003	スナツブ リンク	1		
11	09169-28003	ワッシャ	2		
12	09282-39001	オイルシール	1		
13	36895-87D10	リート (L:310)	1	SWIVEL TO HSG	
14	09125-06063	スクリュ (6X10)	1		
15	41220-96J10	レバー, チルトロツク	1		
16	41234-96J10	レバー, チルトロツクホート	1	PORT	
17	41224-95E01	ブッシュ, チルトストツハ ロツト	2		
18	41230-96J00	リンク, チルトロツクレバー	1		
19	41233-95E10	ブラケット, チルトロツクスフ リンク	1		
20	09125-06063	スクリュ (6X10)	1		
21	09140-10032	ナツト	1		
22	09160-06082	ワッシャ (6. 5X13X1. 0)	1		
23	09204-01006	コツタビ ン	1		
24	09440-19028	スフ リンク	1		
25	09443-10043	スフ リンク	1		
26	09125-06063	スクリュ (6X10)	1		

FIG.336C



DF250_000_023_336C
SWIVEL BRACKET

FIG. 336C (1-I-14) スイベルブラケット (X-TRANSOM, XX-TRANSOM)

見出番号	品番	品名	使用個数	備考	標準作業時間
1	22511-99011	ニツフル, グリース	4		
2	36894-87D00	リート (L:165)	1	SWIVEL TO MOUNT B RKT	
3-1	43111-93J24-YAY	ブラケット, スイベル (フック)	1	020 BODY COLOR:YAY	
3-2	43111-93J24-Y5S	ブラケット, スイベル (ホワイト)	1	020 BODY COLOR:Y5S	
3-3	43111-93J24-YAY	ブラケット, スイベル (フック)	1	021, 022, 023 BODY COLOR:YAY	
3-4	43111-93J24-QTN	ブラケット, スイベル (X)	1	021, 022, 023 BODY COLOR:QTN	
4	43114-93J00	ワッシャ, スイベルツークランブラケット	2		
5	43211-93J11	ブッシュ, クランブシャフトスイベル	2		
6	43711-97E11	ブッシュ, ステアリンク	2		
7-1	43750-93J03-YAY	ブラケット, ステアリンク (X) (フック)	1	020 BODY COLOR:YAY	
7-2	43750-93J03-Y5S	ブラケット, ステアリンク (X) (ホワイト)	1	020 BODY COLOR:Y5S	
7-3	43750-93J03-YAY	ブラケット, ステアリンク (X) (フック)	1	021, 022, 023 BODY COLOR:YAY	
7-4	43750-93J03-QTN	ブラケット, ステアリンク (X)	1	021, 022, 023 BODY COLOR:QTN	
8	09125-06063	スクリュー (6X10)	1		
9	09160-39001	ワッシャ (39. 5X64X1)	2		
10	09181-39001	シム (39. 5X64X0. 3)	4		
11	09282-39001	オイルシール	1		
12	09380-38003	スナック リング	1		
13	41220-93J11	レバー, チルトロツク	1		
14	41234-93J11	レバー, チルトロツクボート	1	PORT	
15	41224-95E01	ブッシュ, チルトストッパ ロツト	2		
16	41230-96J00	リンク, チルトロツクレバー	1		
17	41233-95E10	ブラケット, チルトロツクスフ リング	1		
18	09125-06063	スクリュー (6X10)	1		
19	09140-10032	ナット	1		
20	09160-06082	ワッシャ (6. 5X13X1. 0)	1		

FIG.336C




FIG. 336C (1-I-15) スイベルラケット (X-TRANSOM, XX-TRANSOM)

見出番号	品 番	品 名	使用個数	備 考	標準 作業時間
21	09204-01006	コツタビ ン	1		
22	09440-19028	スフ リング	1		
23	09443-10043	スフ リング	1		

FIG.337A





FIG. 337A (1-J-2) トリムシリンダ* (L-TRANSOM)

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
1	48000-93J19	トリムアツシ, ハ ワウイズ チルト	1		
2	48503-93J14	・マニホールド サブ アツシ	1		
3	48401-93J11	・・ヒ ストンアツシ	1		
4	48601-94900	・・ヒ ストン/ラムアツシ	2		
5	48627-95E00	・・リング セット	3		
6	48630-96J04	・・ヘッド, トリムシリンダ*	2		
7	48633-94900	・・リング セット, ヘッド*	2		
8	48641-96J04	・・マニホールド*, PTT	1		
9	48650-94900	・・ヒ ストン, フリー	1		
10	48405-93J00	・・・リング セット	1		
11	48615-97E00	・・・リング セット, ヒ ストン	1		
12	48570-95E01	・リザ ーバ アツシ	1		
13	48572-95E00	・・キャツブ	1		
14	48588-94900	・リング セット	1		
15	48861-92J01	・ホ ルト, リザ ーバ	3		
16	38100-93J13	・モータアツシ, PTT	1		
17	31281-92J10	・ホ ルト, スルー	4		
18	48502-93J14	・ホ ンフ アツシ, PTT	1		
19	48582-95E01	・・フィルタ	1		
20	48864-96J10	・・バルブ セット, マニユアル	1		
21	48583-95E00	・シ ョイント, ト ライブ	1		
22	48585-95E00	・リング	1		
23	48862-92J20	・ホ ルト, ホ ンフ NO. 1	1		
24	48862-92J30	・ホ ルト, ホ ンフ NO. 2	2		
25	29404-93J01	・クランプ	1		
26	48121-92J00	シヤフト, チルトシリンダ* ロア	1		
27	48311-96J20	ハ ッド*, トリムシリンダ* ラム	2		
28	48321-87D03	シヤフト, チルトシリンダ* アツパ	1		
29	48326-95E00	ブ ヅシュ, チルトシリンダ* ロア	2		
30	09116-10183	ホ ルト (10X35)	2		
31	09140-10031	ナツト	2		
32	09162-10005	ロツクワツシヤ	2		
33	09306-17001	ブ ヅシュ	2		
34	09380-17009	スナツブ リンク*	2		
35	36894-87D00	リート* (L:165)	1	PTT TO ANODE	

FIG.337A




DF250_000_023_337A
TRIM CYLINDER

FIG. 337A (1-J-3) トリムシリンダ* (L-TRANSOM)

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
36	09125-06063	スクリュ (6X10)	1		
37	09125-05050	スクリュ (5X8)	1		
38	36895-87D10	リット* (L:310)	1	PTT TO ANODE L	

DF250_000_023

FIG.337B



DF250_000_023_337B
TRIM CYLINDER

FIG. 337B (1-J-4) トリムシリンダ* (X-TRANSOM, XX-TRANSOM) (SEE NOTE 1)

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
1	48000-93J28	トリムアッシ, パワーウイズ* チルト	1	FROM 20002F-04000 1 UPTO 20002F-04025 7 FROM 22503F-04000 1 UPTO 22503F-04044 3 FROM 25003F-04000 1 UPTO 25003F-04155 3	
2	48500-98J13	・マニホールド* アッシ	1	FROM 20002F-04000 1 UPTO 20002F-04025 7 FROM 22503F-04000 1 UPTO 22503F-04044 3 FROM 25003F-04000 1 UPTO 25003F-04155 3	
3	48864-98L01	・マニユアル* ルフ*	1	FROM 20002F-04000 1 UPTO 20002F-04025 7 FROM 22503F-04000 1 UPTO 22503F-04044 3 FROM 25003F-04000 1 UPTO 25003F-04155	

NOTE 1:
FROM 20002F-040001 UPTO 20002F-040257
FROM 22503F-040001 UPTO 22503F-040443
FROM 25003F-040001 UPTO 25003F-041553

FIG.337B




FIG. 337B (1-J-5) トリムシリンダ* (X-TRANSOM, XX-TRANSOM) (SEE NOTE 1)

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
			3		
4	48320-93J00	・・・バルブ*セット, アップ*フ*ロー	1	FROM 20002F-04000	
			1	UPTO 20002F-04025	
			7	FROM 22503F-04000	
			1	UPTO 22503F-04044	
			3	FROM 25003F-04000	
			1	UPTO 25003F-04155	
			3	FROM 25003F-04155	
5	48582-95E01	・・・フィルタ	1	FROM 20002F-04000	
			1	UPTO 20002F-04025	
			7	FROM 22503F-04000	
			1	UPTO 22503F-04044	
			3	FROM 25003F-04000	
			1	UPTO 25003F-04155	
			3	FROM 25003F-04155	
6	48605-93J00	・・・Oリング*セット	2	FROM 20002F-04000	
			1	UPTO 20002F-04025	
			7	FROM 22503F-04000	
			1	UPTO 22503F-04044	
			3	FROM 25003F-04000	
			1	UPTO 25003F-04155	


NOTE 1:

FROM 20002F-040001 UPTO 20002F-040257

FROM 22503F-040001 UPTO 22503F-040443

FROM 25003F-040001 UPTO 25003F-041553

FIG.337B




DF250_000_023_337B
TRIM CYLINDER

FIG. 337B (1-J-6) トリムシリンダ* (X-TRANSOM, XX-TRANSOM) (SEE NOTE 1)

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
7	48610-93J01	・・・ストン/ラム	2	UPTO 25003F-04155	
				3	
				FROM 20002F-04000	
				1	
				UPTO 20002F-04025	
				7	
				FROM 22503F-04000	
8	48630-98L01	・・・ロツト*カ*イト*	2	1	
				UPTO 22503F-04044	
				3	
				FROM 25003F-04000	
				1	
				UPTO 25003F-04155	
				3	
9	48633-93J00	・・・リング*	2	FROM 20002F-04000	
				1	
				UPTO 20002F-04025	
				7	
				FROM 22503F-04000	
				1	
				UPTO 22503F-04044	
				3	
				FROM 25003F-04000	
				1	
				UPTO 25003F-04155	
				3	
				FROM 20002F-04000	
				1	
				UPTO 20002F-04025	
				7	
				FROM 22503F-04000	
				1	
				UPTO 22503F-04044	
				3	
				FROM 25003F-04000	

NOTE 1:
FROM 20002F-040001 UPTO 20002F-040257
FROM 22503F-040001 UPTO 22503F-040443
FROM 25003F-040001 UPTO 25003F-041553

FIG.337B




DF250_000_023_337B
TRIM CYLINDER

FIG. 337B (1-J-7) トリムシリンダ* (X-TRANSOM, XX-TRANSOM) (SEE NOTE 1)

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
10	48691-93J00	・・チエツクハ* ルフ*	1	1 UPTO 25003F-04155	
				3 FROM 20002F-04000	
				1 UPTO 20002F-04025	
				7 FROM 22503F-04000	
				1 UPTO 22503F-04044	
				3 FROM 25003F-04000	
				1 UPTO 25003F-04155	
				3 FROM 20002F-04000	
				1 UPTO 20002F-04025	
				7 FROM 22503F-04000	
11	48400-93J07	・・シリンダ* アツシ	1	1 UPTO 22503F-04044	
				3 FROM 25003F-04000	
				1 UPTO 25003F-04155	
				3 FROM 20002F-04000	
				1 UPTO 20002F-04025	
				7 FROM 22503F-04000	
				1 UPTO 22503F-04044	
				3 FROM 25003F-04000	
				1 UPTO 25003F-04155	
				3 FROM 20002F-04000	
12	48405-93J00	・・Oリング* セツト	1	1 UPTO 20002F-04025	
				7 FROM 22503F-04000	
				1 UPTO 22503F-04044	
				3 FROM 25003F-04000	
				1 UPTO 25003F-04155	
				3 FROM 20002F-04000	
				1 UPTO 20002F-04025	
				7 FROM 22503F-04000	
				1 UPTO 22503F-04044	
				3 FROM 25003F-04155	

NOTE 1:
FROM 20002F-040001 UPTO 20002F-040257
FROM 22503F-040001 UPTO 22503F-040443
FROM 25003F-040001 UPTO 25003F-041553

FIG.337B




DF250_000_023_337B
TRIM CYLINDER

FIG. 337B (1-J-8) トリムシリンダ* (X-TRANSOM, XX-TRANSOM) (SEE NOTE 1)

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
				FROM 25003F-04000	
			1		
				UPTO 25003F-04155	
			3		
13	48650-93J00	・・・ピストン, フリー	1	FROM 20002F-04000	
			1		
				UPTO 20002F-04025	
			7		
				FROM 22503F-04000	
			1		
				UPTO 22503F-04044	
			3		
				FROM 25003F-04000	
			1		
				UPTO 25003F-04155	
			3		
14	48627-93J00	・・・リング* セット	1	FROM 20002F-04000	
			1		
				UPTO 20002F-04025	
			7		
				FROM 22503F-04000	
			1		
				UPTO 22503F-04044	
			3		
				FROM 25003F-04000	
			1		
				UPTO 25003F-04155	
			3		
15	48427-87D00	・・・リング*, ピストン	1	FROM 20002F-04000	
			1		
				UPTO 20002F-04025	
			7		
				FROM 22503F-04000	
			1		
				UPTO 22503F-04044	

NOTE 1:
FROM 20002F-040001 UPTO 20002F-040257
FROM 22503F-040001 UPTO 22503F-040443
FROM 25003F-040001 UPTO 25003F-041553

FIG.337B




DF250_000_023_337B
TRIM CYLINDER

FIG. 337B (1-J-9) トリムシリンダ* (X-TRANSOM, XX-TRANSOM) (SEE NOTE 1)

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
			3	FROM 25003F-04000	
			1	UPTO 25003F-04155	
			3	FROM 20002F-04000	
16	48572-87J10	・ﾌﾞﾗｯｸ	1	UPTO 20002F-04025	
			7	FROM 22503F-04000	
			1	UPTO 22503F-04044	
			3	FROM 25003F-04000	
			1	UPTO 25003F-04155	
17	48585-95E00	・ﾘﾝｸ	3	FROM 20002F-04000	
			1	UPTO 20002F-04025	
			7	FROM 22503F-04000	
			1	UPTO 22503F-04044	
			3	FROM 25003F-04000	
			1	UPTO 25003F-04155	
18	48862-87J20	・ﾎﾞﾙﾄ, ﾘｻﾞｰﾊﾞ	3	FROM 20002F-04000	
			1	UPTO 20002F-04025	
			7	FROM 22503F-04000	
			1		

NOTE 1:
FROM 20002F-040001 UPTO 20002F-040257
FROM 22503F-040001 UPTO 22503F-040443
FROM 25003F-040001 UPTO 25003F-041553

FIG.337B




DF250_000_023_337B
TRIM CYLINDER

FIG. 337B (1-J-10) トリムシリンダ* (X-TRANSOM, XX-TRANSOM) (SEE NOTE 1)

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
				UPTO 22503F-04044	
			3		
				FROM 25003F-04000	
			1		
				UPTO 25003F-04155	
			3		
19	48583-95E00	・ジョイント, ドライブ	1	FROM 20002F-04000	
			1		
				UPTO 20002F-04025	
			7		
				FROM 22503F-04000	
			1		
				UPTO 22503F-04044	
			3		
				FROM 25003F-04000	
			1		
				UPTO 25003F-04155	
			3		
20	48121-93J20	・シャフト	1	FROM 20002F-04000	
			1		
				UPTO 20002F-04025	
			7		
				FROM 22503F-04000	
			1		
				UPTO 22503F-04044	
			3		
				FROM 25003F-04000	
			1		
				UPTO 25003F-04155	
			3		
21	48125-93J10	・リング セット	1	FROM 20002F-04000	
			1		
				UPTO 20002F-04025	
			7		
				FROM 22503F-04000	

NOTE 1:
FROM 20002F-040001 UPTO 20002F-040257
FROM 22503F-040001 UPTO 22503F-040443
FROM 25003F-040001 UPTO 25003F-041553

FIG.337B




DF250_000_023_337B
TRIM CYLINDER

FIG. 337B (1-J-11) トリムシリンダ* (X-TRANSOM, XX-TRANSOM) (SEE NOTE 1)

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
			1	UPTO 22503F-04044	
			3	FROM 25003F-04000	
			1	UPTO 25003F-04155	
			3	FROM 20002F-04000	
22	48451-93J00	・・・ツクアツブ リング*	4	FROM 20002F-04000	
			1	UPTO 20002F-04025	
			7	FROM 22503F-04000	
			1	UPTO 22503F-04044	
			3	FROM 25003F-04000	
			1	UPTO 25003F-04155	
23	48452-93J00	・・・Oリング*	4	FROM 20002F-04000	
			1	UPTO 20002F-04025	
			7	FROM 22503F-04000	
			1	UPTO 22503F-04044	
			3	FROM 25003F-04000	
			1	UPTO 25003F-04155	
24	48452-93J10	・・・Oリング*	2	FROM 20002F-04000	
			1	UPTO 20002F-04025	
			7		

NOTE 1:
FROM 20002F-040001 UPTO 20002F-040257
FROM 22503F-040001 UPTO 22503F-040443
FROM 25003F-040001 UPTO 25003F-041553

FIG.337B




DF250_000_023_337B
TRIM CYLINDER

FIG. 337B (1-J-12) トリムシリンダ* (X-TRANSOM, XX-TRANSOM) (SEE NOTE 1)

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
				FROM 22503F-04000	
			1		
				UPTO 22503F-04044	
			3		
				FROM 25003F-04000	
			1		
				UPTO 25003F-04155	
			3		
25	48573-93J00	・カバー	1	FROM 20002F-04000	
			1		
				UPTO 20002F-04025	
			7		
				FROM 22503F-04000	
			1		
				UPTO 22503F-04044	
			3		
				FROM 25003F-04000	
			1		
				UPTO 25003F-04155	
			3		
26	48128-93J11	・ボルト	1	FROM 20002F-04000	
			1		
				UPTO 20002F-04025	
			7		
				FROM 22503F-04000	
			1		
				UPTO 22503F-04044	
			3		
				FROM 25003F-04000	
			1		
				UPTO 25003F-04155	
			3		
27	48571-93J00	・リザーバタンク	1	FROM 20002F-04000	
			1		
				UPTO 20002F-04025	

NOTE 1:
FROM 20002F-040001 UPTO 20002F-040257
FROM 22503F-040001 UPTO 22503F-040443
FROM 25003F-040001 UPTO 25003F-041553

FIG.337B




DF250_000_023_337B
TRIM CYLINDER

FIG. 337B (1-J-13) トリムシリンダ* (X-TRANSOM, XX-TRANSOM) (SEE NOTE 1)

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
			7		
			FROM 22503F-04000		
			1		
			UPTO 22503F-04044		
			3		
			FROM 25003F-04000		
			1		
			UPTO 25003F-04155		
			3		
28	38100-93J04	・モータツシ, PTT	1	FROM 20002F-04000	
			1		
			UPTO 20002F-04025		
			7		
			FROM 22503F-04000		
			1		
			UPTO 22503F-04044		
			3		
			FROM 25003F-04000		
			1		
			UPTO 25003F-04155		
			3		
29	31281-92J10	・ボ*ルト, スルー	4	FROM 20002F-04000	
			1		
			UPTO 20002F-04025		
			7		
			FROM 22503F-04000		
			1		
			UPTO 22503F-04044		
			3		
			FROM 25003F-04000		
			1		
			UPTO 25003F-04155		
			3		
30	48126-93J00	・ワツシヤ, チルトシリンダ* ツーマニホ*ルト*	2	FROM 20002F-04000	
			1		

NOTE 1:
FROM 20002F-040001 UPTO 20002F-040257
FROM 22503F-040001 UPTO 22503F-040443
FROM 25003F-040001 UPTO 25003F-041553

FIG.337B




DF250_000_023_337B
TRIM CYLINDER

FIG. 337B (1-J-14) トリムシリンダ* (X-TRANSOM, XX-TRANSOM) (SEE NOTE 1)

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
				UPTO 20002F-04025	
			7	FROM 22503F-04000	
			1	UPTO 22503F-04044	
			3	FROM 25003F-04000	
			1	UPTO 25003F-04155	
			3	FROM 20002F-04000	
31	48311-96J10	パ*ツド*, トリムシリンダ* ラム	2	UPTO 20002F-04025	
			7	FROM 22503F-04000	
			1	UPTO 22503F-04044	
			3	FROM 25003F-04000	
			1	UPTO 25003F-04155	
			3	FROM 20002F-04000	
32	48321-93J00	シヤフト, フィルトシリンダ* アツパ*	1	UPTO 20002F-04025	
			7	FROM 22503F-04000	
			1	UPTO 22503F-04044	
			3	FROM 25003F-04000	
			1	UPTO 25003F-04155	
			3	FROM 20002F-04000	
33	09140-10031	ナツト	2	FROM 20002F-04000	

NOTE 1:
FROM 20002F-040001 UPTO 20002F-040257
FROM 22503F-040001 UPTO 22503F-040443
FROM 25003F-040001 UPTO 25003F-041553

FIG.337B




DF250_000_023_337B
TRIM CYLINDER

FIG. 337B (1-J-15) トリムシリンダ* (X-TRANSOM, XX-TRANSOM) (SEE NOTE 1)

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
			1		
			UPTO 20002F-04025		
			7		
			FROM 22503F-04000		
			1		
			UPTO 22503F-04044		
			3		
			FROM 25003F-04000		
			1		
			UPTO 25003F-04155		
			3		
34	09162-10005	ワッシャー	2		
			FROM 20002F-04000		
			1		
			UPTO 20002F-04025		
			7		
			FROM 22503F-04000		
			1		
			UPTO 22503F-04044		
			3		
			FROM 25003F-04000		
			1		
			UPTO 25003F-04155		
			3		
35	09306-24001	ブッシュ	2		
			FROM 20002F-04000		
			1		
			UPTO 20002F-04025		
			7		
			FROM 22503F-04000		
			1		
			UPTO 22503F-04044		
			3		
			FROM 25003F-04000		
			1		
			UPTO 25003F-04155		
			3		

NOTE 1:
FROM 20002F-040001 UPTO 20002F-040257
FROM 22503F-040001 UPTO 22503F-040443
FROM 25003F-040001 UPTO 25003F-041553

FIG.337B




DF250_000_023_337B
TRIM CYLINDER

FIG. 337B (1-K-2) トリムシリンダ* (X-TRANSOM, XX-TRANSOM) (SEE NOTE 1)

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
36	09380-21002	スナッパ リンク*	2	FROM 20002F-04000 1 UPTO 20002F-04025 7 FROM 22503F-04000 1 UPTO 22503F-04044 3 FROM 25003F-04000 1 UPTO 25003F-04155 3	
37	09116-10175	ボ ルト (10X50)	8	FROM 20002F-04000 1 UPTO 20002F-04025 7 FROM 22503F-04000 1 UPTO 22503F-04044 3 FROM 25003F-04000 1 UPTO 25003F-04155 3	
38	36894-87D00	リ-ト* (L:165)	1	PTT TO ANODE FROM 20002F-04000 1 UPTO 20002F-04025 7 FROM 22503F-04000 1 UPTO 22503F-04044 3 FROM 25003F-04000 1	

NOTE 1:
FROM 20002F-040001 UPTO 20002F-040257
FROM 22503F-040001 UPTO 22503F-040443
FROM 25003F-040001 UPTO 25003F-041553

FIG.337B



DF250_000_023_337B
TRIM CYLINDER

FIG. 337B (1-K-3) トリムシリンダ* (X-TRANSOM, XX-TRANSOM) (SEE NOTE 1)

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
				UPTO 25003F-04155	
				3	
39	36895-87D01	リット* (L:230)	1	PTT TO ANODE	
				FROM 20002F-04000	
				1	
				UPTO 20002F-04025	
				7	
				FROM 22503F-04000	
				1	
				UPTO 22503F-04044	
				3	
				FROM 25003F-04000	
				1	
				UPTO 25003F-04155	
				3	
40	36895-87D01	リット* (L:230)	1	PTT TO ANODE	
				FROM 20002F-04000	
				1	
				UPTO 20002F-04025	
				7	
				FROM 22503F-04000	
				1	
				UPTO 22503F-04044	
				3	
				FROM 25003F-04000	
				1	
				UPTO 25003F-04155	
				3	
41	09125-06063	スクリュ (6X10)	1	FROM 20002F-04000	
				1	
				UPTO 20002F-04025	
				7	
				FROM 22503F-04000	
				1	
				UPTO 22503F-04044	

NOTE 1:
FROM 20002F-040001 UPTO 20002F-040257
FROM 22503F-040001 UPTO 22503F-040443
FROM 25003F-040001 UPTO 25003F-041553

FIG.337B




FIG. 337B (1-K-4) トリムシリンダ* (X-TRANSOM, XX-TRANSOM) (SEE NOTE 1)

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
			3	FROM 25003F-04000	
			1	UPTO 25003F-04155	
			3	FROM 20002F-04000	
42	09125-06063	スクリュ (6X10)	1	FROM 20002F-04000	
			1	UPTO 20002F-04025	
			7	FROM 22503F-04000	
			1	UPTO 22503F-04044	
			3	FROM 25003F-04000	
			1	UPTO 25003F-04155	
43	09125-06063	スクリュ (6X10)	1	FROM 20002F-04000	
			1	UPTO 20002F-04025	
			7	FROM 22503F-04000	
			1	UPTO 22503F-04044	
			3	FROM 25003F-04000	
			1	UPTO 25003F-04155	
			3		

NOTE 1:
FROM 20002F-040001 UPTO 20002F-040257
FROM 22503F-040001 UPTO 22503F-040443
FROM 25003F-040001 UPTO 25003F-041553
NOTE 1:
FROM 20002F-040258
FROM 22503F-040444
FROM 25003F-041554

FIG.337C




FIG. 337C (1-K-5) トリムシリンダ* (X-TRANSOM, XX-TRANSOM) (SEE NOTE 1)

見出番号	品 番	品 名	使用個数	備 考	標準 作業時間
1	48000-93J28	トリムアツシ, ハーウイズ* チルト	1		
2	48500-98J13	・マニホールド* アツシ	1		
3	48864-98L01	・マニョアルバ* ルブ*	1		
4	48320-93J00	・ハ* ルブ* セツト, アツツ* フ* ロー	1		
5	48582-95E01	・・ファイルタ	1		
6	48605-93J00	・・Oリング* セツト	2		
7	48610-93J01	・・ヒ* ストン/ラム	2		
8	48630-98L01	・・ロッド* ガイ* ト	2		
9	48633-93J00	・・・Oリング*	2		
10	48691-93J00	・・チエツクハ* ルブ*	1		
11	48400-93J07	・シリンダ* アツシ	1		
12	48405-93J00	・・Oリング* セツト	1		
13	48650-93J00	・・ヒ* ストン, フリー	1		
14	48627-93J00	・・Oリング* セツト	1		
15	48427-87D00	・・・Oリング*, ヒ* ストン	1		
16	48572-87J10	・フ* ラグ*	1		
17	48585-95E00	・Oリング*	1		
18	48585-98L00	・Oリング*	1		
19	48862-87J20	・ホ* ルト, リザ* ーハ*	2		
20	48583-95E00	・ジ* ヨイント, ド* ライブ*	1		
21	48121-93J20	・シャフト	1		
22	48125-93J10	・Oリング* セツト	1		
23	48451-93J00	・・ハ* ツクアツツ* リンク*	4		
24	48452-93J00	・・Oリング*	4		
25	48452-93J10	・・Oリング*	2		
26	48573-93J00	・カハ* ー	1		
27	48128-93J11	・ホ* ルト	1		
28	48571-93J00	・リザ* ーハ* タンク	1		
29	38100-93J04	・モ* タアツシ, PTT	1		
30	31281-92J10	・ホ* ルト, スルー	4		
31	48126-93J00	・ワツシヤ, チルトシリンダ* ツーマニホールド*	2		
32	48311-96J10	ハ* ツド*, トリムシリンダ* ラム	2		
33	48321-93J00	・シャフト, チルトシリンダ* アツハ*	1		
34	09140-10031	・ナツト	2		
35	09162-10005	・ロツクワツシヤ	2		


NOTE 1:

FROM 20002F-040258

FROM 22503F-040444

FROM 25003F-041554

FIG.337C



DF250_000_023_337C
TRIM CYLINDER

FIG. 337C (1-K-6) トリムシリンダ* (X-TRANSOM, XX-TRANSOM) (SEE NOTE 1)

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
36	09306-24001	ブ ヅシュ	2		
37	09380-21002	スナヅフ リンク*	2		
38	09116-10175	ホ ルト (10X50)	8		
39	36894-87D00	リート* (L:165)	1	PTT TO ANODE	
40	36895-87D01	リート* (L:230)	1	PTT TO ANODE	
41	36895-87D01	リート* (L:230)	1	PTT TO ANODE	
42	09125-06063	スクリュ (6X10)	1		
43	09125-06063	スクリュ (6X10)	1		
44	09125-06063	スクリュ (6X10)	1		

NOTE 1:
FROM 20002F-040258
FROM 22503F-040444
FROM 25003F-041554

FIG.340A




FIG. 340A (1-K-7) PTTモータ (L-TRANSOM)

見出番号	品 番	品 名	使用個数	備 考	標準 作業時間
1	38100-93J13	モータアツシ, PTT	1		
2	31111-94900	・スクリュ	3		
3	31173-94920	・ホルダ アツシ, フ ラシ	1		
4	31123-94910	・・Oリング	1		
5	31133-90J10	・・ブ ラシアツシ	1		
6	31133-94910	・・ブ ラシ(+)	1		
7	31135-94900	・・スプ リンク	2		
8	31136-90J20	・・ブ レーカアツシ	1		
9	33799-97E00	・・シール, オイル	1		
10	31311-93J00	・アマチュア	1		

FIG.340B





FIG. 340B (1-K-8) PTTモータ (X-TRANSOM, XX-TRANSOM)

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
1	38100-93J04	モータアツシ, PTT	1		
2	31111-94900	・スクリュ	3		
3	31123-94910	・Oリング	1		
4	31133-90J10	・ﾌﾞﾗｼｱツシ	1		
5	31133-94910	・ﾌﾞﾗｼ (+)	1		
6	31135-94900	・ｽﾌﾟﾘﾝｸﾞ	2		
7	31136-90J20	・ﾌﾞﾚｰｶﾞアツシ	1		
8	31173-94920	・ﾎﾙﾀﾞﾞｱツシ, ﾌﾞﾗｼ	1		
9	31311-93J00	・ｱﾏﾁｭｱ	1		
10	33799-97E00	・ｼｰﾙ, ｵｲﾙ	1		

FIG.401A



DF250_000_023_401A
ENGINE HOLDER

FIG. 401A (1-K-9) エンジンホルダー (DF200T)

見出番号	品番	品名	使用個数	備考	標準作業時間
1-1	51111-93J31-YAY	ホルダー, エンジン (フ ラック)	1	020 BODY COLOR:YAY	
1-2	51111-93J31-Y5S	ホルダー, エンジン (ホワイ ト)	1	020 BODY COLOR:Y5S	
1-3	51111-93J31-YAY	ホルダー, エンジン (フ ラック)	1	021 BODY COLOR:YAY	
1-4	51111-93J31-Y5S	ホルダー, エンジン (ホワイ ト)	1	021 BODY COLOR:QTN	
1-5	51111-93J40-YAY	ホルダー, エンジン (フ ラック)	1	022, 023 BODY COLOR:YAY	
1-6	51111-93J40-Y5S	ホルダー, エンジン (ホワイ ト)	1	022, 023 BODY COLOR:QTN	
2	16519-93J00	シール, エンジンホルダー オイル	1		
3	17913-93J00	プ ラク, ウオータ	1		
4	17914-93J01	ガ スケツト, ウオータフ ラク	1		
5	51116-93J01	シール, ウオータリター	1		
6	51211-93J00	ガ スケツト, エンジンホルダー	1		
7	61155-93J20	パ イプ, ウオータインジ ケータ	1		
8	09206-08001	ピ ン (8X11)	2		
9	01550-08307	ホル ト	6		
10	22511-99011	ニツフル, ク リース	2		
11	51120-98L00	カバ ー, マウントオイルシール	1		
12	51124-93J01	・シール, オイル	2		
13	51125-93J00	・スクレーパ	1		
14	51123-93J01	ガ スケツト, マウントオイルシールカバ ー	1		
15	09103-08109	ホル ト (8X120)	2		
16	09206-08001	ピ ン (8X11)	2		
17	01550-0830A	ホル ト	6		
18-1	51140-93J11-YAY	カバ ー, エンジンホルダー (L) (フ ラック)	1	L-TRANSOM: 020 BODY COLOR:YAY	
18-2	51140-93J11-Y5S	カバ ー, エンジンホルダー (L) (ホワイ ト)	1	L-TRANSOM: 020 BODY COLOR:Y5S	
18-3	51140-93J11-YAY	カバ ー, エンジンホルダー (L) (フ ラック)	1	L-TRANSOM: (021, 02 2, 023) BODY COLOR:YAY	

FIG.401A





FIG. 401A (1-K-10) エンジンホルダー (DF200T)

見出番号	品番	品名	使用個数	備考	標準作業時間
18-4	51140-93J11-QTN	カバー, エンジンホルダー (レフト) (ホワイ)	1	L-TRANSOM: (021, 02 2, 023)	
18-5	51140-98J00-YAY	カバー, エンジンホルダー (ブ ラック)	1	X-TRANSOM: 020	
18-6	51140-98J00-Y5S	カバー, エンジンホルダー (ホワイ)	1	X-TRANSOM: 020	
18-7	51140-98J00-YAY	カバー, エンジンホルダー (ブ ラック)	1	BODY COLOR: Y5S	
18-8	51140-98J00-QTN	カバー, エンジンホルダー (ホワイ)	1	X-TRANSOM: (021, 02 2, 023)	
				BODY COLOR: QTN	
19	51142-93J00	ガスケット, エンジンホルダー カバー	1		
20	09116-08122	ボルト (8X30)	8		
21	51151-93J00	カバー, エンジンホルダー アツパ	1		
22	51152-93J00	シール, エンジンホルダー アツパ カバー	1		
23	01550-08307	ボルト	3		
24	01550-08607	ボルト	2		
25	54123-93J03	プレート, アツパ マウント	1		
26	54130-93J01	マウント, アツパ	2		
27	54112-93J00	ボルト, マウント	2		
28	29159-93J00	ナット (M14)	2		
29	09160-15051	ワッシャー (15X24X3)	2		
30	54137-93J02	カバー, アツパ マウント	1		
31	09116-10135	ボルト (10X95)	2		
32	09116-10175	ボルト (10X50)	1		
33	54121-98J01	ストツパ, アツパ スラスト	2		
34	54125-93J01	マウント, アツパ スラストリハース	1		
35	09116-10137	ボルト (10X70)	6		
36	09116-10175	ボルト (10X50)	4		
37	09116-10146	ボルト (10X195)	2		
38	09116-10134	ボルト (10X115)	1		
39	09116-08126	ボルト (8X65)	4		
40	09169-08038	ワッシャー	2		
41	54144-93J01	シール, アツパ マウント	1		

FIG.401B



DF250_000_023_401B
ENGINE HOLDER

FIG. 401B (1-K-11) エンジンホルダー (DF225T, DF250T)

見出番号	品番	品名	使用個数	備考	標準作業時間
1-1	51111-93J31-YAY	ホルダー, エンジン (フ ラツク)	1	020 BODY COLOR:YAY	
1-2	51111-93J31-Y5S	ホルダー, エンジン (ホワイト)	1	020 BODY COLOR:Y5S	
1-3	51111-93J31-YAY	ホルダー, エンジン (フ ラツク)	1	021 BODY COLOR:YAY	
1-4	51111-93J31-Y5S	ホルダー, エンジン (ホワイト)	1	021 BODY COLOR:QTN	
1-5	51111-93J40-YAY	ホルダー, エンジン (フ ラツク)	1	022, 023 BODY COLOR:YAY	
1-6	51111-93J40-Y5S	ホルダー, エンジン (ホワイト)	1	022, 023 BODY COLOR:QTN	
2	16519-93J00	シール, エンジンホルダー オイル	1		
3	17913-93J00	フ ラツク, ウォータ	1		
4	17914-93J01	ガ スケツト, ウォータフ ラツク	1		
5	51116-93J01	シール, ウォータリターン	1		
6	51211-93J00	ガ スケツト, エンジンホルダー	1		
7	61155-93J20	パ イプ, ウォータインジ ケータ	1		
8	09206-08001	ビ ン (8X11)	2		
9	01550-08307	ホル ト	6		
10	22511-99011	ニツフル, ケ リース	2		
11	51120-98L00	カバ ー, マウントオイルシール	1		
12	51124-93J01	・シール, オイル	2		
13	51125-93J00	・スクレーパ	1		
14	51123-93J01	ガ スケツト, マウントオイルシールカバ ー	1		
15	09103-08109	ホル ト (8X120)	2		
16	09206-08001	ビ ン (8X11)	2		
17	01550-0830A	ホル ト	6		
18-1	51140-98J00-YAY	カバ ー, エンジンホルダー (フ ラツク)	1	020 BODY COLOR:YAY	
18-2	51140-98J00-Y5S	カバ ー, エンジンホルダー (ホワイト)	1	020 BODY COLOR:Y5S	
18-3	51140-98J00-YAY	カバ ー, エンジンホルダー (フ ラツク)	1	021, 022, 023 BODY COLOR:YAY	
18-4	51140-98J00-QTN	カバ ー, エンジンホルダー (ホワイト)	1	021, 022, 023 BODY COLOR:QTN	

FIG.401B




FIG. 401B (1-K-12) エンジンホルダー (DF225T, DF250T)

見出番号	品 番	品 名	使用個数	備 考	標準 作業時間
19	51142-93J00	カバー、エンジンホルダー	1		
20	09116-08122	ボルト (8X30)	8		
21	51151-93J00	カバー、エンジンホルダー	1		
22	51152-93J00	シール、エンジンホルダー	1		
23	01550-08307	ボルト	3		
24	01550-08607	ボルト	2		
25	54123-93J03	プレート、アツバ	1		
26	54130-93J01	マウント、アツバ	2		
27	54112-93J00	ボルト、マウント	2		
28	29159-93J00	ナット (M14)	2		
29	09160-15051	ワッシャ (15X24X3)	2		
30	54137-93J02	カバー、アツバ	1		
31	09116-10135	ボルト (10X95)	2		
32	09116-10175	ボルト (10X50)	1		
33	54121-98J01	ストッパ、アツバ	2		
34	54125-93J01	マウント、アツバ	1		
35	09116-10137	ボルト (10X70)	6		
36	09116-10175	ボルト (10X50)	4		
37	09116-10146	ボルト (10X195)	2		
38	09116-10134	ボルト (10X115)	1		
39	09116-08126	ボルト (8X65)	4		
40	09169-08038	ワッシャ	2		
41	54144-93J01	シール、アツバ	1		

FIG.401C





FIG. 401C (1-K-13) エンジンホルダー (DF275ST)

見出番号	品番	品名	使用個数	備考	標準作業時間
1-1	51111-93J31-YAY	ホルダー, エンジン(フック)	1	020, 021 BODY COLOR: YKV, YA Y	
1-2	51111-93J40-YAY	ホルダー, エンジン(フック)	1	022, 023 BODY COLOR: YKV, YA Y	
2	16519-93J00	シール, エンジンホルダー オイル	1		
3	17913-93J00	ブラケット, ウォーター	1		
4	17914-93J01	ガスケット, ウォーター ラック	1		
5	51116-93J01	シール, ウォーターリターン	1		
6	51211-93J00	ガスケット, エンジンホルダー	1		
7	61155-93J20	パイプ, ウォーターインジェクター	1		
8	09206-08001	ピン (8X11)	2		
9	01550-08307	ホルト	6		
10	22511-99011	ニツフル, ケーリス	2		
11	51120-98L00	カバー, マウントオイルシール	1		
12	51124-93J01	シール, オイル	2		
13	51125-93J00	スクレーパー	1		
14	51123-93J01	ガスケット, マウントオイルシールカバー	1		
15	09103-08109	ホルト (8X120)	2		
16	09206-08001	ピン (8X11)	2		
17	01550-0830A	ホルト	6		
18	51140-93J11-YAY	カバー, エンジンホルダー (L) (フック)	1	BODY COLOR: YKV, YA Y	
19	51142-93J00	ガスケット, エンジンホルダー カバー	1		
20	09116-08122	ホルト (8X30)	8		
21	51151-93J00	カバー, エンジンホルダー アツパ	1		
22	51152-93J00	シール, エンジンホルダー アツパ カバー	1		
23	01550-08307	ホルト	3		
24	01550-08607	ホルト	2		
25	54123-93J03	プレート, アツパ マウント	1		
26	54130-93J01	マウント, アツパ	2		
27	54112-93J00	ホルト, マウント	2		
28	29159-93J00	ナット (M14)	2		
29	09160-15051	ワッシャー (15X24X3)	2		

FIG.401C



DF250_000_023_401C
ENGINE HOLDER

FIG. 401C (1-K-14) エンジンホルダー (DF275ST)

見出番号	品番	品名	使用個数	備考	標準作業時間
30	54137-93J02	カバー、アツパマウント	1		
31	09116-10135	ボルト(10X95)	2		
32	09116-10175	ボルト(10X50)	1		
33	09116-10137	ボルト(10X70)	6		
34	09116-10175	ボルト(10X50)	4		
35	09116-10146	ボルト(10X195)	2		
36	09116-10134	ボルト(10X115)	1		
37	09116-08126	ボルト(8X65)	4		
38	09169-08038	ワッシャ	2		
39-1	54140-98J01	マウント、アツパ スラストリハース	1	020, 021, 022	
39-2	54140-98J11	マウント、アツパ スラストリハース	1	023	
40	54121-93J20	ストツパ、アツパ スラスト	1		
41	54144-93J01	シール、アツパ マウント	1		

FIG.405A




FIG. 405A (1-K-15) ドライブシャフトハウジング* (L-TRANSOM:DF200T)

見出番号	品番	品名	使用個数	備考	標準作業時間
1-1	52111-93J20-YAY	ハウジング*, ドライブシャフト(L) (ﾌﾞﾗｯｸ)	1	020 BODY COLOR:YAY	
1-2	52111-93J20-Y5S	ハウジング*, ドライブシャフト(L) (ﾎﾜｲﾄ)	1	020 BODY COLOR:Y5S	
1-3	52111-93J20-YAY	ハウジング*, ドライブシャフト(L) (ﾌﾞﾗｯｸ)	1	021, 022, 023 BODY COLOR:YAY	
1-4	52111-93J20-QTN	ハウジング*, ドライブシャフト(ﾚﾌﾄ) (ﾎﾜｲﾄ)	1	021, 022, 023 BODY COLOR:QTN	
2	09116-10176	ﾎﾞﾙﾄ(10X44)	6		
3	09202-08006	ﾋﾞﾝ(8X12)	2		
4	09140-10031	ﾅｯﾄ	2		
5	09108-10150	ｽﾀｯﾄﾞ ｾﾙﾄ	2		
6	09160-10141	ワッｼﾞﾔ(10. 5X19X2)	2		
7	09125-06063	ｽｸﾘﾕ(6X10)	1		
8	54151-93J01	ﾏｳﾝﾄ, ｾﾞｯｽﾄ	1		
9	54160-93J01	ﾏｳﾝﾄ, ｾﾞ	2		
10	54112-93J00	ﾎﾞﾙﾄ, ﾏｳﾝﾄ	2		
11	09160-16050	ワッｼﾞﾔ(16X32X3)	2		
12	29159-93J00	ﾅｯﾄ(M14)	2		
13	09160-16050	ワッｼﾞﾔ(16X32X3)	2		
14-1	54211-93J00-YAY	ﾌﾞﾗｹｯﾄ, ｾﾞﾏｳﾝﾄ (ﾌﾞﾗｯｸ)	1	020 BODY COLOR:YAY	
14-2	54211-93J00-Y5S	ﾌﾞﾗｹｯﾄ, ｾﾞﾏｳﾝﾄ (ﾎﾜｲﾄ)	1	020 BODY COLOR:Y5S	
14-3	54211-93J00-YAY	ﾌﾞﾗｹｯﾄ, ｾﾞﾏｳﾝﾄ (ﾌﾞﾗｯｸ)	1	021, 022, 023 BODY COLOR:YAY	
14-4	54211-93J00-QTN	ﾌﾞﾗｹｯﾄ, ｾﾞﾏｳﾝﾄ (ﾎﾜｲﾄ)	1	021, 022, 023 BODY COLOR:QTN	
15	54221-93J00	ｶﾊﾞｰ, ｾﾞﾏｳﾝﾄ	2		
16	09116-10175	ﾎﾞﾙﾄ(10X50)	4		
17	54165-98J01	ｽﾄｯﾊﾟ, ｾﾞｽﾄﾘﾊﾞｰｽ	4		
18	09160-14066	ワッｼﾞﾔ(14X50X4)	2		
19	36894-87D00	ﾘｰﾄﾞ(L:165)	1	MT BRKT TO HSG	
20	09125-06063	ｽｸﾘﾕ(6X10)	1		

FIG.405B




FIG. 405B (1-L-2) ドライブシャフトハウジング* (L-TRANSOM:DF275ST)

見出番号	品 番	品 名	使用個数	備 考	標準 作業時間
1	52111-93J20-YAY	ハウジング*, ドライブシャフト(L) (ﾌﾞﾗｯｸ)	1	BODY COLOR:YKV, YA Y	
2	09116-10176	ﾎｰﾙﾄ(10X44)	6		
3	09202-08006	ﾋﾟﾝ(8X12)	2		
4	09140-10031	ﾅｯﾄ	2		
5	09108-10150	ｽﾀｯﾄﾞ ｾﾙﾄ	2		
6	09160-10141	ワｯｼﾞﾔ(10. 5X19X2)	2		
7	09125-06063	ｽｸﾘﾕ(6X10)	1		
8	54150-98J01	ﾏｳﾝﾄ, ｾﾞｽﾄﾗｽﾄ	1		
9	54160-98J00	ﾏｳﾝﾄ, ｾﾞ	2		
10	54112-93J00	ﾎｰﾙﾄ, ﾏｳﾝﾄ	2		
11	09160-16050	ワｯｼﾞﾔ(16X32X3)	2		
12	29159-93J00	ﾅｯﾄ(M14)	2		
13	09160-16050	ワｯｼﾞﾔ(16X32X3)	2		
14	54211-93J00-YAY	ﾌﾞﾗｯｸｴｯﾄ, ｾﾞﾏｳﾝﾄ(ﾌﾞﾗｯｸ)	1	BODY COLOR:YKV, YA Y	
15	54221-93J00	ｶﾊﾞｰ, ｾﾞﾏｳﾝﾄ	2	BODY COLOR:YKV, YA Y	
16	09116-10175	ﾎｰﾙﾄ(10X50)	4		
17	54165-98J01	ｽﾄｯﾊﾟｰ, ｾﾞｽﾄﾗｽﾄﾘﾊﾞｰｽ	4		
18	09160-14066	ワｯｼﾞﾔ(14X50X4)	2		
19	36894-87D00	ﾘｰﾄﾞ(L:165)	1	MT BRKT TO HSG	
20	09125-06063	ｽｸﾘﾕ(6X10)	1		

FIG.405C





FIG. 405C (1-L-3) ドライブシャフトハウジング (X-TRANSOM)

見出番号	品番	品名	使用個数	備考	標準作業時間
1-1	52111-93J11-YAY	ハウジング, ドライブシャフト(X) (ブラック)	1	BODY COLOR:YAY	
1-2	52111-93J11-Y5S	ハウジング, ドライブシャフト(ホワイト)	1	BODY COLOR:Y5S	
1-3	52111-93J11-YAY	ハウジング, ドライブシャフト(X) (ブラック)	1	FROM 202006 BODY COLOR:YAY	
1-4	52111-93J11-QTN	ハウジング, ドライブシャフト(X) (ホワイト)	1	BODY COLOR:QTN	
2	09116-10176	ボルト(10X44)	8		
3	09202-08006	ピン(8X12)	2		
4	57130-87D10	ブッシュ, ドライブシャフト	1		
5	09387-38002	リング	1		
6	09125-06063	スクリュー(6X10)	1		
7	36894-87D00	リード(L:165)	1	MT BRKT TO HSG	
8	09125-06063	スクリュー(6X10)	1		
9	54151-93J01	マウント, ロアスラスト	1		
10	54160-93J01	マウント, ロア	2		
11	54112-93J00	ボルト, マウント	2		
12	09160-16050	ワッシャ(16X32X3)	2		
13	29159-93J00	ナット(M14)	2		
14	09160-16050	ワッシャ(16X32X3)	2		
15-1	54211-93J00-YAY	ブラケット, ロアマウント(ブラック)	1	020 BODY COLOR:YAY	
15-2	54211-93J00-Y5S	ブラケット, ロアマウント(ホワイト)	1	020 BODY COLOR:Y5S	
15-3	54211-93J00-YAY	ブラケット, ロアマウント(ブラック)	1	021, 022, 023 BODY COLOR:YAY	
15-4	54211-93J00-QTN	ブラケット, ロアマウント(ホワイト)	1	021, 022, 023 BODY COLOR:QTN	
16	54221-93J00	カバー, ロアマウント	2		
17	09116-10175	ボルト(10X50)	4		
18	54165-98J01	ストッパ, ロアスラストリハース	4		
19	09160-14066	ワッシャ(14X50X4)	2		
20	55321-93J01	アノード, プロテクション	1		
21	09116-06236	ボルト(6X16)	1		

FIG.405D



DF250_000_023_405D
DRIVE SHAFT HOUSING

FIG. 405D (1-L-4) ドライブシャフトハウジング* (XX-TRANSOM)

見出番号	品番	品名	使用個数	備考	標準作業時間
1-1	52111-93J11-YAY	ハウジング*, ドライブシャフト(X) (ﾌﾞﾗｯｸ)	1	020 BODY COLOR:YAY	
1-2	52111-93J11-Y5S	ハウジング*, ドライブシャフト(ﾎﾜｲﾄ)	1	020 BODY COLOR:Y5S	
1-3	52111-93J11-YAY	ハウジング*, ドライブシャフト(X) (ﾌﾞﾗｯｸ)	1	021, 022, 023 BODY COLOR:YAY	
1-4	52111-93J11-QTN	ハウジング*, ドライブシャフト(X) (ﾎﾜｲﾄ)	1	021, 022, 023 BODY COLOR:QTN	
2	09116-10176	ﾎｰﾙﾄ(10X44)	8		
3	09202-08006	ﾋﾞﾝ(8X12)	2		
4	57130-87D10	ﾌﾞﾗｯｼｭ, ﾉﾞﾗｲﾌﾞｼｬﾌﾄ	1		
5	09387-38002	ﾘﾝｸﾞ	1		
6	09125-06063	ｽｸﾘｭ(6X10)	1		
7-1	52131-93J00-YAY	ｹｰｽ, ﾍｸｽﾃﾝｼｮﾝ(XX) (ﾌﾞﾗｯｸ)	1	020 BODY COLOR:YAY	
7-2	52131-93J00-Y5S	ｹｰｽ, ﾍｸｽﾃﾝｼｮﾝ(XX) (ﾎﾜｲﾄ)	1	020 BODY COLOR:Y5S	
7-3	52131-93J00-YAY	ｹｰｽ, ﾍｸｽﾃﾝｼｮﾝ(XX) (ﾌﾞﾗｯｸ)	1	021, 022, 023 BODY COLOR:YAY	
7-4	52131-93J00-QTN	ｹｰｽ, ﾍｸｽﾃﾝｼｮﾝ(XX) (ﾎﾜｲﾄ)	1	021, 022, 023 BODY COLOR:QTN	
8	09108-10115	ｽﾀｯﾄﾞ ｵｰﾙﾄ, 10X167	6		
9	09108-12013	ｽﾀｯﾄﾞ ｵｰﾙﾄ	1		
10	09202-08006	ﾋﾞﾝ(8X12)	2		
11	36894-87D00	ﾘｰﾄﾞ(L:165)	1	MT BRKT TO HSG	
12	09125-06063	ｽｸﾘｭ(6X10)	1		
13	54151-93J01	ﾏｳﾝﾄ, ﾛｱｽﾗｽﾄ	1		
14	54160-93J01	ﾏｳﾝﾄ, ﾛﾌ	2		
15	54112-93J00	ﾎｰﾙﾄ, ﾏｳﾝﾄ	2		
16	09160-16050	ﾜｯｼﾔ(16X32X3)	2		
17	29159-93J00	ﾅｯﾄ(M14)	2		
18	09160-16050	ﾜｯｼﾔ(16X32X3)	2		
19-1	54211-93J00-YAY	ﾌﾞﾗｯｹｯﾄ, ﾛﾌﾏｳﾝﾄ(ﾌﾞﾗｯｸ)	1	020 BODY COLOR:YAY	

FIG.405D




FIG. 405D (1-L-5) ドライブシャフトハウジング (XX-TRANSOM)

見出番号	品番	品名	使用個数	備考	標準作業時間
19-2	54211-93J00-Y5S	ブラケット, ロアマウント (ホワイト)	1	020	
19-3	54211-93J00-YAY	ブラケット, ロアマウント (ブラッック)	1	021, 022, 023	BODY COLOR: Y5S
19-4	54211-93J00-QTN	ブラケット, ロアマウント (ホワイト)	1	021, 022, 023	BODY COLOR: YAY
20	54221-93J00	カバー, ロアマウント	2		BODY COLOR: QTN
21	09116-10175	ボルト (10X50)	4		
22	54165-98J01	ストッパ, ロアスラストリハース	4		
23	09160-14066	ワッシャ (14X50X4)	2		
24	55321-93J01	アノード, プロテクション	2		
25	09116-06236	ボルト (6X16)	2		

FIG.407A





FIG. 407A (1-L-6) ギヤケース (DF200T, DF225T)

見出番号	品番	品名	使用個数	備考	標準作業時間
1-1	55110-93J20-YAY	ケース, ギヤ(ブラック)	1	020	
1-2	55110-93J20-Y5S	ケース, ギヤ(ホワイト)	1	020	BODY COLOR:YAY
1-3	55110-93J20-YAY	ケース, ギヤ(ブラック)	1	021, 022, 023	BODY COLOR:YAY
1-4	55110-93J20-QTN	ケース, ギヤ(ホワイト)	1	021, 022, 023	BODY COLOR:QTN
2	09263-32017	・ベアリング (32X48X30)	1		
3	09100-12052	ホルト(12X70)	1		
4	09116-10150	ホルト(10X55)	6		
5	09160-12066	ワッシャ(12.5X22X2.5)	1		
6	17566-87D12	グロメット	1		
7	09202-08006	ピン(8X12)	2		
8-1	55125-98J00-YAY	タブ, トリム(ブラック)	1	020	
8-2	55125-98J00-Y5S	タブ, トリム(ホワイト)	1	020	BODY COLOR:YAY
8-3	55125-98J00-YAY	タブ, トリム(ブラック)	1	021, 022, 023	BODY COLOR:YAY
8-4	55125-98J00-QTN	タブ, トリム(ホワイト)	1	021, 022, 023	BODY COLOR:QTN
9	09116-08137	ホルト(8X22)	1		
10	55128-93J10	ブラケット, ドレーン	2		
11	09168-10038	ガスケット	3		
12	55321-93J01	アノード, プロテクション	2		
13	09116-06236	ホルト(6X16)	2		
14	55332-87D12	ラバー, エキゾーストシール	1		
15	55333-87D10	プレート, エキゾーストシール	1		
16	55127-87D00	ブラケット, ユニオン	1		
17	09355-40805-600	ホース(4X8X600)	1	L:600->50	
18	09362-09008	ユニオン	1		
19	09407-10404	クランプ (L:100)	2		
20-1	58700-93L01	ブローラ(3X16X17)	1		
20-2	58700-93L11	ブローラ(3X16X18.5)	1		

FIG.407A



DF250_000_023_407A
GEAR CASE

FIG. 407A (1-L-7) ギヤケース (DF200T, DF225T)

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
20-3	58700-93L21	ブ ロェ ラ (3X16X20)	1		
20-4	58700-93L31	ブ ロェ ラ (3X16X21. 5)	1		
20-5	58700-93L41	ブ ロェ ラ (3X16X23)	1		
20-6	58700-93L51	ブ ロェ ラ (3X16X24. 5)	1		
20-7	58700-93L81	ブ ロェ ラ (3X16X15)	1		
20-8	58700-96J00	ブ ロェ ラ (3X15. 5X17)	1	オプ ション	
20-9	58700-96J10	ブ ロェ ラ (3X15. 25X19)	1	オプ ション	
20-10	58700-96J20	ブ ロェ ラ (3X15X21)	1	オプ ション	
20-11	58700-96J30	ブ ロェ ラ (3X14. 75X23)	1	オプ ション	
20-12	58700-96J40	ブ ロェ ラ (3X14. 5X25)	1	オプ ション	
20-13	58700-96J50	ブ ロェ ラ (3X14. 5X27)	1	オプ ション	
21	58120-93L00	・ブ ツシュ, ブ ロェ ラ	1		
22	57632-93L11	ストツハ, ブ ロェ ラブ ツシュ	1		
23	57633-93L00	スベ ーサ, ブ ロェ ラナツト	1		
24	09141-18005	ナツト	1		
25	09160-18028	ワツシヤ (18. 5X31X1)	1		
26	09204-03003	コツビ ン	1		
27	55128-93L00	ブ ラグ, ト レ ン	1		
28	57630-93L00	キツト, ブ ロェ ラナツト	1	オプ ション	
29	25700-93J00	シーリン グ キツト, ギ ヤケース	1	オプ ション, イラストヒョウシナ シ	

FIG.407B





FIG. 407B (1-L-8) ギヤケース (DF250T)

見出番号	品番	品名	使用個数	備考	標準作業時間
1-1	55110-93J20-YAY	ケース, ギヤ(ブラック)	1	020	
1-2	55110-93J20-Y5S	ケース, ギヤ(ホワイト)	1	020	BODY COLOR:YAY
1-3	55110-93J20-YAY	ケース, ギヤ(ブラック)	1	021, 022, 023	BODY COLOR:Y5S
1-4	55110-93J20-QTN	ケース, ギヤ(ホワイト)	1	021, 022, 023	BODY COLOR:YAY
2	09263-32017	・ヘ アリソク (32X48X30)	1		BODY COLOR:QTN
3	09100-12052	ボルト (12X70)	1	X-TRANSOM	
4	09116-10150	ボルト (10X55)	6	X-TRANSOM	
5	09160-10141	ワッシャ (10. 5X19X2)	6	XX-TRANSOM	
6	09160-12066	ワッシャ (12. 5X22X2. 5)	1	X-TRANSOM	
7	09140-10031	ナット	6	XX-TRANSOM	
8	09159-12014	ナット	1	XX-TRANSOM	
9	17566-87D12	グロメット	1		
10	09202-08006	ピン (8X12)	2		
11-1	55125-98J00-YAY	タブ, トリム(ブラック)	1	020	
11-2	55125-98J00-Y5S	タブ, トリム(ホワイト)	1	020	BODY COLOR:YAY
11-3	55125-98J00-YAY	タブ, トリム(ブラック)	1	021, 022, 023	BODY COLOR:Y5S
11-4	55125-98J00-QTN	タブ, トリム(ホワイト)	1	021, 022, 023	BODY COLOR:YAY
12	09116-08137	ボルト (8X22)	1		BODY COLOR:QTN
13	55128-93J10	ブラグ, ドレーン	2		
14	09168-10038	ガasket	3		
15	55321-93J01	アノード, プロテクション	2		
16	09116-06236	ボルト (6X16)	2		
17	55332-87D12	ラバー, エキゾーストシール	1		
18	55333-87D10	プレート, エキゾーストシール	1		
19	55127-87D00	ブラグ, ユニオン	1		
20-1	09355-40805-600	ホース (4X8X600)	1	X-TRANSOM	L: 600->50

FIG.407B




DF250_000_023_407B
GEAR CASE

FIG. 407B (1-L-9) ギヤケース (DF250T)

見出番号	品番	品名	使用個数	備考	標準作業時間
20-2	09355-40805-600	ホース (4X8X600)	1	XX-TRANSOM L: 600->180	
21	09362-09008	ユニオン	1		
22	09407-10404	クランプ (L: 100)	2		
23-1	58700-93L01	ブローラ (3X16X17)	1		
23-2	58700-93L11	ブローラ (3X16X18.5)	1		
23-3	58700-93L21	ブローラ (3X16X20)	1		
23-4	58700-93L31	ブローラ (3X16X21.5)	1		
23-5	58700-93L41	ブローラ (3X16X23)	1		
23-6	58700-93L51	ブローラ (3X16X24.5)	1		
23-7	58700-93L81	ブローラ (3X16X15)	1		
23-8	58700-96J00	ブローラ (3X15.5X17)	1	オプション	
23-9	58700-96J10	ブローラ (3X15.25X19)	1	オプション	
23-10	58700-96J20	ブローラ (3X15X21)	1	オプション	
23-11	58700-96J30	ブローラ (3X14.75X23)	1	オプション	
23-12	58700-96J40	ブローラ (3X14.5X25)	1	オプション	
23-13	58700-96J50	ブローラ (3X14.5X27)	1	オプション	
24	58120-93L00	ブローラ, ブローラ	1		
25	57632-93L11	ストッパ, ブローラ	1		
26	57633-93L00	スベ-サ, ブローラ	1		
27	09141-18005	ナット	1		
28	09160-18028	ワッシャ (18.5X31X1)	1		
29	09204-03003	コックピット	1		
30	55128-93L00	ブラケット, トレーン	1		
31	09160-12066	ワッシャ (12.5X22X2.5)	1	X-TRANSOM	
32	57630-93L00	ギョット, ブローラ	1	オプション	
33	25700-93J00	シーリングキット, ギヤケース	1	オプション, イラストに シ	

FIG.407C



DF250_000_023_407C
GEAR CASE

FIG. 407C (1-L-10) ギヤケース (DF275ST: (020, 021, 022))

見出番号	品番	品名	使用個数	備考	標準作業時間
1	55110-98J01-YAY	ケース, ギヤ(ブラック)	1	BODY COLOR: YKV, YAY	
2	09263-36004	・ベアリング (36X51X32)	1		
3	09265-50001	・ベアリング (50X90X32)	1		
4	09206-03001	・ブッシュ (2X3X11)	1		
5	09100-12052	ホルト (12X70)	1		
6	09116-10150	ホルト (10X55)	6		
7	09160-12066	ワッシャ (12.5X22X2.5)	1		
8	55332-98J01	ラバー, エキゾーストシール	1		
9	55333-98J00	プレート, エキゾーストシール	1		
10	09202-08006	ピン (8X12)	2		
11	55125-98J10	タブ, トリム	1		
12	09116-08137	ホルト (8X22)	1		
13	55128-93J10	ブラグ, ドレーン	1		
14	55128-93L00	ブラグ, ドレーン	1		
15	09168-10034	ガasket (9.5X16.5X2)	2		
16	55321-93J01	アノード, プロテクション	2		
17	09116-06236	ホルト (6X16)	2		
18	09355-40805-600	ホース (4X8X600)	1	L: 600->50	
19	09362-09008	ユニオン	1		
20	09407-10404	クランプ (L: 100)	2		
21	55127-87D00	ブラグ, ユニオン	1		
22-1	58700-93L01	ブローラ (3X16X17)	1	オプション	
22-2	58700-93L11	ブローラ (3X16X18.5)	1	オプション	
22-3	58700-93L21	ブローラ (3X16X20)	1	オプション	
22-4	58700-93L31	ブローラ (3X16X21.5)	1	オプション	
22-5	58700-93L41	ブローラ (3X16X23)	1	オプション	
22-6	58700-93L51	ブローラ (3X16X24.5)	1	オプション	
22-7	58700-93L61	ブローラ (3X16X26)	1	オプション	
22-8	58700-93L71	ブローラ (3X16X27.5)	1	オプション	
22-9	58700-93L81	ブローラ (3X16X15)	1	オプション	
22-10	58700-96J00	ブローラ (3X15.5X17)	1	オプション	
22-11	58700-96J10	ブローラ (3X15.25X19)	1	オプション	
22-12	58700-96J20	ブローラ (3X15X21)	1	オプション	
22-13	58700-96J30	ブローラ (3X14.75X23)	1	オプション	

FIG.407C




FIG. 407C (1-L-11) ギヤケース (DF275ST: (020, 021, 022))

見出番号	品番	品名	使用個数	備考	標準作業時間
22-14	58700-96J40	ﾌﾞﾛｯｸ (3X14. 5X25)	1	オプション	
22-15	58700-96J50	ﾌﾞﾛｯｸ (3X14. 5X27)	1	オプション	
23	58120-93L00	ﾌﾞﾛｯｸ, ﾌﾞﾛｯｸ	1	オプション	
24	57632-93L11	ｽﾄｯﾊﾟ, ﾌﾞﾛｯｸﾗｯﾅｯﾄ	1		
25	57633-93L00	ｽﾍﾟｰｻ, ﾌﾞﾛｯｸﾗｯﾅｯﾄ	1		
26	09141-18005	ﾅｯﾄ	1		
27	09160-18028	ワｯｼｬ (18. 5X31X1)	1		
28	09204-03003	ｺｯﾀﾋﾞﾝ	1		
29	57630-93L00	ｷｯﾄ, ﾌﾞﾛｯｸﾗｯﾅｯﾄ	1	オプション	
30	25700-98J01	ｼｰﾘﾝｸﾞｷｯﾄ, ギヤケース	1	オプション, ｲﾝｽﾄﾛｸｼｮﾝ	

FIG.407D





FIG. 407D (1-L-12) ギヤケース (DF275ST:023)

見出番号	品番	品名	使用個数	備考	標準作業時間
1	55110-98J50-YAY	ケース,ギヤ(ブラック)	1	BODY COLOR:YKV, YAY	
2	09263-36004	・ベ`アリング` (36X51X32)	1		
3	09265-50001	・ベ`アリング` (50X90X32)	1		
4	09100-12052	ボ`ルト(12X70)	1		
5	09116-10150	ボ`ルト(10X55)	6		
6	09160-12066	ワッシャ(12. 5X22X2. 5)	1		
7	09202-08006	ピ`ン(8X12)	2		
8	55125-98J10	タブ`,トリム	1		
9	09116-08137	ボ`ルト(8X22)	1		
10	09248-10008	ブ`ラク` (10X7. 5)	1		
11	09168-10038	ガ`スケツト	2		
12	55321-93J01	アノ`ド`,ブ`ロテクション	2		
13	09116-06236	ボ`ルト(6X16)	2		
14	55332-98J01	ラバ`ー,エキゾ`ーストシール	1		
15	55333-98J00	ブ`レート,エキゾ`ーストシール	1		
16	09202-06031	ピ`ン(6X12)	2		
17	17630-98J00	フィルタ,ウオ`タホ`ートフロント	1		
18	17639-98J00	・キヤツプ`,フロントウオ`タフィルタ	1		
19	17638-98J00	フィルタ,ウオ`タスターホ`ード`フロントサイ`	1		
20	09125-04020	スクリュ(4X50)	1		
21	55321-87J01	アノ`ド`,ブ`ロテクション	1		
22	09128-06094	ボ`ルト	1		
23-1	58700-93L01	ブ`ロベ`ラ(3X16X17)	1		
23-2	58700-93L11	ブ`ロベ`ラ(3X16X18. 5)	1		
23-3	58700-93L21	ブ`ロベ`ラ(3X16X20)	1		
23-4	58700-93L31	ブ`ロベ`ラ(3X16X21. 5)	1		
23-5	58700-93L41	ブ`ロベ`ラ(3X16X23)	1		
23-6	58700-93L51	ブ`ロベ`ラ(3X16X24. 5)	1		
23-7	58700-93L61	ブ`ロベ`ラ(3X16X26)	1		
23-8	58700-93L71	ブ`ロベ`ラ(3X16X27. 5)	1		
23-9	58700-93L81	ブ`ロベ`ラ(3X16X15)	1		
24	58120-93L00	・ブ`ツシュ,ブ`ロベ`ラ	1		
25-1	58700-96J00	ブ`ロベ`ラ(3X15. 5X17)	1	オプ`ション	
25-2	58700-96J10	ブ`ロベ`ラ(3X15. 25X19)	1	オプ`ション	

FIG.407D



DF250_000_023_407D
GEAR CASE

FIG. 407D (1-L-13) ギヤケース (DF275ST:023)

見出番号	品番	品名	使用個数	備考	標準作業時間
25-3	58700-96J20	ブローラ(3X15X21)	1	オプション	
25-4	58700-96J30	ブローラ(3X14.75X23)	1	オプション	
25-5	58700-96J40	ブローラ(3X14.5X25)	1	オプション	
25-6	58700-96J50	ブローラ(3X14.5X27)	1	オプション	
26	58120-93L00	・ブッシュ, ブローラ	1		
27	57632-93L11	ストッパ, ブローラブッシュ	1		
28	57633-93L00	スベーサ, ブローラナット	1		
29	09141-18005	ナット	1		
30	09160-18028	ワッシャ(18.5X31X1)	1		
31	09204-03003	コックピット	1		
32	55128-87M00	ブラケット, トレー	1		
33	57630-93L00	キット, ブローラナット	1	オプション	
34	25700-98J01	シーリングキット, ギヤケース	1	オプション, イラストに シ	

FIG.410A




FIG. 410A (1-L-14) サイドカバー (L-TRANSOM:DF200T)

見出番号	品番	品名	使用個数	備考	標準作業時間
1-1	61131-93J20-YAY	カバー, オイルパンプスターボート (L) (ブラック)	1	020 STBD BODY COLOR:YAY	
1-2	61131-93J20-Y5S	カバー, オイルパンプスターボート (L) (ホワイト)	1	020 STBD BODY COLOR:Y5S	
1-3	61131-93J20-YAY	カバー, オイルパンプスターボート (L) (ブラック)	1	021, 022, 023 STBD BODY COLOR:YAY	
1-4	61131-93J20-QTN	カバー, オイルパンプスターボート (L) (ホワイト)	1	021, 022, 023 STBD BODY COLOR:QTN	
2-1	61141-93J20-YAY	カバー, オイルパンプスターボート (L) (ブラック)	1	020 PORT BODY COLOR:YAY	
2-2	61141-93J20-Y5S	カバー, オイルパンプスターボート (L) (ホワイト)	1	020 PORT BODY COLOR:Y5S	
2-3	61141-93J20-YAY	カバー, オイルパンプスターボート (L) (ブラック)	1	021, 022, 023 PORT BODY COLOR:YAY	
2-4	61141-93J20-QTN	カバー, オイルパンプスターボート (L) (ホワイト)	1	021, 022, 023 PORT BODY COLOR:QTN	
3	61137-93J01	クッション, オイルパンプカバーアタッチメント	2		
4	09136-06161	スクリュー (6X17)	8		
5	09136-06148	スクリュー (6X35)	3		
6-1	61811-93J30-YAY	カバー, サイドスターボート (L) (ブラック)	1	020 STBD BODY COLOR:YAY	
6-2	61811-93J30-Y5S	カバー, サイドスターボート (L) (ホワイト)	1	020 STBD BODY COLOR:Y5S	

FIG.410A




FIG. 410A (1-L-15) サイドカバー (L-TRANSOM:DF200T)

見出番号	品番	品名	使用個数	備考	標準作業時間
6-3	61811-93J30-YAY	カバー, サイドスターボード (L) (フック)	1	021, 022, 023 STBD BODY COLOR:YAY	
6-4	61811-93J30-QTN	カバー, サイドスターボード (レフト) (ホワイト)	1	021, 022, 023 STBD BODY COLOR:QTN	
7-1	61821-93J10-YAY	カバー, サイドポート (フック)	1	020 PORT BODY COLOR:YAY	
7-2	61821-93J10-Y5S	カバー, サイドポート (ホワイト)	1	020 PORT BODY COLOR:Y5S	
7-3	61821-93J10-YAY	カバー, サイドポート (フック)	1	021, 022, 023 PORT BODY COLOR:YAY	
7-4	61821-93J10-QTN	カバー, サイドポート (ホワイト)	1	021, 022, 023 PORT BODY COLOR:QTN	
8	61134-93J21	シール, サイドカバー	1		
9	09409-05302-5PK	クリップ (フック)	2		
10	61817-93J01	ブラケット, サイドカバー	2		
11	09136-06148	スクリュー (6X35)	8		
12	61827-93J02	ホルダー, サイドカバー	1		
13	09321-10049	クッション	2		
14	01550-0816C	ホルダー	2		
15-1	61831-93J13-YAY	パネル, フロント (フック)	1	020 BODY COLOR:YAY	
15-2	61831-93J13-Y5S	パネル, フロント (ホワイト)	1	020 BODY COLOR:Y5S	
15-3	61831-93J13-YAY	パネル, フロント (フック)	1	021, 022, 023 BODY COLOR:YAY	
15-4	61831-93J13-QTN	パネル, フロント (ホワイト)	1	021, 022, 023 BODY COLOR:QTN	
16	09116-08174	ホルダー (8X38)	2		
17	09169-08050	ワッシャー (ID: 8, 5)	2		

FIG.410A




FIG. 410A (2-B-2) サイドカバー (L-TRANSOM:DF200T)

見出番号	品番	品名	使用個数	備考	標準作業時間
18	09320-11023	クッション	2		
19	09103-05026	ボルト (5X10)	6		
20	61632-93J00	シヤフト, エンジンカバーフック	3		
21-1	61633-93J00-YAY	レバー, フックリヤスターボート (フック)	1	020 STBD BODY COLOR:YAY	
21-2	61633-93J00-Y5S	レバー, フックリヤスターボート (ホワイト)	1	020 STBD BODY COLOR:Y5S	
21-3	61633-93J00-YAY	レバー, フックリヤスターボート (フック)	1	021, 022, 023 STBD BODY COLOR:YAY	
21-4	61633-93J00-QTN	レバー, フックリヤスターボート	1	021, 022, 023 STBD BODY COLOR:QTN	
22-1	61634-93J00-YAY	レバー, フックリヤボート (フック)	1	020 PORT BODY COLOR:YAY	
22-2	61634-93J00-Y5S	レバー, フックリヤボート (ホワイト)	1	020 PORT BODY COLOR:Y5S	
22-3	61634-93J00-YAY	レバー, フックリヤボート (フック)	1	021, 022, 023 PORT BODY COLOR:YAY	
22-4	61634-93J00-QTN	レバー, フックリヤボート	1	021, 022, 023 PORT BODY COLOR:QTN	
23	61641-93J10	フック, エンジンカバー	2		
24	61641-93J20	フック, エンジンカバーリヤボート	1	PORT	
25-1	61645-93J01-YAY	レバー, フックフロント (フック)	1	020 BODY COLOR:YAY	
25-2	61645-93J01-Y5S	レバー, フックフロント (ホワイト)	1	020 BODY COLOR:Y5S	
25-3	61645-93J01-YAY	レバー, フックフロント (フック)	1	021, 022, 023 BODY COLOR:YAY	

FIG.410A




FIG. 410A (2-B-3) サイドカバー (L-TRANSOM:DF200T)

見出番号	品番	品名	使用個数	備考	標準作業時間
25-4	61645-93J01-QTN	レバー, フックフロント	1	021, 022, 023 BODY COLOR: QTN	
26	61673-93J01	ラッチ, フックレバー	3		
27	09116-06127	ホルト (6X12)	3		
28	09160-13014	ワッシャ (13. 2X25X1)	3		
29	09164-14008	ワッシャ	3		
30	09202-04022	ピン	3		
31	09306-04005	ブッシュ	6		
32	09306-13007	ブッシュ	3		
33-1	61124-93J60	グロメット, リモコンケーブル	1	020, 021	
33-2	61124-93J61	グロメット, リモコンケーブル	1	022, 023	
34	67341-93J30	ホルダー, リモコンケーブル	1		
35	67345-93J00	プロテクター, リモコンケーブルホルダー	1		
36	09407-25402	クランプ (L: 250)	1		
37	01550-06167	ホルト	2		
38-1	61649-93J00	ラベル, フックレバー	1	020 BODY COLOR: YAY	
38-2	61649-93J10	ラベル, フックレバー	1	020 BODY COLOR: Y5S	
39	67343-93J30	ストッパー, リモコンケーブル	1		
40	09160-06047	ワッシャ (6. 5X20X2)	1		
41	09352-70104-600	ホース (7X10. 2X600)	2	L: 600->21	
42	01570-06107	ホルト	1		
43	17913-93J00	ブラケット, ウォータ	1		
44	17914-93J01	ガasket, ウォータブラケット	1		
45	17917-87L00	コネクタ, フラッシュウォータ	1		
46	61458-99E51	ラベル, エンジンカバー	1		
47	67361-90J10	アタッチメント, ホース (リキリング)	1		
48-1	09208-06009	ピン	2	020, 021	
48-2	09208-06011	ピン	2	022, 023	
49	09383-04002	Eリング	2	020, 021	

FIG.410B




FIG. 410B (2-B-4) サイドカバー (L-TRANSOM:DF275ST)

見出番号	品番	品名	使用個数	備考	標準作業時間
1-1	61131-93J20-YAY	カバー, オイルパンスターボード (L) (フック)	1	STBD	
1-2	61131-93J20-YKV	カバー, オイルパンスターボード (L) (マットフック)	1	STBD BODY COLOR:YAY	
2-1	61141-93J20-YAY	カバー, オイルパンボード (L) (フック)	1	PORT BODY COLOR:YAY	
2-2	61141-93J20-YKV	カバー, オイルパンボード (L) (マットフック)	1	PORT BODY COLOR:YKV	
3	61137-93J01	クッション, オイルパンカバーアツパ	2		
4	09136-06161	スクリュー (6X17)	8		
5	09136-06148	スクリュー (6X35)	3		
6-1	61811-93J30-YAY	カバー, サイドスターボード (L) (フック)	1	STBD BODY COLOR:YAY	
6-2	61811-93J30-YKV	カバー, サイドスターボード (L) (マットフック)	1	STBD BODY COLOR:YKV	
7-1	61821-93J10-YAY	カバー, サイドボード (フック)	1	PORT BODY COLOR:YAY	
7-2	61821-93J10-YKV	カバー, サイドボード (マットフック)	1	PORT BODY COLOR:YKV	
8	61134-93J21	シール, サイドカバー	1		
9	09409-05302-5PK	クリップ (フック)	2		
10	61817-93J01	ブラケット, サイドカバー	2		
11	09136-06148	スクリュー (6X35)	8		
12	61827-93J02	ホルダー, サイドカバー	1		
13	09321-10049	クッション	2		
14	01550-0816C	ホルダー	2		
15-1	61831-93J13-YAY	パネル, フロント (フック)	1	BODY COLOR:YAY	
15-2	61831-93J13-YKV	パネル, フロント (マットフック)	1	BODY COLOR:YKV	
16	09116-08174	ホルダー (8X38)	2		
17	09169-08050	ワッシャー (ID: 8.5)	2		
18	09320-11023	クッション	2		
19	09103-05026	ホルダー (5X10)	6		
20	61632-93J00	シャフト, エンジンカバーフック	3		
21-1	61633-93J00-YAY	レバー, フックリキスターボード (フック)	1	STBD BODY COLOR:YAY	

FIG.410B




FIG. 410B (2-B-5) サイドカバー (L-TRANSOM:DF275ST)

見出番号	品番	品名	使用個数	備考	標準作業時間
21-2	61633-93J00-YKV	レバー, フックリヤスターボート (マットブ ラック)	1	STBD	
22-1	61634-93J00-YAY	レバー, フックリヤボート (ブ ラック)	1	BODY COLOR:YKV	
22-2	61634-93J00-YKV	レバー, フックリヤボート (マットブ ラック)	1	PORT	
23	61641-93J10	フック, エンジンカバー	2	BODY COLOR:YAY	
24	61641-93J20	フック, エンジンカバー-リヤボート	1	PORT	
25	61645-93J01-YAY	レバー, フックフロント (ブ ラック)	1	BODY COLOR:YKV, YAY	
26	61673-93J01	ラッチ, フックレバー	3		
27	09116-06127	ボルト (6X12)	3		
28	09160-13014	ワッシャ (13. 2X25X1)	3		
29	09164-14008	ワッシャ	3		
30	09202-04022	ピン	3		
31	09306-04005	ブッシュ	6		
32	09306-13007	ブッシュ	3		
33-1	61124-93J60	リモコンケーブル	1	020, 021	
33-2	61124-93J61	リモコンケーブル	1	022, 023	
34	67341-93J30	ホルダー, リモコンケーブル	1		
35	67345-93J00	リモコンケーブルホルダー	1		
36	09407-25402	クランプ (L:250)	1		
37	01550-06167	ボルト	2		
38	61649-93J00	ラベル, フックレバー	1	020	
39	67343-93J30	ストラップ, リモコンケーブル	1		
40	09160-06047	ワッシャ (6. 5X20X2)	1		
41	09352-70104-600	ホース (7X10. 2X600)	2	L:600->21	
42	01570-06107	ボルト	1		
43	17913-93J00	ブラケット, ウォータ	1		
44	17914-93J01	ガasket, ウォータブ ラック	1		
45	17917-87L00	コネクタ, フラッシュウォータ	1		
46	61458-99E51	ラベル, エンジンカバー	1		
47	67361-90J10	アダプター, ホース (リギング)	1		
48-1	09208-06009	ピン	2	020, 021	
48-2	09208-06011	ピン	2	022, 023	
49	09383-04002	リング	2	020, 021	

FIG.410C




FIG. 410C (2-B-6) サイドカバー (X-TRANSOM, XX-TRANSOM)

見出番号	品番	品名	使用個数	備考	標準作業時間
1-1	61131-93J01-YAY	カバー, オイルパンスターボート (ブラック)	1	020 STBD BODY COLOR: YAY	
1-2	61131-93J01-Y5S	カバー, オイルパンスターボート (ホワイト)	1	020 STBD BODY COLOR: Y5S	
1-3	61131-93J01-YAY	カバー, オイルパンスターボート (ブラック)	1	021, 022, 023 STBD BODY COLOR: YAY	
1-4	61131-93J01-QTN	カバー, オイルパンスターボート (ホワイト)	1	021, 022, 023 STBD BODY COLOR: QTN	
2-1	61141-93J01-YAY	カバー, オイルパンスターボート (ブラック)	1	020 PORT BODY COLOR: YAY	
2-2	61141-93J01-Y5S	カバー, オイルパンスターボート (ホワイト)	1	020 PORT BODY COLOR: Y5S	
2-3	61141-93J01-YAY	カバー, オイルパンスターボート (ブラック)	1	021, 022, 023 PORT BODY COLOR: YAY	
2-4	61141-93J01-QTN	カバー, オイルパンスターボート (ホワイト)	1	021, 022, 023 PORT BODY COLOR: QTN	
3	61137-93J01	クッション, オイルパンスターボート	2		
4	09139-06135	スクリュー (6X17)	5		
5	09139-06136	スクリュー (6X65)	3		
6-1	61811-93J40-YAY	カバー, サイドスターボート (ブラック)	1	020 STBD BODY COLOR: YAY	
6-2	61811-93J40-Y5S	カバー, サイドスターボート (ホワイト)	1	020 STBD BODY COLOR: Y5S	

FIG.410C




FIG. 410C (2-B-7) サイドカバー (X-TRANSOM, XX-TRANSOM)

見出番号	品番	品名	使用個数	備考	標準作業時間
6-3	61811-93J40-YAY	カバー, サイドスターボード (ブラック)	1	021, 022, 023 STBD BODY COLOR:YAY	
6-4	61811-93J40-QTN	カバー, サイドスターボード (ホワイト)	1	021, 022, 023 STBD BODY COLOR:QTN	
7-1	61821-93J10-YAY	カバー, サイドポート (ブラック)	1	020 PORT BODY COLOR:YAY	
7-2	61821-93J10-Y5S	カバー, サイドポート (ホワイト)	1	020 PORT BODY COLOR:Y5S	
7-3	61821-93J10-YAY	カバー, サイドポート (ブラック)	1	021, 022, 023 PORT BODY COLOR:YAY	
7-4	61821-93J10-QTN	カバー, サイドポート (ホワイト)	1	021, 022, 023 PORT BODY COLOR:QTN	
8	61134-93J21	シール, サイドカバー	1		
9	09409-05302-5PK	クリップ (ブラック)	2		
10	61817-93J01	ブラケット, サイドカバー	2		
11	09136-06148	スクリュー (6X35)	8		
12	61827-93J02	ホルダー, サイドカバー	1		
13	09321-10049	クッション	2		
14	01550-0816C	ホルト	2		
15-1	61831-93J13-YAY	パネル, フロント (ブラック)	1	020 BODY COLOR:YAY	
15-2	61831-93J13-Y5S	パネル, フロント (ホワイト)	1	020 BODY COLOR:Y5S	
15-3	61831-93J13-YAY	パネル, フロント (ブラック)	1	021, 022, 023 BODY COLOR:YAY	
15-4	61831-93J13-QTN	パネル, フロント (ホワイト)	1	021, 022, 023 BODY COLOR:QTN	
16	09116-08174	ホルト (8X38)	2		
17	09169-08050	ワッシャー (ID: 8, 5)	2		

FIG.410C




FIG. 410C (2-B-8) サイドカバー (X-TRANSOM, XX-TRANSOM)

見出番号	品番	品名	使用個数	備考	標準作業時間
18	09320-11023	クッション	2		
19	09103-05026	ボルト (5X10)	6		
20	61632-93J00	シヤフト, エンジンカバーフック	3		
21-1	61633-93J00-YAY	レバー, フックリヤスターボート (フック)	1	020 STBD BODY COLOR:YAY	
21-2	61633-93J00-Y5S	レバー, フックリヤスターボート (ホワイト)	1	020 STBD BODY COLOR:Y5S	
21-3	61633-93J00-YAY	レバー, フックリヤスターボート (フック)	1	021, 022, 023 STBD BODY COLOR:YAY	
21-4	61633-93J00-QTN	レバー, フックリヤスターボート	1	021, 022, 023 STBD BODY COLOR:QTN	
22-1	61634-93J00-YAY	レバー, フックリヤボート (フック)	1	020 PORT BODY COLOR:YAY	
22-2	61634-93J00-Y5S	レバー, フックリヤボート (ホワイト)	1	020 PORT BODY COLOR:Y5S	
22-3	61634-93J00-YAY	レバー, フックリヤボート (フック)	1	021, 022, 023 PORT BODY COLOR:YAY	
22-4	61634-93J00-QTN	レバー, フックリヤボート	1	021, 022, 023 PORT BODY COLOR:QTN	
23	61641-93J10	フック, エンジンカバー	2		
24	61641-93J20	フック, エンジンカバーリヤボート	1	PORT	
25-1	61645-93J01-YAY	レバー, フックフロント (フック)	1	020 BODY COLOR:YAY	
25-2	61645-93J01-Y5S	レバー, フックフロント (ホワイト)	1	020 BODY COLOR:Y5S	
25-3	61645-93J01-YAY	レバー, フックフロント (フック)	1	021, 022, 023 BODY COLOR:YAY	

FIG.410C





FIG. 410C (2-B-9) サイドカバー (X-TRANSOM, XX-TRANSOM)

見出番号	品番	品名	使用個数	備考	標準作業時間
25-4	61645-93J01-QTN	レバー, フックフロント	1	021, 022, 023 BODY COLOR: QTN	
26	61673-93J01	ラッチ, フックレバー	3		
27	09116-06127	ボルト (6X12)	3		
28	09160-13014	ワッシャ (13. 2X25X1)	3		
29	09164-14008	ワッシャ	3		
30	09202-04022	ピン	3		
31	09306-04005	ブッシュ	6		
32	09306-13007	ブッシュ	3		
33-1	61124-93J60	グロメット, リモコンケーブル	1	020, 021	
33-2	61124-93J61	グロメット, リモコンケーブル	1	022, 023	
34	67341-93J30	ホルダー, リモコンケーブル	1		
35	67345-93J00	プロテクタ, リモコンケーブルホルダー	1		
36	09407-25402	クランプ (L: 250)	1		
37	01550-06167	ボルト	2		
38-1	61649-93J00	ラベル, フックレバー	1	020 BODY COLOR: YAY	
38-2	61649-93J10	ラベル, フックレバー	1	020 BODY COLOR: Y5S	
39	67343-93J30	ストッパー, リモコンケーブル	1		
40	09160-06047	ワッシャ (6. 5X20X2)	1		
41	09352-70104-600	ホース (7X10. 2X600)	2	L: 600->21	
42	01570-06107	ボルト	1		
43	17913-93J00	ブラケット, ウォータ	1		
44	17914-93J01	ガasket, ウォータブラケット	1		
45	17917-87L00	コネクタ, フラッシュウオータ	1		
46	61458-99E51	ラベル, エンジンカバー	1		
47	67361-90J10	アダプタ, ホース (リキング)	1		
48-1	09208-06009	ピン	2	020, 021	
48-2	09208-06011	ピン	2	022, 023	
49	09383-04002	エリク	2	020, 021	

FIG.420A



DF250_000_023_420A
ENGINE COVER

FIG. 420A (2-B-10) エンジンカバー (DF200T:020)

見出番号	品番	品名	使用個数	備考	標準作業時間
1-1	61420-93892-YAY	カバーセット, エンジン(フック)	1	BODY COLOR:YAY	
1-2	61430-93802-Y5S	カバーセット, エンジン(ホワイト)	1	BODY COLOR:Y5S	
2	61112-93J20	カバー, エンジンカバー	1		
3	61416-93J00	ガード, エアインテーク	1		
4-1	61431-93J03-YAY	ハンドル, チルトアップ(フック)	1	BODY COLOR:YAY	
4-2	61431-93J03-Y5S	ハンドル, チルトアップ(ホワイト)	1	BODY COLOR:Y5S	
5	61432-93J01	カバー, チルトアップハンドル	1		
6	61433-93J01	カバー, エアインテークインサート	1	STBD	
7	61434-93J01	カバー, エアインテークインサート	1	PORT	
8	61438-93J00	テープ, チルトアップハンドル(L:250)	1		
9	61438-93J00	テープ, チルトアップハンドル(L:250)	1	L:250->190	
10	61438-93J00	テープ, チルトアップハンドル(L:250)	1	L:250->106	
11	61439-93J20	シール, チルトアップハンドル	1	PORT	
12	61439-93J41	シール, チルトアップハンドルリヤ	1		
13	61476-93J00	シール, エアメント	1		
14	03542-05169	スクリュー	8		
15	03542-05169	スクリュー	4		
16	03542-05169	スクリュー	5		
17	03542-05169	スクリュー	4		
18	61610-93J01	ワッシャー	3		
19	61621-93J01	ワッシャー, ワッシャー	3		
20	09329-10024	クワシヨン, エンジンカバーワッシャー	3		
21	01547-06167	ボルト	6		
22	01550-06127	ボルト	3		
23-1	61443-96J50	ストライプ, エンジンカバースターボード	1	ブラック BODY COLOR:YAY	
23-2	61443-96J60	ストライプ, エンジンカバースターボード	1	WHITE BODY COLOR:Y5S	
24-1	61453-96J50	ストライプ, エンジンカバーボード	1	ブラック BODY COLOR:YAY	
24-2	61453-96J60	ストライプ, エンジンカバーボード	1	WHITE BODY COLOR:Y5S	
25	68111-93J00	エンブレム, S	1		
26-1	61422-93JF0	マーク, エンブレムフロント(200)	1	ブラック BODY COLOR:YAY	

DF250_000_023

FIG.420A





FIG. 420A (2-B-11) エンジンカバー (DF200T:020)

見出番号	品番	品名	使用個数	備考	標準作業時間
26-2	61422-93JG0	マーク、エンブレムフロント(200)	1	WHITE BODY COLOR:Y5S	
27-1	61435-93JE0	マーク、エンブレムリヤ(200)	1	ブラック BODY COLOR:YAY	
27-2	61435-93JF0	マーク、エンブレムリヤ(200)	1	WHITE BODY COLOR:Y5S	
28	09800-81835	ツールセット	1		

FIG.420B



DF250_000_023_420B
ENGINE COVER

FIG. 420B (2-B-12) エンジンカバー (DF200T: (021, 022, 023))

見出番号	品番	品名	使用個数	備考	標準作業時間
1-1	61430-93871-YAY	カバーセット, エンジン(ブラック) (ブラック)	1	BODY COLOR:YAY	
1-2	61430-93881-QTN	カバーセット, エンジン(ホワイト) (ホワイト)	1	BODY COLOR:QTN	
2	61112-93J20	カバー, エンジンカバー	1		
3	61416-93J00	ガード, エアインテーク	1		
4-1	61431-93J03-YAY	ハンドル, チルトアップ (ブラック)	1	BODY COLOR:YAY	
4-2	61431-93J03-QTN	ハンドル, チルトアップ (ホワイト)	1	BODY COLOR:QTN	
5	61432-93J01	カバー, チルトアップハンドル	1		
6	61433-93J01	カバー, エアインテークインサートホート	1	STBD	
7	61434-93J01	カバー, エアインテークインサート	1	PORT	
8	61438-93J00	テープ, チルトアップハンドル (L:250)	1		
9	61438-93J00	テープ, チルトアップハンドル (L:250)	1	L:250->190	
10	61438-93J00	テープ, チルトアップハンドル (L:250)	1	L:250->106	
11	61439-93J20	シール, チルトアップハンドルホート	1	PORT	
12	61439-93J41	シール, チルトアップハンドルリヤ	1		
13	61476-93J00	シール, エアメント	1		
14	03542-05169	スクリュー	8		
15	03542-05169	スクリュー	4		
16	03542-05169	スクリュー	5		
17	03542-05169	スクリュー	4		
18	61610-93J01	ファスナ	3		
19	61621-93J01	ブラケット, ファスナ	3		
20	09329-10024	クワシヨン, エンジンカバーファスナ	3		
21	01547-06167	ボルト	6		
22	01550-06127	ボルト	3		
23-1	61443-96L10	ストライプ, エンジンカバースターホート	1	ブラック BODY COLOR:YAY WHITE BODY COLOR:QTN	
23-2	61443-96L20	ストライプ, エンジンカバースターホート	1	ブラック BODY COLOR:YAY WHITE BODY COLOR:QTN	
24-1	61453-96L10	ストライプ, エンジンカバーホート	1	ブラック BODY COLOR:YAY WHITE BODY COLOR:QTN	
24-2	61453-96L20	ストライプ, エンジンカバーホート	1	ブラック BODY COLOR:YAY WHITE BODY COLOR:QTN	
25	68111-93J00	エンブレム, S	1		
26-1	61435-93JK0	マーク, エンブレムリヤ(200)	1	ブラック BODY COLOR:YAY	

DF250_000_023

FIG.420B





FIG. 420B (2-B-13) エンジンカバー (DF200T: (021, 022, 023))

見出番号	品番	品名	使用個数	備考	標準作業時間
26-2	61435-93JL0	マーク, エンブレムリヤ (200)	1	WHITE BODY COLOR: QTN	
27	09800-81835	ツールセット	1		

FIG.420C



DF250_000_023_420C
ENGINE COVER

FIG. 420C (2-B-14) エンジンカバー (DF225T:020)

見出番号	品番	品名	使用個数	備考	標準作業時間
1-1	61420-93892-YAY	カバーセット, エンジン(フック)	1	BODY COLOR:YAY	
1-2	61430-93802-Y5S	カバーセット, エンジン(ホワイト)	1	BODY COLOR:Y5S	
2	61112-93J20	カバー, エンジンカバー	1		
3	61416-93J00	ガード, エアインテーク	1		
4-1	61431-93J03-YAY	ハンドル, チルトアップ(フック)	1	BODY COLOR:YAY	
4-2	61431-93J03-Y5S	ハンドル, チルトアップ(ホワイト)	1	BODY COLOR:Y5S	
5	61432-93J01	カバー, チルトアップハンドル	1		
6	61433-93J01	カバー, エアインテークインサート	1	STBD	
7	61434-93J01	カバー, エアインテークインサート	1	PORT	
8	61438-93J00	テープ, チルトアップハンドル(L:250)	1		
9	61438-93J00	テープ, チルトアップハンドル(L:250)	1	L:250->190	
10	61438-93J00	テープ, チルトアップハンドル(L:250)	1	L:250->106	
11	61439-93J20	シール, チルトアップハンドル	1	PORT	
12	61439-93J41	シール, チルトアップハンドルリヤ	1		
13	61476-93J00	シール, エアメント	1		
14	03542-05169	スクリュー	8		
15	03542-05169	スクリュー	4		
16	03542-05169	スクリュー	5		
17	03542-05169	スクリュー	4		
18	61610-93J01	ワッシャー	3		
19	61621-93J01	ワッシャー, ワッシャー	3		
20	09329-10024	クワシヨン, エンジンカバーワッシャー	3		
21	01547-06167	ボルト	6		
22	01550-06127	ボルト	3		
23-1	61443-96J50	ストライプ, エンジンカバースターボード	1	ブラック BODY COLOR:YAY	
23-2	61443-96J60	ストライプ, エンジンカバースターボード	1	WHITE BODY COLOR:Y5S	
24-1	61453-96J50	ストライプ, エンジンカバーボード	1	ブラック BODY COLOR:YAY	
24-2	61453-96J60	ストライプ, エンジンカバーボード	1	WHITE BODY COLOR:Y5S	
25	68111-93J00	エンブレム, S	1		
26-1	61422-93JB0	マーク, エンブレムフロント(225)	1	ブラック BODY COLOR:YAY	

DF250_000_023

FIG.420C




FIG. 420C (2-B-15) エンジンカバー (DF225T:020)

見出番号	品番	品名	使用個数	備考	標準作業時間
26-2	61422-93JC0	マーク、エンブレムフロント(225)	1	WHITE BODY COLOR:Y5S	
27-1	61435-93JA0	マーク、エンブレムリヤ(225)	1	ブラック BODY COLOR:YAY	
27-2	61435-93JB0	マーク、エンブレムリヤ(225)	1	WHITE BODY COLOR:Y5S	
28	09800-81835	ツールセット	1		

FIG.420D




FIG. 420D (2-C-2) エンジンカバー (DF225T: (021, 022, 023))

見出番号	品番	品名	使用個数	備考	標準作業時間
1-1	61430-93871-YAY	カバーセット, エンジン(ブラック) (ブラック)	1	BODY COLOR:YAY	
1-2	61430-93881-QTN	カバーセット, エンジン(ホワイト) (ホワイト)	1	BODY COLOR:QTN	
2	61112-93J20	カバー, エンジンカバー	1		
3	61416-93J00	ガード, エアインテーク	1		
4-1	61431-93J03-YAY	ハンドル, チルトアップ (ブラック)	1	BODY COLOR:YAY	
4-2	61431-93J03-QTN	ハンドル, チルトアップ (ホワイト)	1	BODY COLOR:QTN	
5	61432-93J01	ルーバー, チルトアップハンドル	1		
6	61433-93J01	カバー, エアインテークインサートホート	1	STBD	
7	61434-93J01	カバー, エアインテークインサート	1	PORT	
8	61438-93J00	テープ, チルトアップハンドル (L:250)	1		
9	61438-93J00	テープ, チルトアップハンドル (L:250)	1	L:250->190	
10	61438-93J00	テープ, チルトアップハンドル (L:250)	1	L:250->106	
11	61439-93J20	シール, チルトアップハンドルホート	1	PORT	
12	61439-93J41	シール, チルトアップハンドルリヤ	1		
13	61476-93J00	シール, エアメント	1		
14	03542-05169	スクリュー	8		
15	03542-05169	スクリュー	4		
16	03542-05169	スクリュー	5		
17	03542-05169	スクリュー	4		
18	61610-93J01	ファスナ	3		
19	61621-93J01	ブラケット, ファスナ	3		
20	09329-10024	クワシヨン, エンジンカバーファスナ	3		
21	01547-06167	ボルト	6		
22	01550-06127	ボルト	3		
23-1	61443-96L10	ストライプ, エンジンカバースターホート	1	ブラック BODY COLOR:YAY	
23-2	61443-96L20	ストライプ, エンジンカバースターホート	1	WHITE BODY COLOR:QTN	
24-1	61453-96L10	ストライプ, エンジンカバーホート	1	ブラック BODY COLOR:YAY	
24-2	61453-96L20	ストライプ, エンジンカバーホート	1	WHITE BODY COLOR:QTN	
25	68111-93J00	エンブレム, S	1		
26-1	61435-93J00	マーク, エンブレムリヤ (225)	1	ブラック BODY COLOR:YAY	

FIG.420D





FIG. 420D (2-C-3) エンジンカバー (DF225T: (021, 022, 023))

見出番号	品番	品名	使用個数	備考	標準作業時間
26-2	61435-93JN0	マーク、エンブレムリヤ(225)	1	WHITE BODY COLOR:QTN	
27	09800-81835	ツールセット	1		

FIG.420E



DF250_000_023_420E
ENGINE COVER

FIG. 420E (2-C-4) エンジンカバー (DF250T:020)

見出番号	品番	品名	使用個数	備考	標準作業時間
1-1	61420-93892-YAY	カバーセット, エンジン(フッラック)	1	BODY COLOR:YAY	
1-2	61430-93802-Y5S	カバーセット, エンジン(ホワイト)	1	BODY COLOR:Y5S	
2	61112-93J20	・ラバー, エンジンカバー	1		
3	61416-93J00	・ガード, エアインテーク	1		
4-1	61431-93J03-YAY	・ハンドル, チルトアップ(フッラック)	1	BODY COLOR:YAY	
4-2	61431-93J03-Y5S	・ハンドル, チルトアップ(ホワイト)	1	BODY COLOR:Y5S	
5	61432-93J01	・ルーバー, チルトアップハンドル	1		
6	61433-93J01	・カバー, エアインテークインサートホート	1	STBD	
7	61434-93J01	・カバー, エアインテークインサート	1	PORT	
8	61438-93J00	・テープ, チルトアップハンドル(L:250)	1		
9	61438-93J00	・テープ, チルトアップハンドル(L:250)	1	L:250->190	
10	61438-93J00	・テープ, チルトアップハンドル(L:250)	1	L:250->106	
11	61439-93J20	・シール, チルトアップハンドルホート	1	PORT	
12	61439-93J41	・シール, チルトアップハンドルリヤ	1		
13	61476-93J00	・シール, エアベント	1		
14	03542-05169	・スクリュー	8		
15	03542-05169	・スクリュー	4		
16	03542-05169	・スクリュー	5		
17	03542-05169	・スクリュー	4		
18	61610-93J01	・フアスタ	3		
19	61621-93J01	・フッラケット, フアスタ	3		
20	09329-10024	・クワシヨン, エンジンカバーフアスタ	3		
21	01547-06167	・ホート	6		
22	01550-06127	・ホート	3		
23-1	61443-96J50	・ストライプ, エンジンカバースターホート	1	フッラック BODY COLOR:YAY	
23-2	61443-96J60	・ストライプ, エンジンカバースターホート	1	WHITE BODY COLOR:Y5S	
24-1	61453-96J50	・ストライプ, エンジンカバーホート	1	フッラック BODY COLOR:YAY	
24-2	61453-96J60	・ストライプ, エンジンカバーホート	1	WHITE BODY COLOR:Y5S	
25	68111-93J00	・エンブレム, S	1		
26-1	61422-93J00	マーク, エンブレムフロント(250)	1	フッラック BODY COLOR:YAY	

DF250_000_023

FIG.420E




FIG. 420E (2-C-5) エンジンカバー (DF250T:020)

見出番号	品番	品名	使用個数	備考	標準作業時間
26-2	61422-93JE0	マーク、エンブレムフロント(250)	1	WHITE BODY COLOR:Y5S	
27-1	61435-93JC0	マーク、エンブレムリヤ(250)	1	ブラック BODY COLOR:YAY	
27-2	61435-93JD0	マーク、エンブレムリヤ(250)	1	WHITE BODY COLOR:Y5S	
28	09800-81835	ツールセット	1		

FIG.420F




FIG. 420F (2-C-6) エンジンカバー (DF250T: (021, 022, 023))

見出番号	品番	品名	使用個数	備考	標準作業時間
1-1	61430-93871-YAY	カバーセット, エンジン(ブラック) (ブラック)	1	BODY COLOR:YAY	
1-2	61430-93881-QTN	カバーセット, エンジン(ホワイト) (ホワイト)	1	BODY COLOR:QTN	
2	61112-93J20	カバー, エンジンカバー	1		
3	61416-93J00	ガード, エアインテーク	1		
4-1	61431-93J03-YAY	ハンドル, チルトアップ (ブラック)	1	BODY COLOR:YAY	
4-2	61431-93J03-QTN	ハンドル, チルトアップ (ホワイト)	1	BODY COLOR:QTN	
5	61432-93J01	カバー, チルトアップハンドル	1		
6	61433-93J01	カバー, エアインテークインサートホート	1	STBD	
7	61434-93J01	カバー, エアインテークインサート	1	PORT	
8	61438-93J00	テープ, チルトアップハンドル(L:250)	1		
9	61438-93J00	テープ, チルトアップハンドル(L:250)	1	L:250->190	
10	61438-93J00	テープ, チルトアップハンドル(L:250)	1	L:250->106	
11	61439-93J20	シール, チルトアップハンドルホート	1	PORT	
12	61439-93J41	シール, チルトアップハンドルリヤ	1		
13	61476-93J00	シール, エアメント	1		
14	03542-05169	スクリュー	8		
15	03542-05169	スクリュー	4		
16	03542-05169	スクリュー	5		
17	03542-05169	スクリュー	4		
18	61610-93J01	ワッシャー	3		
19	61621-93J01	ワッシャー, ワッシャー	3		
20	09329-10024	クワシヨン, エンジンカバーワッシャー	3		
21	01547-06167	ボルト	6		
22	01550-06127	ボルト	3		
23-1	61443-96L10	ストライプ, エンジンカバースターホート	1	ブラック BODY COLOR:YAY	
23-2	61443-96L20	ストライプ, エンジンカバースターホート	1	WHITE BODY COLOR:QTN	
24-1	61453-96L10	ストライプ, エンジンカバーホート	1	ブラック BODY COLOR:YAY	
24-2	61453-96L20	ストライプ, エンジンカバーホート	1	WHITE BODY COLOR:QTN	
25	68111-93J00	エンブレム, S	1		
26-1	61435-93JP0	マーク, エンブレムリヤ(250)	1	ブラック BODY COLOR:YAY	

FIG.420F





FIG. 420F (2-C-7) エンジンカバー (DF250T: (021, 022, 023))

見出番号	品番	品名	使用個数	備考	標準作業時間
26-2	61435-93J00	マーク、エンブレムリヤ(250)	1	WHITE BODY COLOR:QTN	
27	09800-81835	ツールセット	1		

FIG.420G



DF250_000_023_420G
ENGINE COVER

FIG. 420G (2-C-8) エンジンカバー - (DF275ST)

見出番号	品番	品名	使用個数	備考	標準作業時間
1-1	61430-93852-YAY	カバーセット, エンジン(フック) (フック)	1	BODY COLOR:YAY	
1-2	61430-93862-YKV	カバーセット, エンジン(フック) (フック)	1	BODY COLOR:YKV	
2	61112-93J20	カバー, エンジンカバー	1		
3	61416-93J00	ガード, エアインテーク	1		
4-1	61431-93J03-YAY	ハンドル, チルトアップ (フック)	1	BODY COLOR:YAY	
4-2	61431-93J03-YKV	ハンドル, チルトアップ (マッドフック)	1	BODY COLOR:YKV	
5	61432-93J10	カバー, チルトアップハンドル (マッドレッド)	1	TILT UP HANDLE (MA T RED)	
6	61433-93J01	カバー, エアインテークインナースターポート	1	STBD	
7	61434-93J01	カバー, エアインテークインナースターポート	1	PORT	
8	61438-93J00	テープ, チルトアップハンドル (L: 250)	1		
9	61438-93J00	テープ, チルトアップハンドル (L: 250)	1	L: 250->190	
10	61438-93J00	テープ, チルトアップハンドル (L: 250)	1	L: 250->106	
11	61439-93J20	シール, チルトアップハンドルポート	1	PORT	
12	61439-93J41	シール, チルトアップハンドルリヤ	1		
13	61476-93J00	シール, エアベント	1		
14	03542-05169	スクリュー	8		
15	03542-05169	スクリュー	4		
16	03542-05169	スクリュー	5		
17	03542-05169	スクリュー	4		
18	61610-93J01	フアスタ	3		
19	61621-93J01	フックセット, フアスタ	3		
20	09329-10024	クワジコン, エンジンカバーフアスタ	3	ENGINE COVER FAST ENER	
21	01547-06167	ボルト	6		
22	01550-06127	ボルト	3		
23-1	61443-93J61	ストライプ, エンジンカバースターポート	1	BODY COLOR:YAY	
23-2	61443-93J51	ストライプ, エンジンカバースターポート	1	BODY COLOR:YKV	
24-1	61453-93J61	ストライプ, エンジンカバーポート	1	BODY COLOR:YAY	
24-2	61453-93J51	ストライプ, エンジンカバーポート	1	BODY COLOR:YKV	
25-1	61435-93JJ1	マーク, エンブレムリヤ (275)	1	BODY COLOR:YAY	
25-2	61435-93JH1	マーク, エンブレムリヤ (275)	1	BODY COLOR:YKV	
26	61424-93J00	マーク, エンブレム (SS)	1		
27	68111-93J00	エンブレム, S	1		
28	61441-98L00	マーク, スズキ	2		
29	09800-81835	ツールセット	1		

DF250_000_023

FIG.430A




FIG. 430A (2-C-9) フューエルホース

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
1-1	65700-93J12	ホース, フューエル (タンクツ-コネクタ)	1	->65700-93J14+094 01-14409 FROM 20002F-04000 1 UPTO 20002F-04018 4 FROM 22503F-04000 1 UPTO 22503F-04017 8 FROM 25003F-04000 1 UPTO 25003F-04069 8 FROM 27501F-04000 1 UPTO 27501F-04000 2	
1-2	65700-93J14	ホース, フューエル (タンクツ-コネクタ)	1	FROM 20002F-04018 5 FROM 22503F-04017 9 FROM 25003F-04069 9 FROM 27501F-04000 3	
2	65770-93J13	・ホ ンプ*, スライス*	1		
3-1	09401-13423	クリップ*	2	FROM 20002F-04000 1 UPTO 20002F-04018 4 FROM 22503F-04000 1 UPTO 22503F-04017 8	

FIG.430A




FIG. 430A (2-C-10) フューエルホース

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
				FROM 25003F-04000	
			1		
			UPTO 25003F-04069		
			8		
			FROM 27501F-04000		
			1		
			UPTO 27501F-04000		
			2		
3-2	09401-14409	クリップ	2	FROM 20002F-04018	
			5		
			FROM 22503F-04017		
			9		
			FROM 25003F-04069		
			9		
			FROM 27501F-04000		
			3		

FIG.442A




FIG. 442A (2-C-11) トﾞラッグ リンク

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
1	67700-93J00	リンクセット, トﾞラッグ	1	オフショ	
2	41161-94400	・シール, ステアリング ケーブル	1	オフショ	
3	67701-87J11	・リンクアッシ, トﾞラッグ	1	オフショ	
4	67721-87J00	・・スベ ーサ	1	オフショ	
5	67725-99E00	・・ボルト, トﾞラッグ リンク	1	オフショ	
6	67726-99E00	・・ナット, ロック	2	オフショ	
7	67728-99E00	・・ワッシャ	4	オフショ	
8	67467-89J01	コネクタ	2		
9	09385-06012	スナッブ ピン	2		
10	09160-06055	ワッシャ (7X12X1)	2		

FIG.460A




FIG. 460A (2-C-12) メータ

見出番号	品番	品名	使用個数	備考	標準 作業時間
1-1	34200-93J02	タコメータアシ、ウイス' モニタ (ﾌﾞﾗｯｸ)	1	ﾌﾞﾗｯｸ	
1-2	34200-93J14	タコメータアシ、ウイス' モニタ (ホワイト)	1	WHITE	
2	09471-12077	ﾊﾞﾙﾌﾞ (12V1. 7W)	1		

FIG.501A




FIG. 501A (2-C-13) オプション:メータ

見出番号	品番	品名	使用個数	備考	標準作業時間
1-1	34800-93J02	メータアツシ, トリム (ﾌﾞﾗｯｸ)	1	ﾌﾞﾗｯｸ	
1-2	34800-93J13	メータアツシ, トリム (ﾎﾜｲﾄ)	1	WHITE	
2	09471-12108	･ﾊﾞﾙﾌﾞ (12V1. 7W, T: 6. 5)	1		
3-1	34100-93J02	ｽﾋﾟｰﾄﾞﾐｰﾀｰｱﾂｼ, 130KM/Hﾌﾞﾗｯｸ	1	MAX 130KM/H BLACK	
3-2	34100-93J13	ｽﾋﾟｰﾄﾞﾐｰﾀｰｱﾂｼ, 130KM/Hﾎﾜｲﾄ	1	MAX 130KM/H WHITE	
3-3	34100-93J22	ｽﾋﾟｰﾄﾞﾐｰﾀｰｱﾂｼ, 80KM/Hﾌﾞﾗｯｸ	1	MAX 80KM/H BLACK	
3-4	34100-93J33	ｽﾋﾟｰﾄﾞﾐｰﾀｰｱﾂｼ, 50MPHﾎﾜｲﾄ	1	MAX 80KM/H WHITE	
3-5	34100-93J42	ｽﾋﾟｰﾄﾞﾐｰﾀｰｱﾂｼ, 45KNOTSﾌﾞﾗｯｸ	1	MAX 45KNOTS BLACK	
3-6	34100-93J53	ｽﾋﾟｰﾄﾞﾐｰﾀｰｱﾂｼ, 45KNOTSﾎﾜｲﾄ	1	MAX 45KNOTS WHITE	
3-7	34100-93J62	ｽﾋﾟｰﾄﾞﾐｰﾀｰｱﾂｼ, 65KNOTSﾎﾜｲﾄ	1	MAX 65KNOTS WHITE	
4	09471-12028	･ﾊﾞﾙﾌﾞ (12V3. 4W)	1		
5	34191-92E00	･ﾁｭｰﾌﾞ	1		
6	09407-14407	･ｸﾗﾝﾌﾟ (L: 145)	2		
7	36615-96300	･ﾀｰﾐﾅﾙ	2		
8-1	34600-93J02	ﾐｰﾀｰｱﾂｼ, ｾﾝﾀｰｼﾞ (ﾌﾞﾗｯｸ)	1	ﾌﾞﾗｯｸ	
8-2	34600-93J13	ﾐｰﾀｰｱﾂｼ, ｾﾝﾀｰｼﾞ (ﾎﾜｲﾄ)	1	WHITE	
9	09471-12103	･ﾊﾞﾙﾌﾞ (12V3W)	1		
10-1	34300-93J03	ｾﾞｰｼﾞｱﾂｼ, ｳｴﾙ	1	ﾌﾞﾗｯｸ	
10-2	34300-93J14	ｾﾞｰｼﾞｱﾂｼ, ｳｴﾙ	1	WHITE	
11	34310-92E01	･ﾘｰﾄﾞｱﾂｼ, ｳｴﾙ, ｾﾞｰｼﾞ	1		
12	34360-92E00	･ｱﾀﾞﾌﾞﾀ, ｳｴﾙ, ｾﾞｰｼﾞ	1		
13	09471-12103	･ﾊﾞﾙﾌﾞ (12V3W)	1		
14-1	34500-93J02	ﾐｰﾀｰｱﾂｼ, ｱｵｰ (ﾌﾞﾗｯｸ)	1	ﾌﾞﾗｯｸ	
14-2	34500-93J13	ﾐｰﾀｰｱﾂｼ, ｱｵｰ (ﾎﾜｲﾄ)	1	WHITE	
15	09471-12103	･ﾊﾞﾙﾌﾞ (12V3W)	1		
16-1	34650-93J22	ｾﾞｰｼﾞｱﾂｼ, ｳｵｰﾀﾞﾌﾞﾚｯｼﾞ15PSI/ﾌﾞﾗｯｸ	1	15PSI BLACK	
16-2	34650-93J33	ｾﾞｰｼﾞｱﾂｼ, ｳｵｰﾀﾞﾌﾞﾚｯｼﾞ15PSI (ﾎﾜｲﾄ)	1	15PSI WHITE	
17	34191-92E00	･ﾁｭｰﾌﾞ	1		
18	09407-14407	･ｸﾗﾝﾌﾟ (L: 145)	2		
19	09471-12103	･ﾊﾞﾙﾌﾞ (12V3W)	1		
20-1	34200-93J02	ﾀｺﾐｰﾀｰｱﾂｼ, ｳｴｽﾞﾓﾆﾀ (ﾌﾞﾗｯｸ)	1	ﾌﾞﾗｯｸ	
20-2	34200-93J14	ﾀｺﾐｰﾀｰｱﾂｼ, ｳｴｽﾞﾓﾆﾀ (ﾎﾜｲﾄ)	1	WHITE	
21	09471-12077	･ﾊﾞﾙﾌﾞ (12V1. 7W)	1		
22	34190-87D00	ｾﾝﾀﾞ, ｽﾋﾟｰﾄﾞﾐｰﾀ	1		
23	34190-95500	ｾﾝﾀﾞ, ｽﾋﾟｰﾄﾞﾐｰﾀ	1		

FIG.501A





FIG. 501A (2-C-14) オプション:メータ

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
24	03112-0630B	・スクリュ	2		
25	36682-92E00	ワイヤ, トリムメータエクステンション (L: 6500)	1		

FIG.508A



DF250_000_023_508A
OPT:REMOTE CONTROL

FIG. 508A (2-C-15) オプション:リモート コントロール (020, 021)

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
1	67200-93J62	リモートコントロールアツシ	1		
2	36628-92E01	・グ ロメツト, ワイヤリソグ ハーネス	1		
3	37110-93J12	・スイツチアツシ, イグ ニツシヨソ	1		
4-1	37141-99E00	・キー (931)	2		
4-2	37141-99E10	・キー (932)	2		
4-3	37141-99E20	・キー (933)	2		
4-4	37141-99E30	・キー (934)	2		
4-5	37141-99E40	・キー (935)	2		
4-6	37141-99E50	・キー (936)	2		
4-7	37141-99E60	・キー (937)	2		
4-8	37141-99E70	・キー (938)	2		
4-9	37141-99E80	・キー (939)	2		
4-10	37141-99E90	・キー (940)	2		
4-11	37141-99EA0	・キー (941)	2		
4-12	37141-99EB0	・キー (942)	2		
5	37143-99E01	・キヤツツ, キー	2		
6	37149-93J00	・キヤツツ, シリソダ ホ テー	1		
7	37721-93J91	・スイツチアツシ, ニュートラル	1		
8	37820-93J11	・スイツチアツシ, エマシ エソシ	1		
9	37823-92E02	・フ レートアツシ, エマシ エソシスイツチロツク	1		
10	37826-92J10	・ナツツ	1		
11	37850-96L00	・スイツチアツシ, PTT	1		
12	38500-93J90	・フ ザー, ウオーソソグ	1		
13	67212-95600	・ワツシヤ	1		
14	67296-92E11	・スクリュ, ニュートラルスイツチ	2		
15	67220-95630	・フ レートアツシ	1		
16	67223-99E10	・ノフ, フ レーキアソ ヤスト	1		
17	67229-95600	・ローラ	1		
18	67232-95600	・フ ツシユ	1		
19	67238-87D00	・キ ヤ, ド ライフ	1		
20	67241-99E11	・レバ ー, フリースロツトル	1		
21	67243-95600	・フ ツシユ	1		
22	67244-95600	・ウエーフ ワツシヤ	1		
23	67245-95600	・ド ラム, フリースロツトル	1		
24	67251-96L00	・レバ ー, ハソドル	1		

DF250_000_023

FIG.508A




FIG. 508A (2-D-2) オプション:リモート コントロール (020, 021)

見出番号	品 番	品 名	使用個数	備 考	標準 作業時間
25	67252-95600	・ブ ツシュ	2		
26	67253-95600	・ワツシヤ	1		
27	67255-96L00	・ニュートラルロックアーム	1		
28	67256-95600	・ホルダ, ニュートラルロック	1		
29	67257-96L00	・キヤツプ アツシ, レバ	1		
30	77811-54GB0-OPG	・・エンフ レム, リヤマークS (クロム)	1		
31	67258-99E00	・ブ ラケツト	1		
32	67259-87D00	・スフ リンク, ニュートラルアーム	1		
33	67261-96L00	・グ リップ	1		
34	67296-96L10	・スクリュ	2		
35	67264-95600	・ワツシヤ	1		
36	67267-96L00	・カバー, ワイヤサブ アツシ	1		
37	67273-95601	・スベ ーサ	1		
38	67275-95600	・エンド, ケーブル	2		
39	67292-94300	・Eリング	3		
40	67294-95600	・スベ ーサ	3		
41	67296-90J20	・スクリュ	5		
42	67296-96L00	・スクリュ	2		
43	67296-95630	・スクリュ	3		
44	67296-95610	・スクリュ	2		
45	67297-95600	・ワツシヤ	2		
46	09100-08232	・ボ ルト (8X30)	1		
47	67269-96L10	・スクリュ	2		
48	09140-06020	・ナツト	3		
49	67288-94320	・ワツシヤ	3		
50	67224-96L00	・アーム, プ レキアツシ	1		
51	67238-96L00	・キ ャ, シフトアツシ	1		
52	67284-94L10	・マーク, ハンド ルレバ	1		
53-1	36620-93J04	ワイヤアツシ, リモートコントロール	1		
53-2	36620-93J54	ワイヤアツシ, リモートコントロール	1		
53-3	36620-93J64	ワイヤアツシ, リモートコントロール	1		
54	09481-10501	・フューズ (10A)	1		
55	67140-95601	キツト, リモコン (NA12S) ツイン	1		
56	09180-06105	・スベ ーサ (6. 1X10X14)	3		
57	67296-95640	・スクリュ	3		

FIG.508A





FIG. 508A (2-D-3) オプション:リモート コントロール (020, 021)

見出番号	品 番	品 名	使用個数	備 考	標準 作業時間
58	67288-94320	・ワッシャ	3		
59-1	67320-93J00	ケーブル アダプタ, リモコン (8F: 2. 4M)	2		
59-2	67320-93J10	ケーブル アダプタ, リモコン (10F: 3. 1M)	2		
59-3	67320-93J20	ケーブル アダプタ, リモコン (12F: 3. 7M)	2		
59-4	67320-93J30	ケーブル アダプタ, リモコン (14F: 4. 2M)	2		
59-5	67320-93J40	ケーブル アダプタ, リモコン (16F: 4. 8M)	2		
59-6	67320-93J50	ケーブル アダプタ, リモコン (18F: 5. 4M)	2		
59-7	67320-93J60	ケーブル アダプタ, リモコン (20F: 6. 1M)	2		
59-8	67320-93J70	ケーブル アダプタ, リモコン (22F: 6. 7M)	2		
59-9	67320-93J80	ケーブル アダプタ, リモコン (24F: 7. 3M)	2		

This diagram is an exploded view of a mechanical assembly, likely a power tool or machine. The main body is labeled 1. Various components are shown in their relative positions, with callout numbers 1 through 56. The assembly includes a handle (31), a trigger switch (9), a motor (10), a gear train (13, 17, 21, 23, 24), a drive shaft (22), and a cutting tool (28). A cable (51) with multiple connectors is shown at the bottom. A separate inset box at the bottom right shows a sub-assembly of shafts (54) and bearings (55) labeled 52. The diagram uses standard mechanical drawing conventions to show the relationship between parts.

見出番号	品番	品名	使用個数	備考	標準作業時間
1	67200-93J70	リモートコントロールアツシ	1		
2	36628-92E01	・クゝ ロメツト, ワイヤリソクゝ ハーネス	1		
3	37110-93J20	・スイツチアツシ, イクゝ ニツシヨソ	1		
4-1	37141-99E00	・キー (931)	2		
4-2	37141-99E10	・キー (932)	2		
4-3	37141-99E20	・キー (933)	2		
4-4	37141-99E30	・キー (934)	2		
4-5	37141-99E40	・キー (935)	2		
4-6	37141-99E50	・キー (936)	2		
4-7	37141-99E60	・キー (937)	2		
4-8	37141-99E70	・キー (938)	2		
4-9	37141-99E80	・キー (939)	2		
4-10	37141-99E90	・キー (940)	2		
4-11	37141-99EA0	・キー (941)	2		
4-12	37141-99EB0	・キー (942)	2		
5	37721-93J91	・スイツチアツシ, ニュートラル	1		
6	37820-93J11	・スイツチアツシ, イマシゝ エソシ	1		
7	37823-92E02	・ソフゝ レートアツシ, イマシゝ エソシスイツチロツク	1		
8	37826-92J10	・ソツツ	1		
9	37850-96L00	・スイツチアツシ, PTT	1		
10	38500-93J90	・ソフゝ ザゝー, ウォーニンクゝ	1		
11	67212-95600	・ワツシヤ	1		
12	67296-92E11	・スクリュ, ニュートラルスイツチ	2		
13	67220-95630	・ソフゝ レートアツシ	1		
14	67223-99E10	・ソフゝ, ソフゝ レーキアジゝ ヤスト	1		
15	67229-95600	・ローラ	1		
16	67232-95600	・ソフゝ ツシユ	1		
17	67238-87D00	・キゝ ヤ, トゝ ライソ	1		
18	67241-99E11	・レバゝー, フリースロツトル	1		
19	67243-95600	・ソフゝ ツシユ	1		
20	67244-95600	・ウエーソゝ ワツシヤ	1		
21	67245-95600	・トゝ ラム, フリースロツトル	1		
22	67251-96L00	・レバゝー, ハソトゝ ル	1		
23	67252-95600	・ソフゝ ツシユ	2		
24	67253-95600	・ワツシヤ	1		

FIG.508B



DF250_000_023_508B
OPT:REMOTE CONTROL

FIG. 508B (2-D-5) オプション:リモート コントロール (022, 023)

見出番号	品 番	品 名	使用個数	備 考	標準 作業時間
25	67255-96L00	・ニュートラルロックアーム	1		
26	67256-95600	・ホルダ*, ニュートラルロック	1		
27	67257-96L00	・キャップ アツシ, レバ *	1		
28	77811-54GB0-OPG	・・エンフ* レム, リヤマークS (クロム)	1		
29	67258-99E00	・フ* ラケット	1		
30	67259-87D00	・スフ* リンク*, ニュートラルアーム	1		
31	67261-96L00	・グ* リップ	1		
32	67296-96L10	・スクリュ	2		
33	67264-95600	・ワッシャ	1		
34	67267-96L00	・カハ*, ワイヤサフ* アツシ	1		
35	67273-95601	・スベ* ーサ	1		
36	67275-95600	・エンド*, ケブ* ル	2		
37	67292-94300	・Eリング*	3		
38	67294-95600	・スベ* ーサ	3		
39	67296-90J20	・スクリュ	5		
40	67296-96L00	・スクリュ	2		
41	67296-95630	・スクリュ	3		
42	67296-95610	・スクリュ	2		
43	67297-95600	・ワッシャ	2		
44	09100-08232	・ボ* ルト (8X30)	1		
45	67269-96L10	・スクリュ	2		
46	09140-06020	・ナツト	3		
47	67288-94320	・ワッシャ	3		
48	67224-96L00	・アーム, プ* レーキアツシ	1		
49	67238-96L00	・ギ* ヤ, シフトアツシ	1		
50	67284-94L10	・マーク, ハント* ルレバ *	1		
51-1	36620-93J70	ワイヤアツシ, リモコン	1		
51-2	36620-93J80	ワイヤアツシ, リモコン	1		
51-3	36620-93J90	ワイヤアツシ, リモコン	1		
52	67140-95601	キット, リモコン (NA12S) ツイン	1		
53	09180-06105	・スベ* ーサ (6. 1X10X14)	3		
54	67296-95640	・スクリュ	3		
55	67288-94320	・ワッシャ	3		
56-1	67320-93J00	ケーブ* ルアツシ, リモコン (8F: 2. 4M)	2		
56-2	67320-93J10	ケーブ* ルアツシ, リモコン (10F: 3. 1M)	2		

FIG.508B




FIG. 508B (2-D-6) オプション:リモート コントロール (022, 023)

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
56-3	67320-93J20	ケーブルアサシ, リモコン (12F: 3. 7M)	2		
56-4	67320-93J30	ケーブルアサシ, リモコン (14F: 4. 2M)	2		
56-5	67320-93J40	ケーブルアサシ, リモコン (16F: 4. 8M)	2		
56-6	67320-93J50	ケーブルアサシ, リモコン (18F: 5. 4M)	2		
56-7	67320-93J60	ケーブルアサシ, リモコン (20F: 6. 1M)	2		
56-8	67320-93J70	ケーブルアサシ, リモコン (22F: 6. 7M)	2		
56-9	67320-93J80	ケーブルアサシ, リモコン (24F: 7. 3M)	2		

FIG.517A





FIG. 517A (2-D-7) オプション:コンシールド リモコン(1)

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
1	67200-93J34	リモートコントロールアツシ, コンシール	1		
2	67298-92E50	・スフ リンク	1		
3	67296-94310	・スクリュ	1		
4	67295-92E10	・スクリュ	2		
5	37850-92E27	・スイッチアツシ, PTT	1		
6	67288-92E60	・ワツシヤ	1		
7	09125-04021	・スクリュ (4X20)	1		
8	67255-92E50	・アーム, ニュートラルロツク	1		
9	67251-92E50	・レバ ー, ハンド ル	1		
10	67261-92E50	・ク リツフ	1		
11	67256-92E50	・ホルダ ー, ニュートラルロツク	1		
12	67257-92E00	・キヤツフ, レバ ー	1		
13	67242-92E50	・シヤフト, フリーアキユムレータ	1		
14	67288-92E20	・ワツシヤ	6		
15	67296-88D10	・スクリュ (5X16)	4		
16	67288-92E70	・ワツシヤ	1		
17	67296-88D20	・スクリュ	3		
18	67295-92E50	・スクリュ	3		
19	67287-92E50	・ナツト	3		
20	09160-06104	・ワツシヤ (6. 5X24X2)	3		
21	67296-88D30	・スクリュ	4		
22	67254-92E50	・カバ ー, ロツクアーム	1		
23	36890-93J01	・ワイヤ, ニュートラル/PTTスイッチ	1		
24	67275-95600	・エンド ー, ケー ブ ル	2		
25	67273-95601	・スベ ーサ	1		
26	67283-92E50	・デ ー カール, レバ ー	1		
27	67284-92E50	・デ ー カール, クラツチ	1		
28	67274-92E50	・ベ ース	1		
29	67211-92E50	・カバ ー	1		

FIG.518A



DF250_000_023_518A
OPT:CONCEALED REMOCON

FIG. 518A (2-D-8) オプション:コンソールト リモコン(2)

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
1	67200-93J34	リモートコントロールアツシ, コンソール	1		
2	67222-92E50	・ﾌﾞﾚｰﾄ	1		
3	67292-94300	・Eﾘﾝｸﾞ	3		
4	67288-92E10	・ワｯｼﾔ	1		
5	67291-92E00	・ﾘﾝｸﾞ, ﾏﾅｯﾌﾟ	2		
6	67223-92E50	・ﾌﾞﾚｰｷｱｼﾞﾔｽﾄ	1		
7	67221-92E50	・ﾎﾙﾀﾞｰ ﾏﾞｼ	1		
8	67224-92E50	・ﾌﾞﾚｰｷｼｭｰｱﾞｼ	1		
9	67225-92E50	・ﾃﾞｲｽｸ, ﾌﾞﾚｰｷ	1		
10	09140-06020	・ﾅｯﾄ	2		
11	67294-92E00	・ｽﾍﾟｰｻ	1		
12	37721-95500	・ｽｲｯﾁｱﾞｼ, ﻧｴｴﾄﾗﾙ	1		
13	67296-92E11	・ｽｸﾘﾕ, ﻧｴｴﾄﾗﾙｽｲｯﾁ	2		
14	67226-92E10	・ﾎﾙﾄ, ﺴﾄｯﾊﾟﾘﾔ	2		
15	67296-92E20	・ｽｸﾘﾕ (5X25)	2		
16	67240-92E50	・ｽﾛｯﾄﾙｱｰﾑｱﾞｼ	1		
17	67228-92E00	・ワｯｼﾔ	1		
18	67286-92E00	・ﾎﾙﾄ (6X18)	3		
19	67230-92E00	・ｼﾌﾄｱｰﾑｱﾞｼ	1		
20	09125-05042	・ｽｸﾘﾕ (5X10)	11		
21	67234-92E00	・ｹｰｽ, ﮔｲﾔ	1		
22	67245-92E00	・ﾚﾊﾞｰｱﾞｼ, ﺴﾛｯﾄﾙ	1		
23	67227-92E00	・ｽﾄｯﾊﾟ	1		
24	67296-88D10	・ｽｸﾘﾕ (5X16)	2		
25	67225-92E00	・ｽﾌﾞﾘﾝｸﾞ	1		
26	09125-04004	・ｽｸﾘﾕ (4X6)	1		
27	67233-92E00	・ｽﾌﾞﾘﾝｸﾞ	1		
28	67235-92E00	・ﾌﾞﾚｰﾄ, ﺴﾌﾄﾛｯｸ	1		
29	67239-92E10	・ﾌﾞﾚｰﾄ, ﺴﾌﾄﾋﾞﾝ	1		
30	67236-92E00	・ﾛｰﾗ	1		
31	67237-92E01	・ｽﾌﾞﾘﾝｸﾞ	5		
32	67238-92E50	・ｷﾞﾔ, ﺩﾗｲﾌﾞ	1		
33	67239-92E00	・ﾋﾞﾝ	1		
34	67246-92E50	・ｼｻﾞﾌﾄ, ﺩﾗｲﾌﾞ	1		
35	67252-92E00	・ﾌﾞｯｼｭ	1		

DF250_000_023

FIG.518A




FIG. 518A (2-D-9) オプション:コンシールド リモコン(2)

見出番号	品 番	品 名	使用個数	備 考	標準 作業時間
36	67291-92E10	・リング, スナツフ	1		
37	67253-92E10	・ワツシヤ	1		
38	67252-92E10	・フ ツシユ	1		
39	67253-95600	・ワツシヤ	1		
40	67231-92E00	・ギ ヤ, シフト	1		
41	67232-95600	・フ ツシユ	1		
42	67241-92E50	・ロツド, フリーアキュムレータ	1		
43	67232-92E50	・フ ツシユ	1		

FIG.521A




FIG. 521A (2-D-10) オプション:ハーネス (020, 021)

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
1-1	36620-93J12	ワイヤアツシ, リモコンエクステンション (L: 2000)	1		
1-2	36620-93J42	ワイヤアツシ, リモートコントロールエクステンション	1		
2	36620-93J32	ワイヤアツシ, リモコン (L: 2000)	1		
3	17917-87L00	コネクタ, フラッシュウオータ	1		
4	38500-93J90	ブザー, ウォーニング	1		
5	34660-93J02	キット, ウォータフ レッシーゲージ サブ	1		
6	09352-50006-600	・ホース (5X9X600)	1	L: 600->110	
7	09352-50006-00B	・ホース (5X9X2000)	1	L: 2000->750	
8	09367-06006	・3ウェイ	1		
9	09401-08413	・クリップ	4		
10	18498-99E01	・プロテクタ, ホース (9. 5X11. 5X390)	1		

FIG.521B





FIG. 521B (2-D-11) オプション:ハーネス (022, 023)

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
1-1	36620-93J12	ワイヤアツシ, リモコンエクステンション (L: 2000)	1		
1-2	36620-93J42	ワイヤアツシ, リモートコントロールエクステンション	1		
2	17917-87L00	コネクタ, フラッシュウオータ	1		
3	38500-93J90	プ ー ザー, ウォーニング	1		
4	34660-93J02	キツト, ウォータフ レツシヤケ ージ サフ	1		
5	09352-50006-600	・ホース (5X9X600)	1	L: 600->110	
6	09352-50006-00B	・ホース (5X9X2000)	1	L: 2000->750	
7	09367-06006	・3ウェイ	1		
8	09401-08413	・クリップ	4		
9	18498-99E01	・フ ロテクタ, ホース (9. 5X11. 5X390)	1		
10	36621-93J00	ワイヤ, リモコンアタ プ タ	1		

FIG.530A



DF250_000_023_530A
OPT:SWITCH


FIG. 530A (2-D-12) オプション:スイッチ (020, 021)

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
1	37100-96J01	ハ ^ニ ネルアツシ, イグ ^ニ ニツシヨンスイツチ	1		
2	37110-93J02	・スイツチアツシ, イグ ^ニ ニツシヨ	1		
3-1	37141-99E00	・・キー (931)	2		
3-2	37141-99E10	・・キー (932)	2		
3-3	37141-99E20	・・キー (933)	2		
3-4	37141-99E30	・・キー (934)	2		
3-5	37141-99E40	・・キー (935)	2		
3-6	37141-99E50	・・キー (936)	2		
3-7	37141-99E60	・・キー (937)	2		
3-8	37141-99E70	・・キー (938)	2		
3-9	37141-99E80	・・キー (939)	2		
3-10	37141-99E90	・・キー (940)	2		
3-11	37141-99EA0	・・キー (941)	2		
3-12	37141-99EB0	・・キー (942)	2		
4	37143-99E01	・・キヤツツ ^ニ , キー	1		
5	37149-93J00	・・キヤツツ ^ニ , シリンダ ^ニ ホ ^ニ テ ^ニ ー	1		
6	37139-99E00	・ハ ^ニ ネル, イグ ^ニ ニツシヨンスイツチ	1		
7	38500-93J90	・フ ^ニ ザ ^ニ ー, ウオーニツク	1		
8	09407-08401	・クランプ ^ニ (L:80)	1		
9	37803-93J06	ハ ^ニ ネルアツシ, エマシ ^ニ エンシスイツチ	1		
10	37820-93J11	・スイツチアツシ, エマシ ^ニ エンシ	1		
11	37823-92E02	・・フ ^ニ レートアツシ, エマシ ^ニ エンシスイツチロツク	1		
12	37826-92J10	・・ナツト	1		
13	37825-99E10	・ハ ^ニ ネル, エマシ ^ニ エンシストツツ ^ニ スイツチ	1		
14	03122-05169	・スクリュ	4		
15	37805-93J00	ハ ^ニ ネルアツシ, PTTスイツチ	1		
16	37855-99E00	・ハ ^ニ ネル, PTTスイツチ	1		
17	37210-93J00	ハ ^ニ ネルアツシ, ライテイング ^ニ スイツチ	1		
18	37212-93J00	・ハ ^ニ ネル, ライテイング ^ニ スイツチ	1		
19	37100-96J17	ハ ^ニ ネルアツシ, テ ^ニ ュアルエンシ ^ニ スイツチ	1		
20	37110-93J02	・スイツチアツシ, イグ ^ニ ニツシヨ	2		
21-1	37141-99E00	・・キー (931)	4		
21-2	37141-99E10	・・キー (932)	4		
21-3	37141-99E20	・・キー (933)	4		
21-4	37141-99E30	・・キー (934)	4		

[illegible]

見出番号	品番	品名	使用個数	備考	標準作業時間
21-5	37141-99E40	・・キー (935)	4		
21-6	37141-99E50	・・キー (936)	4		
21-7	37141-99E60	・・キー (937)	4		
21-8	37141-99E70	・・キー (938)	4		
21-9	37141-99E80	・・キー (939)	4		
21-10	37141-99E90	・・キー (940)	4		
21-11	37141-99EA0	・・キー (941)	4		
21-12	37141-99EB0	・・キー (942)	4		
22	37143-99E01	・・キヤツプ , キー	2		
23	37149-93J00	・・キヤツプ , シリンダ ホﾞ デー	2		
24	37820-93JA1	・スイツチアツシ, エマジ' エンシ	1		
25	37823-92E02	・・ブ' レートアツシ, エマジ' エンシスイツチロツク	1		
26	37826-92J10	・・ナツト	1		
27	37139-99E30	・ハ' ネル, イク' ニツシヨンスイツチ	1		
28	03122-05169	・スクリュ	4		
29	38500-93J90	・ブ' ザー , ウォーニク'	2		
30	09407-08401	・クランフ (L : 80)	1		
31	37100-96J27	ハ' ネルアツシ, エンジ' ンスイツチ	1		
32	37110-93J02	・スイツチアツシ, イク' ニツシヨ	1		
33-1	37141-99E00	・・キー (931)	2		
33-2	37141-99E10	・・キー (932)	2		
33-3	37141-99E20	・・キー (933)	2		
33-4	37141-99E30	・・キー (934)	2		
33-5	37141-99E40	・・キー (935)	2		
33-6	37141-99E50	・・キー (936)	2		
33-7	37141-99E60	・・キー (937)	2		
33-8	37141-99E70	・・キー (938)	2		
33-9	37141-99E80	・・キー (939)	2		
33-10	37141-99E90	・・キー (940)	2		
33-11	37141-99EA0	・・キー (941)	2		
33-12	37141-99EB0	・・キー (942)	2		
34	37143-99E01	・・キヤツプ , キー	1		
35	37149-93J00	・・キヤツプ , シリンダ ホﾞ デー	1		
36	37820-93J11	・スイツチアツシ, エマジ' エンシ	1		
37	37823-92E02	・・ブ' レートアツシ, エマジ' エンシスイツチロツク	1		

FIG.530A



DF250_000_023_530A
OPT:SWITCH

FIG. 530A (2-D-14) オプション:スイッチ (020,021)

見出番号	品 番	品 名	使用個数	備 考	標準 作業時間
38	37826-92J10	・ナット	1		
39	37139-99E40	・パネル、イグニッションスイッチ	1		
40	03122-05169	・スクリュー	4		
41	38500-93J90	・ブザー、ウオーニング	1		
42	09407-08401	・クランプ (L:80)	1		

FIG.530B




FIG. 530B (2-D-15) オプション:スイッチ (022, 023)

見出番号	品 番	品 名	使用個数	備 考	標準 作業時間
1	37100-98L00	ハ ^ニ ネルアツシ, メインスイッチ	1		
2	37110-98L00	・スイッチアツシ, メイン	1		
3-1	37141-99E00	・・キー (931)	1		
3-2	37141-99E10	・・キー (932)	1		
3-3	37141-99E20	・・キー (933)	1		
3-4	37141-99E30	・・キー (934)	1		
3-5	37141-99E40	・・キー (935)	1		
3-6	37141-99E50	・・キー (936)	1		
3-7	37141-99E60	・・キー (937)	1		
3-8	37141-99E70	・・キー (938)	1		
3-9	37141-99E80	・・キー (939)	1		
3-10	37141-99E90	・・キー (940)	1		
3-11	37141-99EA0	・・キー (941)	1		
3-12	37141-99EB0	・・キー (942)	1		
4-1	37141-98L00	・・キー (931)	1		
4-2	37141-98L10	・・キー (932)	1		
4-3	37141-98L20	・・キー (933)	1		
4-4	37141-98L30	・・キー (934)	1		
4-5	37141-98L40	・・キー (935)	1		
4-6	37141-98L50	・・キー (936)	1		
4-7	37141-98L60	・・キー (937)	1		
4-8	37141-98L70	・・キー (938)	1		
4-9	37141-98L80	・・キー (939)	1		
4-10	37141-98L90	・・キー (940)	1		
4-11	37141-98LA0	・・キー (941)	1		
4-12	37141-98LB0	・・キー (942)	1		
5	37138-98L00	・カハ ^ニ ー, メインスイッチハ ^ニ ネル	1		
6	03142-05169	・スクリュ	4		
7	38500-93J90	・フ ^ニ ザ ^ニ ー, ウォーニング	1		
8	37803-98L00	ハ ^ニ ネルアツシ, エマジ ^ニ エンシスイッチ	1		
9	37820-98L00	・スイッチアツシ, エマジ ^ニ エンシ	1		
10	37823-98L01	・・フ ^ニ レートアツシ, エマジ ^ニ エンシスイッチロツク	1		
11	37832-98L00	・カハ ^ニ ー, エマジ ^ニ エンシスイッチハ ^ニ ネル	1		
12	03142-05169	・スクリュ	4		
13	37100-98L10	ハ ^ニ ネルアツシ, メインスイッチ	1		

FIG.530B





FIG. 530B (2-E-2) オプション:スイッチ (022, 023)

見出番号	品 番	品 名	使用個数	備 考	標準 作業時間
14	37110-98L00	・スイッチアツシ, メイン	1		
15-1	37141-99E00	・キー (931)	1		
15-2	37141-99E10	・キー (932)	1		
15-3	37141-99E20	・キー (933)	1		
15-4	37141-99E30	・キー (934)	1		
15-5	37141-99E40	・キー (935)	1		
15-6	37141-99E50	・キー (936)	1		
15-7	37141-99E60	・キー (937)	1		
15-8	37141-99E70	・キー (938)	1		
15-9	37141-99E80	・キー (939)	1		
15-10	37141-99E90	・キー (940)	1		
15-11	37141-99EA0	・キー (941)	1		
15-12	37141-99EB0	・キー (942)	1		
16-1	37141-98L00	・キー (931)	1		
16-2	37141-98L10	・キー (932)	1		
16-3	37141-98L20	・キー (933)	1		
16-4	37141-98L30	・キー (934)	1		
16-5	37141-98L40	・キー (935)	1		
16-6	37141-98L50	・キー (936)	1		
16-7	37141-98L60	・キー (937)	1		
16-8	37141-98L70	・キー (938)	1		
16-9	37141-98L80	・キー (939)	1		
16-10	37141-98L90	・キー (940)	1		
16-11	37141-98LA0	・キー (941)	1		
16-12	37141-98LB0	・キー (942)	1		
17	37138-98L10	・カバー, メインスイッチハ ネルハ ーチカル	1		
18	37820-98L00	・スイッチアツシ, エマシ エンシ	1		
19	37823-98L01	・ﾌﾞﾚｰﾄﾞアツシ, エマシ エンシスイッチロツク	1		
20	03142-05169	・スクリュ	4		
21	38500-93J90	・ﾌﾞ ﾂｰ, ﾜｰｵｰﾐﾝｸﾞ	1		
22	37100-98L20	ﾊﾞ ﾈﾙアツシ, メｲﾝｽｲｯﾁHORIZ	1		
23	37110-98L00	・スイッチアツシ, メイン	1		
24-1	37141-99E00	・キー (931)	1		
24-2	37141-99E10	・キー (932)	1		
24-3	37141-99E20	・キー (933)	1		

FIG.530B



DF250_000_023_530B
OPT:SWITCH

FIG. 530B (2-E-3) オプション:スイッチ (022, 023)

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
24-4	37141-99E30	・・キ (934)	1		
24-5	37141-99E40	・・キ (935)	1		
24-6	37141-99E50	・・キ (936)	1		
24-7	37141-99E60	・・キ (937)	1		
24-8	37141-99E70	・・キ (938)	1		
24-9	37141-99E80	・・キ (939)	1		
24-10	37141-99E90	・・キ (940)	1		
24-11	37141-99EA0	・・キ (941)	1		
24-12	37141-99EB0	・・キ (942)	1		
25-1	37141-98L00	・・キ (931)	1		
25-2	37141-98L10	・・キ (932)	1		
25-3	37141-98L20	・・キ (933)	1		
25-4	37141-98L30	・・キ (934)	1		
25-5	37141-98L40	・・キ (935)	1		
25-6	37141-98L50	・・キ (936)	1		
25-7	37141-98L60	・・キ (937)	1		
25-8	37141-98L70	・・キ (938)	1		
25-9	37141-98L80	・・キ (939)	1		
25-10	37141-98L90	・・キ (940)	1		
25-11	37141-98LA0	・・キ (941)	1		
25-12	37141-98LB0	・・キ (942)	1		
26	37138-98L20	・カバー, メインスイッチハ ネルHORIZ	1		
27	37820-98L00	・スイッチアツシ, エマシ エンシ	1		
28	37823-98L01	・フ レートアツシ, エマシ エンシスイッチロック	1		
29	03142-05169	・スクリュ	4		
30	38500-93J90	・フ ザー, ウォーニンク	1		
31	37100-98L30	ハ ネルアツシ, メインスイッチマルチ	1		
32	37110-98L00	・スイッチアツシ, メイン	2		
33-1	37141-99E00	・・キ (931)	2		
33-2	37141-99E10	・・キ (932)	2		
33-3	37141-99E20	・・キ (933)	2		
33-4	37141-99E30	・・キ (934)	2		
33-5	37141-99E40	・・キ (935)	2		
33-6	37141-99E50	・・キ (936)	2		
33-7	37141-99E60	・・キ (937)	2		

DF250_000_023

FIG.530B




FIG. 530B (2-E-4) オプション:スイッチ (022, 023)

見出番号	品 番	品 名	使用個数	備 考	標準 作業時間
33-8	37141-99E70	・・キ- (938)	2		
33-9	37141-99E80	・・キ- (939)	2		
33-10	37141-99E90	・・キ- (940)	2		
33-11	37141-99EA0	・・キ- (941)	2		
33-12	37141-99EB0	・・キ- (942)	2		
34-1	37141-98L00	・・キ- (931)	2		
34-2	37141-98L10	・・キ- (932)	2		
34-3	37141-98L20	・・キ- (933)	2		
34-4	37141-98L30	・・キ- (934)	2		
34-5	37141-98L40	・・キ- (935)	2		
34-6	37141-98L50	・・キ- (936)	2		
34-7	37141-98L60	・・キ- (937)	2		
34-8	37141-98L70	・・キ- (938)	2		
34-9	37141-98L80	・・キ- (939)	2		
34-10	37141-98L90	・・キ- (940)	2		
34-11	37141-98LA0	・・キ- (941)	2		
34-12	37141-98LB0	・・キ- (942)	2		
35	37138-98L30	・カハ- , メインスイッチハ- ネルマルチブ- ル	1		
36	37820-98L00	・スイッチアツシ, エマシ- エンシ	1		
37	37823-98L00	・フ- レート, エマシ- エンシスイッチロツク	1		
38	03142-05169	・スクリュ	4		
39	38500-93J90	・フ- ザ- , ウオーニツク	2		
40	37210-93J00	ハ- ネルアツシ, ライテインク- スイツチ	1		
41	37212-93J00	・ハ- ネル, ライテインク- スイツチ	1		
42	37805-88L00	ハ- ネルアツシ, PTTスイッチ	1		
43	37850-88L40	・スイツチ, PTT	1		
44	37865-88L00	・カハ- , PTTスイッチ	1		
45	03142-05169	・スクリュ	4		

FIG.541A




FIG. 541A (2-E-5) オプション:リモート コントロール アツシ デュアル (1)

見出番号	品 番	品 名	使用個数	備 考	標準 作業時間
1	67200-88L11	リモートコントロールアツシ, デュアル	1		
2	67261-88L10	・グ リップ, リモコンNO. 2	2		
3	67261-88L00	・グ リップ, リモコンNO. 1	2		
4	37850-88L10	・スイッチアツシ, グ リップ PTT (デュアル)	1		
5	67296-88L00	・スクリュ	6		
6	67288-92E20	・ワッシャ	6		
7	67212-88L10	・カバー, プ ラク (デュアル)	1		
8	68111-88L00	・エンブ レム, マーク (S)	1		
9	67257-88L00	・キヤツフ, リモコンレバ ー	2		
10	67281-88L10	・デ カール (デュアル)	1		
11	67296-92E60	・スクリュ	4		
12	67288-92E60	・ワッシャ	4		
13	67253-92E00	・ワッシャ	2		
14	67275-95600	・エンド, ケーブル	4		
15	67273-95601	・スヘ ーサ	2		
16	67271-88L10	・カバー, リモコンレバ ーロア	2		
17	67211-88L10	・カバー (デュアル)	1		
18	36890-88L00	・ワイヤアツシ, ニュートラル/PTTスイッチ	1		
19	67263-88L30	・キヤツフ, グ リップ スイツチホル	1		
20	67217-88L00	・ガ イド, ウォーターブ ルーフ	1		
21	67296-88L10	・スクリュ, ウォーターブ ルーフカ イト	2		
22	37850-88L30	・スイッチアツシ, PTTスターボ ート (デュアル)	1	STBD	
23	37850-88L20	・スイッチアツシ, PTTホ ート (デュアル)	1	PORT	
24	67264-88L00	・カバー, レバ ーデ ザ ー	2		
25	67264-88L10	・カバー, レバ ーメツキ	2		
26	67251-88L00	・レバ ー, ハンド ル	2		
27	67500-88L10	キット, リモコンスヘ ーサツイン	1		
28	09125-05135	・スクリュ (5X65)	4		
29	09160-05029	・ワッシャ (5. 5X12X0. 8)	4		
30	09140-05005	・ナツト	4		
31	67273-88L10	・グ ロメツト, リモコンデ ュアル	1		

FIG.542A




FIG. 542A (2-E-6) オプション:リモート コントロール アッシ テュアル (2)

見出番号	品 番	品 名	使用個数	備 考	標準 作業時間
1	67200-88L11	リモートコントロールアッシ, テュアル	1		
2	67222-92E00	・ﾌﾞﾚｰﾄ	2		
3	67223-92E00	・ﾌﾞﾚｰｷｱｼﾞﾞｽﾄ	2		
4	67288-92E00	・ワｯｼﾞﾔ	2		
5	67292-94300	・ｴﾘﾝｸﾞ	8		
6	67272-88L00	・ｺﾞﾑｼｰﾙ, ﾜｰﾀｰﾌﾟﾚｰﾌ	2		
7	67291-92E00	・ﾘﾝｸﾞ, ﾏﾞﾅｯﾌﾟ	2		
8	67221-92E00	・ｼﾌﾄｱｯｼ	2		
9	67224-92E00	・ﾌﾞﾚｰｷｱｰﾑｱｯｼ	2		
10	09140-06020	・ﾅｯﾄ	4		
11	37721-92E11	・ｽｲｯﾁｱｯｼ, ﻧｴｴﾄﾗﾙ	1		
12	67236-92E00	・ﾛｰﾗ	2		
13	67296-92E00	・ｽｸﾘﾕ (5X16)	4		
14	67296-92E20	・ｽｸﾘﾕ (5X25)	4		
15	67226-92E00	・ﾎﾞｰﾙﾄ, ﾏﾞｽﾄﾊﾞ ｴﾛﾝﾄ	2		
16	67226-92E10	・ﾎﾞｰﾙﾄ, ﾏﾞｽﾄﾊﾞ ｴﾘﾔ	2		
17	67240-92E00	・ｽﾛｯﾄﾙｱｰﾑｱｯｼ	2		
18	67228-92E00	・ワｯｼﾞﾔ	2		
19	67286-92E00	・ﾎﾞｰﾙﾄ (6X18)	6		
20	67230-88L00	・ｱｰﾑｱｯｼ, ﾘﾓﾝｼﾌﾄ	2		
21	09125-05042	・ｽｸﾘﾕ (5X10)	18		
22	67234-88L00	・ｹｰｽ, ﾘﾓﾝｷﾞﾔ	2		
23	67245-92E00	・ﾚﾊﾞｰｱｯｼ, ﾏﾞｯﾄﾙ	2		
24	67227-92E00	・ｽﾄｯﾊﾟ	2		
25	09126-06006	・ｽｸﾘﾕ (6X20)	4		
26	67233-92E00	・ｽﾌﾟﾘﾝｸﾞ	2		
27	67235-92E00	・ﾌﾞﾚｰﾄ, ﾏﾞﾄﾛｯｸ	2		
28	67237-92E01	・ｽﾌﾟﾘﾝｸﾞ	10		
29	67269-92E01	・ﾌﾞﾗｹｯﾄ	1		
30	67296-92E00	・ｽｸﾘﾕ (5X16)	1		
31	67238-88L00	・ｷﾞﾔ, ﾘﾓﾝﾄﾞﾗｲﾌ	2		
32	67231-88L00	・ｷﾞﾔ, ﾘﾓﾝｼﾌﾄ	2		
33	67232-88L00	・ﾌﾞﾗｯｼｬ, ﾏﾞﾄｷﾞﾔ	2		
34	67241-88L00	・ﾛｯﾄﾞ, ﾘﾓﾝﾌﾘｰｱｸｾﾙ	2		
35	67239-92E00	・ﾋﾞｰﾝ	2		

FIG.542A




FIG. 542A (2-E-7) オプション:リモート コントロール アッシ ティュアル (2)

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
36	67246-88L00	・シャフト, リモコンド ライフ	2		
37	67291-92E10	・リング, スナツフ	2		
38	67243-92E00	・キャツフ, ホール	2		
39	67252-88L00	・フ ツシユ, リモコンド ライフ シャフト	2		
40	67253-88L00	・ワツシヤ, リモコンド ライフ シャフト	2		
41	67239-92E10	・フ レート, シフトピ ン	2		
42	67274-88L10	・フ ランシ ッ, カバ ーベ ース (テ ュアル)	2		
43	67287-92E10	・ナツト	1		
44	67296-95610	・スクリュ	4		
45	67296-92E30	・スクリュ	4		
46	67296-92E80	・スクリュ	3		
47	09160-05024	・ワツシヤ (5. 5X16X1. 5)	4		
48	67287-92E00	・ナツト	4		
49	67273-88L10	・グ ロメツト, リモコンド ュアル	1		

FIG.544A




FIG. 544A (2-E-8) オプション:リモート コントロール アツシ シンク ル (1)

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
1	67200-88L01	リモートコントロールアツシ, シンク ル	1		
2	67261-88L10	・グ リツプ, リモコンNO. 2	1		
3	67261-88L00	・グ リツプ, リモコンNO. 1	1		
4	37850-88L00	・スイッチアツシ, グ リツプ PTT (シンク ル)	1		
5	67296-88L00	・スクリュ	3		
6	67288-92E20	・ワツシヤ	3		
7	67212-88L00	・カバ ー, フ ラク (シンク ル)	1		
8	68111-88L00	・エンブ レム, マーク (S)	1		
9	67257-88L00	・キヤツプ, リモコンレバ ー	1		
10	67281-88L00	・デ カール (シンク ル)	1		
11	67296-92E60	・スクリュ	2		
12	67288-92E60	・ワツシヤ	2		
13	67253-92E00	・ワツシヤ	1		
14	67275-95600	・エンド, ケーブ ル	2		
15	67273-95601	・スヘ ーサ	1		
16	67271-88L10	・カバ ー, リモコンレバ ーロア	1		
17	67211-88L00	・カバ ー (シンク ル)	1		
18	67264-88L00	・カバ ー, レバ ーデ ザイン	1		
19	67264-88L10	・カバ ー, レバ ーメツキ	1		
20	67251-88L00	・レバ ー, ハンド ル	1		
21	67500-88L00	キツト, リモコンスヘ ーサシンク ル	1		
22	09125-05135	・スクリュ (5X65)	4		
23	09160-05029	・ワツシヤ (5. 5X12X0. 8)	4		
24	09140-05005	・ナツト	4		
25	67273-88L00	・グ ロメツト, リモコンシンク ル	1		

FIG.545A




FIG. 545A (2-E-9) オプション:リモート コントロール アツシ シンｸﾞﾙ (2)

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
1	67200-88L01	リモートコントロールアツシ, シンｸﾞﾙ	1		
2	67222-92E00	・ﾌﾞﾚｰﾄ	1		
3	67223-92E00	・ﾌﾞﾚｰｷｱｼﾞﾂﾞﾔｽﾄ	1		
4	67288-92E00	・ワｯｼﾔ	1		
5	67292-94300	・ﾍﾘﾝｸﾞ	4		
6	67272-88L00	・ｺﾞﾑｼｰﾙ, ﾕｵｰﾀｰﾌﾞﾙｰﾌ	1		
7	67291-92E00	・ﾘﾝｸﾞ, ﾏｽﾀﾌﾞ	1		
8	67221-92E00	・ｼﾌﾄｱｯｼ	1		
9	67224-92E00	・ﾌﾞﾚｰｷｱｰﾑｱｯｼ	1		
10	09140-06020	・ﾅｯﾄ	2		
11	37721-88L01	・ｽｲｯﾁｱｯｼ, ﻧｴｴﾄﾗﾙ	1		
12	67236-92E00	・ﾛｰﾗ	1		
13	67296-92E00	・ｽｸﾘﾕ (5X16)	2		
14	67296-92E20	・ｽｸﾘﾕ (5X25)	2		
15	67226-92E00	・ﾎﾞﾙﾄ, ﾏｽﾄｳﾊﾞﾌﾛﾝﾄ	1		
16	67226-92E10	・ﾎﾞﾙﾄ, ﾏｽﾄｳﾊﾞﾘﾔ	1		
17	67240-92E00	・ｽﾛｯﾄﾙｱｰﾑｱｯｼ	1		
18	67228-92E00	・ワｯｼﾔ	1		
19	67286-92E00	・ﾎﾞﾙﾄ (6X18)	3		
20	67230-88L00	・ｱｰﾑｱｯｼ, ﾚﾓｺﾝｼﾌﾄ	1		
21	09125-05042	・ｽｸﾘﾕ (5X10)	10		
22	67234-88L00	・ｹｰｽ, ﾚﾓｺﾝｷﾞﾔ	1		
23	67245-92E00	・ﾚﾊﾞｰｱｯｼ, ﾏｽﾄｳﾄﾙ	1		
24	67227-92E00	・ｽﾄｳﾊﾞ	1		
25	09126-06006	・ｽｸﾘﾕ (6X20)	2		
26	67233-92E00	・ｽﾌﾞﾘﾝｸﾞ	1		
27	67235-92E00	・ﾌﾞﾚｰﾄ, ﾏﾌﾄﾛｯｸ	1		
28	67237-92E01	・ｽﾌﾞﾘﾝｸﾞ	5		
29	67269-92E01	・ﾌﾞﾗｹｯﾄ	1		
30	67296-92E00	・ｽｸﾘﾕ (5X16)	1		
31	67238-88L00	・ｷﾞﾔ, ﾚﾓｺﾝﾄﾞﾗｲﾌ	1		
32	67231-88L00	・ｷﾞﾔ, ﾚﾓｺﾝｼﾌﾄ	1		
33	67232-88L00	・ﾌﾞｯｼｭ, ﾏﾌﾄｷﾞﾔ	1		
34	67241-88L00	・ﾛｯﾄﾞ, ﾚﾓｺﾝﾌﾘｰｱｸｾﾙ	1		
35	67239-92E00	・ﾋﾞｰﾝ	1		

FIG.545A




FIG. 545A (2-E-10) オプション:リモート コントロール アツシ シンｸﾞﾙ (2)

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
36	67246-88L00	・シャフト, リモコンﾄﾞ ラｲﾌﾞ	1		
37	67291-92E10	・ﾘﾝｸﾞ, スﾅｯﾌﾟ	1		
38	67243-92E00	・ｷｬｯﾌﾟ, ﾎｰﾙ	1		
39	67252-88L00	・ﾌﾞ ﾂｼｭ, リモコンﾄﾞ ラｲﾌﾞ ﾂﾔﾌﾄ	1		
40	67253-88L00	・ﾜｯｼﾔ, リモコンﾄﾞ ラｲﾌﾞ ﾂﾔﾌﾄ	1		
41	67239-92E10	・ﾌﾞ ﾚｰﾄ, ﾂﾌﾄﾋﾞﾝ	1		
42	67274-88L00	・ﾌﾗﾝｼﾝ, ｶﾊﾞｰﾍﾞｰｽ (ｼﾝｸﾞﾙ)	2		
43	67296-95610	・ｽｸﾘﾕ	4		
44	67296-92E30	・ｽｸﾘﾕ	4		
45	09160-05024	・ﾜｯｼﾔ (5. 5X16X1. 5)	4		
46	67287-92E00	・ﾅｯﾄ	4		
47	67273-88L00	・ｸﾞﾛﾓﾂﾄ, リモコンｼﾝｸﾞﾙ	1		

FIG.585A




FIG. 585A (2-E-11) オプション:ガasket セット (DF200T, DF225T, DF250T)

見出番号	品番	品名	使用個数	備考	標準作業時間
1	11410-93872	ガasketセット	1		
2	11141-93J10	・ガasket, シリンダヘッドスターホート	1	STBD	
3	11142-93J10	・ガasket, シリンダヘッドホート	1	PORT	
4	11179-93J00	・ガasket, シリンダヘッドカバースターホート	1	STBD	
5	11189-93J00	・ガasket, シリンダヘッドカバーホート	1	PORT	
6	11332-93J00	・ガasket, クランクケースウォーターポンプヤケツカバ	1	CRANKCASE WTR JKT COVER	
7	13119-93J00	・ガasket, インテークマニホールド	2		
8	14151-93J00	・ガasket, エキゾーストカバ(スターホート)	1	STBD	
9	14152-93J00	・ガasket, エキゾーストカバ(ホート)	1	PORT	
10	11272-93J00	・ガasket, シリンダブロックロッキングプレート	1		
11	11489-93J00	・ガasket, オイルパン	1		
12	14212-93J00	・ガasket, エキゾーストチューブ	1		
13	51123-93J01	・ガasket, マウントオイルシールカバ	1		
14	51142-93J00	・ガasket, エンジンホルダカバ	1		
15	51211-93J00	・ガasket, エンジンホルダ	1		

FIG.585B




FIG. 585B (2-E-12) オプション:ガasket セット (DF275ST)

見出番号	品 番	品 名	使用個数	備 考	標準 作業時間
1-1	11410-98831	ガasketセット	1	020, 021, 022	
1-2	11410-98850	ガasketセット	1	023	
2	11141-98J10	・ガasket, シリンダヘッドスターボート	1	STBD	
3	11142-98J10	・ガasket, シリンダヘッドホート	1	PORT	
4	11179-93J00	・ガasket, シリンダヘッドカバースターボート	1	STBD	
5	11189-93J00	・ガasket, シリンダヘッドカバーホート	1	PORT	
6	11332-93J00	・ガasket, クランクケースウオタジヤケットカバー	1	CRANKCASE WTR JKT COVER	
7-1	13119-98J00	・ガasket, インテークマニホールド	2	020, 021, 022	
7-2	13119-93J00	・ガasket, インテークマニホールド	2	023	
8	14151-93J00	・ガasket, エキゾーストカバー(スターボート)	1	STBD	
9	14152-93J00	・ガasket, エキゾーストカバー(ホート)	1	PORT	
10	17472-98J00	・ガasket, ホンフケースパネル	1		
11	11272-93J00	・ガasket, シリンダブロックプレート	1		
12	11489-93J00	・ガasket, オイルパシ	1		
13	14212-93J00	・ガasket, エキゾーストチューブ	1		
14	51123-93J01	・ガasket, マウントオイルシールカバー	1		
15	51142-93J00	・ガasket, エンジンホルダカバー	1		
16	51211-93J00	・ガasket, エンジンホルダ	1		

FIG.601A




FIG. 601A (2-E-13) オプション:マルチ ファンクション ゲージ (1) (020, 021)

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
1	34000-96L46	キット, シンクルゲージメカニカル	1		
2	34011-96L16	ゲージセット, マルチ(W/INSTRUCTION)	1		
3	34112-96L00	ナット, ゲージ	1		
4	34193-96L00	ベッセル, ゲージ	1		
5	34211-96L00	カバー, ゲージ	1		
6	34825-96L00	バウキング, ゲージ	1		
7	36661-96L30	アダプタ, ゲージ	1		
8	36615-96300	ターミナル	5		
9	34000-96L56	キット, デュアルゲージメカニカル	1		
10	34011-96L16	ゲージセット, マルチ(W/INSTRUCTION)	2		
11	34112-96L00	ナット, ゲージ	2		
12	34193-96L00	ベッセル, ゲージ	2		
13	34211-96L00	カバー, ゲージ	2		
14	34825-96L00	バウキング, ゲージ	2		
15	36661-96L30	アダプタ, ゲージ	2		
16	36615-96300	ターミナル	10		
17	36662-88L10	ワイヤ, 2エクステンション	2		
18	36663-88L00	ハーネスアツシ, ネットワークハー	1		
19	36664-88L00	コネクタ, プラン	2		
20	36665-87L10	アダプタ, ゲージフォーマルチ	1		
21	36665-88L00	ユニット, レジスタヒール	1		
22	36665-88L10	ユニット, レジスタヒール	1		

FIG.601B




FIG. 601B (2-E-14) オプション:マルチ ファンクション ゲージ (1) (022, 023)

見出番号	品 番	品 名	使用個数	備 考	標準 作業時間
1	34011-96L42	ゲージ セット, マルチ (W/ INSTRUCTION)	1		
2	34112-96L00	・ナット, ゲージ	1		
3	34193-96L00	・ベゼル, ゲージ	1		
4	34211-96L00	・カバー, ゲージ	1		
5	34825-96L00	・ハブ, ケーブル, ゲージ	1		
6	36661-96L30	アダプタ, ゲージ	1		
7	36615-96300	・ターミナル	5		
8	36661-96L30	アダプタ, ゲージ	1		
9	36615-96300	・ターミナル	5		
10	36662-88L10	ワイヤ, 2エクステンション	1		
11	36663-88L00	ハーネスアツシ, ネットワークハー	1		
12	36664-88L00	コネクタ, プランチ	1		
13	36665-87L10	アダプタ, ゲージ フォーマルチ	1		
14	36665-88L00	ユニット, レジスタメール	1		
15	36665-88L10	ユニット, レジスタメール	1		
16	36667-96L11	ワイヤ, テュアルゲージ アダプタ	1		

FIG.602A




FIG. 602A (2-E-15) オプション:マルチ ファンクション ケーシ (2)

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
1	36001-88L00	セット, ワイヤ	1		
2	36662-88L10	・ワイヤ, 2エクステンション	1		
3	36663-88L00	・ハーネスアツシ, ネットワークハ°ワー	1		
4	36664-88L00	・コネクタ, プ°ランチ	1		
5	36665-88L00	・ユニット, レシ°スタヒ°メール	1		
6	36665-88L10	・ユニット, レシ°スタメール	1		
7	34190-88L00	センサアツシ, ハ°ツド°ホイール	1		
8	36662-88L10	ワイヤ, 2エクステンション	1		
9	36662-88L20	ワイヤ, 6エクステンション	1		
10	36662-88L30	ワイヤ, 15エクステンション	1		
11	36662-88L00	ワイヤ, 25エクステンション	1		
12	39950-88L02	モジ°ユールアツシ, GPSレシ°ハ°	1		
13	36663-88L00	ハーネスアツシ, ネットワークハ°ワー	1		
14	36665-88L00	ユニット, レシ°スタヒ°メール	1		
15	36665-88L10	ユニット, レシ°スタメール	1		
16	36664-88L00	コネクタ, プ°ランチ	1		
17	36667-96L20	ワイヤ, ケ°シ°エクステンション	1		
18	36990-87D00	ターミナル, スリーフ°セット	1		