

ま え が き

このパーツカタログは、スズキ船外機 DF300AP/250AP 型の補給取扱い部品を収録してあります。

DF300AP				
機 種 記 号	型 式	トランサム	色	実 施 号 機
DF300AP_020	30002P	L, X, XX	YAY, Y5S	30002P-040001 ～
DF300AP_021			YAY, QTN	30002P-140001 ～
DF300AP_022			YAY, QTN	30002P-240001 ～
DF300AP_023			YAY, QTN	30002P-340001 ～

DF250AP				
機 種 記 号	型 式	トランサム	色	実 施 号 機
DF250AP_020	25003P	X, XX	YAY, Y5S	25003P-040001 ～
DF250AP_021			YAY, QTN	25003P-140001 ～
DF250AP_022			YAY, QTN	25003P-240001 ～
DF250AP_023			YAY, QTN	25003P-340001 ～

パーツカタログのご使用について

1. 記号および略語

1ー1. サイズ等

A	：用品	L	：長さ、リンク数、容積	US	：アンダサイズ
AR	：必要量	NT	：歯 数	W	：巾
D	：線 径	OD	：外 径	W/	：同時使用
E.NO.	：エンジン番号	OPT	：オプション	#	：直送品
F.NO.	：フレーム番号	OS	：オーバーサイズ	*	：直売品
H	：高 さ	STD	：スタンダード	～	：より、から
ID	：内 径	T	：厚 さ		
12X34X5	：内径X外径X厚さ（巾、長さ）				

1ー2. メーカー名

CHKK	：中央発条	NGK	：日本特殊陶業
DID	：大同工業	NHK	：日本発条
DK	：大金製作所	RK	：高砂チェン
FB	：古河電池	TEN	：富士通デン
IRC	：井上護謨工業	TR	：東海理化電機製作所
KYB	：萱場工業	YB	：湯浅電池
NABCO	：日本エアブレーキ		

1ー3. 構成部品の表示

品 番	品 名
××××××－××××××	○○○アッシ
××××××－××××××	・○○○○
××××××－××××××	・○○○○
	└─ 構成部品（インナパーツ）を示します。

1-4. 部品変更

備考欄の品番の前の→印は変更部品相互の互換性を表示します。

←○○○○○-○○○○○……「～より統一」を示し、旧 → 新です。

→○○○○○-○○○○○……「～に統一」を示し、旧 ← 新です。

1-5. 修正使用

ホース、チューブ等で寸法表示の→印は修正使用を表示します。

(例) L: 200 →180……200 を 180 に修正して使用します。

2. 部品変更のお知らせ

部品が新設または変更となった場合、サービス・部品ニュース、統一部品一覧表などでご案内いたします。

販売店様によっては、弊社代理店にお問い合わせください。

3. 部品の注文

部品ご注文の場合は、このパーツカタログをご参照の上、次の点にご留意され、正確にご注文ください。

- 3-1. 品番、品名および数量
- 3-2. フレーム番号およびエンジン番号と型式番号
- 3-3. 部品メーカー（電装部品、保安部品など）

注※ 分解図は、補給部品索引のためのものです。分解、組み立てには使用しないでください。

※ 補給部品の中で車種間の共通化により、一部生産車の部品と異なる場合があります。

あらかじめご了承ください。

※ 記載事項は予告なく変更することがあります。あらかじめご了承ください。


I.D プレートの説明

I.D プレートには下記の項目が刻印されています。


より正確な部品発注のため① 機種名、② 型式、③ 製造番号 (号機) をご確認ください。

I.D プレートはクランプブラケットに取り付けられています。

パターン 1



パターン 2




① 機種名を示します。 (例) DF140ATX

② 型式を示します。 (例) 14003F


③ 製造番号 (号機) を示します。 (例) 910001

FIG.111A




OPPOSH, 0402, 1114
CYLINDERHEAD

FIG.113A




OPPOSH, 0402, 1134
CYLINDERBLOCK

FIG.116A




OPPOSH, 0402, 1164
CRANKSHAFT

FIG.119A




OPPOSH, 0402, 1194
TRANSMISSION

FIG.121A




OPPOSH, 0402, 1214
CRANKSHAFT

FIG.121B




OPPOSH, 0402, 121B
CRANKSHAFT

FIG.121C




OPPOSH, 0402, 121C
CRANKSHAFT

FIG.121D




OPPOSH, 0402, 121D
CRANKSHAFT

FIG.122A




OPTIONAL PART SET 122A
WATER PUMP SET

FIG.136A




OPTIONAL PART SET 136A
WATER PUMP SET

FIG.140A




OPTIONAL PART SET 140A
WATER PUMP SET

FIG.144A




OPTIONAL PART SET 144A
FUEL PUMP SET

FIG.147A




OPTIONAL PART SET 147A
FUEL PUMP SET

FIG.147B




OPTIONAL PART SET 147B
FUEL PUMP SET

FIG.160A




OPTIONAL PART SET 160A
WATER PUMP

FIG.160B




OPTIONAL PART SET 160B
WATER PUMP

FIG.160C




OPTIONAL GEAR SET, 1800
WATERPUMP

FIG.160D




OPTIONAL GEAR SET, 1800
WATERPUMP

FIG.162A




OPTIONAL GEAR SET, 1800
PHEASANT

FIG.163A




OPTIONAL GEAR SET, 1800
PIROUETTE

FIG.175A




OPTIONAL GEAR SET, 1750
OE PUMP

FIG.180A




OPTIONAL GEAR SET, 1800
OE PUMP

FIG.204A




OPTIONAL GEAR SET, 2000
CLUTCHSHAFT

FIG.204B




OPTIONAL GEAR SET, 2000
CLUTCHSHAFT

FIG.206A




OPPOH, GAO, ZSE, 206A
CELL PHONE

FIG.206B




OPPOH, GAO, ZSE, 206B
CELL PHONE

FIG.220A




OPPOH, GAO, ZSE, 220A
TRAFFIC LIGHT

FIG.220B




OPPOH, GAO, ZSE, 220B
TRAFFIC LIGHT

FIG.220C




OPPOH, GAO, ZSE, 220C
TRAFFIC LIGHT

FIG.220D




OPPOH, GAO, ZSE, 220D
TRAFFIC LIGHT

FIG.301A




OPPOH, GAO, ZSE, 301A
STARTING MOTOR

FIG.303A




OPPOH, GAO, ZSE, 303A
MOTOR

FIG.310A




OPTIONAL AWD, 0221_310A
REC POSITIONING COIL

FIG.315A




OPTIONAL AWD, 0221_315A
DEVELOP

FIG.315B




OPTIONAL AWD, 0221_315B
DEVELOP

FIG.322A




OPTIONAL AWD, 0221_322A
HARVEST

FIG.326A




OPTIONAL AWD, 0221_326A
PITCH/ROLLING CONTROL UNIT

FIG.326B




OPTIONAL AWD, 0221_326B
PITCH/ROLLING CONTROL UNIT

FIG.331A




OPTIONAL AWD, 0221_331A
KEYLESSSTART

FIG.331B




OPTIONAL AWD, 0221_331B
KEYLESSSTART

FIG.335A




OPTIONAL PART 335A
CLAMP BRACKET

FIG.335B




OPTIONAL PART 335B
CLAMP BRACKET

FIG.336A




OPTIONAL PART 336A
SHOCK BRACKET

FIG.336B




OPTIONAL PART 336B
SHOCK BRACKET

FIG.337A




OPTIONAL PART 337A
FRAM CYLINDER

FIG.337B




OPTIONAL PART 337B
FRAM CYLINDER

FIG.337C




OPTIONAL PART 337C
FRAM CYLINDER

FIG.340A




OPTIONAL PART 340A
PIT MOTOR

FIG.340B




OPTIONAL PARTS LIST 4018
PARTS LIST 4018

FIG.401A




OPTIONAL PARTS LIST 4014
PARTS LIST 4014

FIG.401B




OPTIONAL PARTS LIST 4018
PARTS LIST 4018

FIG.405A




OPTIONAL PARTS LIST 4054
PARTS LIST 4054

FIG.405B




OPTIONAL PARTS LIST 4058
PARTS LIST 4058

FIG.405C




OPTIONAL PARTS LIST 405C
PARTS LIST 405C

FIG.407A




OPTIONAL PARTS LIST 4074
PARTS LIST 4074

FIG.407B




OPTIONAL PARTS LIST 4078
PARTS LIST 4078

FIG.410A




OPTIONAL PART, 4104
ENGINE COVER

FIG.410B




OPTIONAL PART, 4108
ENGINE COVER

FIG.420A




OPTIONAL PART, 4204
ENGINE COVER

FIG.420B




OPTIONAL PART, 4208
ENGINE COVER

FIG.420C




OPTIONAL PART, 4204
ENGINE COVER

FIG.420D




OPTIONAL PART, 4208
ENGINE COVER

FIG.430A




OPTIONAL PART, 4304
FUEL INLET

FIG.520A




OPTIONAL PART, 5204
OPTICAL LAMP/FLAME FRETWORK

FIG.520B




OPTIONAL AUC. SET. S310P
OPT. FELLOW FACILITY REPAIR KIT

FIG.522A




OPTIONAL AUC. SET. S310H
OPT. FELLOW FACILITY REPAIR KIT

FIG.522B




OPTIONAL AUC. SET. S310P
OPT. FELLOW FACILITY REPAIR KIT

FIG.523A




OPTIONAL AUC. SET. S310H
OPT. FELLOW FACILITY REPAIR KIT

FIG.523B




OPTIONAL AUC. SET. S310P
OPT. FELLOW FACILITY REPAIR KIT

FIG.530A




OPTIONAL AUC. SET. S310H
OPT. SWITCH

FIG.530B




OPTIONAL AUC. SET. S310P
OPT. SWITCH

FIG.535A




OPTIONAL AUC. SET. S310H
OPT. KEY LESS SYSTEM

FIG.535B




OPTIONAL BATTERY
OPTIONAL BATTERY SYSTEM

FIG.540A




OPTIONAL BATTERY SYSTEM
OPTIONAL BATTERY SYSTEM

FIG.540B




OPTIONAL BATTERY SYSTEM
OPTIONAL BATTERY SYSTEM

FIG.543A




OPTIONAL BATTERY SYSTEM
OPTIONAL BATTERY SYSTEM

FIG.543B




OPTIONAL BATTERY SYSTEM
OPTIONAL BATTERY SYSTEM

FIG.585A




OPTIONAL BATTERY SYSTEM
OPTIONAL BATTERY SYSTEM

FIG.601A




OPTIONAL BATTERY SYSTEM
OPTIONAL BATTERY SYSTEM

FIG.601B




OPTIONAL BATTERY SYSTEM
OPTIONAL BATTERY SYSTEM

FIG. 602A



OPTIONAL: 400, 402, 404
OPTIONAL: FUNCTION GAUGE (3)

FIG. 602B



OPTIONAL: 400, 402, 404
OPTIONAL: FUNCTION GAUGE (3)

FIG.111A




FIG. 111A (1-B-2) シリンダヘッド

見出番号	品番	品名	使用個数	備考	標準作業時間
1-1	11101-98J04	ヘッドアツシ, シリンダスターボート	1	020, 021 STBD	
1-2	11101-98J10	ヘッドアツシ, シリンダスターボート	1	022, 023 STBD	
2-1	11128-90J00	ボルト, カムシャフトハウジング (6X39)	16	020, 021	
2-2	09103-06266	ボルト (6X40)	16	022, 023	
3	09206-08001	ピン (8X11)	14		
4	01550-06207	ボルト	4		
5-1	11103-98J04	ヘッドアツシ, シリンダボート	1	020, 021 PORT	
5-2	11103-98J10	ヘッドアツシ, シリンダボート	1	022, 023 PORT	
6-1	11128-90J00	ボルト, カムシャフトハウジング (6X39)	16	020, 021	
6-2	09103-06266	ボルト (6X40)	16	022, 023	
7	09206-08001	ピン (8X11)	14		
8	01550-06207	ボルト	2		
9	11116-93J01	ブラグ	4		
10	11141-98J10	ガスケット, シリンダヘッドスターボート	1	STBD	
11	11142-98J10	ガスケット, シリンダヘッドボート	1	PORT	
12	11216-98L10	ガスケット	4		
13	11261-93J00	カバー, プロテクションアノード	4		
14	09280-22019	リング (D:1.9, ID:21.8)	4		
15	55321-87J01	アノード, プロテクション	4		
16	09103-06281	ボルト (6X14)	4		
17-1	01550-08207	ボルト	4	020, 021	
17-2	01550-0820C	ボルト	4	022, 023	
18	01550-08607	ボルト	5		
19	01550-08607	ボルト	4		
20	09206-14004	ピン (14X11, 4X23)	4		
21	11170-93J01	カバー, シリンダヘッドスターボート	1	STBD	
22	11180-98J01	カバー, シリンダヘッドボート	1	PORT	
23	11173-93J00	プレート, プリザスターボート	1	STBD	
24	11183-93J00	プレート, プリザボート	1	PORT	
25	11179-93J00	ガスケット, シリンダヘッドカバースターボート	1	STBD	
26	11189-93J00	ガスケット, シリンダヘッドカバーボート	1	PORT	

FIG.111A





FIG. 111A (1-B-3) シリンダヘッド

見出番号	品番	品名	使用個数	備考	標準作業時間
27	09206-08001	ピン(8X11)	1		
28	02112-0612A	スクリュー	14		
29-1	01547-06257	ホルト	16	020, 021	
29-2	01547-0625C	ホルト	16	022, 023	
30-1	01547-06507	ホルト	6	020, 021	
30-2	01547-0650C	ホルト	6	022, 023	
31	11382-93J00	キャップ, オイルワイ	1		
32	09280-26006	リング (D:3. 1, ID:26. 4)	1		
33	#09482-00427	スパークプラグ (NGK, BKR6E)	6	NGK	
34	11291-93J00	フック, エンジン	2		
35-1	01550-08207	ホルト	4	020, 021	
35-2	01550-0820C	ホルト	4	022, 023	
36	11115-93J10-001	ガイド, バルブ (OS)	24	オブション	
37	11291-98J00	フック, エンジン	1	オブション	

FIG.113A



DF300A_000_023_113A
CYLINDER BLOCK

FIG.113A (1-B-4) シリンダブロック

見出番号	品番	品名	使用個数	備考	標準作業時間
1	11293-98J00	フック, エンジンフロント	1		
2-1	01550-08207	ボルト	2	020, 021	
2-2	01550-0820C	ボルト	2	022, 023	
3	11301-98J40	ブロックセット, シリンダ	1		
4	11112-93J00	プラグ, オイルベント	2		
5	11117-93J10	ボルト, クランクケース	12		
6	11117-98J10	ボルト, クランクケーススタッド	4		
7	11119-93J00	ボルト, シリンダヘッド	16		
8	11216-98L00	ガスケット, M26プラグ	3		
9	09248-26001	プラグ (M26)	3		
10	09160-18031	ワッシャ (18.5X28X2.6)	2		
11	09248-18006	プラグ (18X8)	2		
12	09159-10116	ナット	4		
13	09206-13019	ピン (10.4X13X16)	5		
14	16700-93J00	バルブ, ピンストン	1		
15	09280-10009	リング (D:1.3, ID:9.8)	1		
16	09280-10015	リング (D:1.9, ID:9.8)	1		
17	07130-0616A	ボルト	1		
18	07130-0510A	ボルト	6		
19	11390-98J00	ピン, ピンストン	6		
20	09280-06005	リング (D:1.9, ID:5.7)	6		
21	09246-04009	プラグ	1		
22	11330-93J01	カバー, クランクケース	1		
23	11332-93J00	ガスケット, クランクケース	1		
24-1	01550-06207	ボルト	12	020, 021	
24-2	01550-0620C	ボルト	12	022, 023	
25	16430-93J00	カバー, オイル	1		
26	16431-93J00	プレート, オイル	1		
27	16433-93J00	ガスケット, オイル	2		
28	01550-0835A	ボルト	9		
29-1	01550-08457	ボルト	8	020, 021	
29-2	01550-0845C	ボルト	8	022, 023	
30	16510-96J10	フィルタ	1		

DF300A_000_023

FIG.116A




FIG.116A (1-B-5) クランクシャフト

見出番号	品番	品名	使用個数	備考	標準作業時間
1	12111-98J00-0B0	ピストン	6		
2	12140-98J00	リングセット、ピストン	6		
3	12151-02F00	ピン、ピストン	6		
4	09381-22010	スナッブリング	12		
5	12160-98J00	コネクチングロッドアッシ	6		
6-1	12100-98810-0A0	ベアリングセット、コネクチングロッド	6	グリーン	
6-2	12100-98810-025	ベアリングセット、コネクチングロッド US0.25	6	オフション	
7	12220-98J00	クランクシャフト	1		
8-1	12340-98J00-0A0	ベアリングセット、カラー：ブルーラック	4	ブルーラック	
8-2	12340-98J00-0B0	ベアリングセット、カラー：ナシ	4	NON	
8-3	12340-98J00-0C0	ベアリングセット、カラー：イエロー	4	イエロー	
8-4	12340-98J00-0D0	ベアリングセット、カラー：ブルー	4	ブルー	
8-5	12340-98J00-0E0	ベアリングセット、カラー：ピンク	4	PINK	
8-6	12300-98810-0AA	ベアリングセット、クランクシャフト(アンダサイズ)	4	OPT, RED/BLACK	
8-7	12300-98810-0BA	ベアリングセット、クランクシャフト(アンダサイズ)	4	OPT, RED	
8-8	12300-98810-0CA	ベアリングセット、クランクシャフト(アンダサイズ)	4	OPT, RED/YELLOW	
8-9	12300-98810-0DA	ベアリングセット、クランクシャフト(アンダサイズ)	4	OPT, RED/BLUE	
8-10	12300-98810-0EA	ベアリングセット、クランクシャフト(アンダサイズ)	4	OPT, RED/PINK	
9-1	12300-98821	ベアリングセット、クランクスラスト	1		
9-2	12300-98821-012	ベアリングセット、クランクスラスト	1	オフション	
10	12242-98J00	ギヤ、ドライブ	1		
11	09160-10104	ワッシャ(10.5X50X3.2)	1		
12	01550-1025A	ホルト	1		
13	09283-91001	オイルシール	1		
14	12100-98J00-050	ピストンセット(OS:0.5)	6	オフション	
15	12140-98J00-050	・リングセット、ピストン(OS:0.50)	6	オフション	

FIG.119A




FIG.119A (1-B-6) タイミングチェーン

見出番号	品番	品名	使用個数	備考	標準作業時間
1	12730-98J02	ギヤ, トリフン	1		
2	09262-40021	ベアリング (40X80X18)	1	ロア	
3	09262-40017	ベアリング (40X80X18)	1	アッパー	
4	09283-32044	オイルシール	1		
5	12734-93J00	ホルダ, トリフンギヤ	1		
6	09280-70012	Oリング (D: 5.7)	1		
7	01550-0855A	ホルト	4		
8	12761-93J00	チェーン, タイミング ファースト	1		
9	12762-93J00	チェーン, タイミング セカンド	2		
10	12770-93J00	ベース, T/Cガイド NO. 1	1		
11	12778-93J00	ガイドスロット, タイミングチェーンガイド ベース	1		
12	04211-13149	ピン	2		
13	01550-0830A	ホルト	2		
14	12771-93J00	シユール, タイミングチェーンアツパ	1		
15	12775-93J00	シユール, タイミングチェーンロア	1		
16	12772-93J00	ガイド, タイミングチェーン NO. 2	1		
17	01550-0830A	ホルト	2		
18	12810-93J00	テンションアツジ, タイミングチェーン	1		
19	12813-73G00	バット, タイミングチェーンテンション	1		
20	12812-90J00	スベーサ, タイミングチェーンテンション	1		
21	01550-0830A	ホルト	1		
22	12831-93J01	アシヤスタアツジ, テンション NO. 1	1		
23	12832-93J00	テンションアツジ, スターホート	1	STBD	
24	12833-93J00	テンションアツジ, ホート	1	PORT	
25	01550-0620A	ホルト	2		
26	01550-0620A	ホルト	4		

FIG.121A




FIG. 121A (1-B-7) カムシャフト (DF300A: (020, 021))

見出番号	品番	品名	使用個数	備考	標準作業時間
1	12701-98J10	カムシャフト, インテークスターボート	1	STBD	
2	12705-98J10	カムシャフト, インテークボート	1	PORT	
3	12721-98J10	カムシャフト, エキゾーストスターボート	1	STBD	
4	12729-98J20	カムシャフト, エキゾーストボート	1	PORT	
5	12740-93J00	スプリングロケット, カムタイミング	2		
6	12748-93J00	スプリングロケット, カムシャフト	2		
7	12753-93J00	ボルト, インテークカムシャフト	2		
8	12749-93J00	ボルト, カムシャフト	2		
9	09202-05032	ピン (5X12)	3		
10	09261-05006	ピン (5X18)	1		
11	16550-93J00	パルプ, オイルコントロール	2		
12	16555-93J01	ガスケット, オイルコントロールパルプ	2		
13	01550-06257	ボルト	8		
14	12891-93J10	タペット	24		
15-1	12892-93J10-218	シム, タペット (T: 2. 175)	AR		
15-2	12892-93J10-220	シム, タペット (T: 2. 200)	AR		
15-3	12892-93J10-223	シム, タペット (T: 2. 225)	AR		
15-4	12892-93J10-225	シム, タペット (T: 2. 250)	AR		
15-5	12892-93J10-228	シム, タペット (T: 2. 275)	AR		
15-6	12892-93J10-230	シム, タペット (T: 2. 300)	AR		
15-7	12892-93J10-233	シム, タペット (T: 2. 325)	AR		
15-8	12892-93J10-235	シム, タペット (T: 2. 350)	AR		
15-9	12892-93J10-238	シム, タペット (T: 2. 375)	AR		
15-10	12892-93J10-240	シム, タペット (T: 2. 400)	AR		
15-11	12892-93J10-243	シム, タペット (T: 2. 425)	AR		
15-12	12892-93J10-245	シム, タペット (T: 2. 450)	AR		
15-13	12892-93J10-248	シム, タペット (T: 2. 475)	AR		
15-14	12892-93J10-250	シム, タペット (T: 2. 500)	AR		
15-15	12892-93J10-253	シム, タペット (T: 2. 525)	AR		
15-16	12892-93J10-255	シム, タペット (T: 2. 550)	AR		
15-17	12892-93J10-258	シム, タペット (T: 2. 575)	AR		
15-18	12892-93J10-260	シム, タペット (T: 2. 600)	AR		
15-19	12892-93J10-263	シム, タペット (T: 2. 625)	AR		
15-20	12892-93J10-265	シム, タペット (T: 2. 650)	AR		
15-21	12892-93J10-268	シム, タペット (T: 2. 675)	AR		

FIG.121A




FIG. 121A (1-B-8) カムシャフト (DF300A: (020, 021))

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
15-22	12892-93J10-270	シム, タハ° ット (T: 2. 700)	AR		
15-23	12892-93J10-273	シム, タハ° ット (T: 2. 725)	AR		
15-24	12892-93J10-275	シム, タハ° ット (T: 2. 750)	AR		
15-25	12892-93J10-278	シム, タハ° ット (T: 2. 775)	AR		
15-26	12892-93J10-280	シム, タハ° ット (T: 2. 800)	AR		
15-27	12892-93J10-283	シム, タハ° ット (T: 2. 825)	AR		
15-28	12892-93J10-285	シム, タハ° ット (T: 2. 850)	AR		
15-29	12892-93J10-288	シム, タハ° ット (T: 2. 875)	AR		
15-30	12892-93J10-290	シム, タハ° ット (T: 2. 900)	AR		
15-31	12892-93J10-293	シム, タハ° ット (T: 2. 925)	AR		
15-32	12892-93J10-295	シム, タハ° ット (T: 2. 950)	AR		
15-33	12892-93J10-298	シム, タハ° ット (T: 2. 975)	AR		
15-34	12892-93J10-300	シム, タハ° ット (T: 3. 000)	AR		
16	12911-98J00	バ° ルフ°, インターク	12		
17	12915-93J60	バ° ルフ°, エキゾ° スト	12		
18	12921-93J11	スプ° リング°, バ° ルフ°	24		
19	12931-78G00	リテーナ, バ° ルフ° スプ° リング°	24		
20	12932-24400	コツタ, バ° ルフ°	48		
21	12933-69G10	シート, バ° ルフ° スプ° リング°	24		
22	09289-05012	オイルシール (5. 5X11. 5X9. 3)	24		

FIG.121B




FIG.121B (1-B-9) カムシャフト (DF300A: (022, 023))

見出番号	品番	品名	使用個数	備考	標準作業時間
1	12701-98J10	カムシャフト, インテークスターボート	1	STBD	
2	12705-98J10	カムシャフト, インテークボート	1	PORT	
3	12721-98J10	カムシャフト, エキゾーストスターボート	1	STBD	
4	12729-98J20	カムシャフト, エキゾーストボート	1	PORT	
5	12740-93J00	スプリングロケット, カムタイミング	2		
6	12748-93J00	スプリングロケット, カムシャフト	2		
7	12753-93J00	ボルト, インテークカムシャフト	2		
8	12749-93J00	ボルト, カムシャフト	2		
9	09202-05032	ピン (5X12)	3		
10	09261-05006	ピン (5X18)	1		
11	16550-93J00	バルブ, オイルコントロール	2		
12	16555-93J01	ガスケット, オイルコントロールバルブ	2		
13	01550-0625C	ボルト	8		
14	12891-93J10	タペット	24		
15-1	12892-93J10-218	シム, タペット (T:2.175)	AR		
15-2	12892-93J10-220	シム, タペット (T:2.200)	AR		
15-3	12892-93J10-223	シム, タペット (T:2.225)	AR		
15-4	12892-93J10-225	シム, タペット (T:2.250)	AR		
15-5	12892-93J10-228	シム, タペット (T:2.275)	AR		
15-6	12892-93J10-230	シム, タペット (T:2.300)	AR		
15-7	12892-93J10-233	シム, タペット (T:2.325)	AR		
15-8	12892-93J10-235	シム, タペット (T:2.350)	AR		
15-9	12892-93J10-238	シム, タペット (T:2.375)	AR		
15-10	12892-93J10-240	シム, タペット (T:2.400)	AR		
15-11	12892-93J10-243	シム, タペット (T:2.425)	AR		
15-12	12892-93J10-245	シム, タペット (T:2.450)	AR		
15-13	12892-93J10-248	シム, タペット (T:2.475)	AR		
15-14	12892-93J10-250	シム, タペット (T:2.500)	AR		
15-15	12892-93J10-253	シム, タペット (T:2.525)	AR		
15-16	12892-93J10-255	シム, タペット (T:2.550)	AR		
15-17	12892-93J10-258	シム, タペット (T:2.575)	AR		
15-18	12892-93J10-260	シム, タペット (T:2.600)	AR		
15-19	12892-93J10-263	シム, タペット (T:2.625)	AR		
15-20	12892-93J10-265	シム, タペット (T:2.650)	AR		
15-21	12892-93J10-268	シム, タペット (T:2.675)	AR		

FIG.121B




FIG. 121B (1-B-10) カムシャフト (DF300A: (022, 023))

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
15-22	12892-93J10-270	シム, タハ° ット (T: 2. 700)	AR		
15-23	12892-93J10-273	シム, タハ° ット (T: 2. 725)	AR		
15-24	12892-93J10-275	シム, タハ° ット (T: 2. 750)	AR		
15-25	12892-93J10-278	シム, タハ° ット (T: 2. 775)	AR		
15-26	12892-93J10-280	シム, タハ° ット (T: 2. 800)	AR		
15-27	12892-93J10-283	シム, タハ° ット (T: 2. 825)	AR		
15-28	12892-93J10-285	シム, タハ° ット (T: 2. 850)	AR		
15-29	12892-93J10-288	シム, タハ° ット (T: 2. 875)	AR		
15-30	12892-93J10-290	シム, タハ° ット (T: 2. 900)	AR		
15-31	12892-93J10-293	シム, タハ° ット (T: 2. 925)	AR		
15-32	12892-93J10-295	シム, タハ° ット (T: 2. 950)	AR		
15-33	12892-93J10-298	シム, タハ° ット (T: 2. 975)	AR		
15-34	12892-93J10-300	シム, タハ° ット (T: 3. 000)	AR		
16	12911-98J00	バ° ルフ°, インターク	12		
17	12915-93J60	バ° ルフ°, エキゾ° スト	12		
18	12921-93J11	スプ° リング°, バ° ルフ°	24		
19	12931-78G00	リテーナ, バ° ルフ° スプ° リング°	24		
20	12932-24400	コツタ, バ° ルフ°	48		
21	12933-69G10	シート, バ° ルフ° スプ° リング°	24		
22	09289-05012	オイルシール (5. 5X11. 5X9. 3)	24		

FIG.121C




FIG. 121C (1-B-11) カムシャフト (DF250A: (020, 021))

見出番号	品番	品名	使用個数	備考	標準作業時間
1	12701-98J20	カムシャフト, インテークスターボート	1	STBD	
2	12705-98J10	カムシャフト, インテークボート	1	PORT	
3	12721-98J10	カムシャフト, エキゾーストスターボート	1	STBD	
4	12729-98J20	カムシャフト, エキゾーストボート	1	PORT	
5	12740-93J00	スプロケットアッシー, カムタイミング	2		
6	12748-93J00	スプロケット, カムシャフト	2		
7	12753-93J00	ボルト, インテークカムシャフト	2		
8	12749-93J00	ボルト, カムシャフト	2		
9	09202-05032	ピン (5X12)	3		
10	09261-05006	ピン (5X18)	1		
11	16550-93J00	パルプ, オイルコントロール	2		
12	16555-93J01	ガスケット, オイルコントロールパルプ	2		
13	01550-06257	ボルト	8		
14	12891-93J10	タペット	24		
15-1	12892-93J10-218	シム, タペット (T: 2. 175)	AR		
15-2	12892-93J10-220	シム, タペット (T: 2. 200)	AR		
15-3	12892-93J10-223	シム, タペット (T: 2. 225)	AR		
15-4	12892-93J10-225	シム, タペット (T: 2. 250)	AR		
15-5	12892-93J10-228	シム, タペット (T: 2. 275)	AR		
15-6	12892-93J10-230	シム, タペット (T: 2. 300)	AR		
15-7	12892-93J10-233	シム, タペット (T: 2. 325)	AR		
15-8	12892-93J10-235	シム, タペット (T: 2. 350)	AR		
15-9	12892-93J10-238	シム, タペット (T: 2. 375)	AR		
15-10	12892-93J10-240	シム, タペット (T: 2. 400)	AR		
15-11	12892-93J10-243	シム, タペット (T: 2. 425)	AR		
15-12	12892-93J10-245	シム, タペット (T: 2. 450)	AR		
15-13	12892-93J10-248	シム, タペット (T: 2. 475)	AR		
15-14	12892-93J10-250	シム, タペット (T: 2. 500)	AR		
15-15	12892-93J10-253	シム, タペット (T: 2. 525)	AR		
15-16	12892-93J10-255	シム, タペット (T: 2. 550)	AR		
15-17	12892-93J10-258	シム, タペット (T: 2. 575)	AR		
15-18	12892-93J10-260	シム, タペット (T: 2. 600)	AR		
15-19	12892-93J10-263	シム, タペット (T: 2. 625)	AR		
15-20	12892-93J10-265	シム, タペット (T: 2. 650)	AR		
15-21	12892-93J10-268	シム, タペット (T: 2. 675)	AR		

FIG.121C




FIG. 121C (1-B-12) カムシャフト (DF250A: (020, 021))

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
15-22	12892-93J10-270	シム, タハ° ット (T: 2. 700)	AR		
15-23	12892-93J10-273	シム, タハ° ット (T: 2. 725)	AR		
15-24	12892-93J10-275	シム, タハ° ット (T: 2. 750)	AR		
15-25	12892-93J10-278	シム, タハ° ット (T: 2. 775)	AR		
15-26	12892-93J10-280	シム, タハ° ット (T: 2. 800)	AR		
15-27	12892-93J10-283	シム, タハ° ット (T: 2. 825)	AR		
15-28	12892-93J10-285	シム, タハ° ット (T: 2. 850)	AR		
15-29	12892-93J10-288	シム, タハ° ット (T: 2. 875)	AR		
15-30	12892-93J10-290	シム, タハ° ット (T: 2. 900)	AR		
15-31	12892-93J10-293	シム, タハ° ット (T: 2. 925)	AR		
15-32	12892-93J10-295	シム, タハ° ット (T: 2. 950)	AR		
15-33	12892-93J10-298	シム, タハ° ット (T: 2. 975)	AR		
15-34	12892-93J10-300	シム, タハ° ット (T: 3. 000)	AR		
16	12911-98J00	ハ° ルフ°, インターク	12		
17	12915-93J60	ハ° ルフ°, エキゾ° スト	12		
18	12921-93J11	スフ° リング°, ハ° ルフ°	24		
19	12931-78G00	リテーナ, ハ° ルフ° スフ° リング°	24		
20	12932-24400	コツタ, ハ° ルフ°	48		
21	12933-69G10	シート, ハ° ルフ° スフ° リング°	24		
22	09289-05012	オイルシール (5. 5X11. 5X9. 3)	24		

FIG.121D




FIG. 121D (1-B-13) カムシャフト (DF250A: (022, 023))

見出番号	品番	品名	使用個数	備考	標準作業時間
1	12701-98J20	カムシャフト, インテークスターボート	1	STBD	
2	12705-98J10	カムシャフト, インテークボート	1	PORT	
3	12721-98J10	カムシャフト, エキゾーストスターボート	1	STBD	
4	12729-98J20	カムシャフト, エキゾーストボート	1	PORT	
5	12740-93J00	スプリングロケツトアッシ, カムタイミング	2		
6	12748-93J00	スプリングロケツト, カムシャフト	2		
7	12753-93J00	ボルト, インテークカムシャフト	2		
8	12749-93J00	ボルト, カムシャフト	2		
9	09202-05032	ピン (5X12)	3		
10	09261-05006	ピン (5X18)	1		
11	16550-93J00	パルプ, オイルコントロール	2		
12	16555-93J01	ガスケット, オイルコントロールパルプ	2		
13	01550-0625C	ボルト	8		
14	12891-93J10	タペット	24		
15-1	12892-93J10-218	シム, タペット (T: 2. 175)	AR		
15-2	12892-93J10-220	シム, タペット (T: 2. 200)	AR		
15-3	12892-93J10-223	シム, タペット (T: 2. 225)	AR		
15-4	12892-93J10-225	シム, タペット (T: 2. 250)	AR		
15-5	12892-93J10-228	シム, タペット (T: 2. 275)	AR		
15-6	12892-93J10-230	シム, タペット (T: 2. 300)	AR		
15-7	12892-93J10-233	シム, タペット (T: 2. 325)	AR		
15-8	12892-93J10-235	シム, タペット (T: 2. 350)	AR		
15-9	12892-93J10-238	シム, タペット (T: 2. 375)	AR		
15-10	12892-93J10-240	シム, タペット (T: 2. 400)	AR		
15-11	12892-93J10-243	シム, タペット (T: 2. 425)	AR		
15-12	12892-93J10-245	シム, タペット (T: 2. 450)	AR		
15-13	12892-93J10-248	シム, タペット (T: 2. 475)	AR		
15-14	12892-93J10-250	シム, タペット (T: 2. 500)	AR		
15-15	12892-93J10-253	シム, タペット (T: 2. 525)	AR		
15-16	12892-93J10-255	シム, タペット (T: 2. 550)	AR		
15-17	12892-93J10-258	シム, タペット (T: 2. 575)	AR		
15-18	12892-93J10-260	シム, タペット (T: 2. 600)	AR		
15-19	12892-93J10-263	シム, タペット (T: 2. 625)	AR		
15-20	12892-93J10-265	シム, タペット (T: 2. 650)	AR		
15-21	12892-93J10-268	シム, タペット (T: 2. 675)	AR		

FIG.121D




FIG. 121D (1-B-14) カムシャフト (DF250A: (022, 023))

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
15-22	12892-93J10-270	シム, タハ° ット (T: 2. 700)	AR		
15-23	12892-93J10-273	シム, タハ° ット (T: 2. 725)	AR		
15-24	12892-93J10-275	シム, タハ° ット (T: 2. 750)	AR		
15-25	12892-93J10-278	シム, タハ° ット (T: 2. 775)	AR		
15-26	12892-93J10-280	シム, タハ° ット (T: 2. 800)	AR		
15-27	12892-93J10-283	シム, タハ° ット (T: 2. 825)	AR		
15-28	12892-93J10-285	シム, タハ° ット (T: 2. 850)	AR		
15-29	12892-93J10-288	シム, タハ° ット (T: 2. 875)	AR		
15-30	12892-93J10-290	シム, タハ° ット (T: 2. 900)	AR		
15-31	12892-93J10-293	シム, タハ° ット (T: 2. 925)	AR		
15-32	12892-93J10-295	シム, タハ° ット (T: 2. 950)	AR		
15-33	12892-93J10-298	シム, タハ° ット (T: 2. 975)	AR		
15-34	12892-93J10-300	シム, タハ° ット (T: 3. 000)	AR		
16	12911-98J00	バ° ルフ°, インターク	12		
17	12915-93J60	バ° ルフ°, エキゾ° スト	12		
18	12921-93J11	スフ° リング°, バ° ルフ°	24		
19	12931-78G00	リテーナ, バ° ルフ° スフ° リング°	24		
20	12932-24400	コツタ, バ° ルフ°	48		
21	12933-69G10	シート, バ° ルフ° スフ° リング°	24		
22	09289-05012	オイルシール (5. 5X11. 5X9. 3)	24		

FIG.122A




FIG. 122A (1-B-15) インテークマニホールド*

見出番号	品 番	品 名	使用個数	備 考	標準 作業時間
1	13110-98J10	マニホールド*, インテーク	1		
2	13119-98J00	ガスケット, インテークマニホールド*	2		
3	09108-08282	スタッド ボルト	4		
4	09103-08437	ボルト (8X65)	4		
5	09159-08136	ナット	4		
6	09160-08161	ワッシャー (8. 2X23X3. 2)	8		

FIG.136A




FIG. 136A (1-C-2) リンクギヤカバー

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
1	11510-98J03	カバー、リンクギヤ	1		
2	11174-98J01	・ホース、ブリーザ	1		
3	11176-98J00	・ユニオン、ブリーザ	1		
4	11514-98J00	・フレート、リンクギヤカバー	1		
5	13710-98J00	・アレスタ、フレーム	1		
6	13811-98J00	・サイレンサ、アツハカバー	1		
7	09401-18410	・クリップ	2		
8	01550-06127	・ボルト	4		
9	01550-06207	・ボルト	5		
10	11517-98J00	・スクリュ	3		
11	11515-93J00	ブレース、リンクギヤカバー	1		
12	13841-98J10	ガード、エアダクトスターボート	1	STBD	
13	13851-98J10	ガード、エアダクトボート	1	PORT	
14-1	01550-06207	ボルト	4	020, 021	
14-2	01550-0620C	ボルト	4	022, 023	
15-1	01550-06207	ボルト	2	020, 021	
15-2	01550-0620C	ボルト	2	022, 023	
16-1	01550-06407	ボルト	1	020, 021	
16-2	01550-0640C	ボルト	1	022, 023	
17-1	01550-08357	ボルト	2	020, 021	
17-2	01550-0835C	ボルト	2	022, 023	
18	69711-93E11	ラベル、S. I. G. P.	1		
19	61494-93J01	ラベル、オイル/クリーランス	1		

FIG.140A





FIG. 140A (1-C-3) エキゾーストカバー

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
1	14141-93J02	カバー, エキゾーストスターボート	1	STBD	
2	14140-98J01	カバー, エキゾーストボート	1	PORT	
3	14151-93J00	ガスケット, エキゾーストカバー (スターボート)	1	STBD	
4	14152-93J00	ガスケット, エキゾーストカバー (ボート)	1	PORT	
5	11261-93J00	カバー, プレポジションアノード	2		
6	55321-87J01	アノード, プレポジション	2		
7	09103-06281	ボルト (6X14)	2		
8	09280-22019	リング (D:1.9, ID:21.8)	2		
9-1	01550-08207	ボルト	2	020, 021	
9-2	01550-0820C	ボルト	2	022, 023	
10	01550-06257	ボルト	23		

FIG.144A



DF300A_000_023_144A
FUELINJECTOR

FIG. 144A (1-C-4) フューエルインジェクタ

見出番号	品番	品名	使用個数	備考	標準作業時間
1	15681-93J02	ホース, フューエル (3ウェイツデー リハ イフ)	1		
2	15710-96J00	インジェクタアツシ, フューエル	6		
3	15717-16G00	・Oリング	6		
4	15735-58B00	インシユレータ, テー リハ リハ イフ	4		
5	15751-93J00	ハ イフ, テー リハ リ	2		
6	15756-93J02	ホース, フューエル (テー リハ リツデー リハ リ)	1		
7	15762-93J00	ガ スケツト, テー リハ リハ イフ	5		
8	15830-77EA0	ジ ョイント, フューエルメイン	1		
9	15831-93J00	ユニオン, テー リハ リハ イフ	2		
10	18498-93J01	ブ ロテクタ, フューエルホース (15. 4X18. 4X340)	1		
11	09247-14041	ブ ラグ (14X14)	1		
12	09320-08062	クツシヨ	6		
13	09360-14009	ユニオンホ ルト	1		
14	09401-11425	クリツフ	4		
15	09403-16307	クランフ	1		
16	09408-00105	クランフ	1		
17	09408-00155	クランフ	1		
18-1	01550-08407	ホ ルト	4	020, 021	
18-2	01550-0840C	ホ ルト	4	022, 023	
19	15680-93J40	ホース, フューエルインレツト (ツーフイルタ)	1		
20	09401-14409	クリツフ	1		
21	09408-00135	クリツフ	2		
22	15684-98J00	ガ イド, フューエルホース	1		
23-1	01550-06127	ホ ルト	2	020, 021	
23-2	01550-0612C	ホ ルト	2	022, 023	
24	09251-09009	ブ ラグ	1		

DF300A_000_023

FIG.147A




FIG.147A (1-C-5) フューエルポンプ / フューエルベーパーセパレータ (020, 021)

見出番号	品番	品名	使用個数	備考	標準作業時間
1	15100-98J00	ポンプ アツシ, フューエル	1		
2	15410-93J11	フィルタ, フューエル, レフト	1		
3	15411-93J10	・キャツプ, フューエルフィルタ	1		
4	15415-93J10	・シール, フューエルフィルタNO. 1	1		
5	15412-93J10	・フィルタアツシ, フューエル	1		
6	15413-93J10	・ケースアツシ, フューエルフィルタ	1		
7	15644-93J00	カバー, フューエルフィルタ	1		
8	15633-93J20	ホース, フューエル (H)	1		
9	09343-75002-600	ホース (7. 5X13. 5X600)	1	L: 600->65	
10	15440-93J00	フィルタ, フューエル	1		
11	09320-08501	クワシヨシ (8X18X10)	2		
12	15773-90J10	ユニオン, フューエルホース	1		
13	15830-93J00	ユニオン, スリーウエイフューエルホース	1		
14	09169-06093	ワツシヤ, フューエルポンプ	3		
15	15770-93J00	クーラ, フューエル	1		
16	09168-12013	ガスケット (11. 8X22X1. 2)	3		
17	09360-12008	ホルト, 12X27	1		
18	09363-08004	ユニオン	1		
19	15600-98J21	セパレータアツシ, フューエルベーパー	1		
20	13370-93J00	・バルブアツシ, ニードル	1		
21	15626-93J00	・ガスケット, セパレータ	1		
22	15650-93J00	・フロートアツシ	1		
23	15200-98J00	・ポンプアツシ, フューエル (H)	1		
24	15647-93J00	・ブツツシ, フューエルポンプ	1		
25	15641-90J00	・スベーサ	1		
26	15642-90J00	・フィルタ	1		
27	15654-99E00	・ヒン	1		
28	02142-0408B	・スクリュ	1		
29	13602-05108	・スクリュ	1		
30	15760-93J01	・レギュレータ, フューエルポンプ レツシヤ	1		
31	15628-99E00	・スクリュ (L: 15)	6		
32	15627-93J00	・スクリュ	1		
33	09320-12094	クワシヨシ	3		
34	15675-93J00	ホルト, クーラ ラケツト	3		
35	09343-75002-600	ホース (7. 5X13. 5X600)	1	L: 600->50	

FIG.147A




FIG. 147A (1-C-6) フューエルポンプ/フューエルベーパーセパレータ (020, 021)

見出番号	品番	品名	使用個数	備考	標準作業時間
36	09401-11414	クリップ (ID:11.5)	15		
37	15636-93J30	ホース, フューエル	1		
38	15685-93J00	クリップ, フューエルホースNO. 1	3		
39	15672-93J10	ブラケット, フューエルクーラ	1		
40	01500-06167	ホルト	4		
41	15635-93J30	ホース, フューエル	1		
42	15632-93J30	ホース, フューエル	1		
43	15673-98J00	ブラケット, フューエルフィルタ	1		
44	01550-06257	ホルト	2		
45	15643-93J00	フィルタ, フューエル, レフト	1		
46	09343-75002-600	ホース (7.5X13.5X600)	1	L: 600->65	
47	15634-93J20	ホース, フューエル (H)	1		
48	09116-06525	ホルト (6X35)	3		
49	15674-93J00	ブラケット, チェックバルブ	1		
50	15645-93J00	バルブ, チェック	1		
51	15637-93J30	ホース, フューエル	1		
52	15629-99E10	スクリュ, ドレーン	2		
53	15683-87J00	ホース	1		
54	02112-0406B	スクリュ	3		
55	09343-70503-600	ホース (7X12X600)	1	L: 600->240	
56	09401-11423	クリップ	2		
57	18498-87J51	プロテクタ, エアホース (160)	1		
58	09169-06062	ワッシャ	2		
59	09116-06202	ホルト (6X25)	2		
60	15671-93J00	ブラケット, エアホースセパレータ	1		
61	01550-06357	ホルト	2		
62	09169-08042	ワッシャ	6		
63	01550-08407	ホルト	3		
64	18417-93J00	ブラケット, バージバルブ	1		
65	01550-06127	ホルト	2		
66	09320-08520	クッション	1		
67	09403-14304	クランプ	1		
68	13671-02F00	クリップ	1		
69	15114-93J00	ブラケット, フューエルポンプ NO. 1	1		
70	15115-93J02	ブラケット, フューエルポンプ NO. 2	1		

FIG.147A




FIG.147A (1-C-7) フューエルポンプ / フューエルベーパーセパレータ (020, 021)

見出番号	品番	品名	使用個数	備考	標準作業時間
71	15695-98L00	ユニオン, エバホレーション	1		
72	09352-50003-00A	ホース	1		
73	09401-08412	クリップ	1		
74	09408-00056	クリップ	1		
75	09408-00050	クリップ	1		
76	18498-93J20	プロテクタ, エバホース (900)	1		
77	15118-93J00	ホルト	1		

FIG.147B




FIG. 147B (1-C-8) フューエルポンプ / フューエルベ-ハセパレータ (022, 023)

見出番号	品番	品名	使用個数	備考	標準作業時間
1	15100-98J00	ホ-ンプ アツシ, フューエル	1		
2	15410-93J11	フィルタ, フューエル, レフト	1		
3	15411-93J10	・キャツプ, フューエルフィルタ	1		
4	15415-93J10	・シール, フューエルフィルタNO. 1	1		
5	15412-93J10	・フィルタアツシ, フューエル	1		
6	15413-93J10	・ケースアツシ, フューエルフィルタ	1		
7	15644-93J00	カバー, フューエルフィルタ	1		
8	15633-93J20	ホ-ス, フューエル (H)	1		
9	09343-75002-600	ホ-ス (7. 5X13. 5X600)	1	L: 600->65	
10	15440-93J10	フィルタ, フューエル	1		
11	09320-08519	クワシヨシ	2		
12	15773-90J10	ユニオン, フューエルホ-ス	1		
13	15830-93J00	ユニオン, スリーウェイフューエルホ-ス	1		
14	09169-06093	ワツシヤ, フューエルホ-ンプ	3		
15	15770-93J00	クーラ, フューエル	1		
16	15762-90J00	ガ-スケツト, ユニオン	3		
17	15830-90J00	ジ-ヨイント, フューエルメイン	1		
18	09360-12013	ホ-ルト	1		
19	15600-98J50	セパレータアツシ, フューエルベ-ハ	1		
20	13370-93J10	・バルブアツシ, ニードル	1		
21	15626-93J10	・ガ-スケツト, セパレータ	1		
22	15650-93J00	・フロートアツシ	1		
23	15200-98J10	・ホ-ンプアツシ, フューエル (H)	1		
24	15647-93J10	・プ-ツシ, フューエルホ-ンプ	1		
25	15641-90J10	・スベ-サ, フューエルホ-ンプ	1		
26	15642-90J00	・フィルタ	1		
27	15654-99E00	・ヒ-シ	1		
28	13614-93J00	・スクリュ	1		
29	15631-99E10	・スクリュ, レキ-ユレータ	1		
30	15760-93J01	・レキ-ユレータ, フューエルブ-レツシヤ	1		
31	15628-99E00	・スクリュ (L: 15)	6		
32	15627-93J00	・スクリュ	1		
33	09320-12094	クワシヨシ	3		
34	15675-93J00	ホ-ルト, クーラブ-ラケツト	3		
35	09343-75002-600	ホ-ス (7. 5X13. 5X600)	1	L: 600->50	

FIG.147B





FIG. 147B (1-C-9) フューエルポンプ / フューエルホースパレータ (022, 023)

見出番号	品番	品名	使用個数	備考	標準作業時間
36	09401-11414	クリップ (ID:11.5)	15		
37	15636-93J30	ホース, フューエル	1		
38	15685-93J00	クリップ, フューエルホースNO. 1	3		
39	15672-93J10	ブラケット, フューエルクーラ	1		
40	01500-06167	ホルト	4		
41	15635-93J30	ホース, フューエル	1		
42	15632-93J30	ホース, フューエル	1		
43	15673-98J00	ブラケット, フューエルフィルタ	1		
44	01550-06257	ホルト	2		
45	15643-93J00	フィルタ, フューエル, レフト	1		
46	09343-75002-600	ホース (7.5X13.5X600)	1	L: 600->65	
47	15634-93J20	ホース, フューエル (H)	1		
48	09116-06525	ホルト (6X35)	3		
49	15674-93J00	ブラケット, チェックバルブ	1		
50	15645-93J10	バルブ, チェック	1		
51	15637-93J30	ホース, フューエル	1		
52	15629-99E10	スクリュ, ドレーン	2		
53	15683-87J00	ホース	1		
54	02112-0406B	スクリュ	3		
55	09343-70503-600	ホース (7X12X600)	1	L: 600->130	
56	09401-11423	クリップ	2		
57	18498-90J61	ブラケット, フューエルホース (70)	1		
58	09169-06062	ワッシャ	2		
59	09116-06202	ホルト (6X25)	2		
60	15671-93J00	ブラケット, ホースパレータ	1		
61	01550-06357	ホルト	2		
62	09169-08042	ワッシャ	6		
63	01550-0840C	ホルト	3		
64	18417-93J00	ブラケット, バージバルブ	1		
65	01550-0612C	ホルト	2		
66	18117-52G10	バルブ, キヤニスタバース	1		
67	09352-50003-080	ホース (5X8.2X080)	1		
68	13671-02F00	クリップ	1		
69	15114-93J00	ブラケット, フューエルポンプ NO. 1	1		
70	15115-93J02	ブラケット, フューエルポンプ NO. 2	1		

FIG.147B



DF300A_000_023_147B
FUELPUMP/FUEL VAPOR SEPARATOR

FIG. 147B (1-C-10) フューエルポンプ/フューエルベーパーセパレータ (022, 023)

見出番号	品番	品名	使用個数	備考	標準作業時間
71	15695-98L00	ユニオン, エバホレーション	1		
72	09352-50003-810	ホース (5X8. 2X810)	1		
73	09401-08412	クリップ	4		
74	09408-00056	クリップ	1		
75	18498-87JC1	プロテクタ, ホース (9. 5X11. 5X450)	1		
76	18498-87J01	プロテクタ, エバホホース (300)	1		
77	15118-93J00	ホルト	1		
78	08316-10067	ナット	1		
79	09408-00105	クランプ	1	UPTO 202105 FROM 30002P-24000 0 UPTO 30002P-24000 9	
80	15141-93J00	カバー, フューエルポンプ	1		

DF300A_000_023

FIG.160A




FIG. 160A (1-C-11) ウォータポンプ (DF300A: (020, 021))

見出番号	品番	品名	使用個数	備考	標準作業時間
1	17410-93J01	ケース, ウォータポンプ	1		
2	17413-93J02	スリーブ, ウォータポンプ ケース	1		
3	17416-93J01	シール, ウォータポンプ ケース	1		
4	17461-93J01	インベラ, ウォータポンプ	1		
5	17471-98J01	ハネル, ホンプ ケースアンタ	1		
6	17472-98J00	ガスケツト, ホンプ ケースハネル	1		
7	17473-98J00	ハネル, ウォータポンプ NO. 2	1		
8-1	17561-93J21	チューブ, ウォータ (L)	1	L-TRANSOM	
8-2	17561-93J03	チューブ, ウォータ (X)	1	X-TRANSOM	
8-3	17561-93J13	チューブ, ウォータ (XX)	1	XX-TRANSOM	
9	17562-93J01	ブツシュ, ウォータチューブ アツハ	1		
10	17563-93J01	ブツシュ, ウォータチューブ ロア	1		
11	17564-93J01	ブツシュ, ウォータポンプ ケース	1		
12	17612-93J00	スベサ, ウォータチューブ	1		
13	17631-93L00	フィルタ, ウォータポンポートサイト	1	PORT	
14	17632-93L00	フィルタ, ウォータスターボードサイト	1	STBD	
15	29116-93J00	ホルト	2		
16	09116-08131	ホルト (8X45)	4		
17	09132-04034	タツヒング スクリユ	1		
18	09202-06031	ヒン (6X12)	2		
19	09420-05009	キー	1		
20	09168-20002	ガスケツト (20. 5X30X1. 5)	1	WATER TUBE UPPER	
21	17400-98J04	キツト, ウォータポンプ リハア	1	オフション	
22	17416-93J01	シール, ウォータポンプ ケース	1	オフション	
23	17461-93J01	インベラ, ウォータポンプ	1	オフション	
24	17471-98J01	ハネル, ホンプ ケースアンタ	1	オフション	
25	17472-98J00	ガスケツト, ホンプ ケースハネル	1	オフション	
26	17473-98J00	ハネル, ウォータポンプ NO. 2	1	オフション	
27	09420-05009	キー	1	オフション	
28	17413-93J02	スリーブ, ウォータポンプ ケース	1	オフション	

FIG.160B




FIG. 160B (1-C-12) ウォータポンプ (DF300A: (022, 023))

見出番号	品番	品名	使用個数	備考	標準作業時間
1	17410-93J01	ケース, ウォータポンプ	1		
2	17413-93J02	スリーブ, ウォータポンプ ケース	1		
3	17416-93J01	シール, ウォータポンプ ケース	1		
4	17461-93J01	インペラ, ウォータポンプ	1		
5	17471-98J01	ハネル, ホンブ ケースアンダ	1		
6	17472-98J00	ガスケツト, ホンブ ケースハネル	1		
7	17473-98J00	ハネル, ウォータポンプ NO. 2	1		
8-1	17561-93J21	チューブ, ウォータ (L)	1	L-TRANSOM	
8-2	17561-93J03	チューブ, ウォータ (X)	1	X-TRANSOM	
8-3	17561-93J13	チューブ, ウォータ (XX)	1	XX-TRANSOM	
9	17562-93J01	ブッシュ, ウォータチューブ アツハ	1		
10	17563-93J01	ブッシュ, ウォータチューブ ロア	1		
11	17564-93J01	ブッシュ, ウォータポンプ ケース	1		
12	17612-93J00	スベ-サ, ウォータチューブ	1		
13	17631-93L10	フィルタ, ウォータポンプ-ートサイト	1	PORT	
14	17632-93L10	フィルタ, ウォータスターボ-ード サイト	1	STBD	
15	29116-93J00	ホルト	2		
16	09116-08131	ホルト (8X45)	4		
17	09132-04034	タツヒング スクリユ	1		
18	09202-06031	ピン (6X12)	2		
19	09420-05009	キー	1		
20	09168-20002	ガスケツト (20. 5X30X1. 5)	1	WATER TUBE UPPER	
21	17633-93L00	カバー, ウォータフィルタ	1		
22	17400-98J04	キツト, ウォータポンプ リハ-ア	1	オフ ション	
23	17416-93J01	・シール, ウォータポンプ ケース	1	オフ ション	
24	17461-93J01	・インペラ, ウォータポンプ	1	オフ ション	
25	17471-98J01	・ハネル, ホンブ ケースアンダ	1	オフ ション	
26	17472-98J00	・ガスケツト, ホンブ ケースハネル	1	オフ ション	
27	17473-98J00	・ハネル, ウォータポンプ NO. 2	1	オフ ション	
28	09420-05009	・キー	1	オフ ション	
29	17413-93J02	・スリーブ, ウォータポンプ ケース	1	オフ ション	

FIG.160C




FIG. 160C (1-C-13) ウォータポンプ (DF250A: (020, 021))

見出番号	品番	品名	使用個数	備考	標準作業時間
1	17410-93J01	ケース, ウォータポンプ	1		
2	17413-93J02	スリーブ, ウォータポンプ ケース	1		
3	17416-93J01	シール, ウォータポンプ ケース	1		
4	17461-93J01	インペラ, ウォータポンプ	1		
5	17471-98J01	ハネル, ポンプ ケースアンダー	1		
6	17472-98J00	ガスケット, ポンプ ケースハネル	1		
7	17473-98J00	ハネル, ウォータポンプ NO. 2	1		
8-1	17561-93J03	チューブ, ウォータ (X)	1	X-TRANSOM	
8-2	17561-93J13	チューブ, ウォータ (XX)	1	XX-TRANSOM	
9	17562-93J01	ブッシュ, ウォータチューブ アツパ	1		
10	17563-93J01	ブッシュ, ウォータチューブ ロア	1		
11	17564-93J01	ブッシュ, ウォータポンプ ケース	1		
12	17612-93J00	スベーサ, ウォータチューブ	1		
13	17631-93L00	フィルタ, ウォータポンプ サイト	1	PORT	
14	17632-93L00	フィルタ, ウォータスターボード サイト	1	STBD	
15	29116-93J00	ホルト	2		
16	09116-08131	ホルト (8X45)	4		
17	09132-04034	タツビンゲ スクリュー	1		
18	09202-06031	ピン (6X12)	2		
19	09420-05009	キー	1		
20	09168-20002	ガスケット (20. 5X30X1. 5)	1	WATER TUBE UPPER	
21	17400-98J04	キツ, ウォータポンプ リベア	1	オフショ	
22	17416-93J01	シール, ウォータポンプ ケース	1	オフショ	
23	17461-93J01	インペラ, ウォータポンプ	1	オフショ	
24	17471-98J01	ハネル, ポンプ ケースアンダー	1	オフショ	
25	17472-98J00	ガスケット, ポンプ ケースハネル	1	オフショ	
26	17473-98J00	ハネル, ウォータポンプ NO. 2	1	オフショ	
27	09420-05009	キー	1	オフショ	
28	17413-93J02	スリーブ, ウォータポンプ ケース	1	オフショ	

FIG.160D




FIG. 160D (1-C-14) ウォータポンプ (DF250A: (022, 023))

見出番号	品番	品名	使用個数	備考	標準作業時間
1	17410-93J01	ケース, ウォータポンプ	1		
2	17413-93J02	スリーブ, ウォータポンプ ケース	1		
3	17416-93J01	シール, ウォータポンプ ケース	1		
4	17461-93J01	インベラ, ウォータポンプ	1		
5	17471-98J01	パネル, ポンプ ケースアンダー	1		
6	17472-98J00	ガasket, ポンプ ケースパネル	1		
7	17473-98J00	パネル, ウォータポンプ NO. 2	1		
8-1	17561-93J03	チューブ, ウォータ (X)	1	X-TRANSOM	
8-2	17561-93J13	チューブ, ウォータ (XX)	1	XX-TRANSOM	
9	17562-93J01	ブッシュ, ウォータチューブ アツパ	1		
10	17563-93J01	ブッシュ, ウォータチューブ ロア	1		
11	17564-93J01	ブッシュ, ウォータポンプ ケース	1		
12	17612-93J00	スペーサ, ウォータチューブ	1		
13	17631-93L10	フィルタ, ウォータポンプ サイト	1	PORT	
14	17632-93L10	フィルタ, ウォータスターボード サイト	1	STBD	
15	29116-93J00	ボルト	2		
16	09116-08131	ボルト (8X45)	4		
17	09132-04034	タツピング スクリュー	1		
18	09202-06031	ピン (6X12)	2		
19	09420-05009	キー	1		
20	09168-20002	ガasket (20. 5X30X1. 5)	1	WATER TUBE UPPER	
21	17633-93L00	カバー, ウォータフィルタ	1		
22	17400-98J04	キット, ウォータポンプ リハア	1	オプション	
23	17416-93J01	シール, ウォータポンプ ケース	1	オプション	
24	17461-93J01	インベラ, ウォータポンプ	1	オプション	
25	17471-98J01	パネル, ポンプ ケースアンダー	1	オプション	
26	17472-98J00	ガasket, ポンプ ケースパネル	1	オプション	
27	17473-98J00	パネル, ウォータポンプ NO. 2	1	オプション	
28	09420-05009	キー	1	オプション	
29	17413-93J02	スリーブ, ウォータポンプ ケース	1	オプション	

FIG.162A




FIG. 162A (1-C-15) サーマスタット

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
1	11196-93J00	ホース, ウォータリターンスターボート	1	STBD	
2	11197-93J00	ホース, ウォータリターンポート	1	PORT	
3	11270-93J00	プレート, シリンダ プ ロツクウォータジヤケツト	1		
4	11272-93J00	ガ スケツト, シリンダ プ ロツク プ レート	1		
5	17581-93J00	パ イプ, ウォータアウトレット	2		
6	17582-93J00	ガ スケツト, ウォータアウトレットパ イプ	2		
7	17611-90J00	カバ ー, ウォータフ レツシヤパ ルプ	1		
8	17660-99E01	パ ルプ, ウォータフ レツシヤ	1		
9-1	17670-90J21	サーモスタツト, ウォータ50° C	2		
9-2	17670-90J11	サーモスタツト, ウォータ71° C	1	オプ ション	
10	17681-93J00	カバ ー, サーマスタツト	2		
11	17711-90J00	3ウェイ, ウォータホース	1		
12	17712-93J01	ホース, ウォータ (3ウェイツエ/Hカバ ー)	1		
13	09116-06121	ホ ルト (6X25)	2		
14	09280-26006	Oリング (D:3. 1, ID:26. 4)	1		
15	09320-12093	クツシヨ	1		
16	09352-50006-600	ホース (5X9X600)	1	L: 600->60	
17	09352-50006-600	ホース (5X9X600)	1	L: 600->120	
18	09352-50006-600	ホース (5X9X600)	1	L: 600->190	
19	09352-50006-600	ホース (5X9X600)	1	L: 600->300	
20	09352-50006-600	ホース (5X9X600)	1	L: 600->330	
21	09352-50006-600	ホース (5X9X600)	1		
22	09352-50006-600	ホース (5X9X600)	1		
23	09352-50006-00B	ホース (5X9X2000)	1	L: 2000->850	
24	09352-50006-00B	ホース (5X9X2000)	1	L: 2000->1010	
25-1	01550-08127	ホ ルト	1	020, 021	
25-2	01550-0812C	ホ ルト	1	022, 023	
26	09367-06002	ジ ョイント	1		
27	09401-08413	クリツプ	18		
28	09401-14409	クリツプ	2		
29	09401-25406	クリツプ	4		
30	09403-25304	クランプ	1		
31	09408-00008	クリツプ (ID:20)	1		
32	09408-00056	クリツプ	1		

FIG.162A





FIG. 162A (1-D-2) サーマスタット

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
33-1	01550-06207	ホ ルト	6	020, 021	
33-2	01550-0620C	ホ ルト	6	022, 023	
34-1	01550-06207	ホ ルト	4	020, 021	
34-2	01550-0620C	ホ ルト	4	022, 023	
35-1	01550-06257	ホ ルト	10	020, 021	
35-2	01550-0625C	ホ ルト	10	022, 023	
36	17713-98J01	ホルダ, ウォータホース	1		
37	09401-15414	クリップ	2		
38	17915-98J02	ホース, ウォータフラッシュ	1		
39	09408-00024	クリップ (ID:23)	1		
40	09408-00021	クリップ (ID:16)	1		
41	36617-93J10	ブラケット, ハーネス	1		
42-1	01550-06127	ホ ルト	1	020, 021	
42-2	01550-0612C	ホ ルト	1	022, 023	

FIG.163A



DF300A_000_023_163A
THROTTLE BODY

FIG. 163A (1-D-3) スロットルホデー

見出番号	品番	品名	使用個数	備考	標準作業時間
1	11193-98J01	ホース, PCV	1		
2	11198-98L00	シール, PCVバルブ	1		
3	13100-98J20	コレクタアツシ	1		
4	13137-98J00	・スベーサ, コレクタ	4		
5	13140-98J10	・カバー, コレクタ	1		
6	13147-98J00	・ガスケット, コレクタカバー	1		
7	13180-98J01	・フアネル, エアコレクタ	2		
8	18590-68H00	・センサ, プレツシヤ	1		
9	09280-10009	・Oリング (D:1.3, ID:9.8)	8		
10	01550-08167	・ボルト	4		
11	01550-08357	・ボルト	11		
12-1	02162-05207	・スクリュ	2	020, 021	
12-2	09103-05028	・ボルト	2	022, 023	
13	04211-11129	・ピン	8		
14	13134-98J00	ブラケット, コレクタ	1		
15	13139-98J01	ガスケット, コレクタ	1		
16	13310-98J01	ホデーアツシ, スロットル	1		
17	13343-98J10	ガスケット, スロットルホデー	1		
18	13315-98J01	ダンパ, スロットルホデー	1		
19	13421-98L00	ガスケット, スロットルホデー	1		
20	13813-98J01	グロメット, スロットルホデー	1		
21	09401-13423	クリツブ	2		
22	18118-93J00	バルブ, PCV	1		
23	09103-08370	ボルト (8X250)	6		
24	09320-08517	クツシヨシ	4		
25	09403-13310	クランブ	1		
26	09408-00155	クランブ	1		
27	01421-08357	スタツトボルト	2		
28-1	01550-08167	ボルト	5	020, 021	
28-2	01550-08160	ボルト	5	022, 023	
29-1	01550-08357	ボルト	2	020, 021	
29-2	01550-08350	ボルト	2	022, 023	
30-1	01550-08607	ボルト	2	020, 021	
30-2	01550-08600	ボルト	2	022, 023	
31	04211-11129	ピン	2		

DF300A_000_023

FIG.163A




FIG. 163A (1-D-4) スロットルボデー

見出番号	品番	品名	使用個数	備考	標準 作業時間
32	09159-08136	ナット	4		
33-1	08316-10087	ナット	2	020, 021	
33-2	08316-1008C	ナット	2	022, 023	
34	09160-08161	ワッシャ (8. 2X23X3. 2)	2		

FIG.175A




FIG. 175A (1-D-5) オイルポンプ

見出番号	品番	品名	使用個数	備考	標準作業時間
1	12632-93J11	スプロケット, オイルポンプドライブ	1		
2	16113-93J10	スプロケット, オイルポンプドライブ	1		
3	16400-93J20	ポンプアツシ, オイル	1		
4	16520-93J00	ストレーナ, オイルポンプ	1		
5	16760-93J00	チェーン, オイルポンプドライブ	1		
6	16781-93J00	テンシヨナ, オイルポンプチェーン	1		
7	16782-93J00	スプリング, オイルポンプテンシヨナ	1		
8	16783-93J01	ホルト, オイルポンプテンシヨナ	1		
9	09181-12158	シム (12X20X0.5)	1		
10	09280-22020	Oリング (D: 2.4, ID: 21.8)	2		
11	01550-0616A	ホルト	3		
12	01550-0845A	ホルト	1		
13	01550-0865A	ホルト	3		
14	01550-0885A	ホルト	1		
15	08110-60020	ベアリング	1		

FIG.180A




FIG. 180A (1-D-6) オイルパン

見出番号	品 番	品 名	使用個数	備 考	標準 作業時間
1	11261-93J10	カバー, プ ロテクションアノード*	1		
2-1	55321-87J01	アノード, プ ロテクション	1		
2-2	55321-87J11	アノード (マグネシウム)	1	オプション	
3	29103-93J30	ホルト	1		
4	09103-06281	ホルト (6X14)	1		
5	09280-22019	Oリング (D: 1. 9, ID: 21. 8)	1		
6	11489-93J00	ガ スケット, オイルパン	1		
7-1	11501-93J03-YAY	パン, オイル (ブラック)	1	020 BODY COLOR: YAY	
7-2	11501-93J03-Y5S	パン, オイル (ホワイト)	1	020 BODY COLOR: Y5S	
7-3	11501-93J03-QTN	パン, オイル (ホワイト)	1	021, 022, 023 BODY COLOR: QTN	
7-4	11501-93J03-YAY	パン, オイル (ブラック)	1	021, 022, 023 BODY COLOR: YAY	
8	11591-93J11	ユニオン, オイルパン	1		
9-1	11541-93J00-YAY	ハ イブ, エキゾースト	1	020 BODY COLOR: YAY	
9-2	11541-93J00-Y5S	ハ イブ, エキゾースト (ホワイト)	1	020 BODY COLOR: Y5S	
9-3	11541-93J00-QTN	ハ イブ, エキゾースト (ホワイト)	1	021, 022, 023 BODY COLOR: QTN	
9-4	11541-93J00-YAY	ハ イブ, エキゾースト	1	021, 022, 023 BODY COLOR: YAY	
10	14154-93J02	シール, エキゾーストチューブ*	1		
11	14211-98J00	チューブ, エキゾースト	1		
12	14212-93J00	ガ スケット, エキゾーストチューブ*	1		
13	29116-93J00	ホルト	4		
14	11435-93J01	ハ イブ, エキゾーストリリース*	1		
15	09168-12012	ガ スケット (12. 5X20X2. 5)	1		
16	09248-12009	ブラグ (12X18. 65)	1		
17	09202-08006	ピン (8X12)	2		
18	09202-08006	ピン (8X12)	2		
19	01550-1050A	ホルト	4		
20	09116-08128	ホルト (8X40)	10		

FIG.180A




FIG. 180A (1-D-7) オイルパン

見出番号	品 番	品 名	使用個数	備 考	標準 作業時間
21	09116-10175	ボルト(10X50)	2		
22	09116-10146	ボルト(10X195)	2		
23	09116-10187	ボルト	2		
24	29103-93J00	ボルト(6X12)	1		
25	29404-93J11	クランプ	1		
26	16910-93J00	ゲージ, オイルレベル	1		
27	16930-93J00	ガイト, オイルレベルゲージ	1		
28	09280-09008	リング (D:2.1, ID:8.8)	1		
29-1	01550-06127	ボルト	1	020, 021	
29-2	01550-0612C	ボルト	1	022, 023	

FIG.204A




FIG. 204A (1-D-8) クラッチシャフト (DF300A)

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
1	21110-98J02	レバ ー, クラッチ	1		
2	21131-93J00	ブ ッシュ, クラッチレバ ー	1		
3	21151-93J00	ホルダ ー, クラッチレバ ー	1		
4	09160-10148	ワッシャ (10X20X3)	1		
5	21210-98J01	シャフト, クラッチ	1		
6	21230-98J01	アーム, クラッチシャフト	1		
7-1	23111-93J10	ロッド ー, クラッチ (L)	1	L-TRANSOM	
7-2	23111-93J00	ロッド ー, クラッチ	1	X-TRANSOM, XX-TRAN SOM	
8	23115-98J00	リンク, クラッチレバ ー	1		
9	25223-96J00	シール, クラッチロッド ー	1		
10	09160-06094	ワッシャ (6. 5X15X1. 0)	2		
11	09204-01006	コッタピン	2		
12	09205-10006	ピン	1		
13	09248-12011	ブラグ (12X9)	1		
14	09260-10005	ホ ール	1		
15	09262-17019	ベ アリング (17X35X8)	1		
16	09289-18001	オイルシール	1		
17	09306-06005	ブ ッシュ	2		
18	09306-10001	ブ ッシュ	3		
19	09383-08004	Eリング	1		
20	09440-07051	スフ リング	1		
21-1	01550-06207	ホ ルト	1	020, 021	
21-2	01550-0620C	ホ ルト	1	022, 023	
22	02142-05107	スクリュ	2		
23	08331-41359	サークリップ	1		
24	21241-98J10	リンク, クラッチレバ ーNO. 2	1		
25	67467-89J01	コネクタ	1		
26	67471-99E00	ナット, リモコンケーブ ル	1		
27	09160-06055	ワッシャ (7X12X1)	2		
28	09385-06012	スナックピン	2		
29	19115-98J10	ホルダ ー, クラッチレバ ー	1		
30-1	01550-08557	ホ ルト	2	020, 021	
30-2	01550-0855C	ホ ルト	2	022, 023	
31	67467-89J10	コネクタ, リモコンケーブ ルNO. 2	1		
32	67471-99E10	ナット, リモコンケーブ ルNO. 2	1		

FIG.204B





FIG. 204B (1-D-9) クラッチシャフト (DF250A)

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
1	21110-98J02	レバ ^ー , クラッチ	1		
2	21131-93J00	ブ ^ッ シュ, クラッチレバ ^ー	1		
3	21151-93J00	ホルダ ^ー , クラッチレバ ^ー	1		
4	09160-10148	ワッシャ (10X20X3)	1		
5	21210-98J01	シャフト, クラッチ	1		
6	21230-98J01	アーム, クラッチシャフト	1		
7	23111-93J00	ロツト ^ー , クラッチ	1		
8	23115-98J00	リンク, クラッチレバ ^ー	1		
9	25223-96J00	シール, クラッチロツト ^ー	1		
10	09160-06094	ワッシャ (6. 5X15X1. 0)	2		
11	09204-01006	コツタビ ^ン	2		
12	09205-10006	ビ ^ッ ン	1		
13	09248-12011	ブ ^ッ ラク ^ー (12X9)	1		
14	09260-10005	ホ ^ー ル	1		
15	09262-17019	ベ ^ッ アリング ^ー (17X35X8)	1		
16	09289-18001	オイルシール	1		
17	09306-06005	ブ ^ッ シュ	2		
18	09306-10001	ブ ^ッ シュ	3		
19	09383-08004	Eリング ^ー	1		
20	09440-07051	スプ ^リ ング ^ー	1		
21-1	01550-06207	ホ ^ー ルト	1	020, 021	
21-2	01550-0620C	ホ ^ー ルト	1	022, 023	
22	02142-05107	スクリュ	2		
23	08331-41359	サークリツブ ^ー	1		
24	21241-98J10	リンク, クラッチレバ ^ー -NO. 2	1		
25	67467-89J01	コネクタ	1		
26	67471-99E00	ナツト, リモコンケ ^ー ブル	1		
27	09160-06055	ワッシャ (7X12X1)	2		
28	09385-06012	スナツブ ^ー ビ ^ッ ン	2		
29	19115-98J10	ホルダ ^ー , クラッチレバ ^ー	1		
30-1	01550-08557	ホ ^ー ルト	2	020, 021	
30-2	01550-0855C	ホ ^ー ルト	2	022, 023	
31	67467-89J10	コネクタ, リモコンケ ^ー ブルNO. 2	1		
32	67471-99E10	ナツト, リモコンケ ^ー ブルNO. 2	1		

FIG.206A




DF300A_000_023_206A
CLUTCHROD

FIG. 206A (1-D-10) クラッチロッド (DF300A)

見出番号	品 番	品 名	使用個数	備 考	標準 作業時間
1-1	25112-93L00	ロッド, シフト ライフ (L, X)	1	L-TRANSOM, X-TRANS OM	
1-2	25112-93L10	ロッド, シフト ライフ (XX)	1	XX-TRANSOM	
2	25130-93L00	ヨーク, シフト	1		
3	25232-90J00	マグ ネット, キ ャーヌ	1		
4	09205-03004	ピン	1		
5-1	25141-93L11-YAY	ハウジング, シフトロッド カイト (ﾌﾞﾗｯｸ)	1	020 BODY COLOR:YAY	
5-2	25141-93L11-Y5S	ハウジング, シフトロッド カイト (ﾎﾜｲﾄ)	1	020 BODY COLOR:Y5S	
5-3	25141-93L11-QTN	ハウジング, シフトロッド カイト (ﾎﾜｲﾄ)	1	021, 022, 023 BODY COLOR:QTN	
5-4	25141-93L11-YAY	ハウジング, シフトロッド カイト (ﾌﾞﾗｯｸ)	1	021, 022, 023 BODY COLOR:YAY	
6	25222-90J01	カバー, シフトカイト ハウジング オイルシール	1		
7	09283-10011	オイルシール	1		
8	25321-93L00	スライダ, シフトホリゾンタル	1		
9	29116-93J00	ホルト	3		
10	09160-10165	ワッシャ	1		
11-1	25113-93L00	ギヤ, シフトロッド	2	020, 021 FROM 30002P-04000 1 UPTO 30002P-14066 8	
11-2	25113-93L20	ギヤ, シフトロッド	2	021 FROM 30002P-14066 9	
11-3	25113-93L20	ギヤ, シフトロッド	2	022, 023	
12	25215-93L00	ハウジング, マグ ネット	1		
13	09383-07003	Eリング, 7X14X1.2	3		
14	55122-93L00	シーリング, シフトロッド カイト ハウジング	1		
15	56141-93L00	ハウジング, シフトスライダ	1		
16	17637-93L00	フィルタ, ウォータホートフロントサイト	1	PORT	
17	17638-93L00	フィルタ, ウォータスターホートフロントサイト	1	STBD	
18	55321-87J01	アノード, プ ロテクション	1		

DF300A_000_023

FIG.206A



DF300A_000_023_206A
CLUTCHROD

FIG. 206A (1-D-11) クラッチロッド (DF300A)

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
19	01550-06357	ボルト	2		
20	09103-06281	ボルト (6X14)	1		
21	09206-09012	ピン (7. 4X9X10)	2		
22	09132-04034	タツピング スクリュー	1		
23	25231-93L00	ホルダ, マグ ネット	2		
24	25232-94300	マグ ネット, キヤース	2		

DF300A_000_023

FIG.206B





FIG. 206B (1-D-12) クラッチロッド (DF250A)

見出番号	品 番	品 名	使用個数	備 考	標準 作業時間
1-1	25112-93L00	ロッド, シフト ライフ (L, X)	1	X-TRANSOM	
1-2	25112-93L10	ロッド, シフト ライフ (XX)	1	XX-TRANSOM	
2	25130-93L00	ヨーク, シフト	1		
3	25232-90J00	マグ ネット, キ ヲケース	1		
4	09205-03004	ピン	1		
5-1	25141-93L11-YAY	ハウジング, シフトロッド ガイド (ブラック)	1	020 BODY COLOR:YAY	
5-2	25141-93L11-Y5S	ハウジング, シフトロッド ガイド (ホワイト)	1	020 BODY COLOR:Y5S	
5-3	25141-93L11-QTN	ハウジング, シフトロッド ガイド (ホワイト)	1	021, 022, 023 BODY COLOR:QTN	
5-4	25141-93L11-YAY	ハウジング, シフトロッド ガイド (ブラック)	1	021, 022, 023 BODY COLOR:YAY	
6	25222-90J01	カバー, シヤフトガイド ハウジング オイルシール	1		
7	09283-10011	オイルシール	1		
8	25321-93L00	スライダ, シフトホリゾンタル	1		
9	29116-93J00	ホルト	3		
10	09160-10165	ワッシャ	1		
11-1	25113-93L00	ギヤ, シフトロッド	2	020, 021 FROM 25003P-04000 1 UPTO 25003P-14008 6	
11-2	25113-93L20	ギヤ, シフトロッド	2	021 FROM 25003P-14008 7	
11-3	25113-93L20	ギヤ, シフトロッド	2	022, 023	
12	25215-93L00	ハウジング, マグ ネット	1		
13	09383-07003	Eリング, 7X14X1.2	3		
14	55122-93L00	シーリング, シフトロッド ガイド ハウジング	1		
15	56141-93L00	ハウジング, シフトスライダ	1		
16	17637-93L00	フィルタ, ウォータホートフロントサイト	1	PORT	
17	17638-93L00	フィルタ, ウォータスターボートフロントサイト	1	STBD	
18	55321-87J01	アノード, プ ロテクション	1		
19	01550-06357	ホルト	2		

DF300A_000_023_206B
CLUTCHROD



DF300A_000_023

DF300A_000_023

FIG.220A




FIG. 220A (1-D-14) トランスミッション (DF300A: (020, 021))

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
1-1	57110-93L02	シャフト, ドライブ (L)	1	L-TRANSOM	
1-2	57110-93L12	シャフト, ドライブ (X)	1	X-TRANSOM	
1-3	57110-93L22	シャフト, ドライブ (XX)	1	XX-TRANSOM	
2	57133-93L00	カラー, ドライブ シャフト	1		
3	57134-93J00	スベ-サ, ドライブ シャフトベ アリンク	1		
4	09159-28003	ナット	1		
5	09269-32002	ベ アリンク (32X66X49)	1		
6	57300-93L20	セツ, キヤ	1		
7-1	09181-60004	シム (60X66X0. 45)	1		
7-2	09181-60005	シム (60X66X0. 5)	1		
7-3	09181-60006	シム (60X66X0. 55)	1		
7-4	09181-60007	シム (60X66X0. 6)	1		
7-5	09181-60008	シム (60X66X0. 65)	1		
7-6	09181-60009	シム (60X66X0. 7)	1		
7-7	09181-60010	シム (60X66X0. 75)	1		
7-8	09181-60011	シム (60X66X0. 8)	1		
7-9	09181-60012	シム (60X66X0. 85)	1		
7-10	09181-60013	シム (60X66X0. 9)	1		
8	09140-16026	ナット	1		
9	08221-16256	シム	1		
10	09180-32006	スベ-サ (32. 4X40X3)	1	REAR GEAR	
11-1	09181-32035	シム (32X37X0. 5)	1	REAR GEAR	
11-2	09181-32036	シム (32X37X0. 55)	1	REAR GEAR	
11-3	09181-32037	シム (32X37X0. 6)	1	REAR GEAR	
11-4	09181-32038	シム (32X37X0. 65)	1	REAR GEAR	
11-5	09181-32039	シム (32X37X0. 7)	1	REAR GEAR	
11-6	09181-32040	シム (32X37X0. 75)	1	REAR GEAR	
11-7	09181-32041	シム (32X37X0. 8)	1	REAR GEAR	
11-8	09181-32042	シム (32X37X0. 85)	1	REAR GEAR	
11-9	09181-32043	シム (32X37X0. 9)	1	REAR GEAR	
11-10	09181-32044	シム (32X37X0. 95)	1	REAR GEAR	
12	09160-60012	ワシヤ (60X72X3)	1	FRONT GEAR	
13	09263-80002	ベ アリンク (80X105X4)	1	FRONT GEAR	
14-1	09181-93101	シム (93. 5X100X0. 50)	2		
14-2	09181-93102	シム (93. 5X100X0. 55)	2		

FIG.220A




FIG. 220A (1-D-15) トランスミッション (DF300A: (020, 021))

見出番号	品番	品名	使用個数	備考	標準作業時間
14-3	09181-93103	シム (93. 5X100X0. 60)	2		
14-4	09181-93104	シム (93. 5X100X0. 65)	2		
14-5	09181-93105	シム (93. 5X100X0. 70)	2		
14-6	09181-93106	シム (93. 5X100X0. 75)	2		
14-7	09181-93107	シム (93. 5X100X0. 80)	2		
14-8	09181-93108	シム (93. 5X100X0. 85)	2		
14-9	09181-93109	シム (93. 5X100X0. 90)	2		
14-10	09181-93110	シム (93. 5X100X0. 95)	2		
14-11	09181-93111	シム (93. 5X100X1. 00)	2		
14-12	09181-93112	シム (93. 5X100X1. 05)	2		
14-13	09181-93113	シム (93. 5X100X1. 10)	2		
15-1	59171-93L00	シム, フロントキヤ (81X103X3. 50)	1	FRONT GEAR	
15-2	59171-93L10	シム, フロントキヤ (81X103X3. 55)	1	FRONT GEAR	
15-3	59171-93L20	シム, フロントキヤ (81X103X3. 60)	1	FRONT GEAR	
15-4	59171-93L30	シム, フロントキヤ (81X103X3. 65)	1	FRONT GEAR	
15-5	59171-93L40	シム, フロントキヤ (81X103X3. 70)	1	FRONT GEAR	
15-6	59171-93L50	シム, フロントキヤ (81X103X3. 75)	1	FRONT GEAR	
15-7	59171-93L60	シム, フロントキヤ (81X103X3. 80)	1	FRONT GEAR	
15-8	59171-93L70	シム, フロントキヤ (81X103X3. 85)	1	FRONT GEAR	
15-9	59171-93L80	シム, フロントキヤ (81X103X3. 90)	1	FRONT GEAR	
15-10	59171-93L90	シム, フロントキヤ (81X103X3. 95)	1	FRONT GEAR	
15-11	59171-93LA0	シム, フロントキヤ (81X103X4. 00)	1	FRONT GEAR	
15-12	59171-93LB0	シム, フロントキヤ (81X103X4. 05)	1	FRONT GEAR	
15-13	59171-93LC0	シム, フロントキヤ (81X103X4. 10)	1	FRONT GEAR	
16	09265-30033	ベアリング (30X72X28. 75)	1		
17	57610-93L10	シャフト, プローラ	1		
18	57621-93L00	シフト, クラツチツグ	1		
19	09202-08013	ピン (8X55)	1		
20	57631-93L01	ピン, コネクタ	1		
21	09440-58001	スプリング	1		
22	57617-93L00	スプリング, テンテ	1		
23	06111-07004	ボール	2	DETENT NO. 1	
24	06111-11004	ボール	2	DETENT NO. 2	
25	56120-93L30	ハウジング, フロツツシャフトベアリング	1		
26	09263-30063	ベアリング (30X40X25)	1		

FIG.220A




FIG. 220A (1-E-2) トランスミッション (DF300A: (020, 021))

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
27	09265-32003	・ベ`アリング` (32X58X17)	1		
28	09280-00047	・Oリング` (D:3)	1		
29	09282-30006	・オイルシール	2		
30	09381-40003	・サークリップ`	1		
31	56147-93L00	スベ`ーサ, プ`ロベ`ランシャフトベ`アリング`ハウシ`ング`	1		
32	56130-93J02	ハウシ`ング`, ド`ライブ`シャフトベ`アリング`	1		
33	09280-66004	・Oリング` (D:3. 1, ID:65. 4)	1		
34	09282-24004	・オイルシール	2		
35	09381-40003	・サークリップ`	1		
36	57622-93L00	スベ`ーサ, スラスト	1	フロント	
37	09164-50002	ワツシヤ, ウエ-プ`	1		
38	09381-72003	スナツプ`リング`	1	フロント	
39	09140-48001	ナツト	1	REAR GEAR	
40	56122-93L00	ストツハ`, プ`ロベ`ランシャフトベ`アリング`ハウシ`ング`	1		
41	56126-93L10	ワツシヤ, プ`ロベ`ランシャフトベ`アリング`ハウシ`ング`	1		
42	56127-93L00	ワツシヤ, プ`ロベ`ランシャフトベ`アリング`ハウシ`ング` 2	1		
43	56128-93L00	シール, プ`ロツワ`シャフトベ`アリング`ハウシ`ング`	1		
44	56129-93L00	プ`ツシュ, ストツハ`	1		
45	09280-00050	Oリング` (D:1. 8, ID:117. 6)	1		
46	57527-93L00	スベ`ーサ, ベ`アリング`インナ	1		
47	57541-93L00	スベ`ーサ, ベ`アリング`アウト	1		
48	09265-50004	ベ`アリング` (50X80X20)	1	REAR GEAR R	
49	09265-55001	ベ`アリング` (55X100X22. 75)	1	REAR GEAR F	

FIG.220B




FIG. 220B (1-E-3) トランスミッション (DF300A: (022, 023))

見出番号	品番	品名	使用個数	備考	標準作業時間
1-1	57110-93L02	シャフト, ドライブ (L)	1	L-TRANSOM	
1-2	57110-93L12	シャフト, ドライブ (X)	1	X-TRANSOM	
1-3	57110-93L22	シャフト, ドライブ (XX)	1	XX-TRANSOM	
2	57133-93L00	カラー, ドライブ シャフト	1		
3	57134-93J00	スベ-サ, ドライブ シャフトベ-アリンク	1		
4	09159-28003	ナット	1		
5	09269-32002	ベ-アリンク (32X66X49)	1		
6	57300-93L20	セツト, ギヤ	1		
7-1	09181-60004	シム (60X66X0. 45)	1		
7-2	09181-60005	シム (60X66X0. 5)	1		
7-3	09181-60006	シム (60X66X0. 55)	1		
7-4	09181-60007	シム (60X66X0. 6)	1		
7-5	09181-60008	シム (60X66X0. 65)	1		
7-6	09181-60009	シム (60X66X0. 7)	1		
7-7	09181-60010	シム (60X66X0. 75)	1		
7-8	09181-60011	シム (60X66X0. 8)	1		
7-9	09181-60012	シム (60X66X0. 85)	1		
7-10	09181-60013	シム (60X66X0. 9)	1		
8	09140-16026	ナット	1		
9	08221-16256	シム	1		
10	09180-32006	スベ-サ (32. 4X40X3)	1	REAR GEAR	
11-1	09181-32035	シム (32X37X0. 5)	1	REAR GEAR	
11-2	09181-32036	シム (32X37X0. 55)	1	REAR GEAR	
11-3	09181-32037	シム (32X37X0. 6)	1	REAR GEAR	
11-4	09181-32038	シム (32X37X0. 65)	1	REAR GEAR	
11-5	09181-32039	シム (32X37X0. 7)	1	REAR GEAR	
11-6	09181-32040	シム (32X37X0. 75)	1	REAR GEAR	
11-7	09181-32041	シム (32X37X0. 8)	1	REAR GEAR	
11-8	09181-32042	シム (32X37X0. 85)	1	REAR GEAR	
11-9	09181-32043	シム (32X37X0. 9)	1	REAR GEAR	
11-10	09181-32044	シム (32X37X0. 95)	1	REAR GEAR	
12	09160-60012	ワッシャ (60X72X3)	1	FRONT GEAR	
13	09263-80002	ベ-アリンク (80X105X4)	1	FRONT GEAR	
14-1	09181-93101	シム (93. 5X100X0. 50)	2		
14-2	09181-93102	シム (93. 5X100X0. 55)	2		

FIG.220B




FIG. 220B (1-E-4) トランスミッション (DF300A: (022, 023))

見出番号	品番	品名	使用個数	備考	標準作業時間
14-3	09181-93103	シム (93. 5X100X0. 60)	2		
14-4	09181-93104	シム (93. 5X100X0. 65)	2		
14-5	09181-93105	シム (93. 5X100X0. 70)	2		
14-6	09181-93106	シム (93. 5X100X0. 75)	2		
14-7	09181-93107	シム (93. 5X100X0. 80)	2		
14-8	09181-93108	シム (93. 5X100X0. 85)	2		
14-9	09181-93109	シム (93. 5X100X0. 90)	2		
14-10	09181-93110	シム (93. 5X100X0. 95)	2		
14-11	09181-93111	シム (93. 5X100X1. 00)	2		
14-12	09181-93112	シム (93. 5X100X1. 05)	2		
14-13	09181-93113	シム (93. 5X100X1. 10)	2		
15-1	59171-93L00	シム, フロントキ*ヤ (81X103X3. 50)	1	FRONT GEAR	
15-2	59171-93L10	シム, フロントキ*ヤ (81X103X3. 55)	1	FRONT GEAR	
15-3	59171-93L20	シム, フロントキ*ヤ (81X103X3. 60)	1	FRONT GEAR	
15-4	59171-93L30	シム, フロントキ*ヤ (81X103X3. 65)	1	FRONT GEAR	
15-5	59171-93L40	シム, フロントキ*ヤ (81X103X3. 70)	1	FRONT GEAR	
15-6	59171-93L50	シム, フロントキ*ヤ (81X103X3. 75)	1	FRONT GEAR	
15-7	59171-93L60	シム, フロントキ*ヤ (81X103X3. 80)	1	FRONT GEAR	
15-8	59171-93L70	シム, フロントキ*ヤ (81X103X3. 85)	1	FRONT GEAR	
15-9	59171-93L80	シム, フロントキ*ヤ (81X103X3. 90)	1	FRONT GEAR	
15-10	59171-93L90	シム, フロントキ*ヤ (81X103X3. 95)	1	FRONT GEAR	
15-11	59171-93LA0	シム, フロントキ*ヤ (81X103X4. 00)	1	FRONT GEAR	
15-12	59171-93LB0	シム, フロントキ*ヤ (81X103X4. 05)	1	FRONT GEAR	
15-13	59171-93LC0	シム, フロントキ*ヤ (81X103X4. 10)	1	FRONT GEAR	
16	09265-30033	ベ*アリング* (30X72X28. 75)	1		
17	57610-93L10	シャフト, プ*ロペ*ラ	1		
18	57621-93L00	シフト, クラツチド*ツク*	1		
19	09202-08013	ビ*ン (8X55)	1		
20	57631-93L01	ビ*ン, コネクタ	1		
21	09440-58001	スプ*リング*	1		
22	57617-93L00	スプ*リング*, テ*テント	1		
23	06111-07004	ホ*ール	2	DETENT NO. 1	
24	06111-11004	ホ*ール	2	DETENT NO. 2	
25	56120-93L30	ハウジング*, プ*ロツプ*シャフトベ*アリング*	1		
26	09263-30063	・ベ*アリング* (30X40X25)	1		

FIG.220B




FIG. 220B (1-E-5) トランスミッション (DF300A: (022, 023))

見出番号	品 番	品 名	使用個数	備 考	標準 作業時間
27	09265-32003	・ベ`アリング` (32X58X17)	1		
28	09280-00047	・Oリング` (D: 3	1		
29	09280-80001	・Oリング` (D: 2. 4	1		
30	09282-30006	・オイルシール	2		
31	09381-40003	・サークルツブ`	1		
32	56147-93L00	スベ`-サ, フ`ロハ`ラシヤフトハ`アリング`ハウジ`ンク`	1		
33	56130-93J02	ハウジ`ンク`, ト`ライフ`シヤフトハ`アリング`	1		
34	09280-66004	・Oリング` (D: 3. 1, ID: 65. 4)	1		
35	09282-24004	・オイルシール	2		
36	09381-40003	・サークルツブ`	1		
37	57622-93L00	スベ`-サ, スラスト	1	フロント	
38	09164-50002	ワツシヤ, ウエ-ブ`	1		
39	09381-72003	スナツブ`リンク`	1	フロント	
40	09140-48001	ナツト	1	REAR GEAR	
41	56122-93L00	ストツバ`, フ`ロハ`ラシヤフトハ`アリング`ハウジ`ンク`	1		
42	56126-93L10	ワツシヤ, フ`ロハ`ラシヤフトハ`アリング`ハウジ`ンク`	1		
43	56127-93L00	ワツシヤ, フ`ロハ`ラシヤフトハ`アリング`ハウジ`ンク` 2	1		
44	56128-93L00	シール, フ`ロツブ`シヤフトハ`アリング`ハウジ`ンク`	1		
45	56129-93L00	ブ`ツシュ, ストツバ`	1		
46	09280-00050	Oリング` (D: 1. 8, ID: 117. 6)	1		
47	57527-93L00	スベ`-サ, ベ`アリング`インナ	1		
48	57541-93L00	スベ`-サ, ベ`アリング`アウト	1		
49	09265-50004	ベ`アリング` (50X80X20)	1	REAR GEAR R	
50	09265-55001	ベ`アリング` (55X100X22. 75)	1	REAR GEAR F	

FIG.220C




FIG. 220C (1-E-6) トランスミッション (DF250A: (020, 021))

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
1-1	57110-93L12	シャフト, ドライブ (X)	1	X-TRANSOM	
1-2	57110-93L22	シャフト, ドライブ (XX)	1	XX-TRANSOM	
2	57133-93L00	カラー, ドライブ シャフト	1		
3	57134-93J00	スベ-サ, ドライブ シャフトへ アリク	1		
4	09159-28003	ナット	1		
5	09269-32002	ベ アリク (32X66X49)	1		
6	57300-93L20	セツ, キヤ	1		
7-1	09181-60004	シム (60X66X0.45)	1		
7-2	09181-60005	シム (60X66X0.5)	1		
7-3	09181-60006	シム (60X66X0.55)	1		
7-4	09181-60007	シム (60X66X0.6)	1		
7-5	09181-60008	シム (60X66X0.65)	1		
7-6	09181-60009	シム (60X66X0.7)	1		
7-7	09181-60010	シム (60X66X0.75)	1		
7-8	09181-60011	シム (60X66X0.8)	1		
7-9	09181-60012	シム (60X66X0.85)	1		
7-10	09181-60013	シム (60X66X0.9)	1		
8	09140-16026	ナット	1		
9	08221-16256	シム	1		
10	09180-32006	スベ-サ (32.4X40X3)	1	REAR GEAR	
11-1	09181-32035	シム (32X37X0.5)	1	REAR GEAR	
11-2	09181-32036	シム (32X37X0.55)	1	REAR GEAR	
11-3	09181-32037	シム (32X37X0.6)	1	REAR GEAR	
11-4	09181-32038	シム (32X37X0.65)	1	REAR GEAR	
11-5	09181-32039	シム (32X37X0.7)	1	REAR GEAR	
11-6	09181-32040	シム (32X37X0.75)	1	REAR GEAR	
11-7	09181-32041	シム (32X37X0.8)	1	REAR GEAR	
11-8	09181-32042	シム (32X37X0.85)	1	REAR GEAR	
11-9	09181-32043	シム (32X37X0.9)	1	REAR GEAR	
11-10	09181-32044	シム (32X37X0.95)	1	REAR GEAR	
12	09160-60012	ワツヤ (60X72X3)	1	FRONT GEAR	
13	09263-80002	ベ アリク (80X105X4)	1	FRONT GEAR	
14-1	09181-93101	シム (93.5X100X0.50)	2		
14-2	09181-93102	シム (93.5X100X0.55)	2		
14-3	09181-93103	シム (93.5X100X0.60)	2		

FIG.220C




FIG. 220C (1-E-7) トランスミッション (DF250A: (020, 021))

見出番号	品番	品名	使用個数	備考	標準作業時間
14-4	09181-93104	シム (93. 5X100X0. 65)	2		
14-5	09181-93105	シム (93. 5X100X0. 70)	2		
14-6	09181-93106	シム (93. 5X100X0. 75)	2		
14-7	09181-93107	シム (93. 5X100X0. 80)	2		
14-8	09181-93108	シム (93. 5X100X0. 85)	2		
14-9	09181-93109	シム (93. 5X100X0. 90)	2		
14-10	09181-93110	シム (93. 5X100X0. 95)	2		
14-11	09181-93111	シム (93. 5X100X1. 00)	2		
14-12	09181-93112	シム (93. 5X100X1. 05)	2		
14-13	09181-93113	シム (93. 5X100X1. 10)	2		
15-1	59171-93L00	シム, フロントキ*ヤ (81X103X3. 50)	1	FRONT GEAR	
15-2	59171-93L10	シム, フロントキ*ヤ (81X103X3. 55)	1	FRONT GEAR	
15-3	59171-93L20	シム, フロントキ*ヤ (81X103X3. 60)	1	FRONT GEAR	
15-4	59171-93L30	シム, フロントキ*ヤ (81X103X3. 65)	1	FRONT GEAR	
15-5	59171-93L40	シム, フロントキ*ヤ (81X103X3. 70)	1	FRONT GEAR	
15-6	59171-93L50	シム, フロントキ*ヤ (81X103X3. 75)	1	FRONT GEAR	
15-7	59171-93L60	シム, フロントキ*ヤ (81X103X3. 80)	1	FRONT GEAR	
15-8	59171-93L70	シム, フロントキ*ヤ (81X103X3. 85)	1	FRONT GEAR	
15-9	59171-93L80	シム, フロントキ*ヤ (81X103X3. 90)	1	FRONT GEAR	
15-10	59171-93L90	シム, フロントキ*ヤ (81X103X3. 95)	1	FRONT GEAR	
15-11	59171-93LA0	シム, フロントキ*ヤ (81X103X4. 00)	1	FRONT GEAR	
15-12	59171-93LB0	シム, フロントキ*ヤ (81X103X4. 05)	1	FRONT GEAR	
15-13	59171-93LC0	シム, フロントキ*ヤ (81X103X4. 10)	1	FRONT GEAR	
16	09265-30033	ベ*アリング* (30X72X28. 75)	1		
17	57610-93L10	シャフト, フ*ロベ*ラ	1		
18	57621-93L00	シフト, クラツチド*ツグ*	1		
19	09202-08013	ピ*ン (8X55)	1		
20	57631-93L01	ピ*ン, コネク*タ	1		
21	09440-58001	スプ*リンク*	1		
22	57617-93L00	スプ*リンク*, テ*ンテ*ント	1		
23	06111-07004	ホ*ール	2	DETENT NO. 1	
24	06111-11004	ホ*ール	2	DETENT NO. 2	
25	56120-93L30	ハウジング*, フ*ロツフ*シャフトベ*アリング*	1		
26	09263-30063	・ベ*アリング* (30X40X25)	1		
27	09265-32003	・ベ*アリング* (32X58X17)	1		

FIG.220C




FIG. 220C (1-E-8) トランスミッション (DF250A: (020, 021))

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
28	09280-00047	・Oリング (D: 3	1		
29	09282-30006	・オイルシール	2		
30	09381-40003	・サークルツブ	1		
31	56147-93L00	スベ-サ, プ ロハ ランシャフトベ アリシ ンク	1		
32	56130-93J02	ハシ ンク , ト ライフ シヤフトベ アリシ ンク	1		
33	09280-66004	・Oリング (D: 3. 1, ID: 65. 4)	1		
34	09282-24004	・オイルシール	2		
35	09381-40003	・サークルツブ	1		
36	57622-93L00	スベ-サ, スラスト	1	フロント	
37	09164-50002	ワツシヤ, ウエ-プ	1		
38	09381-72003	スナツブ リンク	1	フロント	
39	09140-48001	ナツト	1	REAR GEAR	
40	56122-93L00	ストツハ , プ ロハ ランシャフトベ アリシ ンク	1		
41	56126-93L10	ワツシヤ, プ ロハ ランシャフトベ アリシ ンク	1		
42	56127-93L00	ワツシヤ, プ ロハ ランシャフトベ アリシ ンク 2	1		
43	56128-93L00	シール, プ ロツブ シヤフトベ アリシ ンク	1		
44	56129-93L00	プ ツシユ, ストツハ	1		
45	09280-00050	Oリング (D: 1. 8, ID: 117. 6)	1		
46	57527-93L00	スベ-サ, ベ アリシ ンク インナ	1		
47	57541-93L00	スベ-サ, ベ アリシ ンク アウタ	1		
48	09265-50004	ベ アリシ ンク (50X80X20)	1	REAR GEAR R	
49	09265-55001	ベ アリシ ンク (55X100X22. 75)	1	REAR GEAR F	

FIG.220D




FIG. 220D (1-E-9) トランスミッション (DF250A: (022, 023))

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
1-1	57110-93L12	シャフト, ドライブ (X)	1	X-TRANSOM	
1-2	57110-93L22	シャフト, ドライブ (XX)	1	XX-TRANSOM	
2	57133-93L00	カラー, ドライブ シャフト	1		
3	57134-93J00	スベ-サ, ドライブ シャフトへ アリク	1		
4	09159-28003	ナット	1		
5	09269-32002	ベ アリク (32X66X49)	1		
6	57300-93L20	セツ, キヤ	1		
7-1	09181-60004	シム (60X66X0.45)	1		
7-2	09181-60005	シム (60X66X0.5)	1		
7-3	09181-60006	シム (60X66X0.55)	1		
7-4	09181-60007	シム (60X66X0.6)	1		
7-5	09181-60008	シム (60X66X0.65)	1		
7-6	09181-60009	シム (60X66X0.7)	1		
7-7	09181-60010	シム (60X66X0.75)	1		
7-8	09181-60011	シム (60X66X0.8)	1		
7-9	09181-60012	シム (60X66X0.85)	1		
7-10	09181-60013	シム (60X66X0.9)	1		
8	09140-16026	ナット	1		
9	08221-16256	シム	1		
10	09180-32006	スベ-サ (32.4X40X3)	1	REAR GEAR	
11-1	09181-32035	シム (32X37X0.5)	1	REAR GEAR	
11-2	09181-32036	シム (32X37X0.55)	1	REAR GEAR	
11-3	09181-32037	シム (32X37X0.6)	1	REAR GEAR	
11-4	09181-32038	シム (32X37X0.65)	1	REAR GEAR	
11-5	09181-32039	シム (32X37X0.7)	1	REAR GEAR	
11-6	09181-32040	シム (32X37X0.75)	1	REAR GEAR	
11-7	09181-32041	シム (32X37X0.8)	1	REAR GEAR	
11-8	09181-32042	シム (32X37X0.85)	1	REAR GEAR	
11-9	09181-32043	シム (32X37X0.9)	1	REAR GEAR	
11-10	09181-32044	シム (32X37X0.95)	1	REAR GEAR	
12	09160-60012	ワツヤ (60X72X3)	1	FRONT GEAR	
13	09263-80002	ベ アリク (80X105X4)	1	FRONT GEAR	
14-1	09181-93101	シム (93.5X100X0.50)	2		
14-2	09181-93102	シム (93.5X100X0.55)	2		
14-3	09181-93103	シム (93.5X100X0.60)	2		


DF300A_000_023_220D
TRANSMISSION



DF300A_000_023

見出番号	品番	品名	使用個数	備考	標準作業時間
14-4	09181-93104	ｼﾒ (93. 5X100X0. 65)	2		
14-5	09181-93105	ｼﾒ (93. 5X100X0. 70)	2		
14-6	09181-93106	ｼﾒ (93. 5X100X0. 75)	2		
14-7	09181-93107	ｼﾒ (93. 5X100X0. 80)	2		
14-8	09181-93108	ｼﾒ (93. 5X100X0. 85)	2		
14-9	09181-93109	ｼﾒ (93. 5X100X0. 90)	2		
14-10	09181-93110	ｼﾒ (93. 5X100X0. 95)	2		
14-11	09181-93111	ｼﾒ (93. 5X100X1. 00)	2		
14-12	09181-93112	ｼﾒ (93. 5X100X1. 05)	2		
14-13	09181-93113	ｼﾒ (93. 5X100X1. 10)	2		
15-1	59171-93L00	ｼﾒ, フロントｷﾞﾔ (81X103X3. 50)	1	FRONT GEAR	
15-2	59171-93L10	ｼﾒ, フロントｷﾞﾔ (81X103X3. 55)	1	FRONT GEAR	
15-3	59171-93L20	ｼﾒ, フロントｷﾞﾔ (81X103X3. 60)	1	FRONT GEAR	
15-4	59171-93L30	ｼﾒ, フロントｷﾞﾔ (81X103X3. 65)	1	FRONT GEAR	
15-5	59171-93L40	ｼﾒ, フロントｷﾞﾔ (81X103X3. 70)	1	FRONT GEAR	
15-6	59171-93L50	ｼﾒ, フロントｷﾞﾔ (81X103X3. 75)	1	FRONT GEAR	
15-7	59171-93L60	ｼﾒ, フロントｷﾞﾔ (81X103X3. 80)	1	FRONT GEAR	
15-8	59171-93L70	ｼﾒ, フロントｷﾞﾔ (81X103X3. 85)	1	FRONT GEAR	
15-9	59171-93L80	ｼﾒ, フロントｷﾞﾔ (81X103X3. 90)	1	FRONT GEAR	
15-10	59171-93L90	ｼﾒ, フロントｷﾞﾔ (81X103X3. 95)	1	FRONT GEAR	
15-11	59171-93LA0	ｼﾒ, フロントｷﾞﾔ (81X103X4. 00)	1	FRONT GEAR	
15-12	59171-93LB0	ｼﾒ, フロントｷﾞﾔ (81X103X4. 05)	1	FRONT GEAR	
15-13	59171-93LC0	ｼﾒ, フロントｷﾞﾔ (81X103X4. 10)	1	FRONT GEAR	
16	09265-30033	ﾍﾞｱﾘﾝｸﾞ (30X72X28. 75)	1		
17	57610-93L10	ｼﾔﾌﾄ, ﾌﾞﾛｰﾙ	1		
18	57621-93L00	ｼﾌﾀ, ｸﾗｯﾁﾄﾞｯｸ	1		
19	09202-08013	ﾋﾞﾝ (8X55)	1		
20	57631-93L01	ﾋﾞﾝ, ｺﾈｸﾀ	1		
21	09440-58001	ｽﾌﾟﾘﾝｸﾞ	1		
22	57617-93L00	ｽﾌﾟﾘﾝｸﾞ, ﾃﾞﾝﾄ	1		
23	06111-07004	ﾎｰﾙ	2	DETENT NO. 1	
24	06111-11004	ﾎｰﾙ	2	DETENT NO. 2	
25	56120-93L30	ﾊｳｼﾞﾝｸﾞ, ﾌﾞﾛｯﾌﾟｼﾔﾌﾄﾍﾞｱﾘﾝｸﾞ	1		
26	09263-30063	・ﾍﾞｱﾘﾝｸﾞ (30X40X25)	1		
27	09265-32003	・ﾍﾞｱﾘﾝｸﾞ (32X58X17)	1		

FIG.220D




DF300A_000_023_220D
TRANSMISSION

FIG. 220D (1-E-11) トランスミッション (DF250A: (022, 023))

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
28	09280-00047	・Oリング (D:3	1		
29	09280-80001	・Oリング (D:2. 4	1		
30	09282-30006	・オイルシール	2		
31	09381-40003	・サークルツブ	1		
32	56147-93L00	スベ ーサ, プ ロベ ランヤフトベ アリシ ング	1		
33	56130-93J02	ハウシ ング, ト ライブ シヤフトベ アリシ ング	1		
34	09280-66004	・Oリング (D:3. 1, ID:65. 4)	1		
35	09282-24004	・オイルシール	2		
36	09381-40003	・サークルツブ	1		
37	57622-93L00	スベ ーサ, スラスト	1	フロント	
38	09164-50002	ワツシヤ, ウエーブ	1		
39	09381-72003	スナツブ リシ ング	1	フロント	
40	09140-48001	ナツト	1	REAR GEAR	
41	56122-93L00	ストツハ, プ ロベ ランヤフトベ アリシ ング	1		
42	56126-93L10	ワツシヤ, プ ロベ ランヤフトベ アリシ ング	1		
43	56127-93L00	ワツシヤ, プ ロベ ランヤフトベ アリシ ング	2		
44	56128-93L00	シール, プ ロツブ シヤフトベ アリシ ング	1		
45	56129-93L00	プ ツシユ, ストツハ	1		
46	09280-00050	Oリング (D:1. 8, ID:117. 6)	1		
47	57527-93L00	スベ ーサ, ベ アリシ ング イナ	1		
48	57541-93L00	スベ ーサ, ベ アリシ ング アウタ	1		
49	09265-50004	ベ アリシ ング (50X80X20)	1	REAR GEAR R	
50	09265-55001	ベ アリシ ング (55X100X22. 75)	1	REAR GEAR F	

DF300A_000_023

FIG.301A



DF300A_000_023_301A
STARTING MOTOR

FIG. 301A (1-E-12) スターティングモータ

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
1	31100-98L10	モータアツシ, スターティング	1		
2	31150-98L00	・ケース, キヤ	1		
3	31170-92J00	・ハウジング, リヤ	1		
4	31173-98L00	・ホルダ アツシ, フラシ	1		
5	31191-63J00	・レバ アツシ	1		
6	31220-98L10	・スイツチアツシ	1		
7	31311-63J00	・アマチュア	1		
8	31192-92J00	・スクリュセツト	1		
9	31261-75F10	・ホ ルト	2		
10	31340-98L00	・クラツチセツト, スターティング モータ	1		
11	31314-86030	・・ストツパ セツト	1		
12	31320-98L00	・・ヒ ニオン	1		
13	31341-98L00	・・シヤフト, ヒ ニオン	1		
14	31343-63J00	・・インタナナルギヤ	1		
15	31344-63J00	・・ギヤアツシ	3		
16	31912-98J00	パ ント, スタータモータ	1		
17	31918-92J01	タ ンバ, ロア	1		
18	01550-08207	ホ ルト	2		
19-1	01550-08307	ホ ルト	2	020, 021	
19-2	01550-0835C	ホ ルト	2	022, 023	
20	36645-93J00	リート ワイヤ, スターティング モータ	1		

DF300A_000_023

FIG.303A




FIG. 303A (1-E-13) マグネト

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
1-1	32102-98J20	フライホイール, マグネト	1	FROM 25003P-04000 1 UPTO 25003P-04127 9 FROM 30002P-04000 1 UPTO 30002P-04433 7	
1-2	32102-98J11	フライホイール, マグネト	1	FROM 25003P-04128 0 FROM 30002P-04433 8	
2	09103-12125	ボルト (12X26)	8		
3	09202-06031	ピン (6X12)	1		
4-1	32120-93J10	コイル, ハンズリチャージング	1	FROM 25003P-04000 1 UPTO 25003P-04127 9 FROM 30002P-04000 1 UPTO 30002P-04433 7	
4-2	32120-93J01	コイル, ハンズリチャージング	1	FROM 25003P-04128 0 FROM 30002P-04433 8	
5	32131-93J00	ホルタ, スターコネクタ	1		
6-1	01550-06167	ボルト	2	020, 021	
6-2	01550-0616C	ボルト	2	022, 023	
7	32160-88L01	コイル, イグニッションタイミング	1		
8	09106-05030	ボルト (5X10)	2		
9	33220-98J00	センサアツシ, カムホシシヨ	3		
10	33221-42F00	・Oリング	3		
11-1	01550-06167	ボルト	3	020, 021	
11-2	01550-0616C	ボルト	3	022, 023	

FIG.303A




FIG. 303A (1-E-14) マグネト

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
12	09103-06231	ボルト (6X35)	4		
13	09403-13414	クランプ	2		
14-1	01550-06127	ボルト	2	020, 021	
14-2	01550-06120	ボルト	2	022, 023	

FIG.310A




FIG. 310A (1-E-15) レクチファイ/イグニッション コイル

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
1	32800-98J01	レクチファイ/レギュレータアツシ	1		
2	32805-93J00	オリング, レクチファイ/レギュレータ	2		
3	32890-98J01	ホルダ, エレクトリックハーツ	1		
4	09160-06134	ワッシャ (6. 5X24X1. 6)	1		
5	09169-06062	ワッシャ	3		
6	09320-09016	クワシヨソ (9X18X9. 5)	3		
7	09116-06202	ホル ト (6X25)	3		
8	09320-12095	クワシヨソ	1		
9-1	01550-06127	ホル ト	1	020, 021	
9-2	01550-0612C	ホル ト	1	022, 023	
10-1	01550-06257	ホル ト	4	020, 021	
10-2	01550-0625C	ホル ト	4	022, 023	
11	33410-93J00	コイルアツシ, イグニッション	6		
12-1	01550-06207	ホル ト	6	020, 021	
12-2	01550-0620C	ホル ト	6	022, 023	
13	09408-00021	クリツツ (ID:16)	1		



FIG.315A




FIG. 315A (1-F-2) センサ (X-TRANSOM, XX-TRANSOM)

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
1	13650-52G00	センサ, インレットエアテンパ° レチャ	1		
2	13655-87J01	グ° ロメット, インレットエアテンパ° レチャセンサ	1		
3	29103-93J00	ホ° ルト (6X12)	1		
4	34830-87J20	センサ, テンパ° レチャ	2	EXHAUST TEMP	
5	34830-87J20	センサ, テンパ° レチャ	1	CYLINDER TEMP	
6	34840-98J03	センサアツシ, トリム/チルト	1		
7	37820-98J00	センサアツシ, オイルフ° レツシヤ	1		
8	09125-06063	スクリュ (6X10)	1		
9	09403-19412	クランプ°	1		
10	29404-93J11	クランプ°	1		
11	09407-14407	クランプ° (L: 145)	2		
12	34841-88L01	レバ° -, トリムセンサ	1		
13	34845-88L02	ブ° ラケツト, トリムセンサ	1		
14	09140-05005	・ナツト	1		
15	09125-05048	スクリュ (5X16)	1		
16	09160-05029	ワツシヤ (5, 5X12X0, 8)	1		
17	09103-06093	ホ° ルト (6X20)	2		
18	18213-98J30	センサ, オキシジ° エン	1		
19	09403-07340	クランプ°	1		
20	11218-98J02	ホルタ°, テンパ° レチャセンサ	1		
21	11219-98J00	ホルタ°, オイルセンサ	1		
22	34830-98J00	センサアツシ, オイルテンパ° レチャ	1		

FIG.315B




FIG. 315B (1-F-3) センサ (L-TRANSOM)

見出番号	品番	品名	使用個数	備考	標準作業時間
1	13650-52G00	センサ, インレットエアテンパ レチャ	1		
2	13655-87J01	グ ロメツト, インレットエアテンパ レチャセンサ	1		
3	29103-93J00	ホ ルト (6X12)	1		
4	34830-87J20	センサ, テンパ レチャ	2	EXHAUST TEMP	
5	34830-87J20	センサ, テンパ レチャ	1	CYLINDER TEMP	
6	34840-98J11	センサアツシ, トリム	1		
7	37820-98J00	センサアツシ, オイルブ レツシヤ	1		
8	29103-93J00	ホ ルト (6X12)	1		
9	09403-19412	クランプ	1		
10	29404-93J21	クランプ	1		
11	09407-14407	クランプ (L: 145)	2		
12	34841-96J00	レバ ー, トリムセンサ	1		
13	34845-96J00	ブ ラケツト, トリムセンサ	1		
14	09125-05048	スクリュ (5X16)	1		
15	09160-05029	ワツシヤ (5. 5X12X0. 8)	1		
16	09103-06093	ホ ルト (6X20)	2		
17	18213-98J30	センサ, オキシジ ン	1		
18	09403-07340	クランプ	1		
19	11218-98J02	ホルダ, テンパ レチャセンサ	1		
20	11219-98J00	ホルダ, オイルセンサ	1		
21	34830-98J00	センサアツシ, オイルテンパ レチャ	1		
22	34813-93J00	ブ ロテクタ, リード ワイヤ	1		
23	36611-96J01	ワイヤ, トリムセンサ	1		
24	43117-96J00	カム, トリムセンタ	1		
25	09116-05010	ホ ルト (5X12)	2		
26	43118-96J00	ブ レート, トリムセンタ カム	1		

FIG.322A





FIG. 322A (1-F-4) ハーネス

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
1	33810-98J01	ケーブルアッシ, スタータモータ	1		
2	08316-10087	ナット	1		
3-1	36610-98J81	ハーネスアッシ, ワイヤリング*	1	020 ->36610-98J82+094 07-14407 FROM 25003P-04000 1 UPTO 25003P-04101 9 FROM 30002P-04000 1 UPTO 30002P-04286 2	
3-2	36610-98J82	ハーネスアッシ, ワイヤリング*	1	020, 021 FROM 25003P-04102 0 FROM 30002P-04286 3	
3-3	36610-98JA0	ハーネスアッシ, ワイヤリング*	1	022, 023 ->36610-98JA1 FROM 25003P-24000 1 UPTO 25003P-34000 0 FROM 25003P-34000 1 UPTO 25003P-34099 3 FROM 30002P-24000 1 UPTO 30002P-34000 0 FROM 30002P-34000 1 UPTO 30002P-34332	

FIG.322A



DF300A_000_023_322A
HARNESS

FIG. 322A (1-F-5) ハーネス

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
			8		
3-4	36610-98JA1	ハーネスアツシ, ワイヤリング	1	023 FROM 25003P-34099	
			4	FROM 30002P-34332	
			9		
4	09481-10504	・フューズ [*] (10A)	2		
5	36612-98J10	・コネクタ, セレクトターミナル	1		
6	36612-98J30	・コネクタ, ターミナー	1	023 FROM 202209 FROM 25003P-34099	
				4	
				FROM 30002P-34332	
				9	
7	36721-98L00	・オリシク [*] , アツハ [*] カバ [*]	1		
8	36737-98L00	・フ [*] ーラ, フューズ [*]	1		
9	36738-98L00	・カバ [*] ー, フューズ [*] ケースアツハ [*]	1		
10	09320-08510	・クツシヨシ (8. 5X20X8)	2		
11	38860-76F01	・リレーアツシ	1	ENG CONTROL UNIT	
12	38860-76F01	・リレーアツシ	1	FOR STARTER MOTOR	
13	09481-15504	・フューズ [*] (15A)	4		
14	09481-30504	・フューズ [*] (30A)	3		
15	09481-40403	・フューズ [*] (40A)	1		
16	09481-60403	・フューズ [*] (60A)	2		
17	36612-96J01	・キヤツフ [*] , ターミナル	1	020, 021	
18	08310-00067	ナツト	1		
19	08321-01067	ロツクワツシヤ	1		
20	36617-93J00	ブ [*] ラケツト, ハーネス	4		
21	36617-93J10	ブ [*] ラケツト, ハーネス	8		
22	36617-98J00	ブ [*] ラケツト, ハーネス	1		
23	01550-0612C	ホルト	13		
24	09403-20308	クランブ [*]	1		
25-1	09407-14407	クランブ [*] (L: 145)	4	FROM 25003P-04000	
				1	
				UPTO 25003P-04101	

FIG.322A




FIG. 322A (1-F-6) ハーネス

見出番号	品 番	品 名	使用個数	備 考	標準 作業時間
			9	FROM 30002P-04000	
			1	UPTO 30002P-04286	
			2	FROM 25003P-04102	
			0	FROM 30002P-04286	
			3	FROM 25003P-04000	
			1	UPTO 25003P-04101	
			9	FROM 30002P-04000	
			1	UPTO 30002P-04286	
			2	FROM 25003P-04102	
			0	FROM 30002P-04286	
			3		
25-2	09407-14407	クランプ (L:145)	5		
26-1	09408-00008	クリップ (ID:20)	3		
26-2	09408-00008	クリップ (ID:20)	2		
27	09408-00184	クランプ	3		
28	09408-00012	クリップ (ID:11.5)	1		
29	09408-00024	クリップ (ID:23)	2		
30	01550-06127	ホルト	1		

FIG.326A




FIG. 326A (1-F-7) PTT スイッチ/エンジン コントロール ユニツ (DF300A)

見出番号	品番	品名	使用個数	備考	標準作業時間
1	13580-98J03	センサアツシ, シフトホジション	1		
2	13575-40F00	・Oリング	1		
3	37729-96L00	レバー, シフトセンサ	1		
4	09160-05029	ワッシャ (5. 5X12X0. 8)	1		
5	07130-05167	ホルト	1		
6	08321-0105A	ロツクワッシャ	1		
7	37721-93J00	スイッチアツシ, ニュートラル	1		
8	09137-04004	スクリュ (4X16)	2		
9	09407-10404	クランプ (L: 100)	2		
10	37725-93J11	カバー, スイッチアツシ	1		
11	37850-92J00	スイッチアツシ, PTT	1		
12	37856-92J00	・テープ, PTTスイッチ	1		
13	37857-92J01	ブツシュ, PTTスイッチ	1		
14	09403-11328	クランプ	1		
15-1	01550-06127	ホルト	1	020, 021	
15-2	01550-0612C	ホルト	1	022, 023	
16	37722-93J13	スイッチアツシ, チルトリミツト	1		
17-1	09407-14407	クランプ (L: 145)	1	L-TRANSOM	
17-2	09403-09330	クランプ	1	X-TRANSOM, XX-TRANSOM	
18	29125-93J00	スクリュ	1	X-TRANSOM, XX-TRANSOM	
19	38410-93J12	リレーアツシ, PTT	1		
20	38415-93J00	ホルダ, PTTリレー	1		
21	01550-06127	ホルト	1		
22	09407-30401	クランプ (L: 300)	1		
23-1	33930-98JH0	ユニツ, エンジンコントロール	1	(020, 021, 022) : L-TRANSOM	
23-2	33930-98JF0	ユニツ, エンジンコントロール	1	(020, 021, 022) : (X-TRANSOM, XX-TRANSOM)	
23-3	33930-98JN0	ユニツ, エンジンコントロール	1	023: L-TRANSOM	
23-4	33930-98JL0	ユニツ, エンジンコントロール	1	023: (X-TRANSOM, XX-TRANSOM)	
24	33925-98J00	クワジヨン, エンジンコントロールユニツ	1		

FIG.326A




FIG. 326A (1-F-8) PTT スイッチ/エンジン コントロール ユニット (DF300A)

見出番号	品 番	品 名	使用個数	備 考	標準 作業時間
25	38890-98J12	アクチュエータツシ, シフト	1		
26	38892-98J01	ダンパ, シフトアクチュエータ	1		
27	38895-98J00	ブラケット, シフトアクチュエータ	1		
28-1	01550-06167	ホルト	2	020, 021	
28-2	01550-0616C	ホルト	2	022, 023	
29	01550-06357	ホルト	3		
30	38860-76F01	リレーアツシ	2		
31	38915-90J00	ホルダ, リレー	2		

FIG.326B




FIG. 326B (1-F-9) PTT スイッチ/エンジン コントロール ユニツ (DF250A)

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
1	13580-98J03	センサアツシ, シフトホﾞ ジ' シヨ'ン	1		
2	13575-40F00	・Oリング	1		
3	37729-96L00	レバ' ー, シフトセンサ	1		
4	09160-05029	ワツシヤ (5. 5X12X0. 8)	1		
5	07130-05167	ホ' ルト	1		
6	08321-0105A	ロツクワツシヤ	1		
7	37721-93J00	スイツチアツシ, ニュートラル	1		
8	09137-04004	スクリュ (4X16)	2		
9	09407-10404	クラン' (L: 100)	2		
10	37725-93J11	カハ' ー, スイツチアツシ	1		
11	37850-92J00	スイツチアツシ, PTT	1		
12	37856-92J00	・テ' ー' , PTTスイツチ	1		
13	37857-92J01	ブ' ツシユ, PTTスイツチ	1		
14	09403-11328	クラン'	1		
15-1	01550-06127	ホ' ルト	1	020, 021	
15-2	01550-0612C	ホ' ルト	1	022, 023	
16	37722-93J13	スイツチアツシ, チルトリミツト	1		
17	09403-09330	クラン'	1		
18	29125-93J00	スクリュ	1		
19	38410-93J12	リレーアツシ, PTT	1		
20	38415-93J00	ホルタ' , PTTリレー	1		
21	01550-06127	ホ' ルト	1		
22	09407-30401	クラン' (L: 300)	1		
23-1	33930-98JG0	ユニツト, エンジ' ンコントロール	1	020, 021, 022	
23-2	33930-98JM0	ユニツト, エンジ' ンコントロール	1	023	
24	33925-98J00	クツシヨ'ン, エンジ' ンコントロールユニツト	1		
25	38890-98J12	アクチユエ' タアツシ, シフト	1		
26	38892-98J01	ダ' ン' , シフトアクチユエ' タ	1		
27	38895-98J00	ブ' ラケツト, シフトアクチユエ' タ	1		
28-1	01550-06167	ホ' ルト	2	020, 021	
28-2	01550-0616C	ホ' ルト	2	022, 023	
29	01550-06357	ホ' ルト	3		
30	38860-76F01	リレーアツシ	2		
31	38915-90J00	ホルタ' , リレー	2		

FIG.331A




FIG. 331A (1-F-10) キーレススタート (020, 021)

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
1	32851-93J00	クッション, リード ワイヤ	1		
2	32980-38F00	クッション, CDユニット	1		
3	36623-96L02	ハーネスアツシ, キーレススタートコントローラ	1		
4	36615-96300	・ターミナル	1		
5	36662-96L01	ハーネスアツシ, キーレススタートCAN	1	L:6500+110	
6	37117-96L00	デ`カル, キーレススタート	2		
7	37171-96L12	コントローラアツシ, キーレススタート315	1		
8	37172-96L11	リモコンアツシ, キーレススタート315	2		
9	37173-96L10	ホルダ`, キーレススタートハ`ーツ	1		
10	38500-93J90	ブ`ザ` -, ウォーニング`	1		
11	38860-96L01	リレーアツシ, キーレススタート	1		
12	09407-14407	クランプ` (L: 145)	1		
13	37100-96L02	ハ`ネルアツシ, メインスイッチ	1		
14	37110-96L00	・スイッチアツシ, メイン	1		
15-1	37141-99E00	・`キー (931)	1		
15-2	37141-99E10	・`キー (932)	1		
15-3	37141-99E20	・`キー (933)	1		
15-4	37141-99E30	・`キー (934)	1		
15-5	37141-99E40	・`キー (935)	1		
15-6	37141-99E50	・`キー (936)	1		
16	37143-96L00	・`ノブ`, メインスイッチ	1		
17	37114-98J00	・シート, メインスイッチハ`ネル	1		
18	37139-96L30	・ハ`ネル, メインスイッチ	1		
19	37820-93J11	・スイッチアツシ, エマシ`エンシ	1		
20	37823-92E02	・`ブ`レートアツシ, エマシ`エンシスイッチロック	1		
21	37826-92J10	・`ナット	1		
22	03122-05169	・スクリュ	4		

This diagram illustrates the components of the Suzuki Security System, numbered 1 through 15. The components are shown in an exploded view relative to a central rectangular unit (13).

- 1**: A small rectangular plate.
- 2**: A rectangular component, likely a battery or power source.
- 3**: A long cable with multiple connectors.
- 4**: A rectangular component with a lock icon and the text "SUZUKI SECURITY SYSTEM".
- 5**: A rectangular component, likely a battery or power source.
- 6**: A small rectangular component.
- 7**: A large, complex component, likely a control unit or receiver.
- 8**: A small circular component with a cable.
- 9**: A small rectangular component.
- 10**: A long, thin component, likely a keychain or remote.
- 11**: A small rectangular component.
- 12**: A small circular component.
- 13**: The central rectangular unit.
- 14**: A coiled cable.
- 15**: A small screw or fastener.

見出番号	品番	品名	使用個数	備考	標準作業時間
1	32851-93J00	クツシヨシ、リド°ワイヤ	1		
2	32980-38F00	クツシヨシ、CDユニット	1		
3	36623-98LA0	ハーネスアツシ、キーレススタートコントロール	1		
4	37117-96L00	デ°カール、キーレススタート	2		
5	37171-98L10	コントローラアツシ、キーレススタート315	1		
6	37172-96L11	リモコンアツシ、キーレススタート315	2		
7	37173-96L10	ホルダ°、キーレススタートハ°ーツ	1		
8	38500-93J90	ブ°ザ°ー、ウオーニング°	1		
9	38860-96L01	リレーアツシ、キーレススタート	1		
10	09407-14407	クランプ° (L:145)	1		
11	37290-98L10	ハ°ネルアツシ、エンジンスタートスイッチハ°ーチカル	1		
12	37292-98L10	・カハ°ー、エンジンスタートハ°ネルハ°ーチカル	1		
13	37820-98L00	・スイッチアツシ、エマシ°エンジン	1		
14	37823-98L01	・・ブ°レートアツシ、エマシ°エンジンスイッチロツク	1		
15	03142-05169	・スクリュ	4		

FIG.335A




FIG. 335A (1-F-12) クランプ プラケット (X-TRANSOM, XX-TRANSOM)

見出番号	品 番	品 名	使用個数	備 考	標準 作業時間
1-1	41111-93J16-YAY	プラケット, クランプ スターボート (フ ラツク)	1	020 STBD BODY COLOR:YAY	
1-2	41111-93J16-Y5S	プラケット, クランプ スターボート (ホワイ ト)	1	020 STBD BODY COLOR:Y5S	
1-3	41111-93J16-QTN	プラケット, クランプ スターボート (ホワイ ト)	1	021, 022, 023 STBD BODY COLOR:QTN	
1-4	41111-93J16-YAY	プラケット, クランプ スターボート (フ ラツク)	1	021, 022, 023 STBD BODY COLOR:YAY	
2-1	41121-93J08-YAY	プラケット, クランプ ホート (フ ラツク)	1	020 PORT BODY COLOR:YAY	
2-2	41121-93J08-Y5S	プラケット, クランプ ホート (ホワイ ト)	1	020 PORT BODY COLOR:Y5S	
2-3	41121-93J08-QTN	プラケット, クランプ ホート (ホワイ ト)	1	021, 022, 023 PORT BODY COLOR:QTN	
2-4	41121-93J08-YAY	プラケット, クランプ ホート (フ ラツク)	1	021, 022, 023 PORT BODY COLOR:YAY	
3	41117-93J02	プレート, クランプ プラケットロアスターボート	1	STBD	
4	41122-93J02	プレート, クランプ プラケットロアホート	1	PORT	
5	09125-06063	スクリュ (6X10)	4		
6	41130-93J12	シャフト, クランプ プラケット	1		
7	41135-93J11	ワッシャ, クランプ プラケットシャフト	1		
8	09159-22006	ナツト	1		
9-1	09100-12085	ホルト (12. 7X115)	6		
9-2	09100-12086	ホルト (12. 7X150)	1	オフ ショ ン	
9-3	09100-12092	ホルト (12. 7X75)	1	オフ ショ ン	
10	09159-12062	ナツト	6		
11	09160-13022	ワッシャ (13. 2X45X3)	4		

FIG.335A




FIG. 335A (1-F-13) クランプ プラケット (X-TRANSOM, XX-TRANSOM)

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
12	09160-13021	ワッシャ (13. 2X26X3)	6		
13	41155-93J02	プレート, トランサム	2		
14	55320-94900	アノード セット, クランプ プラケット	1		
15	09116-06121	ボルト (6X25)	2		
16	45421-87D03	ピン, チルトロツク	1		
17	09159-14020	ナツト	2		
18	48140-93J01	カムアツシ, チルトリミツトスイッチ	1		
19	48144-93J00	ホルダ, チルトリミツトスイッチ	1		
20	09103-06278	ボルト (6X25)	2		
21	55321-94910	アノード (マク ネシウム)	1	オプション	
22	48145-93J00	カバー, チルトリミツトスイッチ	1		
23	36894-87D00	リート (L: 165)	1		
24	09125-06063	スクリュ (6X10)	2		

FIG.335B




FIG. 335B (1-F-14) クランプ プ ラケット (L-TRANSOM)

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
1-1	41111-96J40-YAY	プ ラケット, クランプ スターホート (ﾌﾞﾗｯｸ)	1	020	
1-2	41111-96J40-Y5S	プ ラケット, クランプ スターホート (ﾎﾜｲﾄ)	1	020	BODY COLOR:YAY
1-3	41111-96J40-QTN	プ ラケット, クランプ スターホート (ﾎﾜｲﾄ)	1	021, 022, 023	BODY COLOR:Y5S
1-4	41111-96J40-YAY	プ ラケット, クランプ スターホート (ﾌﾞﾗｯｸ)	1	021, 022, 023	BODY COLOR:QTN
2-1	41121-96J30-YAY	プ ラケット, クランプ ホート (ﾌﾞﾗｯｸ)	1	020	BODY COLOR:YAY
2-2	41121-96J30-Y5S	プ ラケット, クランプ ホート (ﾎﾜｲﾄ)	1	020	BODY COLOR:Y5S
2-3	41121-96J30-QTN	プ ラケット, クランプ ホート (ﾎﾜｲﾄ)	1	021, 022, 023	BODY COLOR:QTN
2-4	41121-96J30-YAY	プ ラケット, クランプ ホート (ﾌﾞﾗｯｸ)	1	021, 022, 023	BODY COLOR:YAY
3	41130-92J03	ｼｬﾌﾄ, クランプ プ ラケット	1		
4	41135-92J00	ワｯｼｬ, クランプ プ ラケットｼｬﾌﾄ	1		
5	09159-22006	ﾅｯﾄ	1		
6-1	09100-12085	ﾎｰﾙﾄ (12. 7X115)	6		
6-2	09100-12086	ﾎｰﾙﾄ (12. 7X150)	1	オフ ション	
6-3	09100-12092	ﾎｰﾙﾄ (12. 7X75)	1	オフ ション	
7	09159-12062	ﾅｯﾄ	6		
8	09160-13021	ワｯｼｬ (13. 2X26X3)	6		
9	09160-13022	ワｯｼｬ (13. 2X45X3)	4		
10	41155-93J02	ﾌﾟﾚｰﾄ, ﾄﾗﾝｻﾑ	2		
11	55320-94900	ｱﾉｰﾄﾞ ｾｯﾄ, クランプ プ ラケット	1		
12	09116-06121	ﾎｰﾙﾄ (6X25)	2		
13	48140-93J01	ｶﾑｱｯｼ, ｾﾙﾄﾘﾐｯﾄｽｲｯﾁ	1		
14	48144-93J00	ﾎﾙﾀﾞ, ｾﾙﾄﾘﾐｯﾄｽｲｯﾁ	1		
15	09103-06278	ﾎｰﾙﾄ (6X25)	2		
16	48145-93J00	ｶﾊﾞｰ, ｾﾙﾄﾘﾐｯﾄｽｲｯﾁ	1		
17	55321-94910	ｱﾉｰﾄﾞ (ﾏｸﾞﾈｼｬﾑ)	1	オフ ション	
18	41117-93L00	ﾌﾟﾚｰﾄ, クランプ プ ラケットﾛｳｽﾀｰﾎｰﾄ	1		
19	41122-93L00	ﾌﾟﾚｰﾄ, クランプ プ ラケットﾛｳﾎｰﾄ	1		

FIG.335B





FIG. 335B (1-F-15) クランプ プラケット (L-TRANSOM)

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
20	03542-0516C	スクリュ	4		
21	09160-05053	ワッシャ	4		



見出番号	品番	品名	使用個数	備考	標準作業時間
1	22511-99011	ニツﾌﾞﾙ,ｸﾞｰﾘｰｽ	4		
2	36894-87D00	ﾘｰﾄﾞ(L:165)	1		
3-1	43111-93J24-YAY	ﾌﾞﾗｹｯﾄ,ｽｲﾍﾞﾙ(ﾌﾞﾗｯｸ)	1	020 BODY COLOR:YAY	
3-2	43111-93J24-Y5S	ﾌﾞﾗｹｯﾄ,ｽｲﾍﾞﾙ(ﾎﾜｲﾄ)	1	020 BODY COLOR:Y5S	
3-3	43111-93J24-QTN	ﾌﾞﾗｹｯﾄ,ｽｲﾍﾞﾙ(X)	1	021, 022, 023 BODY COLOR:QTN	
3-4	43111-93J24-YAY	ﾌﾞﾗｹｯﾄ,ｽｲﾍﾞﾙ(ﾌﾞﾗｯｸ)	1	021, 022, 023 BODY COLOR:YAY	
4	43114-93J00	ﾜｯｼﾔ,ｽｲﾍﾞﾙﾜｰｸﾗﾝﾌﾞ ﾌﾞﾗｹｯﾄ	2		
5	43211-93J11	ﾌﾞｯｼｭ,ｸﾗﾝﾌﾞｼﾔﾌﾄｽｲﾍﾞﾙ	2		
6	43711-97E11	ﾌﾞｯｼｭ,ｽﾃｱﾘﾝｸﾞ	2		
7-1	43750-93J03-YAY	ﾌﾞﾗｹｯﾄ,ｽﾃｱﾘﾝｸﾞ(X)(ﾌﾞﾗｯｸ)	1	020 BODY COLOR:YAY	
7-2	43750-93J03-Y5S	ﾌﾞﾗｹｯﾄ,ｽﾃｱﾘﾝｸﾞ(X)(ﾎﾜｲﾄ)	1	020 BODY COLOR:Y5S	
7-3	43750-93J03-QTN	ﾌﾞﾗｹｯﾄ,ｽﾃｱﾘﾝｸﾞ(X)	1	021, 022, 023 BODY COLOR:QTN	
7-4	43750-93J03-YAY	ﾌﾞﾗｹｯﾄ,ｽﾃｱﾘﾝｸﾞ(X)(ﾌﾞﾗｯｸ)	1	021, 022, 023 BODY COLOR:YAY	
8	09125-06063	ｽｸﾘｭ(6X10)	1		
9	09160-39001	ﾜｯｼﾔ(39.5X64X1)	2		
10	09181-39001	ｼﾑ(39.5X64X0.3)	AR		
11	09282-39001	ｵｲﾙｼｰﾙ	1		
12	09380-38003	ｽﾅｯﾌﾟﾘﾝｸﾞ	1		
13	41220-93J11	ﾚﾊﾞｰ,ﾅﾙﾄﾛｯｸ	1		
14	41234-93J11	ﾚﾊﾞｰ,ﾅﾙﾄﾛｯｸﾎｰﾄ	1	PORT	
15	41224-95E01	ﾌﾞｯｼｭ,ﾅﾙﾄｽﾄｯﾊﾞﾛｯﾄ	2		
16	41230-96J00	ﾘﾝｸ,ﾅﾙﾄﾛｯｸﾚﾊﾞｰ	1		
17	41233-95E10	ﾌﾞﾗｹｯﾄ,ﾅﾙﾄﾛｯｸｽﾌﾟﾘﾝｸﾞ	1		
18	09125-06063	ｽｸﾘｭ(6X10)	1		
19	09140-10032	ﾅｯﾄ	1		
20	09160-06082	ﾜｯｼﾔ(6.5X13X1.0)	1		
21	09204-01006	ｺﾂﾀﾋﾞﾝ	1		

FIG.336A





FIG. 336A (1-G-3) スイメルブラケット (X-TRANSOM, XX-TRANSOM)

見出番号	品番	品名	使用個数	備考	標準 作業時間
22	09440-19028	スワリング	1		
23	09443-10043	スワリング	1		

FIG.336B



DF300A_000_023_336B
SWIVEL BRACKET

FIG. 336B (1-G-4) スイベルブラケット (L-TRANSOM)

見出番号	品番	品名	使用個数	備考	標準作業時間
1	22511-99011	ニツブル, クーリス	4		
2	36894-87D00	リート (L:165)	1	SWIVEL TO CLAMP	
3-1	43111-96J20-YAY	ブラケット, スイベル (L) (フック)	1	020 BODY COLOR:YAY	
3-2	43111-96J20-Y5S	ブラケット, スイベル (L) (ホワイト)	1	020 BODY COLOR:Y5S	
3-3	43111-96J20-QTN	ブラケット, スイベル (L) (ホワイト)	1	021, 022, 023 BODY COLOR:QTN	
3-4	43111-96J20-YAY	ブラケット, スイベル (L) (フック)	1	021, 022, 023 BODY COLOR:YAY	
4	43211-93J11	ブッシュ, クラフ シヤフ スイベル	2		
5	43711-97E11	ブッシュ, ステアリング	2		
6-1	43750-96J03-YAY	ブラケット, ステアリング (L) (フック)	1	020 BODY COLOR:YAY	
6-2	43750-96J03-Y5S	ブラケット, ステアリング (L) (ホワイト)	1	020 BODY COLOR:Y5S	
6-3	43750-96J03-QTN	ブラケット, ステアリング (L) (ホワイト)	1	021, 022, 023 BODY COLOR:QTN	
6-4	43750-96J03-YAY	ブラケット, ステアリング (L) (フック)	1	021, 022, 023 BODY COLOR:YAY	
7	09125-06063	スクリュー (6X10)	2		
8	09160-39001	ワッシャ (39.5X64X1)	2		
9	09181-39001	シム (39.5X64X0.3)	AR		
10	09380-38003	スナック リング	1		
11	09169-28003	ワッシャ	2		
12	09282-39001	オイルシール	1		
13	36895-87D10	リート (L:310)	1	SWIVEL TO HSG	
14	09125-06063	スクリュー (6X10)	1		
15	41220-96J10	レバー, チルトロツク	1		
16	41234-96J10	レバー, チルトロツクホート	1		
17	41224-95E01	ブッシュ, チルトストツハ ロツト	2		
18	41230-96J00	リング, チルトロツクレバー	1		
19	41233-95E10	ブラケット, チルトロツクスブ リング	1		
20	09125-06063	スクリュー (6X10)	1		
21	09140-10032	ナツト	1		

FIG.336B





FIG. 336B (1-G-5) スイペルブラケット (L-TRANSOM)

見出番号	品番	品名	使用個数	備考	標準作業時間
22	09160-06082	ワッシャ (6. 5X13X1. 0)	1		
23	09204-01006	コツタビ ン	1		
24	09440-19028	スフ リンク	1		
25	09443-10043	スフ リンク	1		
26	09125-06063	スクリ ュ (6X10)	1		

FIG.337A



DF300A_000_023_337A
TRIM CYLINDER

FIG. 337A (1-G-6) トリムシリンダ* (X-TRANSOM, XX-TRANSOM) (SEE NOTE 1)

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
1	48000-98J10	トリムアツシ, ハ ワークイズ* チルト	1	->48000-98J13 FROM 25003P-04000 1 UPTO 25003P-04101 9 FROM 30002P-04000 1 UPTO 30002P-04286 2	
2	31281-92J10	・ボ ルト, スルー	4	FROM 25003P-04000 1 UPTO 25003P-04101 9 FROM 30002P-04000 1 UPTO 30002P-04286 2	
3	38100-93J04	・モータアツシ, PTT	1	FROM 25003P-04000 1 UPTO 25003P-04101 9 FROM 30002P-04000 1 UPTO 30002P-04286 2	
4	48500-98J14	・マニホールド* アツシ	1	FROM 25003P-04000 1 UPTO 25003P-04101 9 FROM 30002P-04000 1 UPTO 30002P-04286 2	
5	48864-98L00	・マニホールド* ルフ*	1	FROM 25003P-04000 1	

NOTE 1:
FROM 25003P-040001 UPTO 25003P-041019
FROM 30002P-040001 UPTO 30002P-042862

FIG.337A




FIG. 337A (1-G-7) トリムシリンダ* (X-TRANSOM, XX-TRANSOM) (SEE NOTE 1)

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
				UPTO 25003P-04101	
			9		
				FROM 30002P-04000	
			1		
				UPTO 30002P-04286	
			2		
6	48320-93J00	・・・パルプ*セット, アツプ*フ*ロー	1	FROM 25003P-04000	
			1		
				UPTO 25003P-04101	
			9		
				FROM 30002P-04000	
			1		
				UPTO 30002P-04286	
			2		
7	48582-95E01	・・・フイルム	1	FROM 25003P-04000	
			1		
				UPTO 25003P-04101	
			9		
				FROM 30002P-04000	
			1		
				UPTO 30002P-04286	
			2		
8	48605-93J00	・・・Oリング*セット	2	FROM 25003P-04000	
			1		
				UPTO 25003P-04101	
			9		
				FROM 30002P-04000	
			1		
				UPTO 30002P-04286	
			2		
9	48615-87D00	・・・リング*, パ*ツクアツツ*	4	FROM 25003P-04000	
			1		
				UPTO 25003P-04101	
			9		
				FROM 30002P-04000	

NOTE 1:
FROM 25003P-040001 UPTO 25003P-041019
FROM 30002P-040001 UPTO 30002P-042862

FIG.337A




FIG. 337A (1-G-8) トリムシリンダ* (X-TRANSOM, XX-TRANSOM) (SEE NOTE 1)

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
			1		
			UPTO 30002P-04286		
			2		
10	48610-93J01	・・ピストン/ラム	2	FROM 25003P-04000	
			1	UPTO 25003P-04101	
			9	FROM 30002P-04000	
			1	UPTO 30002P-04286	
11	48630-98L02	・・ロッドガイド*	2	FROM 25003P-04000	
			1	UPTO 25003P-04101	
			9	FROM 30002P-04000	
			1	UPTO 30002P-04286	
12	48633-93J00	・・・リング*	4	FROM 25003P-04000	
			1	UPTO 25003P-04101	
			9	FROM 30002P-04000	
			1	UPTO 30002P-04286	
13	48691-93J00	・・フェックハールブ*	1	FROM 25003P-04000	
			1	UPTO 25003P-04101	
			9	FROM 30002P-04000	
			1	UPTO 30002P-04286	
			2		

NOTE 1:
FROM 25003P-040001 UPTO 25003P-041019
FROM 30002P-040001 UPTO 30002P-042862

FIG.337A




FIG. 337A (1-G-9) トリムシリンダ* (X-TRANSOM, XX-TRANSOM) (SEE NOTE 1)

見出番号	品 番	品 名	使用個数	備 考	標準 作業時間
14	48400-98J03	・シリンダ*	1	FROM 25003P-04000 1 UPTO 25003P-04101 9 FROM 30002P-04000 1 UPTO 30002P-04286 2	
15	48405-93J00	・・Oリング* セット	1	FROM 25003P-04000 1 UPTO 25003P-04101 9 FROM 30002P-04000 1 UPTO 30002P-04286 2	
16	48650-93J00	・・ピストン, フリー	1	FROM 25003P-04000 1 UPTO 25003P-04101 9 FROM 30002P-04000 1 UPTO 30002P-04286 2	
17	48627-93J00	・・Oリング* セット	1	FROM 25003P-04000 1 UPTO 25003P-04101 9 FROM 30002P-04000 1 UPTO 30002P-04286 2	
18	48427-87D00	・・・Oリング*, ピストン	1	FROM 25003P-04000 1 UPTO 25003P-04101	

NOTE 1:
FROM 25003P-040001 UPTO 25003P-041019
FROM 30002P-040001 UPTO 30002P-042862

Exploded view diagram of a mechanical assembly, likely a pump or motor, showing various components and their assembly sequence. The diagram includes a main assembly area and two detailed insets. Components are numbered 1 through 44. A 'FWD' arrow is present in the bottom left corner.


Component List:

- 1: Main housing/body
- 2: Bolt
- 3: Motor/actuator unit
- 4: Base plate
- 5: Bolt
- 6: Bolt
- 7: Gasket/seal
- 8: Washer
- 9: Washer
- 10: Shaft
- 11: Nut
- 12: Washer
- 13: Washer
- 14: Vertical shaft assembly
- 15: Coupling/bushing
- 16: Washer
- 17: Washer
- 18: Washer
- 19: Bolt
- 20: Gasket/seal
- 21: Vertical shaft
- 22: Bolt
- 23: Bolt
- 24: Bolt
- 25: Washer
- 26: Washer
- 27: Washer
- 28: Washer
- 29: Gasket/seal
- 30: Bolt
- 31: Gasket/seal
- 32: Bolt
- 33: Bolt
- 34: Bolt
- 35: Washer
- 36: Bolt
- 37: Bolt
- 38: Bolt
- 39-40-41: Bolt
- 42-43-44: Bolt

見出番号	品番	品名	使用個数	備考	標準作業時間
			9		
			FROM 30002P-04000		
			1		
			UPTO 30002P-04286		
			2		
19	48572-87J10	・ﾌﾞﾗｯｸ	1		
			FROM 25003P-04000		
			1		
			UPTO 25003P-04101		
			9		
			FROM 30002P-04000		
			1		
			UPTO 30002P-04286		
			2		
20	48585-95E00	・ｵﾘﾝｸﾞ	2		
			FROM 25003P-04000		
			1		
			UPTO 25003P-04101		
			9		
			FROM 30002P-04000		
			1		
			UPTO 30002P-04286		
			2		
21	48862-87J20	・ﾎﾞﾙﾄ,ﾘｻﾞｰﾊﾞ	2		
			FROM 25003P-04000		
			1		
			UPTO 25003P-04101		
			9		
			FROM 30002P-04000		
			1		
			UPTO 30002P-04286		
			2		
22	48583-95E00	・ｼﾞｮｲﾝﾄ,ﾄﾞﾗｲﾌﾞ	1		
			FROM 25003P-04000		
			1		
			UPTO 25003P-04101		
			9		
			FROM 30002P-04000		
			1		

FROM 25003P-040001 UPTO 25003P-041019
FROM 30002P-040001 UPTO 30002P-042862

FIG.337A



DF300A_000_023_337A
TRIM CYLINDER

FIG. 337A (1-G-11) トリムシリンダ* (X-TRANSOM, XX-TRANSOM) (SEE NOTE 1)

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
				UPTO 30002P-04286 2	
23	48121-93J20	・シャフト	1	FROM 25003P-04000 1 UPTO 25003P-04101 9 FROM 30002P-04000 1 UPTO 30002P-04286 2	
24	48125-93J10	・Oリング* セット	1	FROM 25003P-04000 1 UPTO 25003P-04101 9 FROM 30002P-04000 1 UPTO 30002P-04286 2	
25	48451-93J00	・・バ* ヅクアツツ* リンク*	4	FROM 25003P-04000 1 UPTO 25003P-04101 9 FROM 30002P-04000 1 UPTO 30002P-04286 2	
26	48452-93J00	・・Oリング*	4	FROM 25003P-04000 1 UPTO 25003P-04101 9 FROM 30002P-04000 1 UPTO 30002P-04286 2	
27	48452-93J10	・・Oリング*	2	FROM 25003P-04000	

NOTE 1:
FROM 25003P-040001 UPTO 25003P-041019
FROM 30002P-040001 UPTO 30002P-042862

FIG.337A





FIG. 337A (1-G-12) トリムシリンダ* (X-TRANSOM, XX-TRANSOM) (SEE NOTE 1)

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
			1		
			UPTO 25003P-04101		
			9		
			FROM 30002P-04000		
			1		
			UPTO 30002P-04286		
			2		
28	48126-93J00	・ワッシャ, チルトシリンダ* ツ-マニホ-ルト*	2		
			FROM 25003P-04000		
			1		
			UPTO 25003P-04101		
			9		
			FROM 30002P-04000		
			1		
			UPTO 30002P-04286		
			2		
29	48573-93J00	・カハ-	1		
			FROM 25003P-04000		
			1		
			UPTO 25003P-04101		
			9		
			FROM 30002P-04000		
			1		
			UPTO 30002P-04286		
			2		
30	48128-93J11	・ホ-ルト	1		
			FROM 25003P-04000		
			1		
			UPTO 25003P-04101		
			9		
			FROM 30002P-04000		
			1		
			UPTO 30002P-04286		
			2		
31	48571-93J00	・リザ-ハ-タンク	1		
			FROM 25003P-04000		
			1		
			UPTO 25003P-04101		
			9		

NOTE 1:
FROM 25003P-040001 UPTO 25003P-041019
FROM 30002P-040001 UPTO 30002P-042862

FIG.337A




DF300A_000_023_337A
TRIM CYLINDER

FIG. 337A (1-G-13) トリムシリンダ* (X-TRANSOM, XX-TRANSOM) (SEE NOTE 1)

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
				FROM 30002P-04000	
			1		
			UPTO 30002P-04286		
			2		
32	48311-96J10	パ*ツト*, トリムシリンダ*ラム	2	FROM 25003P-04000	
			1		
			UPTO 25003P-04101		
			9		
			FROM 30002P-04000		
			1		
			UPTO 30002P-04286		
			2		
33	48321-93J00	シヤフト, チルトシリンダ*アツパ*	1	FROM 25003P-04000	
			1		
			UPTO 25003P-04101		
			9		
			FROM 30002P-04000		
			1		
			UPTO 30002P-04286		
			2		
34	09140-10031	ナツト	2	FROM 25003P-04000	
			1		
			UPTO 25003P-04101		
			9		
			FROM 30002P-04000		
			1		
			UPTO 30002P-04286		
			2		
35	09162-10005	ロツクワツジヤ	2	FROM 25003P-04000	
			1		
			UPTO 25003P-04101		
			9		
			FROM 30002P-04000		
			1		
			UPTO 30002P-04286		

NOTE 1:
FROM 25003P-040001 UPTO 25003P-041019
FROM 30002P-040001 UPTO 30002P-042862

FIG.337A



DF300A_000_023_337A
TRIM CYLINDER

FIG. 337A (1-G-14) トリムシリンダ* (X-TRANSOM, XX-TRANSOM) (SEE NOTE 1)

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
			2		
36	09306-24001	ﾌﾞｯｼｭ	2	FROM 25003P-04000	
			1	UPTO 25003P-04101	
			9	FROM 30002P-04000	
			1	UPTO 30002P-04286	
			2		
37	09380-21002	ｽﾅｯﾌﾟﾘﾝｸﾞ	2	FROM 25003P-04000	
			1	UPTO 25003P-04101	
			9	FROM 30002P-04000	
			1	UPTO 30002P-04286	
			2		
38	09116-10175	ﾎｰﾙﾄﾞ(10X50)	8	FROM 25003P-04000	
			1	UPTO 25003P-04101	
			9	FROM 30002P-04000	
			1	UPTO 30002P-04286	
			2		
39	36894-87D00	ﾘｰﾄ* (L:165)	1	FROM 25003P-04000	
			1	UPTO 25003P-04101	
			9	FROM 30002P-04000	
			1	UPTO 30002P-04286	
			2		
40	36895-87D01	ﾘｰﾄ* (L:230)	1	FROM 25003P-04000	
			1		

NOTE 1:
FROM 25003P-040001 UPTO 25003P-041019
FROM 30002P-040001 UPTO 30002P-042862

FIG.337A




FIG. 337A (1-G-15) トリムシリンダ* (X-TRANSOM, XX-TRANSOM) (SEE NOTE 1)

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
				UPTO 25003P-04101	
			9	FROM 30002P-04000	
			1	UPTO 30002P-04286	
			2	FROM 25003P-04000	
41	36895-87D01	リット* (L:230)	1	UPTO 25003P-04101	
			9	FROM 30002P-04000	
			1	UPTO 25003P-04101	
			9	FROM 30002P-04000	
			1	UPTO 30002P-04286	
			2	FROM 25003P-04000	
42	09125-06063	スクリュ (6X10)	1	UPTO 25003P-04101	
			9	FROM 30002P-04000	
			1	UPTO 30002P-04286	
			2	FROM 25003P-04000	
43	09125-06063	スクリュ (6X10)	1	UPTO 25003P-04101	
			9	FROM 30002P-04000	
			1	UPTO 30002P-04286	
			2	FROM 25003P-04000	
44	09125-06063	スクリュ (6X10)	1	UPTO 25003P-04101	
			9	FROM 30002P-04000	

NOTE 1:
FROM 25003P-040001 UPTO 25003P-041019
FROM 30002P-040001 UPTO 30002P-042862

FIG.337A




FIG. 337A (1-H-2) トリムシリンダ* (X-TRANSOM, XX-TRANSOM) (SEE NOTE 1)

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
			1		
			UPTO 30002P-04286		
			2		

NOTE 1:
FROM 25003P-040001 UPTO 25003P-041019
FROM 30002P-040001 UPTO 30002P-042862

FIG.337B




FIG. 337B (1-H-3) トリムシリンダ* (X-TRANSOM, XX-TRANSOM) (SEE NOTE 1)

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
1	48000-98J13	トリムアツシ, ハ ^ニ ワ ^ニ イズ ^ニ チルト	1	FROM 25003P-04102 0 FROM 30002P-04286 3	
2	31281-92J10	・ボ ^ニ ルト, スルー	4	FROM 25003P-04102 0 FROM 30002P-04286 3	
3	38100-93J04	・モ ^ニ ータツシ, PTT	1	FROM 25003P-04102 0 FROM 30002P-04286 3	
4	48500-98J14	・マニホールド ^ニ アツシ	1	FROM 25003P-04102 0 FROM 30002P-04286 3	
5	48864-98L01	・マニョアルハ ^ニ ルフ ^ニ	1	FROM 25003P-04102 0 FROM 30002P-04286 3	
6	48320-93J00	・ハ ^ニ ルフ ^ニ セツト, アツフ ^ニ フ ^ニ ロー	1	FROM 25003P-04102 0 FROM 30002P-04286 3	
7	48582-95E01	・フイルタ	1	FROM 25003P-04102 0 FROM 30002P-04286 3	
8	48605-93J00	・Oリング ^ニ セツト	2	FROM 25003P-04102 0 FROM 30002P-04286 3	
9	48615-87D00	・Oリング ^ニ , ハ ^ニ ツカアツフ ^ニ	4	FROM 25003P-04102 0 FROM 30002P-04286	

NOTE 1:
FROM 25003P-04102
FROM 30002P-042863

FIG.337B





FIG. 337B (1-H-4) トリムシリンダ* (X-TRANSOM, XX-TRANSOM) (SEE NOTE 1)

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
10	48610-93J01	・・・ストン/ラム	2	FROM 25003P-04102 0 FROM 30002P-04286 3	
11	48630-98L02	・・・ロツト* ガ* イト*	2	FROM 25003P-04102 0 FROM 30002P-04286 3	
12	48633-93J00	・・・リング*	4	FROM 25003P-04102 0 FROM 30002P-04286 3	
13	48691-93J00	・・・チヱツクハ* ルブ*	1	FROM 25003P-04102 0 FROM 30002P-04286 3	
14	48400-98J03	・・・シリンダ*	1	FROM 25003P-04102 0 FROM 30002P-04286 3	
15	48405-93J00	・・・リング* セツト	1	FROM 25003P-04102 0 FROM 30002P-04286 3	
16	48650-93J00	・・・ピ* ストン, フリー	1	FROM 25003P-04102 0 FROM 30002P-04286 3	
17	48627-93J00	・・・リング* セツト	1	FROM 25003P-04102 0 FROM 30002P-04286 3	
18	48427-87D00	・・・リング*, ピ* ストン	1	FROM 25003P-04102 0	

NOTE 1:
FROM 25003P-04102
FROM 30002P-042863

FIG.337B




DF300A_000_023_337B
TRIM CYLINDER

FIG. 337B (1-H-5) トリムシリンダ* (X-TRANSOM, XX-TRANSOM) (SEE NOTE 1)

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
				FROM 30002P-04286 3	
19	48572-87J10	・ブ ラク	1	FROM 25003P-04102 0	
				FROM 30002P-04286 3	
20	48585-95E00	・Oリング	1	FROM 25003P-04102 0	
				FROM 30002P-04286 3	
21	48585-98L00	・Oリング	1	FROM 25003P-04102 0	
				FROM 30002P-04286 3	
22	48862-87J20	・ホ ルト, リザ ーハ	2	FROM 25003P-04102 0	
				FROM 30002P-04286 3	
23	48583-95E00	・シ ョイント, ド ライフ	1	FROM 25003P-04102 0	
				FROM 30002P-04286 3	
24	48121-93J20	・シャフト	1	FROM 25003P-04102 0	
				FROM 30002P-04286 3	
25	48125-93J10	・Oリング セット	1	FROM 25003P-04102 0	
				FROM 30002P-04286 3	
26	48451-93J00	・ハ ックアツク リング	4	FROM 25003P-04102 0	
				FROM 30002P-04286 3	
27	48452-93J00	・・Oリング	4	FROM 25003P-04102	

NOTE 1:
FROM 25003P-041020
FROM 30002P-042863

FIG.337B



DF300A_000_023_337B
TRIM CYLINDER

FIG. 337B (1-H-6) トリムシリンダ* (X-TRANSOM, XX-TRANSOM) (SEE NOTE 1)

見出番号	品番	品名	使用個数	備考	標準作業時間
			0		
			FROM 30002P-04286		
			3		
28	48452-93J10	・Oリング*	2	FROM 25003P-04102	
			0	FROM 30002P-04286	
			3		
29	48126-93J00	・ワッシャ, チルトシリンダ* ツーマニホ-ルト*	2	FROM 25003P-04102	
			0	FROM 30002P-04286	
			3		
30	48573-93J00	・カバー	1	FROM 25003P-04102	
			0	FROM 30002P-04286	
			3		
31	48128-93J11	・ホ-ルト	1	FROM 25003P-04102	
			0	FROM 30002P-04286	
			3		
32	48571-93J00	・リザ-バ* タンク	1	FROM 25003P-04102	
			0	FROM 30002P-04286	
			3		
33	48311-96J10	ハ-ツト*, トリムシリンダ* ラム	2	FROM 25003P-04102	
			0	FROM 30002P-04286	
			3		
34	48321-93J00	シヤフト, チルトシリンダ* アッパ*	1	FROM 25003P-04102	
			0	FROM 30002P-04286	
			3		
35	09140-10031	ナツト	2	FROM 25003P-04102	
			0	FROM 30002P-04286	
			3		

NOTE 1:
FROM 25003P-04102
FROM 30002P-042863

FIG.337B




FIG. 337B (1-H-7) トリムシリンダ* (X-TRANSOM, XX-TRANSOM) (SEE NOTE 1)

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
36	09162-10005	ロツクワツジヤ	2	FROM 25003P-04102 0 FROM 30002P-04286 3	
37	09306-24001	ﾌﾞｯｼｭ	2	FROM 25003P-04102 0 FROM 30002P-04286 3	
38	09380-21002	ｽﾅｯﾌﾟ ﾘﾝｸﾞ*	2	FROM 25003P-04102 0 FROM 30002P-04286 3	
39	09116-10175	ﾎｰﾙﾄﾞ (10X50)	8	FROM 25003P-04102 0 FROM 30002P-04286 3	
40	36894-87D00	ﾘｰﾄ* (L:165)	1	FROM 25003P-04102 0 FROM 30002P-04286 3	
41	36895-87D01	ﾘｰﾄ* (L:230)	1	FROM 25003P-04102 0 FROM 30002P-04286 3	
42	36895-87D01	ﾘｰﾄ* (L:230)	1	FROM 25003P-04102 0 FROM 30002P-04286 3	
43	09125-06063	ｽｹﾘｭ (6X10)	1	FROM 25003P-04102 0 FROM 30002P-04286 3	
44	09125-06063	ｽｹﾘｭ (6X10)	1	FROM 25003P-04102 0 FROM 30002P-04286	

NOTE 1:
FROM 25003P-041020
FROM 30002P-042863

Exploded view diagram of a mechanical assembly, likely a pump or motor unit, showing various components and their assembly sequence. The diagram includes the following numbered parts:

- 1: Main housing or frame
- 2: Bolt
- 3: Motor unit
- 4: Base plate
- 5: Bolt
- 6: Bolt
- 7: Gasket/seal
- 8: Washer
- 9: Washer
- 10: Shaft
- 11: Drive shaft assembly
- 12: Nut
- 13: Washer
- 14: Pump assembly
- 15: Nut
- 16: Washer
- 17: Washer
- 18: Washer
- 19: Bolt
- 20: Gasket/seal
- 21: Gasket/seal
- 22: Bolt
- 23: Bolt
- 24: Bolt
- 25: Bolt
- 26: Bolt
- 27: Bolt
- 28: Bolt
- 29: Bolt
- 30: Bolt
- 31: Bolt
- 32: Bolt
- 33: Bolt
- 34: Bolt
- 35: Bolt
- 36: Bolt
- 37: Bolt
- 38: Bolt
- 39: Bolt
- 40: Bolt
- 41: Bolt
- 42: Bolt
- 43: Bolt
- 44: Bolt
- 45: Bolt

A "FWD" arrow is located at the bottom left of the diagram.

見出番号	品番	品名	使用個数	備考	標準作業時間
45	09125-06063	スクリュ(6X10)	1	FROM 25003P-04102 0 FROM 30002P-04286 3	

FROM 25003P-041020
FROM 30002P-042863

FIG.337C




FIG. 337C (1-H-9) トリムシリンダ* (L-TRANSOM)

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
1	48000-93L03	トリムアツシ, ハ`ワ`ウイズ`チルト	1		
2	29404-93J01	・クランプ`	1		
3	31281-92J10	・ボ`ルト, スルー	4		
4	38100-93L01	・モ`タアツシ, PTT	1		
5	48502-96J05	・ボ`ンフ`アツシ, PTT	1		
6	48582-95E01	・・ファイルタ	1		
7	48864-96J10	・・ハ`ルブ`セット, マニュアル	1		
8	48503-93L01	・マニホ-ルト`サブ`アツシ	1		
9	48401-93L00	・・ヒ`ストンアツシ	1		
10	48601-93L00	・・ヒ`ストン/ラムアツシ	2		
11	48627-95E00	・・Oリング`セット	3		
12	48630-96J04	・・ベツト`, トリムシリンダ`	2		
13	48633-94900	・・Oリング`セット, ベツト`	2		
14	48641-93L01	・・マニホ-ルト`, PTT	1		
15	48650-94900	・・ヒ`ストン, フリー	1		
16	48405-93J00	・・Oリング`セット	1		
17	48615-97E00	・・Oリング`セット, ヒ`ストン	1		
18	48570-95E01	・リザ`ーバ`アツシ	1		
19	48572-95E00	・・キヤツフ`	1		
20	48583-95E00	・ジ`ヨイント, ド`ライブ`	1		
21	48585-95E00	・Oリング`	1		
22	48588-94900	・Oリング`セット	1		
23	48861-92J01	・ボ`ルト, リザ`ーバ`	3		
24	48862-92J20	・ボ`ルト, ボ`ンフ` NO. 1	1		
25	48862-92J30	・ボ`ルト, ボ`ンフ` NO. 2	2		
26	48121-93L00	シヤフト, チルトシリンダ` ロア	1		
27	09160-10161	ワツジヤ	2		
28	48311-96J20	ハ`ツド`, トリムシリンダ` ラム	2		
29	48321-87D03	シヤフト, チルトシリンダ` アツパ`	1		
30	48326-95E00	ブ`ツシュ, チルトシリンダ` ロア	2		
31	09116-10183	ボ`ルト (10X35)	2		
32	09140-10031	ナツト	2		
33	09162-10005	ロツクワツジヤ	2		
34	09306-17001	ブ`ツシュ	2		
35	09380-17009	スナツフ` リンク`	2		

FIG.337C




FIG. 337C (1-H-10) トリムシリンダ* (L-TRANSOM)

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
36	36894-87D00	リット* (L:165)	1		
37	09125-06063	スクリュ (6X10)	1		
38	09125-05050	スクリュ (5X8)	1		
39	36895-87D10	リット* (L:310)	1		

FIG.340A




FIG. 340A (1-H-11) PTTモータ (X-TRANSOM, XX-TRANSOM)

見出番号	品番	品名	使用個数	備考	標準作業時間
1	38100-93J04	モータアツシ, PTT	1		
2	31111-94900	・スクリュ	3		
3	31173-94920	・ホルダ アツシ, フ ラシ	1		
4	31123-94910	・・0リング	1		
5	31133-90J10	・・フ ラシアツシ	1		
6	31133-94910	・・フ ラシ(+)	1		
7	31135-94900	・・スフ リンク	2		
8	31136-90J20	・・フ レーカアツシ	1		
9	33799-97E00	・・シール, オイル	1		
10	31311-93J00	・アマチュア	1		

FIG.340B





FIG. 340B (1-H-12) PTTモータ (L-TRANSOM)

見出番号	品番	品名	使用個数	備考	標準 作業時間
1	38100-93L01	モータアツシ, PTT	1		
2	31111-94900	・スクリュ	3		
3	31173-94920	・ホルダ アツシ, フ ラシ	1		
4	31123-94910	・・Oリング	1		
5	31133-90J10	・・フ ラシアツシ	1		
6	31133-94910	・・フ ラシ(+)	1		
7	31135-94900	・・スフ リンク	2		
8	31136-90J20	・・フ レーカアツシ	1		
9	33799-97E00	・・シール, オイル	1		
10	31311-94900	・アマチュア	1		

FIG.401A



DF300A_000_023_401A
ENGINE HOLDER

FIG. 401A (1-H-13) エンジンホルダー (DF300A)

見出番号	品番	品名	使用個数	備考	標準作業時間
1-1	51111-93J31-YAY	ホルダー, エンジン (フ ラック)	1	020, 021 BODY COLOR:YAY	
1-2	51111-93J31-Y5S	ホルダー, エンジン (ホワイト)	1	020, 021 BODY COLOR:Y5S	
1-3	51111-93J40-YAY	ホルダー, エンジン (フ ラック)	1	022, 023 BODY COLOR:YAY	
1-4	51111-93J40-Y5S	ホルダー, エンジン (ホワイト)	1	022, 023 BODY COLOR:Y5S	
2	16519-93J00	シール, エンジンホルダー オイル	1		
3	17913-93J00	フ ラック, ウォーター	1		
4	17914-93J01	ガ スケット, ウォーター フラック	1		
5	51116-93J01	シール, ウォーターリターン	1		
6	51211-93J00	ガ スケット, エンジンホルダー	1		
7	61155-93J20	パ イプ, ウォーターインジ ケータ	1		
8	09206-08001	ピ ン (8X11)	2		
9	01550-08307	ボ ルト	6		
10	22511-99011	ニツプ ル, ケー リース	2		
11	51120-98L00	カバ ー, マウントオイルシール	1		
12	51124-93J01	・シール, オイル	2		
13	51125-93J00	・スクレーパ	1		
14	51123-93J01	ガ スケット, マウントオイルシールカバ ー	1		
15	09103-08109	ボ ルト (8X120)	2		
16	09206-08001	ピ ン (8X11)	2		
17	01550-0830A	ボ ルト	6		
18-1	51140-93J11-YAY	カバ ー, エンジンホルダー (L) (フ ラック)	1	020:L-TRANSOM BODY COLOR:YAY	
18-2	51140-98J00-YAY	カバ ー, エンジンホルダー (フ ラック)	1	020:(X-TRANSOM, XX-TRANSOM) BODY COLOR:YAY	
18-3	51140-93J11-Y5S	カバ ー, エンジンホルダー (L) (ホワイト)	1	020:L-TRANSOM BODY COLOR:Y5S	
18-4	51140-98J00-Y5S	カバ ー, エンジンホルダー (ホワイト)	1	020:(X-TRANSOM, XX-TRANSOM) BODY COLOR:Y5S	

FIG.401A




FIG. 401A (1-H-14) エンジンホルダー (DF300A)

見出番号	品番	品名	使用個数	備考	標準作業時間
18-5	51140-93J11-QTN	カバー, エンジンホルダー (レフト) (ホワイト)	1	(021, 022, 023) : L-T RANSOM	
18-6	51140-98J00-QTN	カバー, エンジンホルダー (ホワイト)	1	(021, 022, 023) : (X-TRANSOM, XX-TRANSOM)	
18-7	51140-93J11-YAY	カバー, エンジンホルダー (L) (ブラック)	1	(021, 022, 023) : L-T RANSOM	
18-8	51140-98J00-YAY	カバー, エンジンホルダー (ブラック)	1	(021, 022, 023) : (X-TRANSOM, XX-TRANSOM)	
				BODY COLOR:YAY	
19	51142-93J00	ガスケット, エンジンホルダー カバー	1		
20	09116-08122	ボルト (8X30)	8		
21	51151-93J00	カバー, エンジンホルダー アツパ	1		
22	51152-93J00	シール, エンジンホルダー アツパ カバー	1		
23	01550-08307	ボルト	3		
24	01550-08607	ボルト	2		
25	54123-93J03	プレート, アツパ マウント	1		
26	54130-93J01	マウント, アツパ	2		
27	54112-93J00	ボルト, マウント	2		
28	29159-93J00	ナット (M14)	2		
29	09160-15051	ワッシャー (15X24X3)	2		
30	54137-93J02	カバー, アツパ マウント	1		
31	09116-10135	ボルト (10X95)	2		
32	09116-10175	ボルト (10X50)	1		
33-1	54121-98J01	ストツパ, アツパ スラスト	2	X-TRANSOM, XX-TRANSOM	
33-2	54121-93J20	ストツパ, アツパ スラスト	1	L-TRANSOM	
34	54140-98J11	マウント, アツパ スラストリベース	1		
35	09116-10137	ボルト (10X70)	6		
36	09116-10175	ボルト (10X50)	4		
37	09116-10146	ボルト (10X195)	2		
38	09116-10134	ボルト (10X115)	1		

FIG.401A




FIG. 401A (1-H-15) エンジンホルダー (DF300A)

見出番号	品 番	品 名	使用個数	備 考	標準 作業時間
39	09116-08126	ボルト (8X65)	4		
40	09169-08038	ワッシャ	2		
41	54144-93J01	シール, アツパ マウント	1		

FIG.401B




FIG. 401B (1-I-2) エンジンホルダー (DF250A)

見出番号	品番	品名	使用個数	備考	標準作業時間
1-1	51111-93J31-YAY	ホルダー, エンジン (フ ラツク)	1	020, 021 BODY COLOR:YAY	
1-2	51111-93J31-Y5S	ホルダー, エンジン (ホワイ ト)	1	020, 021 BODY COLOR:Y5S	
1-3	51111-93J40-YAY	ホルダー, エンジン (フ ラツク)	1	022, 023 BODY COLOR:YAY	
1-4	51111-93J40-Y5S	ホルダー, エンジン (ホワイ ト)	1	022, 023 BODY COLOR:Y5S	
2	16519-93J00	シール, エンジンホルダー オイル	1		
3	17913-93J00	フ ラツク, ウォー タ	1		
4	17914-93J01	ガ スケツト, ウォー タフ ラツク	1		
5	51116-93J01	シール, ウォー タリ ター	1		
6	51211-93J00	ガ スケツト, エンジンホルダー	1		
7	61155-93J20	パ イプ, ウォー タインジ ン ケー タ	1		
8	09206-08001	ピ ン (8X11)	2		
9	01550-08307	ボ ル ト	6		
10	22511-99011	ニツ プ ル, ケー リース	2		
11	51120-98L00	カバ ー, マウン トオイルシール	1		
12	51124-93J01	・シール, オイル	2		
13	51125-93J00	・スクレーパ	1		
14	51123-93J01	ガ スケツト, マウン トオイルシールカバ ー	1		
15	09103-08109	ボ ル ト (8X120)	2		
16	09206-08001	ピ ン (8X11)	2		
17	01550-0830A	ボ ル ト	6		
18-1	51140-98J00-YAY	カバ ー, エンジンホルダー (フ ラツク)	1	020 BODY COLOR:YAY	
18-2	51140-98J00-Y5S	カバ ー, エンジンホルダー (ホワイ ト)	1	020 BODY COLOR:Y5S	
18-3	51140-98J00-QTN	カバ ー, エンジンホルダー (ホワイ ト)	1	021, 022, 023 BODY COLOR:QTN	
18-4	51140-98J00-YAY	カバ ー, エンジンホルダー (フ ラツク)	1	021, 022, 023 BODY COLOR:YAY	
19	51142-93J00	ガ スケツト, エンジンホルダー カバ ー	1		
20	09116-08122	ボ ル ト (8X30)	8		
21	51151-93J00	カバ ー, エンジンホルダー アツパ	1		

FIG.401B




FIG. 401B (1-I-3) エンジンホルダー (DF250A)

見出番号	品 番	品 名	使用個数	備 考	標準 作業時間
22	51152-93J00	シール, エンジンホルダー アツパ カバー	1		
23	01550-08307	ボルト	3		
24	01550-08607	ボルト	2		
25	54123-93J03	プレート, アツパ マウント	1		
26	54130-93J01	マウント, アツパ	2		
27	54112-93J00	ボルト, マウント	2		
28	29159-93J00	ナット (M14)	2		
29	09160-15051	ワッシャ (15X24X3)	2		
30	54137-93J02	カバー, アツパ マウント	1		
31	09116-10135	ボルト (10X95)	2		
32	09116-10175	ボルト (10X50)	1		
33	54121-98J01	ストッパ, アツパ スラスト	2		
34	54140-98J11	マウント, アツパ スラストリベース	1		
35	09116-10137	ボルト (10X70)	6		
36	09116-10175	ボルト (10X50)	4		
37	09116-10146	ボルト (10X195)	2		
38	09116-10134	ボルト (10X115)	1		
39	09116-08126	ボルト (8X65)	4		
40	09169-08038	ワッシャ	2		
41	54144-93J01	シール, アツパ マウント	1		

FIG.405A




FIG. 405A (1-I-4) ドライブシャフトハウジング* (X-TRANSOM)

見出番号	品 番	品 名	使用個数	備 考	標準 作業時間
1-1	52111-98J00-YAY	ハウジング*, ドライブシャフト(X) (ﾌﾞﾗｯｸ)	1	020 BODY COLOR:YAY	
1-2	52111-98J00-Y5S	ハウジング*, ドライブシャフト(X) (ﾎﾜｲﾄ)	1	020 BODY COLOR:Y5S	
1-3	52111-98J00-QTN	ハウジング*, ドライブシャフト(X) (ﾎﾜｲﾄ)	1	021, 022, 023 BODY COLOR:QTN	
1-4	52111-98J00-YAY	ハウジング*, ドライブシャフト(X) (ﾌﾞﾗｯｸ)	1	021, 022, 023 BODY COLOR:YAY	
2	09116-10176	ﾎｰﾙﾄﾞ(10X44)	8		
3	09202-08006	ﾋﾞｰﾝ(8X12)	2		
4	57130-87D10	ﾌﾞﾗｯｼｭ, ﾉﾞﾗｲﾌﾞｼｬﾌﾄ	1		
5	09387-38002	ﾘﾝｸﾞ	1		
6	09125-06063	ｽｸﾘｭ(6X10)	1		
7	36894-87D00	ﾘｰﾄﾞ(L:165)	1		
8	09125-06063	ｽｸﾘｭ(6X10)	1		
9	54150-98J01	ﾏｳﾝﾄ, ﾛｱｽﾄﾗｽﾄ	1		
10	54160-98J00	ﾏｳﾝﾄ, ﾛｱ	2		
11	54112-93J00	ﾎｰﾙﾄﾞ, ﾏｳﾝﾄ	2		
12	09160-16050	ﾜｯｼﾔ(16X32X3)	2		
13	29159-93J00	ﾅｯﾄ(M14)	2		
14	09160-16050	ﾜｯｼﾔ(16X32X3)	2		
15-1	54211-93J00-YAY	ﾌﾞﾗｯｹｯﾄ, ﾛｱﾏｳﾝﾄ(ﾌﾞﾗｯｸ)	1	020 BODY COLOR:YAY	
15-2	54211-93J00-Y5S	ﾌﾞﾗｯｹｯﾄ, ﾛｱﾏｳﾝﾄ(ﾎﾜｲﾄ)	1	020 BODY COLOR:Y5S	
15-3	54211-93J00-QTN	ﾌﾞﾗｯｹｯﾄ, ﾛｱﾏｳﾝﾄ(ﾎﾜｲﾄ)	1	021, 022, 023 BODY COLOR:QTN	
15-4	54211-93J00-YAY	ﾌﾞﾗｯｹｯﾄ, ﾛｱﾏｳﾝﾄ(ﾌﾞﾗｯｸ)	1	021, 022, 023 BODY COLOR:YAY	
16	54221-93J00	ｶﾊﾞｰ, ﾛｱﾏｳﾝﾄ	2		
17	09116-10175	ﾎｰﾙﾄﾞ(10X50)	4		
18	54165-98J01	ｽﾄｯﾊﾟ, ﾛｱｽﾄﾗｽﾄﾘﾊﾞｰｽ	4		
19	09160-14066	ﾜｯｼﾔ(14X50X4)	2		
20	55321-93J01	ｱﾉｰﾄﾞ, ﾌﾞﾗｯｼｭ	1		
21	09116-06236	ﾎｰﾙﾄﾞ(6X16)	1		

FIG.405B




FIG. 405B (1-I-5) ドライブシャフトハウジング* (XX-TRANSOM)

見出番号	品番	品名	使用個数	備考	標準作業時間
1-1	52111-98J00-YAY	ハウジング*, ドライブシャフト(X) (ブラック)	1	020 BODY COLOR:YAY	
1-2	52111-98J00-Y5S	ハウジング*, ドライブシャフト(X) (ホワイト)	1	020 BODY COLOR:Y5S	
1-3	52111-98J00-QTN	ハウジング*, ドライブシャフト(X) (ホワイト)	1	021, 022, 023 BODY COLOR:QTN	
1-4	52111-98J00-YAY	ハウジング*, ドライブシャフト(X) (ブラック)	1	021, 022, 023 BODY COLOR:YAY	
2	09116-10176	ボルト(10X44)	8		
3	09202-08006	ピン(8X12)	2		
4	57130-87D10	ブッシュ, ドライブシャフト	1		
5	09387-38002	リング	1		
6	09125-06063	スクリュー(6X10)	1		
7-1	52131-93J00-YAY	ケース, エクステンション(XX) (ブラック)	1	020 BODY COLOR:YAY	
7-2	52131-93J00-Y5S	ケース, エクステンション(XX) (ホワイト)	1	020 BODY COLOR:Y5S	
7-3	52131-93J00-QTN	ケース, エクステンション(XX) (ホワイト)	1	021, 022, 023 BODY COLOR:QTN	
7-4	52131-93J00-YAY	ケース, エクステンション(XX) (ブラック)	1	021, 022, 023 BODY COLOR:YAY	
8	09108-10115	スタッドボルト, 10X167	6		
9	09108-12013	スタッドボルト	1		
10	09202-08006	ピン(8X12)	2		
11	36894-87D00	リート(L:165)	1		
12	09125-06063	スクリュー(6X10)	1		
13	54150-98J01	マウント, ロアスラスト	1		
14	54160-98J00	マウント, 07	2		
15	54112-93J00	ボルト, マウント	2		
16	09160-16050	ワッシャ(16X32X3)	2		
17	29159-93J00	ナット(M14)	2		
18	09160-16050	ワッシャ(16X32X3)	2		

FIG.405B




FIG. 405B (1-I-6) ドライブシャフトハウジング (XX-TRANSOM)

見出番号	品番	品名	使用個数	備考	標準作業時間
19-1	54211-93J00-YAY	ブラケット, ロアマウント (ﾌﾞﾗｯｸ)	1	020 BODY COLOR:YAY	
19-2	54211-93J00-Y5S	ブラケット, ロアマウント (ﾎﾜｲﾄ)	1	020 BODY COLOR:Y5S	
19-3	54211-93J00-QTN	ブラケット, ロアマウント (ﾎﾜｲﾄ)	1	021, 022, 023 BODY COLOR:QTN	
19-4	54211-93J00-YAY	ブラケット, ロアマウント (ﾌﾞﾗｯｸ)	1	021, 022, 023 BODY COLOR:YAY	
20	54221-93J00	カバー, ロアマウント	2		
21	09116-10175	ボルト (10X50)	4		
22	54165-98J01	ストッパ, ロアスラストリバー	4		
23	09160-14066	ワッシャ (14X50X4)	2		
24	55321-93J01	アノード, プロテクション	2		
25	09116-06236	ボルト (6X16)	2		

FIG.405C




FIG. 405C (1-I-7) ドライブシャフトハウジング* (L-TRANSOM)

見出番号	品番	品名	使用個数	備考	標準作業時間
1-1	52111-98J20-YAY	ハウジング*, ドライブシャフト(L) (ﾌﾞﾗｯｸ)	1	020	
1-2	52111-98J20-Y5S	ハウジング*, ドライブシャフト(L) (ﾎﾜｲﾄ)	1	020	BODY COLOR:YAY
1-3	52111-98J20-QTN	ハウジング*, ドライブシャフト(ﾚﾌﾄ) (ﾎﾜｲﾄ)	1	021, 022, 023	BODY COLOR:Y5S
1-4	52111-98J20-YAY	ハウジング*, ドライブシャフト(L) (ﾌﾞﾗｯｸ)	1	021, 022, 023	BODY COLOR:QTN
2	09116-10176	ﾎﾞﾙﾄ(10X44)	6		
3	09202-08006	ﾋﾞﾝ(8X12)	2		
4	09140-10031	ﾅｯﾄ	2		
5	09108-10150	ｽﾀｯﾄﾞ ｾﾙﾄ	2		
6	09160-10141	ワッｼﾞﾔ(10. 5X19X2)	2		
7	09125-06063	ｽｸﾘﾕ(6X10)	1		
8	54150-98J01	ﾏｳﾝﾄ, ｾﾞｯｽﾄﾗｽﾄ	1		
9	54160-98J00	ﾏｳﾝﾄ, ｾﾞｯ	2		
10	54112-93J00	ﾎﾞﾙﾄ, ﾏｳﾝﾄ	2		
11	09160-16050	ワッｼﾞﾔ(16X32X3)	2		
12	29159-93J00	ﾅｯﾄ(M14)	2		
13	09160-16050	ワッｼﾞﾔ(16X32X3)	2	020	
14-1	54211-93J00-YAY	ﾌﾞﾗｯｹｯﾄ, ｾﾞｯﾏｳﾝﾄ(ﾌﾞﾗｯｸ)	1	020	BODY COLOR:YAY
14-2	54211-93J00-Y5S	ﾌﾞﾗｯｹｯﾄ, ｾﾞｯﾏｳﾝﾄ(ﾎﾜｲﾄ)	1	020	BODY COLOR:Y5S
14-3	54211-93J00-QTN	ﾌﾞﾗｯｹｯﾄ, ｾﾞｯﾏｳﾝﾄ(ﾎﾜｲﾄ)	1	021, 022, 023	BODY COLOR:QTN
14-4	54211-93J00-YAY	ﾌﾞﾗｯｹｯﾄ, ｾﾞｯﾏｳﾝﾄ(ﾌﾞﾗｯｸ)	1	021, 022, 023	BODY COLOR:YAY
15	54221-93J00	ｶﾊﾞｰ, ｾﾞｯﾏｳﾝﾄ	2		
16	09116-10175	ﾎﾞﾙﾄ(10X50)	4		
17	54165-98J01	ｽﾄｯﾊﾟｰ, ｾﾞｯｽﾄﾗｽﾄﾘﾊﾞｰｽ	4		
18	09160-14066	ワッｼﾞﾔ(14X50X4)	2		
19	36894-87D00	ﾘｰﾄﾞ(L:165)	1		
20	09125-06063	ｽｸﾘﾕ(6X10)	1		

FIG.407A




FIG. 407A (1-I-8) ギヤケース (DF300A)

見出番号	品番	品名	使用個数	備考	標準作業時間
1-1	55110-93L20-YAY	ケース, ギヤ(ブラック)	1	020 BODY COLOR:YAY	
1-2	55110-93L20-Y5S	ケース, ギヤ(ホワイト)	1	020 BODY COLOR:Y5S	
1-3	55110-93L20-QTN	ケース, ギヤ(ホワイト)	1	021, 022, 023 BODY COLOR:QTN	
1-4	55110-93L20-YAY	ケース, ギヤ(ブラック)	1	021, 022, 023 BODY COLOR:YAY	
2	09263-35048	・ベアリング (35X56X37)	1		
3	09263-80001	・ベアリング (80X100X30)	1		
4-1	09100-12052	ホルト (12X70)	1	L-TRANSOM	
4-2	09100-12052	ホルト (12X70)	1	X-TRANSOM	
5-1	09116-10150	ホルト (10X55)	6	L-TRANSOM	
5-2	09116-10150	ホルト (10X55)	6	X-TRANSOM	
6	09160-10141	ワッシャ (10. 5X19X2)	6	XX-TRANSOM	
7	09160-12066	ワッシャ (12. 5X22X2. 5)	1	L-TRANSOM, X-TRANSOM	
8	09140-10031	ナット	6	XX-TRANSOM	
9	09159-12014	ナット	1	XX-TRANSOM	
10	09202-08006	ピン (8X12)	2		
11-1	55125-93L00-YAY	タフ, トリム(ブラック)	1	020 BODY COLOR:YAY	
11-2	55125-93L00-Y5S	タフ, トリム(ホワイト)	1	020 BODY COLOR:Y5S	
11-3	55125-93L00-QTN	タフ, トリム(ホワイト)	1	021, 022, 023 BODY COLOR:QTN	
11-4	55125-93L00-YAY	タフ, トリム(ブラック)	1	021, 022, 023 BODY COLOR:YAY	
12	09116-08137	ホルト (8X22)	1		
13	55128-93J10	ブラケット, ドレーン	1		
14	09168-10038	ガスケット	2		
15	55321-93J01	アノード, プロテクション	2		
16	09116-06236	ホルト (6X16)	2		
17	55332-98J01	ラバー, エキゾーストシール	1		
18	55333-98J00	プレート, エキゾーストシール	1		

FIG.407A




FIG. 407A (1-I-9) ギヤケース (DF300A)

見出番号	品番	品名	使用個数	備考	標準作業時間
19	09202-06031	ピン(6X12)	2		
20-1	58700-93L01	ブレード(3X16X17)	1	W/REGULAR ROTATION	
20-2	58700-93L11	ブレード(3X16X18.5)	1	W/REGULAR ROTATION	
20-3	58700-93L21	ブレード(3X16X20)	1	W/REGULAR ROTATION	
20-4	58700-93L31	ブレード(3X16X21.5)	1	W/REGULAR ROTATION	
20-5	58700-93L41	ブレード(3X16X23)	1	W/REGULAR ROTATION	
20-6	58700-93L51	ブレード(3X16X24.5)	1	W/REGULAR ROTATION	
20-7	58700-93L81	ブレード(3X16X15)	1	W/REGULAR ROTATION	
20-8	58700-93J00	ブレード(4X15.25X18)	1	OPT. W/REGULAR ROTATION	
20-9	58700-93J10	ブレード(4X15.25X20)	1	OPT. W/REGULAR ROTATION	
20-10	58700-93J20	ブレード(4X15.25X22)	1	OPT. W/REGULAR ROTATION	
20-11	58700-93J30	ブレード(4X15.25X24)	1	OPT. W/REGULAR ROTATION	
20-12	58700-93J40	ブレード(4X15.25X26)	1	OPT. W/REGULAR ROTATION	
20-13	58800-93L00	ブレード(3X16X17, C/R)	1	W/COUNTER ROTATION	
20-14	58800-93L10	ブレード(3X16X18.5, C/R)	1	W/COUNTER ROTATION	
20-15	58800-93L20	ブレード(3X16X20, C/R)	1	W/COUNTER ROTATION	
20-16	58800-93L30	ブレード(3X16X21.5, C/R)	1	W/COUNTER ROTATION	
20-17	58800-93L40	ブレード(3X16X23, C/R)	1	W/COUNTER ROTATION	

FIG.407A




FIG. 407A (1-I-10) ギヤケース (DF300A)

見出番号	品 番	品 名	使用個数	備 考	標準 作業時間
20-18	58800-93L50	ブローラ (3X16X24. 5, C/R)	1	OPT, W/COUNTER ROT ATION	
20-19	58800-93J10	ブローラ (4X15. 25X20, C/R)	1	OPT, W/COUNTER ROT ATION	
20-20	58800-93J20	ブローラ (4X15. 25X22, C/R)	1	OPT, W/COUNTER ROT ATION	
20-21	58800-93J30	ブローラ (4X15. 25X24, C/R)	1	OPT, W/COUNTER ROT ATION	
20-22	58800-93J40	ブローラ (4X15. 25X26, C/R)	1	OPT, W/COUNTER ROT ATION	
21	58120-93L00	・ブッシュ, ブローラ	1	オプション	
22-1	58700-96J00	ブローラ (3X15. 5X17)	1	OPT, W/REGULAR ROT ATION	
22-2	58700-96J10	ブローラ (3X15. 25X19)	1	OPT, W/REGULAR ROT ATION	
22-3	58700-96J20	ブローラ (3X15X21)	1	OPT, W/REGULAR ROT ATION	
22-4	58700-96J30	ブローラ (3X14. 75X23)	1	OPT, W/REGULAR ROT ATION	
22-5	58700-96J40	ブローラ (3X14. 5X25)	1	OPT, W/REGULAR ROT ATION	
22-6	58700-96J50	ブローラ (3X14. 5X27)	1	OPT, W/REGULAR ROT ATION	
22-7	58800-96J00	ブローラ (3X15. 5X17, C/R)	1	OPT, W/COUNTER ROT ATION	
22-8	58800-96J10	ブローラ (3X15. 25X19, C/R)	1	OPT, W/COUNTER ROT ATION	
22-9	58800-96J20	ブローラ (3X15X21, C/R)	1	OPT, W/COUNTER ROT ATION	
22-10	58800-96J30	ブローラ (3X14. 75X23, C/R)	1	OPT, W/COUNTER ROT ATION	
22-11	58800-96J40	ブローラ (3X14. 5X25, C/R)	1	OPT, W/COUNTER ROT ATION	
22-12	58800-96J50	ブローラ (3X14. 5X27, C/R)	1	OPT, W/COUNTER ROT ATION	

FIG.407A




FIG. 407A (1-I-11) ギヤケース (DF300A)

見出番号	品番	品名	使用個数	備考	標準作業時間
23	58120-93L00	・ﾌﾞｯｼｭ,ﾌﾞﾛｰﾗ	1	オプション	
24	57632-93L11	ｽﾄｯﾊﾟ,ﾌﾞﾛｰﾗﾌﾞｯｼｭ	1		
25	57633-93L00	ｽﾍﾟｰｻ,ﾌﾞﾛｰﾗﾅｯﾄ	1		
26	09141-18005	ﾅｯﾄ	1		
27	09160-18028	ワｯｼﾔ(18. 5X31X1)	1		
28	09204-03003	ｺｳﾀﾋﾞﾝ	1		
29	55128-93L00	ﾌﾞﾗｸﾞ,ﾄﾞﾚｰﾝ	1		
30	09160-12066	ワｯｼﾔ(12. 5X22X2. 5)	1	XX-TRANSOM	
31	57630-93L00	ｷｯﾄ,ﾌﾞﾛｰﾗﾅｯﾄ	1	オプション	
32	25700-93L02	ｷｯﾄ,ｷﾞﾔｰｽｰﾘﾝｸﾞ	1	オプション,ｲﾗｽﾄﾋｮｳｼﾞﾅｼ	

FIG.407B




FIG. 407B (1-I-12) ギヤケース (DF250A)

見出番号	品番	品名	使用個数	備考	標準作業時間
1-1	55110-93L20-YAY	ケース, ギヤ (ブラック)	1	020 BODY COLOR: YAY	
1-2	55110-93L20-Y5S	ケース, ギヤ (ホワイト)	1	020 BODY COLOR: Y5S	
1-3	55110-93L20-QTN	ケース, ギヤ (ホワイト)	1	021, 022, 023 BODY COLOR: QTN	
1-4	55110-93L20-YAY	ケース, ギヤ (ブラック)	1	021, 022, 023 BODY COLOR: YAY	
2	09263-35048	・ヘ アリソク (35X56X37)	1		
3	09263-80001	・ヘ アリソク (80X100X30)	1		
4	09100-12052	ボルト (12X70)	1	X-TRANSOM	
5	09116-10150	ボルト (10X55)	6	X-TRANSOM	
6	09160-10141	ワッシャ (10. 5X19X2)	6	XX-TRANSOM	
7	09160-12066	ワッシャ (12. 5X22X2. 5)	1	X-TRANSOM	
8	09140-10031	ナット	6	XX-TRANSOM	
9	09159-12014	ナット	1	XX-TRANSOM	
10	09202-08006	ピン (8X12)	2		
11-1	55125-93L00-YAY	タブ, トリム (ブラック)	1	020 BODY COLOR: YAY	
11-2	55125-93L00-Y5S	タブ, トリム (ホワイト)	1	020 BODY COLOR: Y5S	
11-3	55125-93L00-QTN	タブ, トリム (ホワイト)	1	021, 022, 023 BODY COLOR: QTN	
11-4	55125-93L00-YAY	タブ, トリム (ブラック)	1	021, 022, 023 BODY COLOR: YAY	
12	09116-08137	ボルト (8X22)	1		
13	55128-93J10	ブラケット, ドレーン	1		
14	09168-10038	ガスケット	2		
15	55321-93J01	アノード, プ ロテクション	2		
16	09116-06236	ボルト (6X16)	2		
17	55332-98J01	ラバー, エキゾーストシール	1		
18	55333-98J00	プレート, エキゾーストシール	1		
19	09202-06031	ピン (6X12)	2		
20-1	58700-93L01	プロペラ (3X16X17)	1	W/REGULAR ROTATION	

FIG.407B




FIG. 407B (1-I-13) ギヤケース (DF250A)

見出番号	品番	品名	使用個数	備考	標準作業時間
20-2	58700-93L11	ブローラ (3X16X18.5)	1	W/REGULAR ROTATION	
20-3	58700-93L21	ブローラ (3X16X20)	1	W/REGULAR ROTATION	
20-4	58700-93L31	ブローラ (3X16X21.5)	1	W/REGULAR ROTATION	
20-5	58700-93L41	ブローラ (3X16X23)	1	W/REGULAR ROTATION	
20-6	58700-93L51	ブローラ (3X16X24.5)	1	W/REGULAR ROTATION	
20-7	58700-93L81	ブローラ (3X16X15)	1	W/REGULAR ROTATION	
20-8	58700-93J00	ブローラ (4X15.25X18)	1	OPT, W/REGULAR ROTATION	
20-9	58700-93J10	ブローラ (4X15.25X20)	1	OPT, W/REGULAR ROTATION	
20-10	58700-93J20	ブローラ (4X15.25X22)	1	OPT, W/REGULAR ROTATION	
20-11	58700-93J30	ブローラ (4X15.25X24)	1	OPT, W/REGULAR ROTATION	
20-12	58700-93J40	ブローラ (4X15.25X26)	1	OPT, W/REGULAR ROTATION	
20-13	58800-93L00	ブローラ (3X16X17, C/R)	1	W/COUNTER ROTATION	
20-14	58800-93L10	ブローラ (3X16X18.5, C/R)	1	W/COUNTER ROTATION	
20-15	58800-93L20	ブローラ (3X16X20, C/R)	1	W/COUNTER ROTATION	
20-16	58800-93L30	ブローラ (3X16X21.5, C/R)	1	W/COUNTER ROTATION	
20-17	58800-93L40	ブローラ (3X16X23, C/R)	1	W/COUNTER ROTATION	
20-18	58800-93L50	ブローラ (3X16X24.5, C/R)	1	OPT, W/COUNTER ROTATION	

FIG.407B




FIG. 407B (1-I-14) ギヤケース (DF250A)

見出番号	品番	品名	使用個数	備考	標準作業時間
20-19	58800-93J10	ﾌﾞﾛｯｸ (4X15. 25X20, C/R)	1	OPT, W/COUNTER ROTATION	
20-20	58800-93J20	ﾌﾞﾛｯｸ (4X15. 25X22, C/R)	1	OPT, W/COUNTER ROTATION	
20-21	58800-93J30	ﾌﾞﾛｯｸ (4X15. 25X24, C/R)	1	OPT, W/COUNTER ROTATION	
20-22	58800-93J40	ﾌﾞﾛｯｸ (4X15. 25X26, C/R)	1	OPT, W/COUNTER ROTATION	
21	58120-93L00	ﾌﾞﾛｯｸ, ﾌﾞﾛｯｸ	1	オプション	
22-1	58700-96J00	ﾌﾞﾛｯｸ (3X15. 5X17)	1	OPT, W/REGULAR ROTATION	
22-2	58700-96J10	ﾌﾞﾛｯｸ (3X15. 25X19)	1	OPT, W/REGULAR ROTATION	
22-3	58700-96J20	ﾌﾞﾛｯｸ (3X15X21)	1	OPT, W/REGULAR ROTATION	
22-4	58700-96J30	ﾌﾞﾛｯｸ (3X14. 75X23)	1	OPT, W/REGULAR ROTATION	
22-5	58700-96J40	ﾌﾞﾛｯｸ (3X14. 5X25)	1	OPT, W/REGULAR ROTATION	
22-6	58700-96J50	ﾌﾞﾛｯｸ (3X14. 5X27)	1	OPT, W/REGULAR ROTATION	
22-7	58800-96J00	ﾌﾞﾛｯｸ (3X15. 5X17, C/R)	1	OPT, W/COUNTER ROTATION	
22-8	58800-96J10	ﾌﾞﾛｯｸ (3X15. 25X19, C/R)	1	OPT, W/COUNTER ROTATION	
22-9	58800-96J20	ﾌﾞﾛｯｸ (3X15X21, C/R)	1	OPT, W/COUNTER ROTATION	
22-10	58800-96J30	ﾌﾞﾛｯｸ (3X14. 75X23, C/R)	1	OPT, W/COUNTER ROTATION	
22-11	58800-96J40	ﾌﾞﾛｯｸ (3X14. 5X25, C/R)	1	OPT, W/COUNTER ROTATION	
22-12	58800-96J50	ﾌﾞﾛｯｸ (3X14. 5X27, C/R)	1	OPT, W/COUNTER ROTATION	
23	58120-93L00	ﾌﾞﾛｯｸ, ﾌﾞﾛｯｸ	1	オプション	
24	57632-93L11	ｽﾄｯﾊﾟ, ﾌﾞﾛｯｸ	1		
25	57633-93L00	ｽﾍﾟｰｻ, ﾌﾞﾛｯｸ	1		

FIG.407B




FIG. 407B (1-I-15) ギヤケース (DF250A)

見出番号	品番	品名	使用個数	備考	標準作業時間
26	09141-18005	ナット	1		
27	09160-18028	ワッシャ (18. 5X31X1)	1		
28	09204-03003	コッタピン	1		
29	55128-93L00	ブラグ, トレーン	1		
30	09160-12066	ワッシャ (12. 5X22X2. 5)	1	XX-TRANSOM	
31	57630-93L00	キット, フロムラナット	1	オフショ	
32	25700-93L02	キット, ギヤケースシーリング	1	オフショ, イラストヒョウナシ	

FIG.410A




FIG. 410A (1-J-2) サイドカバー (X-TRANSOM, XX-TRANSOM)

見出番号	品番	品名	使用個数	備考	標準作業時間
1-1	61131-93J01-YAY	カバー、オイルパンスターボード (ブラック)	1	020 STBD BODY COLOR:YAY	
1-2	61131-93J01-Y5S	カバー、オイルパンスターボード (ホワイト)	1	020 STBD BODY COLOR:Y5S	
1-3	61131-93J01-QTN	カバー、オイルパンスターボード (ホワイト)	1	021, 022, 023 STBD BODY COLOR:QTN	
1-4	61131-93J01-YAY	カバー、オイルパンスターボード (ブラック)	1	021, 022, 023 STBD BODY COLOR:YAY	
2-1	61141-93J01-YAY	カバー、オイルパンスターボード (ブラック)	1	020 PORT BODY COLOR:YAY	
2-2	61141-93J01-Y5S	カバー、オイルパンスターボード (ホワイト)	1	020 PORT BODY COLOR:Y5S	
2-3	61141-93J01-QTN	カバー、オイルパンスターボード (ホワイト)	1	021, 022, 023 PORT BODY COLOR:QTN	
2-4	61141-93J01-YAY	カバー、オイルパンスターボード (ブラック)	1	021, 022, 023 PORT BODY COLOR:YAY	
3	61137-93J01	クッション、オイルパンスターボード (アツパ)	2		
4	09139-06135	スクリュ (6X17)	5		
5	09139-06136	スクリュ (6X65)	3		
6-1	61811-98J20-YAY	カバー、サイドスターボード (ブラック)	1	020 STBD BODY COLOR:YAY	
6-2	61811-98J20-Y5S	カバー、サイドスターボード (ホワイト)	1	020 STBD BODY COLOR:Y5S	

FIG.410A




FIG. 410A (1-J-3) サイドカバー (X-TRANSOM, XX-TRANSOM)

見出番号	品番	品名	使用個数	備考	標準作業時間
6-3	61811-98J20-QTN	カバー, サイドスターボード (ホワイ)	1	021, 022, 023 STBD BODY COLOR: QTN	
6-4	61811-98J20-YAY	カバー, サイドスターボード (ブラック)	1	021, 022, 023 STBD BODY COLOR: YAY	
7-1	61821-98J10-YAY	カバー, サイドポート (ブラック)	1	020 PORT BODY COLOR: YAY	
7-2	61821-98J10-Y5S	カバー, サイドポート (ホワイ)	1	020 PORT BODY COLOR: Y5S	
7-3	61821-98J10-QTN	カバー, サイドポート (ホワイ)	1	021, 022, 023 PORT BODY COLOR: QTN	
7-4	61821-98J10-YAY	カバー, サイドポート (ブラック)	1	021, 022, 023 PORT BODY COLOR: YAY	
8	61134-93J21	シール, サイドカバー	1		
9	09409-05302-5PK	クリップ (ブラック)	2		
10	61817-93J01	ブラケット, サイドカバー	2		
11	09136-06148	スクリュー (6X35)	10		
12	61827-93J02	ホルダー, サイドカバー	1		
13	09321-10049	クッション	2		
14	01550-0816C	ホルト	2		
15	61832-98J00	シール, フロントハネル (スターボード)	1	STBD	
16	61812-98J00	シール, サイドカバー	1		
17	61814-98J00	プロテクター, サイドカバー	1		
18-1	61831-98J02-YAY	ハネル, フロント (ブラック)	1	020 BODY COLOR: YAY	
18-2	61831-98J02-Y5S	ハネル, フロント (ホワイ)	1	020 BODY COLOR: Y5S	
18-3	61831-98J02-QTN	ハネル, フロント (ホワイ)	1	021, 022, 023 BODY COLOR: QTN	

FIG.410A




FIG. 410A (1-J-4) サイドカバー (X-TRANSOM, XX-TRANSOM)

見出番号	品番	品名	使用個数	備考	標準作業時間
18-4	61831-98J02-YAY	パネル, フロント (ﾌﾞﾗｯｸ)	1	021, 022, 023 BODY COLOR:YAY	
19	09116-08174	ボルト (8X38)	2		
20	09169-08050	ワッシャー (ID:8.5)	2		
21	09320-11023	クッション	2		
22	09321-10049	クッション	3		
23	17913-93J00	ﾌﾞﾗｸﾞ, ﾜｵｰﾀ	1		
24	17914-93J01	ｶﾞｽｹｯﾄ, ﾜｵｰﾀﾌﾞﾗｸﾞ	1		
25	61112-98J00	ﾗﾊﾞｰ, サイドｶﾊﾞｰ	1		
26	61630-98J00	ｼｬﾌﾄ, ｶﾊﾞｰﾌｳｯｸﾌﾚﾝﾄ	1		
27	63632-98J20	ｼｬﾌﾄ, ﾍﾞﾝｼﾞﾝｶﾊﾞｰﾌｳｯｸ (ﾎｰﾄ)	1	PORT	
28	63632-98J30	ｼｬﾌﾄ, ﾍﾞﾝｼﾞﾝｶﾊﾞｰﾌｳｯｸ (ｽﾀｰﾎｰﾄ)	1	STBD	
29	09306-17002	ﾌﾞｯｼｭ	3		
30	09160-17052	ワッシャー (17X30X3)	3		
31	61636-98J00	ﾌﾞｯｼｭ	3		
32-1	61633-98J10-YAY	ﾗﾊﾞｰ, ｳｯｸﾘｻﾞｽﾀｰﾎｰﾄ (ﾌﾞﾗｯｸ)	1	020 STBD BODY COLOR:YAY	
32-2	61633-98J10-Y5S	ﾗﾊﾞｰ, ｳｯｸﾘｻﾞｽﾀｰﾎｰﾄ (ﾎﾜｲﾄ)	1	020 STBD BODY COLOR:Y5S	
32-3	61633-98J10-QTN	ﾗﾊﾞｰ, ｳｯｸﾘｻﾞｽﾀｰﾎｰﾄ (ﾎﾜｲﾄ)	1	021, 022, 023 STBD BODY COLOR:QTN	
32-4	61633-98J10-YAY	ﾗﾊﾞｰ, ｳｯｸﾘｻﾞｽﾀｰﾎｰﾄ (ﾌﾞﾗｯｸ)	1	021, 022, 023 STBD BODY COLOR:YAY	
33-1	61634-98J10-YAY	ﾗﾊﾞｰ, ｳｯｸﾘｻﾞｽﾀｰ (ﾌﾞﾗｯｸ)	1	020 PORT BODY COLOR:YAY	
33-2	61634-98J10-Y5S	ﾗﾊﾞｰ, ｳｯｸﾘｻﾞｽﾀｰ (ﾎﾜｲﾄ)	1	020 PORT BODY COLOR:Y5S	

FIG.410A




FIG. 410A (1-J-5) サイドカバー (X-TRANSOM, XX-TRANSOM)

見出番号	品番	品名	使用個数	備考	標準作業時間
33-3	61634-98J10-QTN	レバー, フックリヤポート (ホワイト)	1	021, 022, 023 PORT BODY COLOR: QTN	
33-4	61634-98J10-YAY	レバー, フックリヤポート (ブラック)	1	021, 022, 023 PORT BODY COLOR: YAY	
34-1	61645-98J00-YAY	レバー, フックフロント (ブラック)	1	020 BODY COLOR: YAY	
34-2	61645-98J00-Y5S	レバー, フックフロント (ホワイト)	1	020 BODY COLOR: Y5S	
34-3	61645-98J00-QTN	レバー, フックフロント (ホワイト)	1	021, 022, 023 BODY COLOR: QTN	
34-4	61645-98J00-YAY	レバー, フックフロント (ブラック)	1	021, 022, 023 BODY COLOR: YAY	
35	29103-93J20	ボルト	2		
36	29103-93J30	ボルト	1		
37	09160-08152	ワッシャー (8. 5X28X1. 5)	2		
38	09160-08082	ワッシャー (8. 5X16X1. 2)	1		
39	61635-98J00	スベーク	2		
40	61643-98J00	ブッシュ	2		
41	61658-98J00	スプリング, フックシャフト	3		
42	09329-14003	クッション (14X20X9)	1		
43-1	61124-98J20	グロメット, リモコンケーブル	1	020, 021	
43-2	61124-98J30	グロメット, リモコンケーブル	1	022, 023	
44-1	09407-25402	クランプ (L: 250)	1	020, 021	
44-2	09407-20405	クランプ (L: 202)	1	022, 023	
45	61458-99E51	ラベル, エンジンカバー	1		
46	67361-90J10	アダプター, ホース (リキシング)	1		
47-1	09208-06009	ピン	2	020, 021	
47-2	09208-06011	ピン	2	022, 023	
48	09383-04002	エリク	2	020, 021	

FIG.410B




FIG. 410B (1-J-6) サイドカバー (L-TRANSOM)

見出番号	品番	品名	使用個数	備考	標準作業時間
1-1	61131-93J20-YAY	カバー, オイルパンスターボード (L) (ブラック)	1	020 BODY COLOR:YAY	
1-2	61131-93J20-Y5S	カバー, オイルパンスターボード (L) (ホワイト)	1	020 BODY COLOR:Y5S	
1-3	61131-93J20-QTN	カバー, オイルパンスターボード (L) (ホワイト)	1	021, 022, 023 BODY COLOR:QTN	
1-4	61131-93J20-YAY	カバー, オイルパンスターボード (L) (ブラック)	1	021, 022, 023 BODY COLOR:YAY	
2-1	61141-93J20-YAY	カバー, オイルパンボード (L) (ブラック)	1	020 BODY COLOR:YAY	
2-2	61141-93J20-Y5S	カバー, オイルパンボード (L) (ホワイト)	1	020 BODY COLOR:Y5S	
2-3	61141-93J20-QTN	カバー, オイルパンボード (L) (ホワイト)	1	021, 022, 023 BODY COLOR:QTN	
2-4	61141-93J20-YAY	カバー, オイルパンボード (L) (ブラック)	1	021, 022, 023 BODY COLOR:YAY	
3	61137-93J01	クッション, オイルパンカバーアツパ	2		
4	09136-06161	スクリュー (6X17)	8		
5	09136-06148	スクリュー (6X35)	3		
6-1	61811-98J20-YAY	カバー, サイドスターボード (ブラック)	1	020 STBD BODY COLOR:YAY	
6-2	61811-98J20-Y5S	カバー, サイドスターボード (ホワイト)	1	020 STBD BODY COLOR:Y5S	
6-3	61811-98J20-QTN	カバー, サイドスターボード (ホワイト)	1	021, 022, 023 STBD BODY COLOR:QTN	
6-4	61811-98J20-YAY	カバー, サイドスターボード (ブラック)	1	021, 022, 023 STBD BODY COLOR:YAY	
7-1	61821-98J10-YAY	カバー, サイドボード (ブラック)	1	020 PORT BODY COLOR:YAY	

FIG.410B




FIG. 410B (1-J-7) サイドカバー (L-TRANSOM)

見出番号	品番	品名	使用個数	備考	標準作業時間
7-2	61821-98J10-Y5S	カバー, サイドポート (ホワイト)	1	020 PORT BODY COLOR: Y5S	
7-3	61821-98J10-QTN	カバー, サイドポート (ホワイト)	1	021, 022, 023 PORT BODY COLOR: QTN	
7-4	61821-98J10-YAY	カバー, サイドポート (フッラック)	1	021, 022, 023 PORT BODY COLOR: YAY	
8	61134-93J21	シール, サイドカバー	1		
9	09409-05302-5PK	クリップ (フッラック)	2		
10	61817-93J01	フッラック, サイドカバー	2		
11	09136-06148	スクリュ (6X35)	10		
12	61827-93J02	ホルダー, サイドカバー	1		
13	09321-10049	クッション	2		
14	01550-0816C	ホルト	2		
15	61832-98J00	シール, フロントハネル (スターホート)	1	STBD	
16	61812-98J00	シール, サイドカバー	1		
17	61814-98J00	フッラック, サイドカバー	1		
18-1	61831-98J02-YAY	ハネル, フロント (フッラック)	1	020 BODY COLOR: YAY	
18-2	61831-98J02-Y5S	ハネル, フロント (ホワイト)	1	020 BODY COLOR: Y5S	
18-3	61831-98J02-QTN	ハネル, フロント (ホワイト)	1	021, 022, 023 BODY COLOR: QTN	
18-4	61831-98J02-YAY	ハネル, フロント (フッラック)	1	021, 022, 023 BODY COLOR: YAY	
19	09116-08174	ホルト (8X38)	2		
20	09169-08050	ワッシャ (ID: 8.5)	2		
21	09320-11023	クッション	2		
22	09321-10049	クッション	3		
23	17913-93J00	フッラック, ウォータ	1		
24	17914-93J01	ガスクット, ウォータフッラック	1		
25	61112-98J00	ラバー, サイドカバー	1		
26	61630-98J00	シャフト, カバーフッラックフロント	1		

FIG.410B




FIG. 410B (1-J-8) サイドカバー (L-TRANSOM)

見出番号	品番	品名	使用個数	備考	標準作業時間
27	63632-98J20	シャフト, エンジンカバーフック (ホート)	1	PORT	
28	63632-98J30	シャフト, エンジンカバーフック (スターホート)	1	STBD	
29	09306-17002	ブッシュ	3		
30	09160-17052	ワッシャー (17X30X3)	3		
31	61636-98J00	ブッシュ	3		
32-1	61633-98J10-YAY	レバー, フックリヤスターホート (ブラック)	1	020 STBD BODY COLOR: YAY	
32-2	61633-98J10-Y5S	レバー, フックリヤスターホート (ホワイト)	1	020 STBD BODY COLOR: Y5S	
32-3	61633-98J10-QTN	レバー, フックリヤスターホート (ホワイト)	1	021, 022, 023 STBD BODY COLOR: QTN	
32-4	61633-98J10-YAY	レバー, フックリヤスターホート (ブラック)	1	021, 022, 023 STBD BODY COLOR: YAY	
33-1	61634-98J10-YAY	レバー, フックリヤホート (ブラック)	1	020 PORT BODY COLOR: YAY	
33-2	61634-98J10-Y5S	レバー, フックリヤホート (ホワイト)	1	020 PORT BODY COLOR: Y5S	
33-3	61634-98J10-QTN	レバー, フックリヤホート (ホワイト)	1	021, 022, 023 PORT BODY COLOR: QTN	
33-4	61634-98J10-YAY	レバー, フックリヤホート (ブラック)	1	021, 022, 023 PORT BODY COLOR: YAY	
34-1	61645-98J00-YAY	レバー, フックフロント (ブラック)	1	020 BODY COLOR: YAY	
34-2	61645-98J00-Y5S	レバー, フックフロント (ホワイト)	1	020 BODY COLOR: Y5S	
34-3	61645-98J00-QTN	レバー, フックフロント (ホワイト)	1	021, 022, 023 BODY COLOR: QTN	

FIG.410B





FIG. 410B (1-J-9) サイドカバー (L-TRANSOM)

見出番号	品番	品名	使用個数	備考	標準作業時間
34-4	61645-98J00-YAY	レバー, フックフロント (フック)	1	021, 022, 023 BODY COLOR:YAY	
35	29103-93J20	ボルト	2		
36	29103-93J30	ボルト	1		
37	09160-08152	ワッシャー (8. 5X28X1. 5)	2		
38	09160-08082	ワッシャー (8. 5X16X1. 2)	1		
39	61635-98J00	スプーサ	2		
40	61643-98J00	ブッシュ	2		
41	61658-98J00	スプリング, フックシャフト	3		
42	09329-14003	クッション (14X20X9)	1		
43-1	61124-98J20	グロメット, リモコンケーブル	1	020, 021	
43-2	61124-98J30	グロメット, リモコンケーブル	1	022, 023	
44-1	09407-25402	クランプ (L: 250)	1	020, 021	
44-2	09407-20405	クランプ (L: 202)	1	022, 023	
45	61458-99E51	ラベル, エンジンカバー	1		
46	67361-90J10	アタッシュ, ホース (リギング)	1		
47-1	09208-06009	ピン	2	020, 021	
47-2	09208-06011	ピン	2	022, 023	
48	09383-04002	Eリング	2	020, 021	

FIG.420A



DF300A_000_023_420A
ENGINE COVER

FIG. 420A (1-J-10) エンジンカバー (020:DF300A)

見出番号	品 番	品 名	使用個数	備 考	標準 作業時間
1-1	61420-98803-YAY	カバーセット, エンジン(フ ラツク)	1	BODY COLOR:YAY	
1-2	61420-98813-Y5S	カバーセット, エンジン(ホ ワイト)	1	BODY COLOR:Y5S	
2-1	61431-98J10-YAY	・カバー-, エンジン トツツ (フ ラツク)	1	BODY COLOR:YAY	
2-2	61431-98J10-Y5S	・カバー-, エンジン トツツ (ホ ワイト)	1	BODY COLOR:Y5S	
3	61432-98J01	・ルーバ-, エア インテーク	1		
4	61433-98J01	・グ リップ-, エンジン アツパ カバー-スターボート	1	STBD	
5	61434-98J02	・グ リップ-, エンジン アツパ カバー-ホート	1	PORT	
6	61439-98J01	・シール, グ リップ スターボート	1	STBD	
7	61439-98J11	・シール, グ リップ ホート	1	PORT	
8	61439-98J21	・シール, エア ホント NO. 2	1		
9	61476-98J00	・シール, エア ホント NO. 1	1		
10	01550-06167	・ボ ルト	2		
11	01550-06207	・ボ ルト	3		
12	01550-06167	・ボ ルト	3		
13	03542-06169	・スクリュ	5		
14	01550-06167	・ボ ルト	4		
15	03542-06169	・スクリュ	4		
16	61610-98J00	・ファスタ, フロント	1		
17	61610-98J30	・ファスタ, ホート	1	PORT	
18	61610-98J40	・ファスタ, スターボート	1	STBD	
19	77811-54G00-OPG	・エンブレム, マーク S (クローム)	1		
20	61614-98J00	・ブ ロテクタ, ファスタ	1		
21	61621-98J03	・ブ ラケット, ファスタ フロント	1		
22	61624-98J12	・ブ ラケット, ファスタ ホート	1	PORT	
23	61625-98J12	・ブ ラケット, ファスタ スターボート	1	STBD	
24	61619-98J00	・クツシヨシ, エンジン カバー-ファスタ	3		
25	01547-06167	・ボ ルト	6		
26	01550-06127	・ボ ルト	1		
27	01550-06127	・ボ ルト	2		
28	61425-98J00	・クツシヨシ, エンジン カバー	1		
29-1	61443-96J70	・ストライプ-, エンジン カバー-スターボート	1	FOR YAY BODY COLOR:YAY	
29-2	61443-96J80	・ストライプ-, エンジン カバー-スターボート	1	FOR Y5S BODY COLOR:Y5S	

DF300A_000_023

FIG.420A




FIG. 420A (1-J-11) エンジンカバー (020:DF300A)

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
30-1	61453-96J70	・ストライプ, エンジンカバーホート	1	FOR YAY BODY COLOR:YAY	
30-2	61453-96J80	・ストライプ, エンジンカバーホート	1	FOR Y5S BODY COLOR:Y5S	
31	61441-98L00	・マーク, ススキ	2		
32-1	61422-98J50	マーク, エンブレムフロント (300)	1	FOR YAY BODY COLOR:YAY	
32-2	61422-98J30	マーク, エンブレムフロント (300)	1	FOR Y5S BODY COLOR:Y5S	
33-1	61435-98J50	マーク, エンブレムリヤ (300)	1	FOR YAY BODY COLOR:YAY	
33-2	61435-98J30	マーク, エンブレムリヤ (300)	1	FOR Y5S BODY COLOR:Y5S	
34	09800-81835	ツールセット	1		

FIG.420B




FIG. 420B (1-J-12) エンジンカバー (020:DF250A)

見出番号	品番	品名	使用個数	備考	標準作業時間
1-1	61420-98803-YAY	カバーセット, エンジン(フ ラツク)	1	BODY COLOR:YAY	
1-2	61420-98813-Y5S	カバーセット, エンジン(ホワイ ト)	1	BODY COLOR:Y5S	
2-1	61431-98J10-YAY	・カバー-, エンジン トツツ (フ ラツク)	1	BODY COLOR:YAY	
2-2	61431-98J10-Y5S	・カバー-, エンジン トツツ (ホワイ ト)	1	BODY COLOR:Y5S	
3	61432-98J01	・ルーバ-, エア インテーク	1		
4	61433-98J01	・グ リツツ-, エンジン アツパ カバ-スターホ-ード	1	STBD	
5	61434-98J02	・グ リツツ-, エンジン アツパ カバ-ホ-ート	1	PORT	
6	61439-98J01	・シール, グ リツツ スターホ-ード	1	STBD	
7	61439-98J11	・シール, グ リツツ ホ-ート	1	PORT	
8	61439-98J21	・シール, エアヘ-ントNO. 2	1		
9	61476-98J00	・シール, エアヘ-ントNO. 1	1		
10	01550-06167	・ボ-ルト	2		
11	01550-06207	・ボ-ルト	3		
12	01550-06167	・ボ-ルト	3		
13	03542-06169	・スクリ ュ	5		
14	01550-06167	・ボ-ルト	4		
15	03542-06169	・スクリ ュ	4		
16	61610-98J00	・ファスタ, フロント	1		
17	61610-98J30	・ファスタ, ホ-ート	1	PORT	
18	61610-98J40	・ファスタ, スターホ-ード	1	STBD	
19	77811-54GC0-OPG	・エンブレ ム, マークS(クロ-ム)	1		
20	61614-98J00	・フ ロテクタ, ファスタ	1		
21	61621-98J03	・フ ラケツト, ファスタフロント	1		
22	61624-98J12	・フ ラケツト, ファスタホ-ート	1	PORT	
23	61625-98J12	・フ ラケツト, ファスタスターホ-ード	1	STBD	
24	61619-98J00	・クツシヨ ン, エンジン カバ-ファスタ	3		
25	01547-06167	・ボ-ルト	6		
26	01550-06127	・ボ-ルト	1		
27	01550-06127	・ボ-ルト	2		
28	61425-98J00	・クツシヨ ン, エンジン カバ-	1		
29-1	61443-96J70	・ストライプ-, エンジン カバ-スターホ-ード	1	FOR YAY BODY COLOR:YAY	
29-2	61443-96J80	・ストライプ-, エンジン カバ-スターホ-ード	1	FOR Y5S BODY COLOR:Y5S	

FIG.420B




FIG. 420B (1-J-13) エンジンカバー (020:DF250A)

見出番号	品番	品名	使用個数	備考	標準作業時間
30-1	61453-96J70	・ストライプ, エンジンカバーホート	1	FOR YAY BODY COLOR:YAY	
30-2	61453-96J80	・ストライプ, エンジンカバーホート	1	FOR Y5S BODY COLOR:Y5S	
31	61441-98L00	・マーク, ススキ	2		
32-1	61422-98J40	マーク, エンブレムフロント (250)	1	FOR YAY BODY COLOR:YAY	
32-2	61422-93JE0	マーク, エンブレムフロント (250)	1	FOR Y5S BODY COLOR:Y5S	
33-1	61435-98J60	マーク, エンブレムリヤ (250)	1	FOR YAY BODY COLOR:YAY	
33-2	61435-93JD0	マーク, エンブレムリヤ (250)	1	FOR Y5S BODY COLOR:Y5S	
34	09800-81835	ツールセット	1		

FIG.420C




FIG. 420C (1-J-14) エンジンカバー - ((021, 022, 023) :DF300A)

見出番号	品 番	品 名	使用個数	備 考	標準 作業時間
1-1	61420-98841-YAY	カバーセット, エンジン(フ ラツク) (フ ラツク)	1	BODY COLOR:YAY	
1-2	61420-98851-QTN	カバーセット, エンジン(ホワイ ト) (ホワイ ト)	1	BODY COLOR:QTN	
2-1	61431-98J10-YAY	カバー-, エンジン トツツ (フ ラツク)	1	BODY COLOR:YAY	
2-2	61431-98J10-QTN	カバー-, エンジン トツツ (ホワイ ト)	1	BODY COLOR:QTN	
3	61432-98J01	ルーバ-, エア インテーク	1		
4	61433-98J01	グ リツツ, エンジン アツバ カバー スターホート	1	STBD	
5	61434-98J02	グ リツツ, エンジン アツバ カバーホート	1	PORT	
6	61439-98J01	シール, グ リツツ スターホート	1	STBD	
7	61439-98J11	シール, グ リツツ ホート	1	PORT	
8	61439-98J21	シール, エア ホント NO. 2	1		
9	61476-98J00	シール, エア ホント NO. 1	1		
10	01550-06167	ボルト	2		
11	01550-06207	ボルト	3		
12	01550-06167	ボルト	3		
13	03542-06169	スクリュ	5		
14	01550-06167	ボルト	4		
15	03542-06169	スクリュ	4		
16	61610-98J00	ファスタ, フロント	1		
17	61610-98J30	ファスタ, ホート	1	PORT	
18	61610-98J40	ファスタ, スターホート	1	STBD	
19	77811-54G00-OPG	エンブレム, マーク S (クローム)	1		
20	61614-98J00	ブ ロテクタ, ファスタ	1		
21	61621-98J03	ブ ラケツト, ファスタ フロント	1		
22	61624-98J12	ブ ラケツト, ファスタホート	1	PORT	
23	61625-98J12	ブ ラケツト, ファスタ スターホート	1	STBD	
24	61619-98J00	クツシヨシ, エンジン カバー ファスタ	3		
25	01547-06167	ボルト	6		
26	01550-06127	ボルト	1		
27	01550-06127	ボルト	2		
28	61425-98J00	クツシヨシ, エンジン カバー	1		
29-1	61443-96L30	ストライプ, エンジン カバー スターホート	1	FOR YAY BODY COLOR:YAY	
29-2	61443-96L40	ストライプ, エンジン カバー スターホート	1	FOR QTN BODY COLOR:QTN	

FIG.420C




FIG. 420C (1-J-15) エンジンカバー ((021, 022, 023) :DF300A)

見出番号	品番	品名	使用個数	備考	標準作業時間
30-1	61453-96L30	・ストライプ, エンジンカバーホート	1	FOR YAY BODY COLOR:YAY	
30-2	61453-96L40	・ストライプ, エンジンカバーホート	1	FOR QTN BODY COLOR:QTN	
31	61441-98L00	・マーク, ススキ	2		
32-1	61435-98J70	マーク, エンブレムリヤ (300)	1	FOR YAY BODY COLOR:YAY	
32-2	61435-98J80	マーク, エンブレムリヤ (300)	1	FOR QTN BODY COLOR:QTN	
33	09800-81835	ツールセット	1		

FIG.420D




FIG. 420D (1-K-2) エンジンカバー (021, 022, 023) :DF250A)

見出番号	品番	品名	使用個数	備考	標準作業時間
1-1	61420-98841-YAY	カバーセット, エンジン(フ ラツク) (フ ラツク)	1	BODY COLOR:YAY	
1-2	61420-98851-QTN	カバーセット, エンジン(ホワイ ト) (ホワイ ト)	1	BODY COLOR:QTN	
2-1	61431-98J10-YAY	カバー, エンジン トツツ (フ ラツク)	1	BODY COLOR:YAY	
2-2	61431-98J10-QTN	カバー, エンジン トツツ (ホワイ ト)	1	BODY COLOR:QTN	
3	61432-98J01	ルーバ, エア インテーク	1		
4	61433-98J01	グ リツツ, エンジン アツバ カバー スターボート	1	STBD	
5	61434-98J02	グ リツツ, エンジン アツバ カバー ボート	1	PORT	
6	61439-98J01	シール, グ リツツ スターボート	1	STBD	
7	61439-98J11	シール, グ リツツ ボート	1	PORT	
8	61439-98J21	シール, エア ホント NO. 2	1		
9	61476-98J00	シール, エア ホント NO. 1	1		
10	01550-06167	ボルト	2		
11	01550-06207	ボルト	3		
12	01550-06167	ボルト	3		
13	03542-06169	スクリュー	5		
14	01550-06167	ボルト	4		
15	03542-06169	スクリュー	4		
16	61610-98J00	ファスタ, フロント	1		
17	61610-98J30	ファスタ, ボート	1	PORT	
18	61610-98J40	ファスタ, スターボート	1	STBD	
19	77811-54G00-OPG	エンブレム, マーク S (クローム)	1		
20	61614-98J00	ブラケット, ファスタ	1		
21	61621-98J03	ブラケット, ファスタ フロント	1		
22	61624-98J12	ブラケット, ファスタ ボート	1	PORT	
23	61625-98J12	ブラケット, ファスタ スターボート	1	STBD	
24	61619-98J00	クワシヨシ, エンジン カバー ファスタ	3		
25	01547-06167	ボルト	6		
26	01550-06127	ボルト	1		
27	01550-06127	ボルト	2		
28	61425-98J00	クワシヨシ, エンジン カバー	1		
29-1	61443-96L30	ストライプ, エンジン カバー スターボート	1	FOR YAY BODY COLOR:YAY	
29-2	61443-96L40	ストライプ, エンジン カバー スターボート	1	FOR QTN BODY COLOR:QTN	

FIG.420D




FIG. 420D (1-K-3) エンジンカバー - (021, 022, 023) :DF250A)

見出番号	品番	品名	使用個数	備考	標準作業時間
30-1	61453-96L30	・ストライプ, エンジンカバーホート	1	FOR YAY BODY COLOR:YAY	
30-2	61453-96L40	・ストライプ, エンジンカバーホート	1	FOR QTN BODY COLOR:QTN	
31	61441-98L00	・マーク, スズキ	2		
32-1	61435-93JP0	マーク, エンブレムリヤ (250)	1	FOR YAY BODY COLOR:YAY	
32-2	61435-93JQ0	マーク, エンブレムリヤ (250)	1	FOR QTN BODY COLOR:QTN	
33	09800-81835	ツールセット	1		

FIG.430A




FIG. 430A (1-K-4) フューエルホース

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
1-1	65700-93J12	ホース, フューエル (タンクツ-コネクタ)	1	->65700-93J14+094 01-14409 FROM 25003P-04000 1 UPTO 25003P-04054 4 FROM 30002P-04000 1 UPTO 30002P-04139 3	
1-2	65700-93J14	ホース, フューエル (タンクツ-コネクタ)	1	FROM 25003P-04054 5 FROM 30002P-04139 4	
2	65770-93J13	・ホース, スライス	1		
3-1	09401-13423	クリップ	2	FROM 25003P-04000 1 UPTO 25003P-04054 4 FROM 30002P-04000 1 UPTO 30002P-04139 3	
3-2	09401-14409	クリップ	2	FROM 25003P-04054 5 FROM 30002P-04139 4	

FIG.520A





FIG. 520A (1-K-5) オプション:フラッシュマウントリモコン (020, 021)

見出番号	品 番	品 名	使用個数	備 考	標準 作業時間
1	67200-98J24	リモートコントロールアッジ, フラッシュマウント	1		
2	67271-98J20	・カバー, ボトムベース	1		
3	67264-98J00	・カバー, トップベース	1		
4	67263-98J20	・カバー, レバー	1		
5	67261-98J20	・グリップ, A	1		
6	67261-98J30	・グリップ, B	1		
7	67265-98J00	・ボタン, ニュートラルロック	1		
8	67255-98J00	・リンク, ニュートラルロックNO. 1	1		
9	67258-98J00	・プレート, ジョイント	1		
10	67256-98J00	・ブロック, ニュートラルロック	1		
11	67259-98J00	・スプリング	3		
12	67251-98J20	・レバー, ハンドル	1		
13	67294-98J00	・スパーサ	1		
14	67254-98J00	・リンク, ニュートラルロックNO. 2	1		
15	67233-98J00	・スライダ, ニュートラルボタン	1		
16	67296-98JA0	・スクリュ (4X10)	3		
17	67234-98J00	・プレート, レバー	1		
18	67211-98J20	・ハウジング	1		
19	67269-98J20	・クランプ, リード	1		
20	67296-98JB0	・スクリュ (4X30)	1		
21	67227-98J20	・スクリュ (4X35)	1		
22	67227-98J30	・スクリュ (4X20)	1		
23	67288-98J50	・ワッシャ	8		
24	67296-98JC0	・スクリュ (6X40)	4		
25	67287-98J00	・ナット	4		
26	67226-98J10	・ボルト (6X50)	4		
27	67288-98J60	・ワッシャ	3		
28	67296-98JD0	・スクリュ (5X40)	1		
29	67238-98J00	・ピン	2		
30	67288-98J70	・ワッシャ	5		
31	67246-98J00	・シャフト, ドライブ	1		
32	67222-98J00	・パネルアッジ, ハック	1		
33	67236-98J00	・ローラー, テント	1		
34	67235-98J00	・ガイド, テントROLLER	1		
35	67237-98J00	・スプリング, テント	1		

FIG.520A



DF300A_000_023_520A
OPT:FLUSH MOUNT REMOCON

FIG. 520A (1-K-6) オプション:フラッシュマウントリモコン (020, 021)

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
36	67223-98J00	・バツト, プレーキ	1		
37	67296-98JE0	・スクリュ (5X35)	1		
38	67252-98J00	・ワッシャ, ドライバシャフト	1		
39	67288-98J20	・ワッシャ	1		
40	67292-98J00	・Oリング	1		
41	15980-98J00	・ボテンシヨメータ	1		
42	67227-98J10	・レバー, ボテンシヨメータNO. 2	1		
43	67296-94300	・スクリュ (4X10)	2		
44	67288-98J00	・ワッシャ	5		
45	67296-98J10	・スクリュ (5X35)	1		
46	67288-98J10	・ワッシャ	8		
47	67228-98J50	・ワッシャ, ウェーブ	2		
48	67296-98J60	・スクリュ (8X30)	1		
49	09160-06104	・ワッシャ (6. 5X24X2)	4		
50	67296-98J50	・スクリュ (5X18)	2		
51	67272-98J00	・ケロメット, カバー	2		
52	37850-98J03	・スイッチアツシ, PTT	1		
53	67269-98J10	・バンド	1		
54	67257-98J00	・マーク, レバー (S)	1		
55	36890-98J00	・ハーネス, コンデンサアダプタ	1		



OPT:FLUSH MOUNT REMOCON

見出番号	品番	品名	使用個数	備考	標準作業時間
1	67200-98L20	リモコンアツシ, フラグシユマウント	1		
2	67272-98L20	・ク`ロメツト, リモコンカハ`ー	1		
3	67264-98L00	・カハ`ー, トツフ`ヘ`ース	1		
4	67284-98L20	・・マーク, ハント`ルレハ`ー	1		
5	67263-98J20	・カハ`ー, レハ`ー	1		
6	67261-98J20	・ク`リツフ`, A	1		
7	67261-98J30	・ク`リツフ`, B	1		
8	67265-98J00	・ホ`タン, ニュートラルロツク	1		
9	67255-98J00	・リンク, ニュートラルロツクNO. 1	1		
10	67258-98J00	・フ`レート, シ`ヨイント	1		
11	67256-98L00	・フ`ロツク, ニュートラルロツク	1		
12	67259-98J00	・スフ`リンク`	3		
13	67251-98J20	・レハ`ー, ハント`ル	1		
14	67294-98J00	・スヘ`ーサ	1		
15	67254-98J00	・リンク, ニュートラルロツクNO. 2	1		
16	67296-98JA0	・スクリュ (4X10)	3		
17	67234-98J00	・フ`レート, レハ`ー	1		
18	67211-98J20	・ハウシ`ンク`	1		
19	67296-98JB0	・スクリュ (4X30)	1		
20	67227-98J20	・スクリュ (4X35)	1		
21	67288-98J50	・ワツシヤ	4		
22	67287-98J00	・ナツト	4		
23	67226-98J10	・ホ`ルト (6X50)	4		
24	67288-98J60	・ワツシヤ	3		
25	67238-98J00	・ビ`ン	2		
26	67288-98J00	・ワツシヤ	3		
27	67296-98J60	・スクリュ (8X30)	1		
28	09160-06104	・ワツシヤ (6. 5X24X2)	4		
29	37850-98J03	・スイツチアツシ, PTT	1		
30	67257-98J00	・マーク, レハ`ー(S)	1		
31	37820-98L00	・スイツチアツシ, エマシ`エンシ	1		
32	37823-98L01	・・フ`レートアツシ, エマシ`エンシスイツチロツク	1		
33	37130-98L20	・スイツチアツシ, ホ`ートコントロール	1		
34	67227-98L00	・スクリュ	1		

FIG.522A





FIG. 522A (1-K-8) オプション:ハーネス(1) (020, 021)

見出番号	品 番	品 名	使用個数	備 考	標準 作業時間
1	36620-98J53	ワイヤツシ, リモートコントロール	1		
2	33830-98J11	セツト, ハツチアイソレータリット	1		
3	09407-10404	・クランプ (L:100)	2		
4	09481-40401	・フュース (40A)	1		
5	33911-88BL0	キャツプ, ラハ	1		
6	33925-93J00	クツシヨシ, エンジンコントロールユニット	AR		
7	33926-98J00	レジスタ, ターミナル	AR		
8	36623-98J21	ハーネスアツシ, BCMNO. 1フオーシング	1		
9	36615-96300	・ターミナル	4		
10-1	36770-98J13	コントロールアツシ, ホートエレクトリツク	1		
10-2	36770-98J22	コントロールアツシ, ホートエレクトリツク	2		
11	36775-98J00	ホルダ, BCM, レフト	AR		
12	36776-98J00	ホルダ, BCM, ライト	AR		
13	36622-98J00	ハーネスアツシ, デュアルステイションメイン	AR		
14	09481-10501	・フュース (10A)	AR		
15	36624-98J02	ハーネスアツシ, BCMNO. 2フオーシング	1		
16	36615-96300	・ターミナル	2		
17	36621-98J00	ハーネスアツシ, デュアルエンジン	AR		
18	36623-98J30	ハーネスアツシ, BCM NO. 1 フォーマルチ	1		
19	36615-96300	・ターミナル	5		
20	36624-98J11	ハーネスアツシ, BCMNO. 2フオーマルチ	1		
21	36615-96300	・ターミナル	2		
22	36621-98J10	ハーネスアツシ, トリプルエンジン	1		
23	09403-13402	クランプ (ID:13)	AR		
24-1	36612-98J01	コネクタ, カウンタセレクト (グリーン)	1	グリーン	
24-2	36612-98J20	コネクタ, カウンタセレクト (ホワイト)	AR	WHITE	
25	36990-87D00	ターミナル, スリーブセツト	1		
26	36667-96L20	ワイヤ, ケーシングエクステンション	1		

FIG.522B



DF300A_000_023_522B
OPT:HARNESS (1)

FIG. 522B (1-K-9) オプション:ハーネス(1) (022, 023)

見出番号	品 番	品 名	使用個数	備 考	標準 作業時間
1	36620-98L00	ワイヤアツシ, リモートコントロール	AR		
2	33830-98J11	セツト, ハﾟツテリアイソレータリｰﾄ	1		
3	09407-10404	・ｸﾗﾝﾌﾟ (L:100)	2		
4	09481-40401	・ﾌｭｰｽﾞ (40A)	1		
5	33925-98L00	ｸｯｼｵﾝ, BCM	AR		
6	33926-98L00	ﾚｼﾞｽﾀ, ｵｰﾐﾅﾙ	AR		
7	36623-98L00	ﾊｰﾅｰｽｱｯｼ, BCMNO. 1ｼﾝｸﾞﾙ	1		
8	36770-98L00	ｺﾝﾄﾛｰﾗｱｯｼ, ｵｰｰﾄｴﾚｸﾄﾘｯｸ	AR		
9	36775-98L00	ﾎﾙﾀﾞ, BCM (F)	AR		
10	36776-98L00	ﾎﾙﾀﾞ, BCM (ﾗｲﾄ)	AR		
11	36622-98L00	ﾊｰﾅｰｽｱｯｼ, ｾﾞﾞﾅﾙｽﾃｲｼｵﾝﾒｲﾝ	1		
12	36624-98L00	ﾊｰﾅｰｽｱｯｼ, BCMNO. 2ｼﾝｸﾞﾙ	1		
13	36621-98L00	ﾊｰﾅｰｽｱｯｼ, ｾﾞﾞﾅﾙｴﾝｼﾞﾝ	AR		
14	36623-98L30	ﾊｰﾅｰｽｱｯｼ, BCMNO. 1ﾌｵｰﾏﾙﾁﾌﾞﾙ	1		
15	36624-98L10	ﾊｰﾅｰｽｱｯｼ, BCMNO. 2ﾏﾙﾁ	1		
16	36624-98L20	ﾊｰﾅｰｽｱｯｼ, BCMNO. 2ｸｱｰﾄﾞﾙﾌﾞﾙ	1		
17	36612-98J20	ｺﾈｸﾀ, ｶｳﾝﾀｾﾚｸﾄ (ﾎﾜｲﾄ)	AR		
18	36667-96L60	ﾜｲﾔ, ｹｰｰｼﾞ ｴｸｽﾃﾝｼｵﾝ	1		
19	36990-87D00	ﾀｰﾐﾅﾙ, ｽﾘｰﾌ ｾｯﾄ	1		
20	09403-13402	ｸﾗﾝﾌﾟ (ID:13)	AR		
21	37140-98L00	ｴﾆｵｯﾄ, ｼｸﾞﾞﾅﾙｺﾝﾊﾞｰﾀ	1		

FIG.523A




FIG. 523A (1-K-10) オプション:ハーネス(2) (020, 021)

見出番号	品番	品名	使用個数	備考	標準作業時間
1	36625-98J10	ワイヤアツシ、ハツテリ	AR		
2	09481-30501	・フューズ (30A)	AR		
3	36623-98J40	ハーネスアツシ、BCMフォークアト・ルブ・ル	1		
4	36615-96300	・ターミナル	8		
5	36627-98J00	・ハーネス、リモコンエクステンション	1		
6	17917-87L00	コネクタ、フラッシュウオータ	1		

FIG.523B





FIG. 523B (1-K-11) オプション:ハーネス(2) (022, 023)

見出番号	品 番	品 名	使用個数	備 考	標準 作業時間
1-1	36625-98J10	ワイヤアツシ, バッテリ	1		
1-2	36625-98J20	ワイヤアツシ, バッテリ	1		
2	09481-30501	・フューズ (30A)	1		
3	36623-98L40	ハーネスアツシ, BCMNO. 1クアドルフル	1		
4	36627-98L00	ハーネス, リモコンエクステンション	1		
5	36627-98L10	ハーネスアツシ, EMスイッチエクステンション	1		
6	17917-87L00	コネクタ, フラッシュウオータ	1		

FIG.530A



DF300A_000_023_530A
OPT:SWITCH

FIG. 530A (1-K-12) オプション:スイッチ (020, 021)

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
1	37100-98J07	ハ ^ニ ネルアツシ, メインスイッチ	1		
2	37110-98J02	・スイッチアツシ, メイン	1		
3-1	37141-99EA0	・キー (941)	1		
3-2	37141-99EB0	・キー (942)	1		
3-3	37141-99E00	・キー (931)	1		
3-4	37141-99E10	・キー (932)	1		
3-5	37141-99E20	・キー (933)	1		
3-6	37141-99E30	・キー (934)	1		
3-7	37141-99E40	・キー (935)	1		
3-8	37141-99E50	・キー (936)	1		
3-9	37141-99E60	・キー (937)	1		
3-10	37141-99E70	・キー (938)	1		
3-11	37141-99E80	・キー (939)	1		
3-12	37141-99E90	・キー (940)	1		
4	37143-99E01	・キヤツツ ^ニ , キー	1		
5	37139-98J10	・ハ ^ニ ネル, メインスイッチ	1		
6	37820-93J11	・スイッチアツシ, エマジ ^ニ エンシ	1		
7	37823-92E02	・フ ^ニ レートアツシ, エマジ ^ニ エンシスイッチロツク	1		
8	37826-92J10	・ナツト	1		
9	03122-05169	・スクリユ	4		
10	37114-98J00	・シート, メインスイッチハ ^ニ ネル	1		
11	37100-98J11	ハ ^ニ ネルアツシ, シンク ^ニ ル	1		
12	37112-98J00	・ナツト	1		
13	38500-93J90	ブ ^ニ ザ ^ニ ー, ウォーニンク ^ニ	AR		
14	09407-08401	クランブ ^ニ (L: 80)	AR		
15	37803-93J06	ハ ^ニ ネルアツシ, エマジ ^ニ エンシスイッチ	1		
16	37825-99E10	・ハ ^ニ ネル, エマジ ^ニ エンシストツツ ^ニ スイツ	1		
17	37820-93J11	・スイッチアツシ, エマジ ^ニ エンシ	1		
18	37823-92E02	・フ ^ニ レートアツシ, エマジ ^ニ エンシスイッチロツク	1		
19	37826-92J10	・ナツト	1		
20	03122-05169	・スクリユ	4		
21	37100-98J21	ハ ^ニ ネルアツシ, テ ^ニ ュアル	AR		
22	37112-98J10	・ナツト	AR		
23	37100-98J31	ハ ^ニ ネルアツシ, トリフ ^ニ ル	1		
24	37112-98J10	・ナツト	1		

DF300A_000_023

FIG.530A





FIG. 530A (1-K-13) オプション:スイッチ (020, 021)

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
25	37860-87L00	パネルアッシ、トロリング コントロールスイッチ	1		
26	37862-87L00	・パネル	1		
27	09131-05004	・タツピング スクリュ	4		

FIG.530B



DF300A_000_023_530B
OPT:SWITCH

FIG. 530B (1-K-14) オプション:スイッチ (022, 023)

見出番号	品 番	品 名	使用個数	備 考	標準 作業時間
1	37100-98L00	ハ ^ニ ネルアツシ, メインスイッチ	1		
2	37110-98L00	・スイッチアツシ, メイン	1		
3-1	37141-98L00	・キー (931)	1		
3-2	37141-98L10	・キー (932)	1		
3-3	37141-98L20	・キー (933)	1		
3-4	37141-98L30	・キー (934)	1		
3-5	37141-98L40	・キー (935)	1		
3-6	37141-98L50	・キー (936)	1		
3-7	37141-98L60	・キー (937)	1		
3-8	37141-98L70	・キー (938)	1		
3-9	37141-98L80	・キー (939)	1		
3-10	37141-98L90	・キー (940)	1		
3-11	37141-98LA0	・キー (941)	1		
3-12	37141-98LB0	・キー (942)	1		
4-1	37141-99E00	・キー (931)	1		
4-2	37141-99E10	・キー (932)	1		
4-3	37141-99E20	・キー (933)	1		
4-4	37141-99E30	・キー (934)	1		
4-5	37141-99E40	・キー (935)	1		
4-6	37141-99E50	・キー (936)	1		
4-7	37141-99E60	・キー (937)	1		
4-8	37141-99E70	・キー (938)	1		
4-9	37141-99E80	・キー (939)	1		
4-10	37141-99E90	・キー (940)	1		
4-11	37141-99EA0	・キー (941)	1		
4-12	37141-99EB0	・キー (942)	1		
5	37138-98L00	・カバ ^ニ ー, メインスイッチハ ^ニ ネル	1		
6	38500-93J90	・フ ^ニ ザ ^ニ ー, ウォーニング	1		
7	03142-05169	・スクリュ	4		
8	37803-98L00	ハ ^ニ ネルアツシ, エマジ ^ニ エンシスイッチ	1		
9	37820-98L00	・スイッチアツシ, エマジ ^ニ エンシ	1		
10	37823-98L01	・フ ^ニ レートアツシ, エマジ ^ニ エンシスイッチロツク	1		
11	37832-98L00	・カバ ^ニ ー, エマジ ^ニ エンシスイッチハ ^ニ ネル	1		
12	03142-05169	・スクリュ	4		
13	37100-98L10	ハ ^ニ ネルアツシ, メインスイッチ	1		

DF300A_000_023

FIG.530B





FIG. 530B (1-K-15) オプション:スイッチ (022, 023)

見出番号	品 番	品 名	使用個数	備 考	標準 作業時間
14	37110-98L00	・スイッチアツシ, メイン	1		
15-1	37141-98L00	・キー (931)	1		
15-2	37141-98L10	・キー (932)	1		
15-3	37141-98L20	・キー (933)	1		
15-4	37141-98L30	・キー (934)	1		
15-5	37141-98L40	・キー (935)	1		
15-6	37141-98L50	・キー (936)	1		
15-7	37141-98L60	・キー (937)	1		
15-8	37141-98L70	・キー (938)	1		
15-9	37141-98L80	・キー (939)	1		
15-10	37141-98L90	・キー (940)	1		
15-11	37141-98LA0	・キー (941)	1		
15-12	37141-98LB0	・キー (942)	1		
16-1	37141-99E00	・キー (931)	1		
16-2	37141-99E10	・キー (932)	1		
16-3	37141-99E20	・キー (933)	1		
16-4	37141-99E30	・キー (934)	1		
16-5	37141-99E40	・キー (935)	1		
16-6	37141-99E50	・キー (936)	1		
16-7	37141-99E60	・キー (937)	1		
16-8	37141-99E70	・キー (938)	1		
16-9	37141-99E80	・キー (939)	1		
16-10	37141-99E90	・キー (940)	1		
16-11	37141-99EA0	・キー (941)	1		
16-12	37141-99EB0	・キー (942)	1		
17	37138-98L10	・カバー, メインスイッチハ ネルハ ーチカル	1		
18	37820-98L00	・スイッチアツシ, エマシ エンシ	1		
19	37823-98L01	・ブ レードアツシ, エマシ エンシスイッチロック	1		
20	38500-93J90	・ブ ザ ー, ウォーニング	1		
21	03142-05169	・スクリュ	4		
22	37100-98L20	ハ ネルアツシ, メインスイッチHORIZ	1		
23	37110-98L00	・スイッチアツシ, メイン	1		
24-1	37141-98L00	・キー (931)	1		
24-2	37141-98L10	・キー (932)	1		
24-3	37141-98L20	・キー (933)	1		

FIG.530B



DF300A_000_023_530B
OPT:SWITCH

FIG. 530B (1-L-2) オプション:スイッチ (022, 023)

見出番号	品 番	品 名	使用個数	備 考	標準 作業時間
24-4	37141-98L30	・・キ (934)	1		
24-5	37141-98L40	・・キ (935)	1		
24-6	37141-98L50	・・キ (936)	1		
24-7	37141-98L60	・・キ (937)	1		
24-8	37141-98L70	・・キ (938)	1		
24-9	37141-98L80	・・キ (939)	1		
24-10	37141-98L90	・・キ (940)	1		
24-11	37141-98LA0	・・キ (941)	1		
24-12	37141-98LB0	・・キ (942)	1		
25-1	37141-99E00	・・キ (931)	1		
25-2	37141-99E10	・・キ (932)	1		
25-3	37141-99E20	・・キ (933)	1		
25-4	37141-99E30	・・キ (934)	1		
25-5	37141-99E40	・・キ (935)	1		
25-6	37141-99E50	・・キ (936)	1		
25-7	37141-99E60	・・キ (937)	1		
25-8	37141-99E70	・・キ (938)	1		
25-9	37141-99E80	・・キ (939)	1		
25-10	37141-99E90	・・キ (940)	1		
25-11	37141-99EA0	・・キ (941)	1		
25-12	37141-99EB0	・・キ (942)	1		
26	37138-98L20	・カバ -, メインスイッチハ° ネルHORIZ	1		
27	37820-98L00	・スイッチアツシ, エマシ° エンシ	1		
28	37823-98L01	・フ° レートアツシ, エマシ° エンシスイッチロック	1		
29	38500-93J90	・フ° ザ° -, ウォーニング°	1		
30	03142-05169	・スクリュ	4		
31	37860-98L00	ハ° ネルアツシ, トローリング° コントロールスイッチ	1		
32	37865-98L00	・カバ -, トローリング° コントロールスイッチ	1		
33	03142-05169	・スクリュ	4		
34	37120-98L00	・ハ° ネルアツシ, テ° ユアル	1		
35	37112-98J10	・・ナツト	1		
36	37120-98L10	・ハ° ネルアツシ, トリフ° ル	1		
37	37112-98J10	・・ナツト	1		
38	37120-98L20	・ハ° ネルアツシ, クアド° ルフ° ルホ° -ート	1		
39	37112-98J10	・・ナツト	1		

DF300A_000_023

FIG.530B





FIG. 530B (1-L-3) オプション:スイッチ (022, 023)

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
40	37120-98L30	・ハ ネルアツシ, クアド ルフ ルスターホート	1		
41	37112-98J10	・ナツト	1		
42	37120-98L40	ハ ネルアツシ, QUINTUPLE	1		
43	37112-98J10	・ナツト	1		
44	37120-98L50	ハ ネルアツシ, SEXTUPLEホート	1		
45	37112-98J10	・ナツト	1		
46	37120-98L60	ハ ネルアツシ, SEXTUPLEスターホート	1		
47	37112-98J10	・ナツト	1		
48	38500-93J90	ブザー, ウォーニング	1		
49	09407-08401	クランプ (L: 80)	1		

FIG.535A




DF300A_000_023_535A
OPT:KEY LESSSTART

FIG. 535A (1-L-4) オプション:キーレススタート (020, 021)

見出番号	品番	品名	使用個数	備考	標準作業時間
1	37100-96L02	ハネルアツシ, メインスイッチ	1		
2	37110-96L00	・スイッチアツシ, メイン	1		
3-1	37141-99E00	・キー (931)	1		
3-2	37141-99E10	・キー (932)	1		
3-3	37141-99E20	・キー (933)	1		
3-4	37141-99E30	・キー (934)	1		
3-5	37141-99E40	・キー (935)	1		
3-6	37141-99E50	・キー (936)	1		
4	37143-96L00	・ノブ, メインスイッチ	1		
5	37114-98J00	・シート, メインスイッチハネル	1		
6	37139-96L30	・ハネル, メインスイッチ	1		
7	37820-93J11	・スイッチアツシ, エマシエンシ	1		
8	37823-92E02	・フレートアツシ, エマシエンシスイッチロツク	1		
9	37826-92J10	・ナツト	1		
10	03122-05169	・スクリュ	4		
11	37105-96L04	ハネスセツト, キーレススタートコントロラ	1		
12	32980-38F00	・クツシヨシ, CD1ユニツト	1		
13	36623-96L02	・ハネスアツシ, キーレススタートコントロラ	1		
14	36615-96300	・ターミナル	1		
15	36662-96L01	・ハネスアツシ, キーレススタートCAN	1	L:6500+110	
16	37173-96L10	・ホルダ, キーレススタートハネツ	1		
17	38500-93J90	・フザ, ウオーニツク	1		
18	38860-96L01	・リレーアツシ, キーレススタート	1		
19	32851-93J00	・クツシヨシ, リードワイヤ	1		
20	09407-14407	・クランツ (L:145)	1		
21	37170-96L16	コントロラセツト, キーレススタート315	1		
22	37117-96L00	・デカル, キーレススタート	2		
23	37171-96L12	・コントロラアツシ, キーレススタート315	1		
24	37172-96L11	・リモコンアツシ, キーレススタート315	2		
25	36663-96L00	ワイヤ, キーレススタートCANエクステンシヨシ	1		
26	36664-96L00	ハネスアツシ, キーレススタートCAN	AR	L:810+110	
27	37173-96L00	ホルダ, キーレススタートハネツ	1		

FIG.535B




DF300A_000_023_535B
OPT:KEY LESS START

FIG. 535B (1-L-5) オプション:キーレススタート (022, 023)

見出番号	品番	品名	使用個数	備考	標準作業時間
1	37290-98L00	ハネルアツシ, エンジンスターツスイッチ	1		
2	37292-98L00	・カバー-, エンジンスターツハネル	1		
3	03142-05169	・スクリュ	4		
4	37290-98L10	ハネルアツシ, エンジンスターツスイッチハチカル	1		
5	37292-98L10	・カバー-, エンジンスターツハネルハチカル	1		
6	37820-98L00	・スイツチアツシ, エマシエンシ	1		
7	37823-98L01	・フレートアツシ, エマシエンシスイツチロック	1		
8	03142-05169	・スクリュ	4		
9	37290-98L20	ハネルアツシ, エンジンスターツスイッチHORIZ	1		
10	37292-98L20	・カバー-, エンジンスターツハネルHORIZ	1		
11	37820-98L00	・スイツチアツシ, エマシエンシ	1		
12	37823-98L01	・フレートアツシ, エマシエンシスイツチロック	1		
13	03142-05169	・スクリュ	4		
14	37105-98L11	キット, キーレススタート (315)	1		
15	32980-38F00	・クツシヨソ, CD1ユニット	1		
16	36623-98LA0	・ハーネスアツシ, キーレススタートコントロール	1		
17	37173-96L10	・ホルダ, キーレススタートハーツ	1		
18	38860-96L01	・リレーアツシ, キーレススタート	1		
19	32851-93J00	・クツシヨソ, リードワイヤ	1		
20	09407-14407	・クラツフ (L:145)	1		
21	37117-96L00	・デカール, キーレススタート	2		
22	37171-98L10	・コントロールアツシ, キーレススタート315	1		
23	37172-96L11	・リモコンアツシ, キーレススタート315	2		
24	38500-93J90	・フザ-, ウォーニング	1		
25	36627-98L20	ハーネス, CANエクステンシヨソ	1		

FIG.540A




DF300A_000_023_540A
OPT:REMOTE CONTROL ASSYDUAL

FIG. 540A (1-L-6) オプション:リモートコントロールアツシデュアル (020, 021)

見出番号	品番	品名	使用個数	備考	標準作業時間
1	67200-98J16	リモートコントロールアツシ, マルチプル	1		
2	67211-98J20	・ハウジング	1		
3	67251-98J00	・レバー, ハンドル	2		
4	67246-98J10	・シャフト, ドライブ リモコン	1		
5	67261-98J00	・グリップ, NO. 1	1		
6	67261-98J10	・グリップ, NO. 2	1		
7	67263-98J00	・カバー, レバー	2		
8	67212-98J30	・カバー, リモコンアツハ	1		
9	67271-98J40	・カバー, リモコンボトム	1		
10	67222-98J10	・ハネルアツシ, ハック	1		
11	67236-98J10	・ローラ, テント	2		
12	67235-98J10	・ガイド, テントローラ	2		
13	67237-98J40	・スプリング, テント	2		
14	67233-98J10	・ホルダ, テントスプリング	2		
15	67287-92E00	・ナット	2		
16	67239-98J00	・スクリュ, テントアシヤストメント	2		
17	67223-98J00	・パッド, フレーキ	2		
18	67296-98J50	・スクリュ (5X18)	8		
19	67296-98JA0	・スクリュ (4X10)	2		
20	67272-98J10	・グロメット, リモコンカバー	2		
21	67252-98J10	・ブッシュ, ドライブ シャフト	2		
22	67288-98J20	・ワッシャ	2		
23	67292-98J00	・Oリング	2		
24	15980-98J00	・ボテンシヨメータ	2		
25	67227-98J10	・レバー, ボテンシヨメータNO. 2	1		
26	37850-98J03	・スイッチアツシ, PTT	1		
27	67269-98J01	・クランプ, リード	1		
28	67273-98J20	・バックギンク	1		
29	67296-98J60	・スクリュ (8X30)	2		
30	67296-98J30	・スクリュ (5X70)	4		
31	67296-98J60	・スクリュ (5X14)	2		
32	67296-98J00	・スクリュ (5X12)	1		
33	67296-94300	・スクリュ (4X10)	4		
34	67288-98J40	・ワッシャ	14		
35	67288-98J00	・ワッシャ	4		

DF300A_000_023

FIG.540A




DF300A_000_023_540A
OPT:REMOTE CONTROL ASSYDUAL

FIG. 540A (1-L-7) オプション:リモートコントロールアッシデュアル (020, 021)

見出番号	品 番	品 名	使用個数	備 考	標準 作業時間
36	67288-92E20	・ワッシャ	2		
37	67226-98J00	・ボルト (5X50)	4		
38	09160-05024	・ワッシャ (5. 5X16X1. 5)	4		
39	67287-92E00	・ナット	4		
40	67296-98J90	・スクリュ (8X30)	2		
41	67227-98J00	・レバ - , ホ - テンシヨメータNO. 1	1		
42	67284-98J10	・マーク (F-N-R)	1		
43	67257-98J00	・マーク, レバ - (S)	2		
44	67269-98J30	・ハ - ント	1		
45	67288-98J10	・ワッシャ	16		
46	67288-98J30	・ワッシャ	2		
47	67228-98J50	・ワッシャ, ウェ - フ	2		
48	67211-98J30	・ハウシ - ング , リモコン	1		
49	67222-98J20	・ハ - ネルアツシ, ハ - ツク	1		
50	67246-98J20	・シャフト, ト - ライブ リモコン	1		
51	67273-98J10	・ハ - ツキンク , フロント	1		
52	67273-98J30	・ハ - ツキンク , リヤ	1		
53	67277-98J00	・ク - ロメツト, リモコンホ - トムカハ -	1		
54	67296-98JF0	・ボルト (5X14)	1		
55	67297-98J00	・ナット, アツハ - カハ - ボルト	1		
56	67237-98J50	・スフ - リンク , テ - テント	2		
57	36890-98J00	・ハーネス, コンデ - ンサタ - フ - タ	1		
58-1	36620-98J32	ワイヤアツシ, リモートコントロール	1		
58-2	36620-98J43	ワイヤアツシ, リモートコントロール	1		

DF300A_000_023

FIG.540B




DF300A_000_023_540B
OPT:REMOTE CONTROL ASSYDUAL

FIG. 540B (1-L-8) オプション:リモートコントロールアッシュアル (022, 023)

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
1	67200-98L10	リモコンアッシ, マルチフ ルツフ マウント	1		
2	37130-98L10	・スイツアッシ, ホー トコントロール	1		
3	37850-98L00	・スイツアッシ, PTT	1		
4	67212-98L10	・カハー, リモコンアッハ (マルチフ ル)	1		
5	67284-98L00	・・マーク, ハンド ルレハー	1		
6	67284-98L10	・・マーク, ハンド ルレハー	1		
7	68111-88L00	・・エンフ レム, マーク (S)	1		
8	67226-98J00	・ホ ルト (5X50)	4		
9	67261-98L00	・グ リツフ, リモコンNO. 1	2		
10	67261-98L10	・グ リツフ, リモコンNO. 2	1		
11	67261-98L20	・グ リツフ, リモコンNO. 3	1		
12	67269-98L00	・クランフ, リー ト	1		
13	67271-98L10	・カハー, リモコンホ トム (マルチフ ル)	1		
14	67272-98L10	・グ ロメツト, リモコンカハー	2		
15	67273-98L10	・ハ ツキンク, リモコン (マルチフ ル)	1		
16	67277-98L10	・グ ロメツト, リモコング リツフ	2		
17	67277-98L20	・グ ロメツト, リモコンホ トムカハー	1		
18	67287-92E00	・ナツト	6		
19	67288-98J40	・ワツシャ	12		
20	67296-98J50	・スクリュ (5X18)	6		
21	67296-98L00	・スクリュ	3		
22	67296-98L10	・ホ ルト, アッハ カハー	1		
23	67297-98J00	・ナツト, アッハ カハーホ ルト	1		
24	09160-05024	・ワツシャ (5. 5X16X1. 5)	4		
25	09125-04021	・スクリュ (4X20)	4		
26-1	36620-98L00	ワイヤアッシ, リモートコントロール	1		
26-2	36620-98L10	ワイヤアッシ, リモートコントロール	1		
26-3	36620-98L20	ワイヤアッシ, リモートコントロールエクステンション	1		
27	38500-93J90	ブ ザー, ウォーニンク	1		
28	09407-08401	クランフ (L: 80)	1		

DF300A_000_023

FIG.543A




DF300A_000_023_543A
OPT:REMOTE CONTROL ASSY SINGLE

FIG. 543A (1-L-9) オプション:リモート コントロール アッシー シングル (020,021)

見出番号	品 番	品 名	使用個数	備 考	標準 作業時間
1	67200-98J06	リモートコントロールアッシー, シングル	1		
2	67211-98J20	・ハウジング	1		
3	67251-98J00	・レバー, ハンドル	1		
4	67246-98J10	・シャフト, トライブ リモコン	1		
5	67261-98J00	・ケ リップ, NO. 1	1		
6	67263-98J00	・カバー, レバー	1		
7	67212-98J20	・カバー, リモコンアッパ	1		
8	67271-98J30	・カバー, リモコンボトム	1		
9	67222-98J10	・ハ ネルアッシー, ハ ック	1		
10	67236-98J10	・ローラ, テント	1		
11	67235-98J10	・ガイド, テントローラ	1		
12	67237-98J30	・スプリング, テント	1		
13	67233-98J10	・スプリング, テントスプリング	1		
14	67287-92E00	・ナット	1		
15	67239-98J00	・スクリュー, テントアシスタメント	1		
16	67223-98J00	・パッド, フレーキ	1		
17	67296-98J50	・スクリュー (5X18)	6		
18	67296-98JA0	・スクリュー (4X10)	1		
19	67272-98J10	・ケ ロメット, リモコンカバー	1		
20	67252-98J10	・ブ ッシ, トライブ シャフト	1		
21	67288-98J20	・ワッシャ	1		
22	67292-98J00	・Cリング	1		
23	15980-98J00	・ボテンシヨメータ	1		
24	67227-98J10	・レバー, ボテンシヨメータNO. 2	1		
25	37850-98J03	・スイッチアッシー, PTT	1		
26	67269-98J01	・クランプ, リート	1		
27	67273-98J00	・ハ ッキン	1		
28	67296-98J60	・スクリュー (8X30)	1		
29	67274-98J00	・フランジ, ベース	1		
30	67288-92E20	・ワッシャ	1		
31	67296-98J90	・スクリュー (8X30)	1		
32	67296-98J60	・スクリュー (5X14)	1		
33	67296-94300	・スクリュー (4X10)	2		
34	67288-98J00	・ワッシャ	2		
35	67296-98J20	・スクリュー (5X50)	2		

DF300A_000_023

FIG.543A




DF300A_000_023_543A
OPT:REMOTE CONTROL ASSY SINGLE

FIG. 543A (1-L-10) オプション:リモート コントロール アッシー シングル (020, 021)

見出番号	品 番	品 名	使用個数	備 考	標準 作業時間
36	67226-98J00	・ボルト (5X50)	4		
37	09160-05024	・ワッシャ (5. 5X16X1. 5)	4		
38	67287-92E00	・ナット	4		
39	67296-98J00	・スクリュ (5X12)	1		
40	67288-98J40	・ワッシャ	12		
41	67296-98J10	・スクリュ (5X35)	1		
42	67284-98J10	・マーク (F-N-R)	1		
43	67257-98J00	・マーク, レバ - (S)	1		
44	67269-98J30	・ハンドル	1		
45	67288-98J10	・ワッシャ	8		
46	67288-98J30	・ワッシャ	1		
47	67228-98J50	・ワッシャ, ウェーブ	1		
48	67273-98J10	・バ ッキング, フロント	1		
49	67273-98J30	・バ ッキング, リヤ	1		
50	67277-98J00	・ク ロメツト, リモコンホ トムカハ -	1		
51	67296-98JF0	・ボ ルト (5X14)	1		
52	67297-98J00	・ナット, アッハ カハ -ボ ルト	1		
53	36890-98J00	・ハーネス, コンデ ンサタ プ ッタ	1		
54-1	36620-98J32	ワイヤアッシー, リモートコントロール	1		
54-2	36620-98J43	ワイヤアッシー, リモートコントロール	1		

FIG.543B



DF300A_000_023_543B
OPT:REMOTE CONTROL ASSY SINGLE

FIG. 543B (1-L-11) オプション:リモート コントロール アツシ シンｸﾞﾙ (022, 023)

見出番号	品 番	品 名	使用個数	備 考	標準 作業時間
1	67200-98L00	リモコンアツシ, シンｸﾞﾙ トツﾌﾞ マウント	1		
2	37130-98L00	・スイツチアツシ, ホﾞｰﾄﾞｺﾝﾄﾛｰﾙ	1		
3	37850-98L00	・スイツチアツシ, PTT	1		
4	67212-98L00	・ｶﾊﾞｰ, リﾓｺﾝｱﾂﾊﾟ (ｼﾝｸﾞﾙ)	1		
5	67284-98L00	・ﾏｰｸ, ﾎﾝﾄﾞﾙ ﾚﾊﾞｰ	1		
6	68111-88L00	・ﾍﾝﾌﾞ ﾚﾑ, ﾏｰｸ (S)	1		
7	67226-98J00	・ﾎﾞｰﾙﾄ (5X50)	4		
8	67261-98L00	・ｸﾞ ﾚｯﾌﾟ, リﾓｺﾝNO. 1	1		
9	67261-98L10	・ｸﾞ ﾚｯﾌﾟ, リﾓｺﾝNO. 2	1		
10	67269-98L00	・ｸﾗﾝﾌﾟ, リｰﾄﾞ	1		
11	67271-98L00	・ｶﾊﾞｰ, リﾓｺﾝﾎﾞｰﾄﾑ (ｼﾝｸﾞﾙ)	1		
12	67272-98L00	・ｸﾞ ﾛﾓﾂﾄ, リﾓｺﾝｶﾊﾞｰ	1		
13	67273-98L00	・ﾊﾟ ﾂｷﾝｸﾞ, リﾓｺﾝ (ｼﾝｸﾞﾙ)	1		
14	67277-98L00	・ｸﾞ ﾛﾓﾂﾄ, リﾓｺﾝﾎﾞｰﾄﾑｶﾊﾞｰ	1		
15	67277-98L10	・ｸﾞ ﾛﾓﾂﾄ, リﾓｺﾝｸﾞ ﾚｯﾌﾟ	1		
16	67287-92E00	・ﾅｯﾄ	4		
17	67288-98J40	・ﾜｯｼﾔ	9		
18	67296-98J50	・ｽｸﾘﾕ (5X18)	3		
19	67296-98L00	・ｽｸﾘﾕ	2		
20	67296-98L10	・ﾎﾞｰﾙﾄ, ﾏﾂﾊﾟ ｶﾊﾞｰ	1		
21	67297-98J00	・ﾅｯﾄ, ﾏﾂﾊﾟ ｶﾊﾞｰ ﾎﾞｰﾙﾄ	1		
22	09125-04021	・ｽｸﾘﾕ (4X20)	4		
23-1	36620-98L00	ﾜｲﾔｱﾂｼ, リﾓｰﾄｺﾝﾄﾛｰﾙ	1		
23-2	36620-98L10	ﾜｲﾔｱﾂｼ, リﾓｰﾄｺﾝﾄﾛｰﾙ	1		
23-3	36620-98L20	ﾜｲﾔｱﾂｼ, リﾓｰﾄｺﾝﾄﾛｰﾙｴｸｽﾃﾝｼｮﾝ	1		

DF300A_000_023

FIG.585A




FIG. 585A (1-L-12) オプション:ガasket セット

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
1	11410-98831	ガasketセット	1		
2	11141-98J10	・ガasket, シリンダヘッドスターホート	1	STBD	
3	11142-98J10	・ガasket, シリンダヘッドホート	1	PORT	
4	11179-93J00	・ガasket, シリンダヘッドカバースターホート	1	STBD	
5	11189-93J00	・ガasket, シリンダヘッドカバーホート	1	PORT	
6	11332-93J00	・ガasket, クランクケースウォーターポンプカバー	1	CRANKCASE WTR JKT COVER	
7	13119-98J00	・ガasket, インテークマニホールド	2		
8	14151-93J00	・ガasket, エキゾーストカバー (スターホート)	1	STBD	
9	14152-93J00	・ガasket, エキゾーストカバー (ホート)	1	PORT	
10	17472-98J00	・ガasket, ホンダケースバル	1		
11	11272-93J00	・ガasket, シリンダブロッククワレート	1		
12	11489-93J00	・ガasket, オイルパン	1		
13	14212-93J00	・ガasket, エキゾーストチューブ	1		
14	51123-93J01	・ガasket, マウントオイルシールカバー	1		
15	51142-93J00	・ガasket, エンジンホルダカバー	1		
16	51211-93J00	・ガasket, エンジンホルダ	1		

FIG.601A




FIG. 601A (1-L-13) オプション:マルチ ファンクション ゲージ (1) (020, 021)

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
1	34000-96L69	キット, シンカ [®] ル [®] ジ [®] エレクトリツク	1		
2	34011-96L42	・ゲージ セット, マルチ (W/INSTRUCTION)	1		
3	34112-96L00	・ナツト, ゲージ	1		
4	34193-96L00	・ベッセル, ゲージ	1		
5	34211-96L00	・カバー, ゲージ	1		
6	34825-96L00	・ハッキング, ゲージ	1		
7	36661-96L20	・アダプタ, ゲージ	1		
8	36615-96300	・ターミナル	5		
9	34000-96L79	キット, テュアル [®] ジ [®] エレクトリツク	1		
10	34011-96L42	・ゲージ セット, マルチ (W/INSTRUCTION)	2		
11	34112-96L00	・ナツト, ゲージ	2		
12	34193-96L00	・ベッセル, ゲージ	2		
13	34211-96L00	・カバー, ゲージ	2		
14	34825-96L00	・ハッキング, ゲージ	2		
15	36661-96L20	・アダプタ, ゲージ	1		
16	36615-96300	・ターミナル	5		
17	36662-88L10	・ワイヤ, 2エクステンション	2		
18	36663-88L00	・ハーネスアツジ, ネットワークパワ	1		
19	36664-88L00	・コネクタ, プランチ	2		
20	36665-88L00	・ユニット, レジスタヒューメル	1		
21	36665-88L10	・ユニット, レジスタヒューメル	1		
22	36667-96L00	・ワイヤ, ゲージ アダプタ	1		
23	36667-96L11	ワイヤ, テュアル [®] ジ [®] アダプタ	1		
24	36667-96L30	ワイヤ, ゲージ アダプタ	1		

FIG.601B





FIG. 601B (1-L-14) オプション:マルチ ファンクション ゲージ (1) (022, 023)

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
1	34011-96L42	ゲージセット, マルチ (W/ INSTRUCTION)	1		
2	34112-96L00	・ナット, ゲージ	1		
3	34193-96L00	・ベゼル, ゲージ	1		
4	34211-96L00	・カバー, ゲージ	1		
5	34825-96L00	・ハッキング, ゲージ	1		
6	36662-88L10	ワイヤ, 2エクステンション	1		
7	36663-88L00	ハーネスアッシ, ネットワークハー	1		
8	36664-88L00	コネクタ, プランチ	1		
9	36665-88L00	ユニット, レジスタヒール	1		
10	36665-88L10	ユニット, レジスタメル	1		
11	36667-96L40	ワイヤ, デュアルゲージアダプタ	1		
12	36667-96L50	ワイヤ, デュアルゲージアダプタ	1		

FIG.602A




FIG. 602A (1-L-15) オプション:マルチ ファンクション ゲージ (2) (020, 021)

見出番号	品 番	品 名	使用個数	備 考	標準 作業時間
1	34002-96L17	キット, デュアルステーション	1		
2	34011-96L40	・ゲージセット, マルチ(W/INSTRUCTION)	1		
3	34112-96L00	・ナット, ゲージ	1		
4	34193-96L00	・ベゼル, ゲージ	1		
5	34211-96L00	・カバー, ゲージ	1		
6	34825-96L00	・ハッキング, ゲージ	1		
7	36662-88L10	・ワイヤ, 2エクステンション	1		
8	36664-88L00	・コネクタ, プランチ	1		
9	36665-96L00	・アダプタ, デュアルステーション	1		
10	36666-96L00	・アダプタ, ゲージハワー	1		
11	36682-92E00	・ワイヤ, トリムメータエクステンション(L: 6500)	1		
12	34011-96L40	ゲージセット, マルチ(W/INSTRUCTION)	1		
13	34112-96L00	・ナット, ゲージ	1		
14	34193-96L00	・ベゼル, ゲージ	1		
15	34211-96L00	・カバー, ゲージ	1		
16	34825-96L00	・ハッキング, ゲージ	1		
17	36001-88L00	セット, ワイヤ	1		
18	36662-88L10	・ワイヤ, 2エクステンション	1		
19	36663-88L00	・ハーネスアツシ, ネットワークハワー	1		
20	36664-88L00	・コネクタ, プランチ	1		
21	36665-88L00	・ユニット, レジスタヒューメル	1		
22	36665-88L10	・ユニット, レジスタヒューメル	1		
23	34190-88L00	センサアツシ, ハットヒューメル	1		
24	36662-88L20	ワイヤ, 6エクステンション	1		
25	36662-88L30	ワイヤ, 15エクステンション	1		
26	39950-88L02	モジュールアツシ, GPSレシーバ	1		
27	36662-88L00	ワイヤ, 25エクステンション	1		
28	36663-88L00	ハーネスアツシ, ネットワークハワー	1		
29	36665-88L00	ユニット, レジスタヒューメル	1		
30	36665-88L10	ユニット, レジスタヒューメル	1		
31	36662-88L10	ワイヤ, 2エクステンション	1		
32	36664-88L00	コネクタ, プランチ	1		

FIG.602B




FIG. 602B (2-B-2) オプション:マルチ ファンクション ゲージ (2) (022, 023)

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
1	34011-96L42	ゲージ セット, マルチ (W/ INSTRUCTION)	1		
2	34112-96L00	・ナット, ゲージ	1		
3	34193-96L00	・ベゼル, ゲージ	1		
4	34211-96L00	・カバー, ゲージ	1		
5	34825-96L00	・ハブツキンク, ゲージ	1		
6	36001-88L00	セット, ワイヤ	1		
7	36662-88L10	・ワイヤ, 2エクステンション	1		
8	36663-88L00	・ハーネスアツシ, ネットワークハブワー	1		
9	36664-88L00	・コネクタ, プランチ	1		
10	36665-88L00	・ユニット, レジスタヒーメイル	1		
11	36665-88L10	・ユニット, レジスタメール	1		
12	34190-88L00	センサアツシ, ハブッド ホイール	1		
13	36662-88L20	ワイヤ, 6エクステンション	1		
14	36662-88L30	ワイヤ, 15エクステンション	1		
15	39950-88L02	モジュールアツシ, GPSレシーバ	1		
16	36662-88L00	ワイヤ, 25エクステンション	1		
17	36663-88L00	ハーネスアツシ, ネットワークハブワー	1		
18	36665-88L00	ユニット, レジスタヒーメイル	1		
19	36665-88L10	ユニット, レジスタメール	1		
20	36662-88L10	ワイヤ, 2エクステンション	1		
21	36664-88L00	コネクタ, プランチ	1		